

A better patient experience starts here.

medTAB™ delivers a touchscreen experience patients understand and enjoy as soon as they touch it.





med**TAB**¹⁴
14" PATIENT TV-TABLET

med**TAB**¹⁹
19" PATIENT TV-TABLET

- Fully integrated touchscreen TV-TABLET patient device, equivalent to a 90" wall TV experience
- Fun to use, yet built for stringent healthcare use
- Securely mounted and continuously powered, with proven arm mounts and low-voltage power supplies designed and built by PDi Communication Systems, Inc.
- Optional rear VESA mounts accommodate clinic chairs or alternative mount applications
- · Provides comfort to patients and staff, with ease of use and infection control designs



All-In-One Touchscreen Solution for Your Patients



TV

With a tap of the TV icon, medTAB displays the familiar TV channel programming patients enjoy.



INTERNET BROWSING

Launch the patient into the world wide web with device settings the facility can control.



SOCIAL MEDIA

Patients can login to their favorite social media channels and easily connect with their family and friends the same way they do at home!



GAMES

Patients enjoy choosing from 10 preloaded games.



NEWS

Patients can stay up-to-date with the headlines and easily access news, weather and sports on medTAB.



E-MAIL

Easy email links for patients, or visitors, who just can't break away from work or personal emails.

DISTRACT AND CONNECT


Distract patients from the anxiety of treatment by connecting them to the web, games, social media, TV and more.

ENHANCE PERSONAL COMFORT

Create a comfortable and interactive environment centered around the patient using the medTAB arm-mounted display to reduce neck, back and eye strain.

LEVERAGE THIS AFFORDABLE SOLUTION

Improve patient satisfaction and maximize reimbursements with medTAB scalable solutions designed to improve the patient experience.



medTAB delivers touchscreen TV controls to provide maximum entertainment with minimal effort.



Flexible and Secure Technology

CUSTOM BRANDING FOR YOUR FACILITY

It's easy to add facility logo, custom wallpaper, and a URL link to a landing page you want to share with your patients.

RELIABLE

The patient will never experience lack of entertainment choices using medTAB. All devices are built with TV and preloaded games, plus an ENET cable is always included.

SECURE SETUP

medTAB is designed to always protect personal patient information using restricted profiles and a unique patient PIN or password. Patient profiles can be autowiped or cleared manually from the device.

CUSTOMIZED FOR YOUR NEEDS

Offer advanced healthcare infotainment to patients and streamline communications with intelligent apps of your choice to educate, communicate, satisfy and engage patients and families.

medTAB, future-proof and scalable to fit your unique needs

Adding software to medTAB multiplies patient satisfaction.

Patient engagement, patient education, and expanded entertainment are within reach. Ask PDi how to customize and enhance the patient experience with secure access to protected health information, from many leading interactive patient software system partners, that are HIPPA covered entities.

Leverage medTAB devices, compatible with leading Interactive Patient Software Systems:













^{*} SONIFI® Solutions require MTI and only work with PDI-TAB2 or PDi TV only sets (medTV14 or medTV19). Call for more information.

KEY FEATURES



Fully integrated all-in-one tablet plus TV



Easy USB cloning makes TV set-up and updates quick and simple



Built by PDi for UL healthcare-grade, low voltage standards



Standard 2 year Warranty or 4 year Gold Vision Service (GVS) Warranty Available.



Channel aliasing and remapping simplifies custom channel line-ups



Extended panel life, designed to last more than 7 years when powered on 18+ hrs/day



Compatible with PDi arms or available as VESA 75 x 75mm mount for mounting in any situation



Standard cabinet color is Starlight Gray. Ask about black or cream.



Designed, Programmed and Assembled in U.S.A.

SPECIFICATIONS

PANEL	medTAB ¹⁴	medTAB ¹⁹			
Diagonal Size	14.0"	18.5″			
Display Resolution	1366 x 768				
Luminance	300 nits				
Backlight Life	50,000 hours (modified LED rails)				
Backlight Type	LED				
Contrast Ratio	500:1	1000:1			

Contrast Ratio	500:1		1000:1		
SUPPORT STANDARDS	medTAB ¹⁴	n	nedTAB ¹⁹		
Antenna Input	NTSC, ATSC, Qam in the Clear (Air VHF/UHF, CATV, IRC, HRC)				
MPEG4 / MPEG2	Yes				
Pro:Idiom®	Yes				
Dolby Audio™	Yes				
TV SET-UP FEATURES	medTAB ¹⁴	1 :	medTAB ¹⁹		
Audio Volume Limiter		Yes			
Internal Speaker Disable		Yes			
Min/Max Volume Limiter		Yes			
Start/ Power-on Volume		Yes			
USB TV Cloning & Firmware Update	es	Yes			
Parental Control (V-CHIP)		Yes			
Programmable Source Selection		Yes			
Password Protected Set-up Menus		Yes			
Channel Enable/Disable		Yes			
Channel Aliasing/Remapping		Yes			
Menu OSD		Yes			
Factory Reset		Yes			
POWER	medTAB ¹⁴	:	medTAB ¹⁹		
Source	Powe	er over	Coax		
Max Consumption		34W			

Dolby, Dolby Audio, and the double-D symbol are trademarks of Dolby Laboratories. Android is trademark of Google Inc. medTAB is a trademark of PDi Communication Systems, Inc.

9.8W

1.4W

Pro:Idiom

DOLBY AUDIO

INPUT/OUTPUT	medT	AB ¹⁴	medTAB ¹⁹		
Ethernet	,	Yes	3		
RF Input	1	1 (75ohm Unbalanced)			
USB	1, On I	Back	2, Patient Facing		
НОМІ		Optio	nal		
Front Headphone		Yes, 1/8	' jack		
Speakers		2x2-Wat	t RMS		
REGULATORY	medT	AB ¹⁴	medTAB ¹⁹		
UL/cUL 60065 Annex C	1	Yes			
FCC Title 15, Part 47, S	ubpart B	Yes			
RoHS		Yes			
COMPUTER FEATURI	ES medTAE	3 ¹⁴	medTAB ¹⁹		
os	An	droid 5.1 (L	_ollipop)		
CPU	Arm A9 Quad Core 1.2GHz				
Wifi	802.11 b/g/n/ac				
Ethernet	Yes				
Touchscreen	Projected Capacitance				
RAM	1GB				
Storage	8GB				
Camera/Microphone	Optional Yes		Yes		
DIMENSIONS	medTAB ¹⁴	medTAB ¹⁹			
Weight Lbs. (Kg)	7 lbs. (3.2 kg)	13 lbs (5.9 kg)			
Unit Dimension (W/H/D) - Swivel	14.5" x 14.5" x 1.9" 368 x 368 x 48 (mm)	20" x 17" x 2.5" 508 x 432 x 64 (mm)			
Unit Dimension (W/H/D) - VESA	14.5" x 11" x 1.9" 368 x 279 x 48 (mm)	20" x 13.75" x 2.5" 508 x 349 x 64 (mm)			
PART NUMBERS					
medTAB14B-GB2	14" medTAB Android TV-tablet, COAX + CAT6(ENET), Starlight Grey				
medTAB14B-GB2- MP	14" medTAB Android TV-tablet w Cam/Mic, COAX + CAT6(ENET), Starlight Grey				
medTAB19B-GB2	19" medTAB Android TV-tablet w Cam/Mic, COAX + CAT6(ENET), Starlight Grey				

Some screen images are simulated. Dimension and weights are approximate.

Design specification and features are subject to change without notice.



Normal Consumption

Energy Saver Mode Consumption

19" medTAB Personal Patient HDTV-Tablet Entertainment System

INDIVIDUAL POWER SUPPLY, COAX+CAT6(ENET), STARLIGHT GRAY COLOR*

*See back for color and cable options.



	Swivel Arm-mounted Solutions							Rear VESA Mounted Solutions	
	HEADWALL MOUNT	COUNTER MOUNT	RIGHT ANGLE MOUNT	CEILING MOUNT	EXTENDED REACH CEILING MOUNT	HORIZONTAL MOUNT	FLOOR MOUNT	CHAIR MOUNT	MOBILE CART MOUNT
19" HDTV-Tablet	medTAB19B-GB2 19" All-in-One touch screen HDTV-Tablet. Android-based 5.1. Pro:Idiom. Cam/Mic. COAX+ENET	medTAB19B-GB2 19" All-in-One touch screen HDTV-Tablet. Android-based 5.1. Pro:Idiom. Cam/Mic. COAX+ENET	medTAB19B-GB2 19" All-in-One touch screen HDTV-Tablet. Android-based 5.1. Pro:Idiom. Cam/Mic. COAX+ENET	medTAB19B-GB2 19" All-in-One touch screen HDTV-Tablet. Android-based 5.1. Pro:Idiom. Cam/Mic. COAX+ENET	medTAB19B-GB2 19" All-in-One touch screen HDTV-Tablet. Android-based 5.1. Pro:Idiom. Cam/Mic. COAX+ENET	medTAB19B-GB2 19" All-in-One touch screen HDTV-Tablet. Android-based 5.1. Pro:Idiom. Cam/Mic. COAX+ENET	medTAB19B-GB2 19" All-in-One touch screen HDTV-Tablet. Android-based 5.1. Pro:Idiom. Cam/Mic. COAX+ENET	medTAB19BR-GB2 19" Rear-mounted All-in-One touchscreen HDTV-Tablet. Android- based 5.1. Pro:Idiom. Cam/Mic. COAX+ENET	medTAB19BR-GB2 19" Rear-mounted All-in- One touchscreen HDTV- Tablet. Android-based 5.1. Pro:Idiom. Cam/Mic. COAX+ENET
Support Arm	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	PDI-AC1413-GB Complete Ceiling Arm (includes support mount above ceiling) 39" arm length, 43" to 68" support length. Holds 13 lbs, COAX	PDI-AJ1013-GB Extended 48" Reach Ceiling Arm (includes support mount above ceiling) Holds 13 lbs, COAX+CAT6(ENET)	PD153-004-G and PDI-AD1413-GB Great for low ceilings, No upward arm motion, Std 23.5" extension, 31" drop reach. Holds 13 lbs, COAX+CAT6(ENET)	PDI-AA1413-GB 68" Arm, 5/8" Base Pin, Holds 13 lbs, COAX+CAT6(ENET)	24" reach, 75x75, COAX+CAT6(ENET)	17" reach, 75x75 and 100x100, COAX+CAT6(ENET) Included with PDI-MCP
Mount	Mount is included in Slim Power Mount (PDI-871-G)	PDI-STM-18AV-G 18" Single Table Mount with Rotational Stops and A/V Plate	PDI1295WRS-AV-G Right Angle Counter Mount with Rotational Stops and A/V Cutout	Ceiling mount is included in PDI-AC1413-GB arm.	Mount PDI-AJ1013-GB is Included in Arm	Mount is Included in Slim Power Mount (PDI-871-G)	PDI-886-G 48" tall Floor Mount, 5/8" Base Pin	Call for Options. Designs for certain models of Champion Chair, IOA Healthcare Furniture, and La-Z-Boy.	PDI-MCP 48" Mobile medTV cart with integrated cable management and low-voltage power supply.
Power Supply	PDI-871-G Slim Power Mount Combo Unit = Mount and Power	PDI-750AS-G Standard External Power Supply	PDI-750AS-G Standard External Power Supply	PDI-750AS-G Standard External Power Supply	PDI-750AS-G Standard External Power Supply	PDI-871-G Slim Power Mount Combo Unit = Mount and Power	PDI-750AS-G Standard External Power Supply	PDI-750AS-G Standard External Power Supply	AC Power is Included In Mobile Cart
Optional Accessories	PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16" OC PDI-254I Internal Backer Plate, 16" OC PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty	PD203-103-G AV Plate, COAX+CAT5 PDI-STM-BP Internal Backer Plate PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty	PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty	PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty	PDI-179RS-G Rotational Stop PDI-255E-G External Backer Plate, 16"OC PDI-254I Internal Backer Plate, 16"OC PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty	PDI-244DBF-G Dual Rotational Stops PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty	PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty	PD108-420 Programming Remote PD108-421 Patient Remote WTG-medTAB Premium Warranty

med**TAB**¹⁹

Mounting Options

INDIVIDUAL POWER SUPPLY

We have an arm for that



Power Supply



Individual External Power Supply **PDI-750AS-C**



Slim Power Mount **PDI-871-G**

Ask about 10-tap central power supplies by PDi

Color Options

Starlight Gray, Cream, Black



Cable and Color Options

medTAB¹⁹ Cable and Color Options

These part numbers for 19" medTAB devices and support arms can be ordered and used with mounting options and low-voltage power supplies shown on front.

	PART NUMBER	COLOR	CABLES AND DESCRIPTION		
PDi Swivel Arm-mounted Solutions	HDTV-TABLET				
	medTAB19B-xB2 x=color B/C/G	Black Cream	COAX+CAT6(ENET). PDi arm-mounted medTAB ¹⁹ with Cam/Mic.		
	PDI-AA1413-xB x=color B/C/G	Gray	1400 Series Support Arm, 68" reach, Supports 13 lbs for medTAB ¹⁹ . COAX+CAT6(ENET).		
	HDTV-TABLET with EXTERNAL DEVICES (Gaming Systems, DVD Players, etc.)				
	medTAB19B-xH2 x=color B/C/G	Black	COAX+CAT6(ENET)+HDMI. PDi arm-mounted medTAB ¹⁹ with Cam/Mic.		
	PDI-AA1413-xH x=color B/C/G	Cream Gray	1400 Series Support Arm, 68" reach, Supports 13 lbs for medTAB ¹⁹ . COAX+CAT6(ENET)+HDMI.		
Rear VESA Mounted Solutions	medTAB19BR-xB2 x=color B/C/G	Black	Rear VESA medTAB ¹⁹ with Cam/Mic. COAX+CAT6(ENET).		
	medTAB19BR-xH2 x=color B/C/G	Cream Gray	Rear VESA medTAB ¹⁹ with Cam/Mic. COAX+CAT6(ENET)+HDMI.		

Please call 800.628.9870 for additional configurations.



Document Number: MAR-CAT-807v3 Version 3-3Q2018