



coerco
agriculture



Product Catalogue

FEBRUARY
2020

WA EDITION

Engineered Poly Products



Contents

Welcome	3
Water Tanks	4
Tank Fittings and Accessories	10
Livestock Products	12
Liquid Fertiliser Storage & Transport	17
Liquid Transportation	20
Fire Fighting Equipment	26
Diesel Storage and Transport Products	30
Aquaculture Products	36
Septic Systems	37
General Conditions and Delivery Information	39
Water Tank Installation Guide	41
Tank Order Form	42

Welcome to Our Story



Hello! Welcome to the WA February 2020 Edition of our Product Catalogue.

It's been 27 years since we embarked on the journey of servicing the Agricultural industry with innovative poly products, an experience that has given us greater understanding and appreciation for farmers like you and the farming community at large.

Year after year, the farming industry continues to face formidable challenges, and we're determined to help you surpass them with liquid storage and transport solutions that are easy to use, easy to install, and long-lasting.

Being country-born in a grassroots company, we use our decades-long experience for the rural community. We make use of our highly-rated products—all manufactured with full quality control from start to finish—and our established after-sales support to help you pave the way for greater opportunities.

We are committed to achieving excellence and continue to innovate, improve and create new products with you in mind. It's our hope that by echoing your hard work, we may continue to see Australian farming thrive for generations to come.

Sincerely,
Andrew Jackson, Founder and Managing Director



What
We design and manufacture poly products, for liquid storage & transport that are easier to use.

How
Through generational innovation, we lead by improving and developing products by understanding the challenges and needs of farmers.

Why
Being rural based, we are passionate about improving lives and supporting local communities.

coerco

“Rural Based, Rural Focused”

Premium Corrugated Tanks

Water Tanks



20 Year
Warranty

PREMIUM
CORRUGATED TANK

Features

- One piece construction
- Attractive Heritage design
- Corrugated for strength and traditional appearance
- UV stabilised to withstand our harsh climate
- Durable and impact resistant polyethylene for long life
- Manufactured in guidance with Australian standards
- Self supporting lid design eliminates need for centre support pole
- Available in all of our colour range. (see colour chart on page 8)

*Conditions Apply

Premium Corrugated Tanks

Code	Capacity		Diameter (mm)	Inlet Height (mm)	Total Height (mm)	Retail Pricing (inc GST)
	Litres	Gallons				
RT1000	1000	220	1000	1495	1550	\$533.50
RT2500	2500	550	1400	1900	2050	\$800.80
RT2500S	2500	550	1850	1070	1250	\$800.80
RT3500	3500	770	1600	1980	2150	\$994.40
RT4500	4500	1000	1850	1950	2100	\$1,035.10
RT4500S	4500	1000	2420	1200	1350	\$1,131.90
RT9000	9000	2000	2420	2255	2430	\$1,736.90
RT9000S	9000	2000	2950	1560	1825	\$1,853.50
RT9500	9500	2100	2600	1915	2150	\$1,898.60
RT13500	13500	3000	2950	2075	2325	\$2,201.10
RT22500	22500	5000	3550	2550	2825	\$2,997.50
RT32000	32000	7050	3950	2740	3000	\$4,225.10



Rick Bee

Client Testimonial

"I had two 32,000 litre tanks ordered and delivered and I'm very happy with them and the delivery."



Standard Fittings



**90mm PVC
Mesh Overflow**



Ball Valve



Screw On Lid



**40mm Brass Outlet
(for tap)**

Tank Ordering Check List:

1. Dimensions of rainwater tank?
2. Fittings supplied with tank?
3. Position of fittings?
4. Selected tank colour?
5. Other accessories required?
6. Clearance available at property (please see page 41)?
7. Clear directions for truck driver (to property)?
8. Specified ideal time frame for requiring tank?

Optional Extra's



40mm Brass Inlet



Strainer Basket

Premium Flat Walled Tanks

Water Tanks



Features

- One piece construction
- Sturdy, Reliable and built to last
- UV Stabilised to withstand our harsh climate
- Supplied with screw in lid, overflow, outlet and ball valve
- Manufactured in guidance with Australian standards
- Self supporting lid eliminates need for centre support pole
- Available in all of our colour range. (see colour chart on page 8)

Premium Flat Walled Tanks

Code	Capacity Litres	Capacity Gallons	Diameter (mm)	Inlet Height (mm)	Total Height (mm)	Retail Pricing (inc GST)
JRR5300	5300	1200	1800	2275	2275	\$1,247.40
JRR10500	10500	2400	2450	2445	2450	\$2,336.40
JRR14000	14000	3100	2475	3080	3200	\$2,402.40
JRR25000	25000	5500	3825	2535	2555	\$3,179.00
JRR50000	50000	11100	4575	3285	3400	\$7,691.20

Standard Fittings



**90mm PVC
Mesh Overflow**



Ball Valve



Screw On Lid



**40mm Brass Outlet
(for tap)**

Optional Extra's



40mm Brass Inlet



Strainer Basket

*Conditions Apply

Slimline Tanks

Water Tanks



10 Year
Warranty
SLIMLINE TANK

RTS800




RTS1500

RTS3000

Features

- Attractive space saving design
- Ideal for under eave line or pathway situations
- Manufactured in guidance with Australian standards
- Available in all of our colour range. (see colour chart on page 8)

Slimline Tanks

Code	Description	Dimensions (mm)	Inlet Height (mm)	Total Height (mm)	Retail Pricing (inc GST)
RTS800	800ltr Slimline Tank	 1250 625	1450	1500	\$589.60
RTS1500	1,500ltr Slimline Tank	 1325 875	1950	2000	\$776.60
RTS3000	3,000ltr Slimline Tank	 2615 805	2050	2120	\$1,430.00

Standard Fittings



*Conditions Apply

Poly Water Storage Tanks

Water Tanks

Coerco poly water tanks are designed and manufactured under strict control to ensure they are suitable for drinking quality and fully UV stabilised in all colours to survive our harsh climate. Our tanks are manufactured using the best linear low density food grade polyethylene and in guidance with the following standards:

- AS/NZS 4766(INT) Polyethylene storage tanks for water and chemicals
- AS/NZS 4020 Aust. Std. for drinking water
- AS 2070 Part 1 & Part 8 Aust. Std. for food contact

Standard Tank Colours



Optional COLORBOND® colours are available but may be subject to surcharge and/or delivery delay. Due to printing differences, some colours may vary. COLORBOND® and colour names are registered trademarks of Blue Scope Steel Ltd.™Colour names are trademarks of Blue Scope Steel Ltd. Coerco colours represented match COLORBOND® steel colours.



All tanks are rotationally moulded and tested to ensure walls are the thickest at the base where water pressure is greatest




An important feature of Coerco tanks is **one piece construction** roof and walls are moulded as one with no joins seams or parts lines down the walls. At no stage is the roof cut off and screwed back on.

Moulded lifting lugs



Underground Water Storage Tanks

Water Tanks



URT3500



URT4000



URT7000



URT11000



URT15000



URT19000



URT23000

Features:

- Fully tested one piece tough poly tank
- Sealed lid reduces the possibility of anyone falling into tank
- Underground Tanks can be linked together to create more capacity

Product images are a close guide only and may not represent actual product.


Underground Water Storage Tanks

Code	Description	Retail Pricing (inc GST)
URT3500	3,500 Litre Underground Tank	\$3,060.20
URT4000	4,000 Litre Underground Tank	\$3,433.10
URT7000	7,000 Litre Underground Tank	\$5,283.30
URT11000	11,000 Litre Underground Tank	\$9,496.30
URT15000	15,000 Litre Underground Tank	\$12,744.60
URT19000	19,000 Litre Underground Tank	\$17,992.70
URT23000	23,000 Litre Underground Tank	\$22,213.40

Tank Fittings and Accessories

Tank Fittings and Accessories

Combo Tank Joiner Kit



Features

- Connector Kit to Join two Poly Tanks at the base
- Complete set ready for installation
- Extend your water storage capacity with combo tanks

Combo Tank Joiner Kits

Code	Description	Retail Pricing (inc GST)
TJK-01	Combo Tank Joiner Kit - includes 3mtrs 40mm hose & fittings to connect 2x Poly tanks at base	\$158.40
TJK-02	Combo Tank Joiner Kit - includes 3mtrs 50mm hose & fittings to connect 2x Poly tanks at base	\$217.80

Tank Level Gauges

Code	Description	Retail Pricing (inc GST)
TAL-7	"Dip-stick" tank level gauge	\$250.80
TAL-10	"Liquidator" tank level gauge	\$200.20



Dipstick (TAL-7)

- Floating pole type water level gauge.
- Out of reach of animals.
- 360° all round visibility.
- Great for 'Cup & Saucer' Tanks.



Liquidator (TAL-10)

- Ideal for chemical tanks, only the float is in contact with liquid.
- Captive guided indicator, isn't bothered by wind or other disturbances.

Tank Fittings and Accessories

Tank Fittings and Accessories



Brass Tank Fittings

- Locking nut is left hand thread for secure fit. Doesn't come loose when fitting valves etc.
- 25-50mm have internal and external threads.
- 80-100mm have external thread.



Poly Tank Fittings

- Available in 6 sizes.
- Manufactured from UV Stabilised Glass Fibre Reinforced Nylon giving a weather, termite, fungi and bacterial resistance.



Screw On Lid



Strainer Basket



PVC Mesh Overflow



Brass Lever Ball Valve



Poly Ball Valve



BibCock Tap

Tank Flange Fittings

Code	Description	Retail Pricing (inc GST)
COMP-01-01	25mm (1") Brass Fitting	\$34.10
COMP-01-02	32mm (1 1/4") Brass Fitting	\$37.40
COMP-01-03	40mm (1 1/2") Brass Fitting	\$38.50
COMP-01-04	50mm (2") Brass Fitting	\$49.50
COMP-01-05	80mm (3") Brass Fitting	\$145.20
COMP-01-06	100mm (4") Brass Fitting	\$253.00
COMP-19-02	25mm (1") Poly Fitting	\$11.00
COMP-19-03	32mm (1 1/4") Poly Fitting	\$22.00
COMP-19-04	40mm (1 1/2") Poly Fitting	\$27.50
COMP-19-05	50mm (2") Poly Fitting	\$28.60
COMP-19-06	80mm (3") Poly Fitting	\$101.20
COMP-19-07	100mm (4") Poly Fitting	\$135.30

Lids and Overflows

Code	Description	Retail Pricing (inc GST)
COMP-33-05-PPE	355mm Screw Lid	\$66.00
COMP-33-07-PPE	355mm Strainer Basket	\$55.00
COMP-33-08-PPE	455mm Screw Lid	\$97.90
COMP-33-09-PPE	455mm Strainer Bakset	\$67.10
TAL-4	50mm PVC Screw-In Mesh Overflow	\$7.70
TAL-5	90mm PVC Mesh Overflow	\$15.40

Ball Valves and Taps

Code	Description	Retail Pricing (inc GST)
COMP-38-01	20x20mm Brass Bibcock Tap	\$19.80
COMP-37-01	Brass Lever Ball Valve – 25mm BSP Thread	\$28.60
COMP-37-02	Brass Lever Ball Valve – 32mm BSP Thread	\$45.10
COMP-37-03	Brass Lever Ball Valve – 40mm BSP Thread	\$62.70
COMP-37-04	Brass Lever Ball Valve – 50mm BSP Thread	\$94.60
COMP-37-07	Brass Lever Ball Valve – 80mm BSP Thread	\$200.20
COMP-37-08	Brass Lever Ball Valve – 100mm BSP Thread	\$295.90
COMP-36-01	Poly Ball Valve – 25mm BSP Thread	\$26.40
COMP-36-02	Poly Ball Valve – 32mm BSP Thread	\$39.60
COMP-36-03	Poly Ball Valve – 40mm BSP Thread	\$51.70
COMP-36-04	Poly Ball Valve – 50mm BSP Thread	\$70.40
COMP-36-05	Poly Ball Valve – 80mm BSP Thread	\$95.70
COMP-36-06	Poly Ball Valve – 100mm BSP Thread	\$177.10

All Poly Stock Troughs

Livestock Products



Features


- Standard with 25mm (1") float valve
- Optional with 32mm (1¼"), 40mm (1½") or 50mm (2") float valve
- Unmatched strength through one piece moulding.
- Exceptionally durable and versatile
- Easy to clean with round sweep out end
- Standard colour is Beige
- Full float valve protection
- Designed and manufactured in WA for harsh WA conditions
- Optional waterfilled base for improved stability
- Peg down points to prevent livestock pushing trough around

All Poly Stock Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PTR39X	130ltr - (2400L x 450W x 420H) - without float valve	\$479.60
PTR39W	130ltr - (2400L X 450W X 420H) - with 25mm float valve	\$515.90
PTR40X	200ltr - (3600L X 450W X 420H) - without float valve	\$647.90
PTR40W	200ltr - (3600L X 450W X 420H) - with 25mm float valve	\$684.20
PTR60X	308ltr - (3600L X 580W X 460H) - without float valve	\$720.50
PTR60W	308ltr - (3600L X 580W X 460H) - with 25mm float valve	\$756.80
+WFB	All poly stock trough water filled base option	\$63.80

Float Valve Upgrades

Code	Description (mm)	Retail Pricing (inc GST)
+32LP	Float Valve upgrade to 32mm (1¼") Low Pressure	\$77.00
+32HP	Float Valve upgrade to 32mm (1¼") High Pressure	\$77.00
+40LP	Float Valve upgrade to 40mm (1½") Low Pressure	\$108.90
+40HP	Float Valve upgrade to 40mm (1½") High Pressure	\$108.90
+50LP	Float Valve upgrade to 50mm (2") Low Pressure	\$133.10
+50HP	Float Valve upgrade to 50mm (2") High Pressure	\$133.10



PTR39W



PTR40W



PTR60W



Philip Tomlison

Client Testimonial


" We have purchased Coerco Products over the last 15 years from troughs to tanks and are completely satisfied with all of the products. The service is good and the truck driver is very helpful when delivering the tanks. This company is employing people in a small rural town which is another reason to purchase these products. "

Steel Frame Longline Troughs

Livestock Products

Features

- Water troughs standard with 25mm (1") float valve
- Optional with 32mm (1¼"), 40mm (1½") or 50mm (2") float valve
- Durable UV stabilised polyethylene for long outdoor life
- Rust free polyethylene will not corrode
- Light weight for ease of relocation
- Smooth finish and 2" drain bung facilitates cleaning
- Strong 25mm x 25mm galvanised steel frames
- Peg down points to prevent livestock pushing trough around



PT16F

Steel Frame Longline Water Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PT08W*	98ltr - (1200L X 550W X 450H) - with 25mm float valve	\$367.40
PT21W	144ltr - (1800L X 550W X 450H) - with 25mm float valve	\$467.50
PT06W	190ltr - (2400L X 550W X 450H) - with 25mm float valve	\$519.20
PT18W	288ltr - (3600L X 550W X 450H) - with 25mm float valve	\$719.40
PT16W	380ltr - (4800L X 550W X 450H) - with 25mm float valve	\$796.40

Steel Frame Longline Feed Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PT08F	98ltr - (1200L X 550W X 450H) - no float valve	\$225.50
PT21F	144ltr - (1800L X 550W X 450H) - no float valve	\$288.20
PT06F	190ltr - (2400L X 550W X 450H) - no float valve	\$350.90
PT18F	288ltr - (3600L X 550W X 450H) - no float valve	\$566.50
PT16F	380ltr - (4800L X 550W X 450H) - no float valve	\$693.00

Float Valve Upgrades

Code	Description (mm)	Retail Pricing (inc GST)
+32LP	Float Valve upgrade to 32mm (1¼") Low Pressure	\$77.00
+32HP	Float Valve upgrade to 32mm (1¼") High Pressure	\$77.00
+40LP	Float Valve upgrade to 40mm (1½") Low Pressure	\$108.90
+40HP	Float Valve upgrade to 40mm (1½") High Pressure	\$108.90
+50LP	Float Valve upgrade to 50mm (2") Low Pressure	\$133.10
+50HP	Float Valve upgrade to 50mm (2") High Pressure	\$133.10

*PT08W is only available with 25mm (1") float valve




M Series Troughs

Livestock Products

Features

- Water troughs only available with 25mm (1") float valve
- Strong all-poly construction suitable for corrosive environments
- Light and easy to handle facilitates relocation
- Smooth finish for ease of cleaning
- Peg down points to prevent livestock pushing trough around
- 4 sizes to choose from to meet all needs
- Covered float on water troughs prevents stock damage to float



M Series Water Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PTM31W	Water trough - 230ltr - (2400L X 580W X 250H) - with 25mm float valve	\$305.80
PTM32W	Water trough - 170ltr - (1800L X 580W X 250H) - with 25mm float valve	\$287.10
PTM33W	Water trough - 110ltr - (1200L X 580W X 250H) - with 25mm float valve	\$222.20
PTM34W	Water trough - 70ltr - (750L X 580W X 250H) - with 25mm float valve	\$209.00

M Series Feed Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PTM31F	Feed trough - 230ltr - (2400L X 580W X 250H) - no float valve	\$220.00
PTM32F	Feed trough - 170ltr - (1800L X 580W X 250H) - no float valve	\$196.90
PTM33F	Feed trough - 110ltr - (1200L X 580W X 250H) - no float valve	\$134.20
PTM34F	Feed trough - 70ltr - (750L X 580W X 250H) - no float valve	\$121.00

Round Troughs

Livestock Products

Features

- Tough and durable polyethylene with a long history of use on farms
- Light and easy to move around
- Smooth finish incorporating 50mm (2") drain bung facilitates cleaning
- PT58W has optional upgrade to 75mm bung
- Can be used for feed



PT58W

Round Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PT50W	250 ltr - (1000D x 450H) - without float valve kit	\$229.90
PT52W	500 ltr - (1300D x 500H) - without float valve kit	\$342.10
PT54W	1,000 ltr - (1600D x 600H) - without float valve kit	\$499.40
PT56W	1,500 ltr - (2000D x 650H) - without float valve kit	\$753.50
PT58W	2,000 ltr - (2300D x 650H) - without float valve kit	\$862.40

Ultra Tub Troughs

Livestock Products



PTU3



PTU6



PTU12



PTU25

Features

- Standard with 25mm (1") float valve
- Float compartment moulded as part of trough
- Raised float to allow complete filling of trough
- All pipework protected by trough surround
- 50mm drain bung
- Exceptionally strong design
- Stainless steel float valve cover fasteners

Ultra Tub Troughs

Code	Description (mm)	Retail Pricing (inc GST)
PTU3*	250ltr- (1100D X 450H) - with 25mm float valve	\$353.10
PTU6	600ltr- (1400D X 550H) - with 25mm float valve	\$633.60
PTU12	1,200ltr- (1750D X 600H) - with 25mm float valve	\$799.70
PTU25	2,500ltr- (2400D X 650H) - with 25mm float valve	\$1,254.00

Float Valve Upgrades

Code	Description (mm)	Retail Pricing (inc GST)
+32LP	Float Valve upgrade to 32mm (1¼") Low Pressure	\$77.00
+32HP	Float Valve upgrade to 32mm (1¼") High Pressure	\$77.00
+40LP	Float Valve upgrade to 40mm (1½") Low Pressure	\$108.90
+40HP	Float Valve upgrade to 40mm (1½") High Pressure	\$108.90
+50LP	Float Valve upgrade to 50mm (2") Low Pressure	\$133.10
+50HP	Float Valve upgrade to 50mm (2") High Pressure	\$133.10



Float valve protected by side up access cover

*PTU3 is only available with 25mm (1") float valve

Cup & Saucer Tanks

Livestock Products



Features

- 25mm (1") inlet and saucer float valves
- Extremely durable
- Tie down lugs on tank
- Easy action float cover with all stainless steel fasteners - no rust.
- High / Low level inlets for filling at ground level or straight from windmill etc
- 50mm drain plug in all size saucers with 75mm optional on CS10000
- Standard in beige colour with float cover and stainless steel fasteners.
Other colours available with a 10% surcharge and additional delivery time



Protected float valve compartment and stainless steel fasteners.

Poly Cup and Saucer Tanks

Code	Description (mm)	Retail Pricing (inc GST)
CS2700	Poly Cup & Saucer Tank - 600 Gallon / 2,700Ltr - (2000D X 2000H)	\$1,843.60
CS3000	Poly Cup & Saucer Tank - 660 Gallon / 3,000Ltr - (2400D X 1240H)	\$1,887.60
CS5000	Poly Cup & Saucer Tank - 1,100 Gallon / 5,000Ltr - (2400D X 2000H)	\$2,379.30
CS10000	Poly Cup & Saucer Tank - 2,200 Gallon / 10,000Ltr - (3300D X 2000H)	\$3,210.90

Optional 10,000Ltr Cup & Saucer Outlet for Spraying & Fire Protection

Code	Description (mm)	Retail Pricing (inc GST)
CSA-4	Optional 50mm Outlet for 10,000Ltr Poly Cup & Saucer Tank	\$213.40

Features

- 50mm suction outlet fitted to tank
- Comes with Tap and Camlock
- Includes Internal piping to draw from bottom of tank
- Water reserves for crop spraying and fire protection and other uses



Liquid Fertiliser Storage Tanks

Liquid Fertiliser Storage & Transport



3x LF50000-22

Features

- Certified design and analysis on structure
- Durable, impact resistant, UV stabilised, chemical resistant poly material
- 25mm (1") filling line drain for operator safety
- Tank level gauge for easy viewing of content volume
- Vented access hatch and overflow
- Approved for storage by all major liquid fertiliser companies



LF25000-22

Liquid Fertiliser Storage Tanks

Code	Description	Retail Pricing (inc GST)
LF10500-22	10,500Ltr (14 tonne) Liquid Fertiliser Storage Tank Setup With 2" (50mm) Fill & 2" (50mm) Suction Port	\$3,681.70
LF10500-23	10,500Ltr (14 tonne) Liquid Fertiliser Storage Tank Setup With 2" (50mm) Fill & 3" (75mm) Suction Port	\$3,877.50
LF10500-32	10,500Ltr (14 tonne) Liquid Fertiliser Storage Tank Setup With 3" (75mm) Fill & 2" (50mm) Suction Port	\$3,996.30
LF10500-33	10,500Ltr (14 tonne) Liquid Fertiliser Storage Tank Setup With 3" (75mm) Fill & 3" (75mm) Suction Port	\$4,166.80
LF25000-22	25,000Ltr (33 tonne) Liquid Fertiliser Storage Tank Setup With 2" (50mm) Fill & 2" (50mm) Suction Port	\$4,925.80
LF25000-23	25,000Ltr (33 tonne) Liquid Fertiliser Storage Tank Setup With 2" (50mm) Fill & 3" (75mm) Suction Port	\$5,120.50
LF25000-32	25,000Ltr (33 tonne) Liquid Fertiliser Storage Tank Setup With 3" (75mm) Fill & 2" (50mm) Suction Port	\$5,234.90
LF25000-33	25,000Ltr (33 tonne) Liquid Fertiliser Storage Tank Setup With 3" (75mm) Fill & 3" (75mm) Suction Port	\$5,398.80
LF50000-22	50,000Ltr (65 tonne) Liquid Fertiliser Storage Tank Setup With 2" (50mm) Fill & 2" (50mm) Suction Port	\$9,850.50
LF50000-23	50,000Ltr (65 tonne) Liquid Fertiliser Storage Tank Setup With 2" (50mm) Fill & 3" (75mm) Suction Port	\$10,118.90
LF50000-32	50,000Ltr (65 tonne) Liquid Fertiliser Storage Tank Setup With 3" (75mm) Fill & 2" (50mm) Suction Port	\$10,236.60
LF50000-33	50,000Ltr (65 tonne) Liquid Fertiliser Storage Tank Setup With 3" (75mm) Fill & 3" (75mm) Suction Port	\$10,406.00



Client Testimonial

Damian McEllister

" Great service, great value and prompt delivery of my new Coerco Liquid Fertiliser Tank from Landmark. Cheers Coerco. "

Free Standing Liquid Fertiliser Transport Tanks

Liquid Fertiliser Storage & Transport




Features

- Special 'FNS' series range manufactured for transport of liquid fertilisers and chemicals with heavier SG ratings
- Easy to read calibration†
- Strength through ingenuity of design
- Durable, impact resistant, UV stabilised polyethylene for long life
- Stainless Steel Lid and Strainer Basket Supplied with all fertiliser spray tanks
- Sight tube for easy viewing of content volume‡
- One outlet supplied with tank, quantity and sizes optional
- Spill containment lip surrounds lid on tanks larger than 200 litres
- Integral foam filled baffle to reduce surge and increase stability*
- Mounting pins supplied as standard. Extra mounting pins available
- Optional Ball Baffle System® available
- All free standing tanks available with forkliftable painted skid
- Poly Fittings for Easy Connection
- Standard colour is white

Mounting Pin



Cutaway showing baffle



Integral foam filled baffle

Free Standing Liquid Fertiliser Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
FNS2000FS	2,000 Ltr Liquid Fert Free Standing Cartage Tank - (1830L X 1400W X 1130H)	\$2,357.30
FNS2000FSS	2,000 Ltr Liquid Fert Free Standing Cartage Tank With Skid - (1830L X 1400W X 1280H)	\$4,820.20
FNS3000FS	3,000 Ltr Liquid Fert Free Standing Cartage Tank - (2300L X 1500W X 1260H) - Non Baffled	\$3,623.40
FNS3000FSS	3,000 Ltr Liquid Fert Free Standing Cartage Tank With Skid - (2300L X 1500W X 1410H) - Non Baffled	\$6,739.70
FNS5000FS	5,000 Ltr Liquid Fert Free Standing Cartage Tank - (2820L X 1650W X 1700H) - Non Baffled	\$5,063.30
FNS5000FSS	5,000 Ltr Liquid Fert Free Standing Cartage Tank With Skid - (2820L X 1650W X 1850H) - Non Baffled	\$8,464.50
FNS7000FS	7,000 Ltr Liquid Fert Free Standing Cartage Tank - (3430L x 1850W x 1670H)	\$6,958.60
FNS7000FSS	7,000 Ltr Liquid Fert Free Standing Cartage Tank With Skid - (3430L x 1850W x 1820H)	\$12,615.90
FNS10000FS	10,000 Ltr Liquid Fert Free Standing Cartage Tank - (3600L x 2100W x 1890H)	\$9,559.00
FNS10000FSS	10,000 Ltr Liquid Fert Free Standing Cartage Tank With Skid - (3600L x 2100W x 2140H)	\$16,095.20
FNS12500FS	12,500 Ltr Liquid Fert Free Standing Cartage Tank - (4000L x 2200W x 2250H) - Non Baffled	\$11,995.50
FNS12500FSS	12,500 Ltr Liquid Fert Free Standing Cartage Tank With Skid - (4000L x 2200W x 2400H) - Non Baffled	\$18,855.10
FNS17000FS	17,000 Ltr Liquid Fert Free Standing Cartage Tank - (4450L x 2300W x 2350H) - Non Baffled	\$19,652.60
FNS17000FSS	17,000 Ltr Liquid Fert Free Standing Cartage Tank With Skid - (4450L x 2300W x 2500H) - Non Baffled	\$29,326.00

* Except 3000, 5000, 12500 & 17000ltr Models

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Sump Based Liquid Fertiliser Transport Tanks

Liquid Fertiliser Storage & Transport



Smooth interior and integral sump model enables complete evacuation and decontamination of tank making chemical changes easier

Features

- Special 'FNS' series range manufactured for transport of liquid fertilisers and chemicals with heavier SG ratings
- Strength through ingenuity of design
- Durable, impact resistant, UV stabilised polyethylene for long life
- Easy to read calibration†
- Sight tube for easy view of content volume†
- Stainless steel lid and Strainer Basket supplied with all fertiliser spray tanks
- One outlet supplied with tank, quantity and sizes optional
- Spill containment lip surrounds lid
- Available with robust painted steel mounting frame for protection of tank and ease of installation. (Forklift access on skids for sump tanks are not available)
- Mounting pins supplied as standard. Extra mounting pins available
- Optional Ball Baffle System® available
- Poly Fittings for Easy Connection
- Standard colour is white

Cutaway of spray tank



Mounting Pin



Sump Based Liquid Fertiliser Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
FNS2000	2,000 Ltr Liquid Fert Sump Drain Spray Tank - (1830L X 1400W X 1130H)	\$2,405.70
FNS2000S	2,000 Ltr Liquid Fert Sump Drain Spray Tank With Skid - (1830L X 1400W X 1280H)	\$4,868.60
FNS3000	3,000 Ltr Liquid Fert Sump Drain Spray Tank - (2300L X 1500W X 1260H)	\$3,696.00
FNS3000S	3,000 Ltr Liquid Fert Sump Drain Spray Tank With Skid - (2300L X 1500W X 1410H)	\$6,812.30
FNS5000	5,000 Ltr Liquid Fert Sump Drain Spray Tank - (2820L X 1650W X 1700H)	\$5,165.60
FNS5000S	5,000 Ltr Liquid Fert Sump Drain Spray Tank With Skid - (2820L X 1650W X 1850H)	\$8,566.80
FNS7000	7,000 Ltr Liquid Fert Sump Drain Spray Tank - (3430L x 1850W x 1670H)	\$7,098.30
FNS7000S	7,000 Ltr Liquid Fert Sump Drain Spray Tank With Skid - (3430L x 1850W x 1820H)	\$12,754.50
FNS10000	10,000 Ltr Liquid Fert Sump Drain Spray Tank - (3600L x 2100W x 1890H)	\$9,751.50
FNS10000S	10,000 Ltr Liquid Fert Sump Drain Spray Tank With Skid - (3600L x 2100W x 2140H)	\$16,286.60
FNS12500	12,500 Ltr Liquid Fert Sump Drain Spray Tank - (4000L x 2200W x 2550H)	\$12,236.40
FNS12500S	12,500 Ltr Liquid Fert Sump Drain Spray Tank With Skid - (4000L x 2200W x 2550H)	\$19,096.00

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Free Standing Liquid Transport Tanks

Liquid Transportation

Sight tube for easy viewing of content volume




Features

- Easy to read calibrations†
- Strength through ingenuity of design
- Durable, impact resistant, UV stabilised polyethylene for long life
- Sight tube for easy viewing of content volume†
- One outlet supplied with tank, quantity and sizes optional
- Secure screw lid
- Spill containment lip surrounds lid on tanks larger than 200 litres
- Integral foam filled baffle to reduce surge and increase stability*
- Mounting pins supplied as standard. Extra mounting pins available
- Optional Ball Baffle System® available
- All free standing tanks available with forkliftable galvanised skid
- Strainer Basket supplied with all spray tanks.
- Standard colour is white



- Moulded Lifting Lugs
- Vented Lid and Basket Filter
- Mounting Points Moulded into Tank
- Poly Fittings for Easy Connection



Cutaway showing Baffle



Mounting Pin

Free Standing Liquid Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
ST200FS	200 Ltr Free Standing Cartage Tank - (1020L X 600W X 625H)	\$437.80
ST200FSS	200 Ltr Free Standing Cartage Tank With Skid - (1020L X 600W X 725H)	\$849.20
ST400FS	400 Ltr Free Standing Cartage Tank - (1250L X 850W X 650H)	\$708.40
ST400FSS	400 Ltr Free Standing Cartage Tank With Skid - (1250L X 850W X 800H)	\$1,259.50
ST600FS	600 Ltr Free Standing Cartage Tank - (1300L X 980W X 710H)	\$779.90
ST600FSS	600 Ltr Free Standing Cartage Tank With Skid - (1300L X 980W X 860H)	\$1,364.00
ST800FS	800 Ltr Free Standing Cartage Tank - (1370L X 1100W X 860H)	\$960.30
ST800FSS	800 Ltr Free Standing Cartage Tank With Skid - (1370L X 1100W X 1010H)	\$1,569.70
ST1000FS	1,000 Ltr Free Standing Cartage Tank - (1355L X 1210W X 960H)	\$1,063.70
ST1000FSS	1,000 Ltr Free Standing Cartage Tank With Skid - (1355L X 1210W X 1110H)	\$1,815.00
ST1500FS	1,500 Ltr Free Standing Cartage Tank - (1750L X 1250W X 1045H)	\$1,458.60
ST1500FSS	1,500 Ltr Free Standing Cartage Tank With Skid - (1750L X 1250W X 1195H)	\$2,487.10

* Except 3000, 5000, 12500 & 17000ltr Models

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Free Standing Liquid Transport Tanks

Liquid Transportation



ST200FS



ST400FS



ST600FS



ST800FS



ST1000FS



ST1500FS



ST2000FS



ST3000FS



ST5000FS



ST7000FS



ST10000FS



ST12500FS



ST17000FS

Free Standing Liquid Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
ST2000FS	2,000 Ltr Free Standing Cartage Tank - (1830L X 1400W X 1130H)	\$1,854.60
ST2000FSS	2,000 Ltr Free Standing Cartage Tank With Skid - (1830L X 1400W X 1280H)	\$3,121.80
ST3000FS	3,000 Ltr Free Standing Cartage Tank - (2300L X 1500W X 1260H) - Non Baffled	\$2,821.50
ST3000FSS	3,000 Ltr Free Standing Cartage Tank With Skid - (2300L X 1500W X 1410H) - Non Baffled	\$4,379.10
ST5000FS	5,000 Ltr Free Standing Cartage Tank - (2820L X 1650W X 1700H) - Non Baffled	\$3,964.40
ST5000FSS	5,000 Ltr Free Standing Cartage Tank With Skid - (2820L X 1650W X 1850H) - Non Baffled	\$6,011.50
ST7000FS	7,000 Ltr Free Standing Cartage Tank - (3430L x 1850W x 1670H)	\$5,377.90
ST7000FSS	7,000 Ltr Free Standing Cartage Tank With Skid - (3430L x 1850W x 1820H)	\$8,956.20
ST10000FS	10,000 Ltr Free Standing Cartage Tank - (3600L x 2100W x 1890H)	\$8,396.30
ST10000FSS	10,000 Ltr Free Standing Cartage Tank With Skid - (3600L x 2100W x 2140H)	\$12,430.00
ST12500FS	12,500 Ltr Free Standing Cartage Tank - (4000L x 2200W x 2085H) - Non Baffled	\$10,327.90
ST12500FSS	12,500 Ltr Free Standing Cartage Tank With Skid - (4000L x 2200W x 2235H) - Non Baffled	\$16,984.00
ST17000FS	17,000 Ltr Free Standing Cartage Tank - (4450L X 2300W X 2350H) - Non Baffled	\$17,191.90
ST17000FSS	17,000 Ltr Free Standing Cartage Tank With Skid - (4450L X 2300W X 2500H) - Non Baffled	\$24,554.20

Sump Based Liquid Transport Tanks

Liquid Transportation



Smooth interior and integral sump model enables complete evacuation and decontamination of tank making chemical changes easier

Features

- Strength through ingenuity of design
- Durable, impact resistant, UV stabilised polyethylene for long life
- Easy to read calibrations†
- Sight tube for easy view of content volume†
- Vented lid and Strainer Basket supplied with all spray tanks
- One outlet supplied with tank, quantity and sizes optional
- Secure screw lid
- Spill containment lip surrounds lid on tanks larger than 200 litres
- Available with robust galvanised steel mounting frame for protection of tank and ease of installation. (Forklift access on skids for sump tanks are not available)
- Mounting pins supplied as standard for secure fastening. Extra mounting pins available
- Optional Ball Baffle System® available.
- Poly fittings for easy connection
- Standard colour is white

Cutaway of spray tank



Full draining sump

Mounting Pin



† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Sump Based Liquid Transport Tanks

Liquid Transportation



ST3000S



ST600S

Optional Colours Available:

Yellow Green Blue
Red Faint-Green

(Optional colours may incur surcharge)

Sump Based Liquid Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
ST400	400 Ltr Sump Drain Spray Tank - (1250L X 850W X 650H)	\$742.50
ST400S	400 Ltr Sump Drain Spray Tank With Skid - (1250L X 850W X 800H)	\$1,294.70
ST600	600 Ltr Sump Drain Spray Tank - (1300L X 980W X 710H)	\$854.70
ST600S	600 Ltr Sump Drain Spray Tank With Skid - (1300L X 980W X 860H)	\$1,437.70
ST800	800 Ltr Sump Drain Spray Tank - (1370L X 1100W X 860H)	\$1,060.40
ST800S	800 Ltr Sump Drain Spray Tank With Skid - (1370L X 1100W X 1010H)	\$1,669.80
ST1000	1,000 Ltr Sump Drain Spray Tank - (1355L X 1210W X 960H)	\$1,151.70
ST1000S	1,000 Ltr Sump Drain Spray Tank With Skid - (1355L X 1210W X 1110H)	\$1,904.10
ST1500	1,500 Ltr Sump Drain Spray Tank - (1750L X 1250W X 1045H)	\$1,578.50
ST1500S	1,500 Ltr Sump Drain Spray Tank With Skid - (1750L X 1250W X 1195H)	\$2,605.90
ST2000	2,000 Ltr Sump Drain Spray Tank - (1830L X 1400W X 1130H)	\$2,004.20
ST2000S	2,000 Ltr Sump Drain Spray Tank With Skid - (1830L X 1400W X 1280H)	\$3,271.40
ST3000	3,000 Ltr Sump Drain Spray Tank - (2300L X 1500W X 1260H)	\$3,078.90
ST3000S	3,000 Ltr Sump Drain Spray Tank With Skid - (2300L X 1500W X 1410H)	\$4,636.50
ST5000	5,000 Ltr Sump Drain Spray Tank - (2820L X 1650W X 1700H)	\$4,301.00
ST5000S	5,000 Ltr Sump Drain Spray Tank With Skid - (2820L X 1650W X 1850H)	\$6,348.10
ST7000	7,000 Ltr Sump Drain Spray Tank - (3430L X 1850W X 1670H)	\$5,747.50
ST7000S	7,000 Ltr Sump Drain Spray Tank With Skid - (3430L X 1850W X 1820H)	\$9,324.70
ST10000	10,000 Ltr Sump Drain Spray Tank - (3600L X 2100W X 1890H)	\$8,872.60
ST10000S	10,000 Ltr Sump Drain Spray Tank With Skid - (3600L X 2100W X 2140H)	\$12,905.20
ST12500	12,500 Ltr Sump Drain Spray Tank - (4000L X 2200W X 2225H)	\$10,843.80
ST12500S	12,500 Ltr Sump Drain Spray Tank With Skid - (4000L X 2200W X 2235H)	\$17,663.80



Adam Van Nellestyn

" Great service for my project. Delivery drivers very professional and product first class."

Client Testimonial

Liquid Transport Accessories

Liquid Transportation



Features

- Tested and approved by Loadsafe Australia and complies with load restraint guide performance standards
- Reduces fluid movement for improved load stability during transit
- Independent testing shows 46% improvement in braking
- Slalom testing shows remarkable increase in vehicle stability with $\frac{2}{3}$ full water tank fitted with Baffle Ball System[®]
- Suitable for use with all tanks - steel, poly, fibreglass, etc
- Food grade quality material - suitable for potable water
- Can be used with water, diesel and other liquids
- No rust, lightweight & durable
- Low liquid displacement
- Simple to install
- Recommended use quantity
 - 355mm is 1 ball baffle per 40 litres of tank capacity
- Ball Baffles are supplied in two halves and require clipping together and inserting through the lid into tank



Ball Baffle System

Code	Description (mm)	Retail Pricing (inc GST)
SBB355	Large Baffle Ball - 355mm	\$11.00



Spray Tank Lids & Strainer Basket

Code	Description (mm)	Retail Pricing (inc GST)
COMP-33-01	255mm Screw Lid, Rim and Seal	\$49.50
COMP-33-04	255mm Strainer Basket	\$40.70
COMP-33-05-PPE	355mm Screw Lid	\$66.00
COMP-33-07-PPE	355mm Strainer Basket	\$55.00
COMP-33-08-PPE	455mm Screw Lid	\$97.90
COMP-33-09-PPE	455mm Strainer Basket	\$67.10
SSTL-455	455mm Stainless Steel Hinged Lid and Seal	\$431.20

Liquid Transport Accessories

Liquid Transportation



Mounting Pins

- Optional mounting pins
- Available to suit all sizes of Coerco liquid cartage tanks
- Fully galvanised - no rusting!

Mounting Pins

Code	Description (mm)	Retail Pricing (inc GST)
STA-20-1	Set of (4x PART-05-01) Mounting Pins to suit 200Ltr Cartage Tank	\$39.60
STA-20-2	Set of (4x PART-05-02) Mounting Pins to suit 400 & 600Ltr Cartage Tanks	\$49.50
STA-25	Set of (4x PART-05-03) Mounting Pins to suit 800-5,000Ltr Cartage Tanks	\$56.10
STA-38	Set of (4x PART-05-04) Mounting Pins to suit 7,000Ltr Cartage Tank	\$80.30
STA-47	Set of (4x PART-05-05) Mounting Pins to suit 10,000Ltr Cartage Tank	\$93.50
STA-38-2	Set of (8x PART-05-04) Mounting Pins to suit 12,500Ltr Cartage Tank	\$160.60



Brass Tank Fittings

- Locking nut is left hand thread for secure fit. Doesn't come loose when fitting valves etc
- 25-50mm have internal and external threads
- 80-100mm have external thread

Tank Flange Fittings

Code	Description (mm)	Retail Pricing (inc GST)
COMP-01-01	25mm (1") Brass Fitting	\$34.10
COMP-01-02	32mm (1 1/4") Brass Fitting	\$37.40
COMP-01-03	40mm (1 1/2") Brass Fitting	\$38.50
COMP-01-04	50mm (2") Brass Fitting	\$49.50
COMP-01-05	80mm (3") Brass Fitting	\$145.20
COMP-01-06	100mm (4") Brass Fitting	\$253.00
COMP-19-02	25mm (1") Poly Fitting	\$11.00
COMP-19-03	32mm (1 1/4") Poly Fitting	\$22.00
COMP-19-04	40mm (1 1/2") Poly Fitting	\$27.50
COMP-19-05	50mm (2") Poly Fitting	\$28.60
COMP-19-06	80mm (3") Poly Fitting	\$101.20
COMP-19-07	100mm (4") Poly Fitting	\$135.30



Poly Tank Fittings

- Available in 6 sizes
- Manufactured from UV Stabilised Glass Fibre Reinforced Nylon giving a weather, termite, fungi and bacterial resistance

Ball Valves and Taps

Code	Description	Retail Pricing (inc GST)
COMP-37-01	Brass Lever Ball Valve - 25mm BSP Thread	\$28.60
COMP-37-02	Brass Lever Ball Valve - 32mm BSP Thread	\$45.10
COMP-37-03	Brass Lever Ball Valve - 40mm BSP Thread	\$62.70
COMP-37-04	Brass Lever Ball Valve - 50mm BSP Thread	\$94.60
COMP-37-07	Brass Lever Ball Valve - 80mm BSP Thread	\$200.20
COMP-37-08	Brass Lever Ball Valve - 100mm BSP Thread	\$295.90
COMP-36-01	Poly Ball Valve - 25mm BSP Thread	\$26.40
COMP-36-02	Poly Ball Valve - 32mm BSP Thread	\$39.60
COMP-36-03	Poly Ball Valve - 40mm BSP Thread	\$51.70
COMP-36-04	Poly Ball Valve - 50mm BSP Thread	\$70.40
COMP-36-05	Poly Ball Valve - 80mm BSP Thread	\$95.70
COMP-36-06	Poly Ball Valve - 100mm BSP Thread	\$177.10



Brass Lever Ball Valve



Poly Ball Valve

Skid Mount Fire Fighter Units

Fire Fighting Equipment



Features

- Durable UV Stabilised White Coloured Polyethylene Tank with Baffle
- Sight tube for easy view of content volume
- Secure screw lid
- Strong Hot Dip Galvanised Steel Frame with easy lifting & tie down points - always ready for action
- 25mm Poly Hose Reel - Complete With Firefighting Adjustable Nozzle and Hose Reel Lock (to prevent accidental unwinding)
- 50mm Camlock Quick Connection Fittings
- 6mtr Suction hose with non return foot valve
- Genuine Honda Engine coupled to Australian Made Davey Twin Impeller Pump (other models available)

Skid Mount Fire Fighter Units

Code	Description (mm)	Retail Pricing (inc GST)
FF400C	400 Ltr Skid Mounted Firefighter - (1950L X 1250W X 700H)	\$3,555.20
FF600C	600 Ltr Skid Mounted Firefighter - (2040L X 1300W X 800H)	\$3,938.00
FF800C	800 Ltr Skid Mounted Firefighter - (2210L X 1400W X 850H)	\$4,101.90
FF1000C	1,000 Ltr Skid Mounted Firefighter - (2275L X 1400W X 1050H)	\$4,184.40
FF1500C	1,500 Ltr Skid Mounted Firefighter - (2600L X 1250W X 1050H)	\$4,665.10

Options

- Diesel powered pump
- Ball Baffle System®



Compact Fire Fighter Units

Fire Fighting Equipment



FFCH600



FFCH800



FFCH1000

Features

- All sizes with Sump Drain for complete evacuation of tank contents
- All sizes with Forklift Access
- Durable UV Stabilised Polyethylene Tank for long life
- Secure screw lid
- Strong Hot Dip Galvanised Steel Frame with easy lifting and tie down points
- 25mm Poly Hose Reel - Complete with Firefighting Adjustable Nozzle and Hose Reel Lock
- 6mtr Suction Hose with Foot Valve
- Genuine Honda Engine coupled to Australian Made Davey Twin Impeller Pump
- Compact Design - Ideal for Tray Back Utes
- 50mm Camlock Quick Connection Fittings

Compact Fire Fighter Units

Code	Description (mm)	Retail Pricing (inc GST)
FFCH600	600 Ltr Compact Firefighter - (1675L X 1185W X 1025H)	\$3,832.40
FFCH800	800 Ltr Compact Firefighter - (1675L X 1185W X 1045H)	\$4,232.80
FFCH1000	1,000 Ltr Compact Firefighter - (1675L X 1185W X 1240H)	\$4,404.40

Options

- Diesel powered pump
- Ball Baffle System®



Trailed Fire Fighting Equipment

Fire Fighting Equipment

Trailers shown with optional extras



FF1000T

Trailers shown with optional extras



FF1500TT

Features

- Designed and manufactured for easy operation.
- Durable UV Stabilised White Coloured Polyethylene Tank with Baffle
- Secure screw lid
- Galvanised chassis frame
- Mudguards
- Mudflaps
- Heavy duty pivot jockey wheel.
- ADR (Australian Design Rules) compliant Brake Systems.
- Landcruiser stud pattern rims.
- Reliable GX160 Honda engine Powered Twin Impeller Firefighter Pump (different models available).
- 50mm camlock quick connection fittings.
- 25mm poly hose reel - complete with hose reel lock (to prevent accidental unwinding).
- Suction hose with non return foot valve.

Trailed Fire Fighting Equipment

Code	Description (mm)	Retail Pricing (inc GST)
FF600T	600 Ltr Industrial Single Axle Firefighter Trailer Unit - Includes Tank, Petrol Pump & 20mm Hose Reel On Rolling Chassis/Unlicensed	\$8,179.60
FF800T	800 Ltr Industrial Single Axle Firefighter Trailer Unit - Includes Tank, Petrol Pump & 20mm Hose Reel On Rolling Chassis/Unlicensed	\$8,294.00
FF1000T	1,000 Ltr Industrial Single Axle Firefighter Trailer Unit - Includes Tank, Petrol Pump & 20mm Hose Reel On Rolling Chassis/Unlicensed	\$8,465.60
FF1000TT	1,000 Ltr Industrial Tandem Axle Firefighter Trailer Unit - Includes Tank, Petrol Pump & 20mm Hose Reel On Rolling Chassis/Unlicensed	\$9,724.00
FF1500TT	1,500 Ltr Industrial Tandem Axle Firefighter Trailer Unit - Includes Tank, Petrol Pump & 20mm Hose Reel On Rolling Chassis/Unlicensed	\$10,010.00
FF2000TT	2,000 Ltr Industrial Tandem Axle Firefighter Trailer Unit - Includes Tank, Petrol Pump & 20mm Hose Reel On Rolling Chassis/Unlicensed	\$11,897.60

Options

- High quality powdercoat finish on mudguards.
- Indicator lamp kit
- License inspection and registration.
- Diesel powered pump.
- Tool/storage box
- Twin Hose Reels
- Spare Tyre Carrier
- Fire extinguisher
- Ball Baffle System®

Client Testimonial



Tim Barndon

" We have a Coerco firefighter. It is a compact model and we have had it for 4 seasons now. A clever design with pump and hose reel, it is just simple and easy. Motor is a genuine Honda, which is just excellent to run. Lid and strainer on the top, no stress to be honest . Robust and practice. "

Poly Hose Reels

Fire Fighting Equipment



Features

- Poly Hose reel and base - no rust hot dip galvanised spindle
- Available in 19mm & 25mm configurations
- Hose reel lock - to prevent accidental unwinding
- Quality firefighter spray nozzle

Poly Hose Reels

Code	Description (mm)	Retail Pricing (inc GST)
FRC20	Fire Hose Reel - 20mm Hose @ 36 Mtr	\$576.40
FRC25	Fire Hose Reel - 25mm Hose @ 30 Mtr	\$610.50
FRXH20	Fire Hose Reel - Excluding Hose - To Suit 20mm Hose	\$436.70
FRXH25	Fire Hose Reel - Excluding Hose - To Suit 25mm Hose	\$442.20



Diesel Storage Tanks

Diesel Storage and Transport Products



Features

- Complies to Australian Standards AS1940:2017 with approved bund
- Anti-Splash and Anti-Static fill line
- High Quality Diesel Grade Material
- UV Resistant for Australian Conditions
- Easy to Install and Easy to Relocate if Required
- Comes Standard with 2" low level outlet with butterfly valve tap and camlock
- Earth Strap

Diesel Storage Tanks

Code	Description (mm)	Retail Pricing (inc GST)
DDS5000	5,000Ltr Diesel Storage Tank	\$4,193.20
DDS10000	10,000Ltr Diesel Storage Tank	\$5,095.20

Diesel Dispensing Pumps

Diesel Storage and Transport Products



Features

- Quality Italian Made Pumps (12 and 240 volt options)
- Lockable Pump Cabinet to secure pump and nozzle
- 3 Digit Flow Meter
- Auto Shut-Off Nozzle

Diesel Dispensing Pumps

Code	Description (mm)	Retail Pricing (inc GST)
DDS12V60PK	12V 60LPM Diesel Pump, hose & auto shut off nozzle	\$3,317.60
DDS240V60PK*	240V 60LPM Diesel Pump, hose & auto shut off nozzle	\$3,317.60
DDS240V80PK*	240V 80LPM Diesel Pump, hose & auto shut off nozzle	\$3,460.60
DDS240V100PK*	240V 100LPM Diesel Pump, hose & auto shut off nozzle	\$3,575.00

* 240 Volt Pumps must be hard wired in by a qualified electrician

Trailed Diesel Transport Equipment

Diesel Storage and Transport Products



*Diesel trailer images don't represent our standard trailers and are fitted with optional accessories.

Features

- Purpose built for easy operation and smooth towing
- Landcruiser stud pattern hubs with spring suspension
- Durable tank manufactured with a specialised grade polyethylene formulated for use in diesel tanks
- Sight tube for easy view of content volume
- Galvanised chassis frame
- Custom mudflaps
- Heavy duty pivot jockey wheel
- UV stabilised for long life
- ADR (Australian Design Rules) compliant Brake Systems

Trailed Diesel Transport Equipment

Code	Description (mm)	Retail Pricing (inc GST)
DT600T	600 Ltr Industrial Single Axle Diesel Trailer Unit - Includes Tank On Rolling Chassis Only/Unlicensed	\$6,006.00
DT800T	800 Ltr Industrial Single Axle Diesel Trailer Unit - Includes Tank On Rolling Chassis Only/Unlicensed	\$6,063.20
DT1000T	1,000 Ltr Industrial Single Axle Diesel Trailer Unit - Includes Tank On Rolling Chassis Only/Unlicensed	\$6,177.60
DT1000TT	1,000 Ltr Industrial Tandem Axle Diesel Trailer Unit - Includes Tank On Rolling Chassis Only/Unlicensed	\$7,321.60
DT1500TT	1,500 Ltr Industrial Tandem Axle Diesel Trailer Unit - Includes Tank On Rolling Chassis Only/Unlicensed	\$7,550.40
DT2000TT	2,000 Ltr Industrial Tandem Axle Diesel Trailer Unit - Includes Tank On Rolling Chassis Only/Unlicensed	\$9,609.60

Trailed Diesel Transport Equipment Accessories

Code	Description (mm)	Retail Pricing (inc GST)
PROD-01-28	2" Diesel Transfer Pump - GX200 Petrol Recoil Start With Bypass	\$2,235.20
MT-DHA25	25mm Auto Rewind Diesel Hosereel	\$1,424.50
MT-DHM25	25mm Manual Rewind Diesel Hosereel	\$932.80
MT-ASN25	1" Auto Shut-off Nozzle	\$189.20

Options

- Fully Bundled Chassis.
- High quality powdercoat finish on mudguards.
- Indicator lamp kit
- License Inspection and registration.
- Tool/storage box
- Delivery hose reel
- Diesel transfer pump kits
- Spare Tyre Carrier
- Fire extinguisher
- Ball Baffle System®

Free Standing Diesel Transport Tanks

Diesel Storage and Transport Products

Features

- Integral foam filled baffle to reduce surge and increase stability*
- Flat based to allow transport flexibility
- Special grade polyethylene for diesel - coloured to denote "Diesel Only"
- UV stabilised for long outdoor life
- Mounting pins available
- Optional Ball Baffle System® available
- All models available with forkliftable galvanised mounting skid
- 2" filler hole with cap, 2" drum pump access fitting and splash resistant vent
- Calibrated for easy checking of content volume with sight tube†



DT600FS

Free Standing Diesel Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
DT400FS	400 Ltr Baffled Free Standing Diesel Transport Tank - (1250L X 850W X 650H)	\$853.60
DT400FSS	400 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (1250L X 850W X 800H)	\$1,405.80
DT600FS	600 Ltr Baffled Free Standing Diesel Transport Tank - (1300L X 980W X 710H)	\$980.10
DT600FSS	600 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (1300L X 980W X 860H)	\$1,564.20
DT800FS	800 Ltr Baffled Free Standing Diesel Transport Tank - (1370L X 1100W X 860H)	\$1,238.60
DT800FSS	800 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (1370L X 1100W X 1010H)	\$1,849.10
DT1000FS	1,000 Ltr Baffled Free Standing Diesel Transport Tank - (1355L X 1210W X 960H)	\$1,366.20
DT1000FSS	1,000 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (1355L X 1210W X 1110H)	\$2,117.50
DT1500FS	1,500 Ltr Baffled Free Standing Diesel Transport Tank - (1750L X 1250W X 1045H)	\$1,823.80
DT1500FSS	1,500 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (1750L X 1250W X 1195H)	\$2,850.10
DT2000FS	2,000 Ltr Baffled Free Standing Diesel Transport Tank - (1830L X 1400W X 1130H)	\$2,281.40
DT2000FSS	2,000 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (1830L X 1400W X 1280H)	\$3,547.50
DT3000FS	3,000 Ltr Baffled Free Standing Diesel Transport Tank - (2300L X 1500W X 1260H) - With Baffle Balls	\$5,167.80
DT3000FSS	3,000 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (2300L X 1500W X 1410H) - With Baffle Balls	\$6,726.50
DT5000FS	5,000 Ltr Baffled Free Standing Diesel Transport Tank - (2820L X 1650W X 1700H) - With Baffle Balls	\$7,433.80
DT5000FSS	5,000 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (2820L X 1650W X 1850H) - With Baffle Balls	\$9,482.00
DT7000FS	7,000 Ltr Baffled Free Standing Diesel Transport Tank - (3430L X 1850W X 1670H) - With Baffle Balls	\$10,133.20
DT7000FSS	7,000 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (3430L X 1850W X 1820H) - With Baffle Balls	\$13,710.40
DT10000FS	10,000 Ltr Baffled Free Standing Diesel Transport Tank - (3600L X 2100W X 1890H) - With Baffle Balls	\$15,617.80
DT10000FSS	10,000 Ltr Baffled Free Standing Diesel Transport Tank With Skid - (3600L X 2100W X 2140H) - With Baffle Balls	\$19,489.80

Client Testimonial



Louie Hughes

" Product is excellent, price was right, and the fella who dropped the tanks off was a good bloke, all in all a can do no fuss company. You'll have no dramas here."

* Except 3000 & 5000ltr Models

† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Sump Base Diesel Transport Tanks

Diesel Storage and Transport Products

Features

- Convenient range of sizes to satisfy most requirements
- Strong, durable yet lightweight tanks with robust Galvanised steel skid frame to withstand most demanding conditions of use
- Integral draining sump with 3/4" drain plug to allow complete evacuation of contents
- 2" filler hole with cap, 2" drum pump access fitting and splash resistant vent
- Calibrated for easy checking of content volume with sight tube†
- Mounting pins available
- Optional Ball Baffle System® available



DT400S

Sump Base Diesel Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
DT400	400 Ltr Sump Drain Diesel Transport Tank - (1250L X 850W X 650H)	\$853.60
DT400S	400 Ltr Sump Drain Diesel Transport Tank With Skid - (1250L X 850W X 800H)	\$1,251.80
DT600	600 Ltr Sump Drain Diesel Transport Tank - (1300L X 980W X 710H)	\$980.10
DT600S	600 Ltr Sump Drain Diesel Transport Tank With Skid - (1300L X 980W X 860H)	\$1,388.20
DT800	800 Ltr Sump Drain Diesel Transport Tank - (1370L X 1100W X 860H)	\$1,238.60
DT800S	800 Ltr Sump Drain Diesel Transport Tank With Skid - (1370L X 1100W X 1010H)	\$1,742.40
DT1000	1,000 Ltr Sump Drain Diesel Transport Tank - (1355L X 1210W X 960H)	\$1,366.20
DT1000S	1,000 Ltr Sump Drain Diesel Transport Tank With Skid - (1355L X 1210W X 1110H)	\$1,884.30
DT1500	1,500 Ltr Sump Drain Diesel Transport Tank - (1750L X 1250W X 1045H)	\$1,823.80
DT1500S	1,500 Ltr Sump Drain Diesel Transport Tank With Skid - (1750L X 1250W X 1195H)	\$2,724.70
DT2000	2,000 Ltr Sump Drain Diesel Transport Tank - (1830L X 1400W X 1130H)	\$2,281.40
DT2000S	2,000 Ltr Sump Drain Diesel Transport Tank With Skid - (1830L X 1400W X 1280H)	\$3,411.10



† Calibrations and sight tube readings should be taken as an approximate measure of volume only.

Diesel Transfer Products

Diesel Storage and Transport Products

Features

Diesel Pump Kits for refuelling operations from drums, tanks or mobile refuelling carts. Robust proven pump kits for diesel refuelling operations. Designed to give effortless refuelling for agricultural operations.

Diesel Transfer Products

Code	Description	Retail Pricing (inc GST)
MT-12AHF	12 Volt Hi-Flo Pump Kit With Auto Shut-Off Nozzle - 85Lpm	\$1,123.10
MT-12A45K	12 Volt Pump Kit With Auto Shut-Off Nozzle - 45Lpm	\$641.30
MT-12A60K	12 Volt Pump Kit With Auto Shut-Off Nozzle - 60Lpm	\$819.50
MT-FM4	1" BSP Port 4 Digit Flow Meter, Manual.	\$247.50
MT-FMD	1" BSP Electronic Inline Digital Flow Meter For Diesel	\$398.20
MT-DHA25	25mm Auto Rewind Diesel Hosereel	\$1,424.50
MT-DHM25	25mm Manual Rewind Diesel Hosereel	\$932.80
MT-ASN25	1" Auto Shut-off Nozzle	\$189.20
PROD-01-28	2" Diesel Transfer Pump - GX200 Petrol Recoil Start With Bypass	\$2,235.20



MT-12AHF

- 85 L/min open flow
- 12 volt DC/35 amp pump
- 4 metre battery cable with alligator clips
- Easy to use volumetric self priming
- 1" BSP female ports
- 4 metres of 25mm diesel delivery hose
- Auto Shutoff Nozzle with swivel



MT-12A45K

- 45L/min open flow
- 4 metres of 20mm anti-static delivery hose with anti-kink spring + auto shut-off nozzle
- 4 metres of power cable
- 2 metres of 20mm suction hose
- On/off switch on pump



MT-12A60K

- 60L/min open flow
- 4 metres of 25mm anti-static delivery hose with anti-kink spring + auto shut-off nozzle
- 4 metres of power cable
- 2 metres of 25mm suction hose
- Easy clean suction strainer



MT-FM4

- 1" BSP port 4 digit flow meter with flow range from 20 - 120 LPM.
- 4 digit resettable totaliser. 8 digit non resettable cumulative total.
- For use with diesel fuel in pump or gravity applications.



MT-FMD

- 1" BSP electronic inline turbine meter with compact display ideal for fitting at fuel nozzles.
- Flow range 10-120 LPM maximum, Working Pressure 300 PSI. Accuracy $\pm 1\%$.



MT-DHM25

- Hand rewind hose reel
- Entry level model for contractors
- Capacity 10m x 25mm hose,
- Powdercoated steel construction



MT-DHA25

- Hose reel with 15m x 25mm hose. 1" BSP inlet/outlet. Air/Water/Diesel.
- 300 PSI Working Pressure.



MT-ASN25

- 1" BSP port
- Auto Shut-off

Self Contained Diesel Transport Tanks

Diesel Storage and Transport Products



Italian Made Diesel Pumps



Features

- Models to fit all ute trays.
- Pump cover to protect pump and fittings from weather and damage
- Transfer pump includes 45LPM pump, vented filler cap, 4m fuel hose, electrical leads and clamps plus trigger nozzle
- Lightweight and compact units - saves tray space and allows easy on/off loading
- Automatic trigger nozzle as standard



Self Contained Diesel Transport Tanks

Code	Description (mm)	Retail Pricing (inc GST)
DMP200	200 Ltr Self Contained Diesel Unit - With 12 Volt Pump And Nozzle - (1020L X 790W X 680H)	\$1,090.10
DMP400	400 Ltr Self Contained Diesel Unit - With 12 Volt Pump And Nozzle - (1650L X 790W X 680H)	\$1,318.90
DMP600	600 Ltr Self Contained Diesel Unit - With 12 Volt Pump And Nozzle - (1700L X 900W X 760H)	\$1,720.40
DMP800	800 Ltr Self Contained Diesel Unit - With 12 Volt Pump And Nozzle - (1730L X 1075W X 860H) - With Baffle Balls	\$2,197.80
DMP1000	1,000 Ltr Self Contained Diesel Unit - With 12 Volt Pump And Nozzle - (1730L X 1050W X 1030H) - With Baffle Balls	\$2,356.20

Safety Information

- For use with diesel only.
- Tank must be secured to vehicle and safe working practice observed.
- Some fuel distributors have specific filling requirements - check with your supplier before ordering.
- Coerco is not liable for any damage or loss through improper use of this equipment.

Aquaculture Tubs

Aquaculture Products



Features

These poly aquaculture tanks are all made from food grade virgin poly with smooth internal surfaces - no loose fibres or harmful substances for either your children, fish or the farmer.

They are light weight and resilient and easily relocated.

- Live Fish Transport Tanks
- Algae Growth Tanks
- Dosing Tanks
- Tubs and Buckets



Aquaculture Tubs

Code	Description (mm)	Retail Pricing (inc GST)
AT1000	Poly Aquaculture Tub - 1,000Ltr - (1650D X 600H)	\$499.40
AT2000	Poly Aquaculture Tub - 2,000 Ltr - (2300D X 650H)	\$862.40
AT3000	Poly Aquaculture Tub - 3,000 Ltr - (2300D X 950H)	\$1,004.30
AT5000	Poly Aquaculture Tub - 5,000 Ltr - (2700D X 1000H)	\$1,340.90
AT10000	Poly Aquaculture Tub - 10,000 Ltr - (3450D X 1300H)	\$2,163.70



AT1000



AT2000



AT3000



AT5000



AT10000

Septic Tanks

Septic Systems

Coerco offers a range of poly septic tank systems which are easily adaptable to suit any requirement and with all required Department of Health WA approvals. Manufactured from polyethylene these products are lightweight, resilient and very flexible to allow easy transportation and installation whilst delivering the perfect desired functionality.




Features

- Lightweight, easy to transport and install
- Manufactured from durable polyethylene
- Anti floatation ring and ribbing incorporated into design
- Certified to Australia Standard AS/NZS1456.1 and approved by Department of Health - WA
- Supplied as complete kit including lid, inlet & outlet 'T' pieces
- Leach Drain systems also available

Septic Tanks

Code	Description (mm)	Retail Pricing (inc GST)
SEP-1450	1,450ltr Septic Tank (1250D x 1500H)	\$790.90
SEP-2200	2,200ltr Septic Tank (1540D x 1500H)	\$826.10
SEP-4000	4,000ltr Baffled Septic Tank (2200D x 1770H)	\$1,633.50




Sarah Kelly

Client Testimonial

“ Extra special thanks to the team at “Coerco”. I bought a full septic system and leach drains from them for my 40 acre property in Gingin. I can’t speak any higher of them from the people in the office to the delivery. Products are very very good and the people even better. I would highly recommended these guys to anyone chasing the products they stock! You won’t be disappointed.”

Leach Drain Systems

Septic Systems



Features

- 100% recycled
- Light weight
- Modular
- 95% void area
- Strong
- Service temperature, -20°C – 120°C
- Polypropylene
- Flat pack form

Benefits

- Environmentally friendly
- Simple to install
- Trafficable
- Cost effective
- Chemically inert
- Not affected by mould or algae.
- UV stabilised
- Water saving
- 100% recyclable



Coerco's leach drain systems are design to integrate efficiently with our septic tank units although can be utilised in any waste water situation requirement that requires a leaching system. Manufactured from strong light weight polypropylene they are an easy to install cost effective solution for effluent waste issues. They are flat packed for easy and efficient logistics. The systems are very flexible with a range of configurations for every individual requirement and designed to meet strict industry regulations and standards.

Leach Drain Systems

Code	Description	Retail Pricing (inc GST)
PT-LD504	Protank Leach Drain - 5.04Mtr (Includes 22 Large Panels, 21 Small Panels & Geocloth 6.0M X 2M)	\$256.30
PT-LD576	Protank Leach Drain - 5.76Mtr (Includes 25 Large Panels, 24 Small Panels & Geocloth 7.0M X 2M)	\$298.10
PT-LD648	Protank Leach Drain - 6.48Mtr (Includes 28 Large Panels, 27 Small Panels & Geocloth 7.5M X 2M)	\$379.50
PT-LD792	Protank Leach Drain - 7.92Mtr (Includes 34 Large Panels, 33 Small Panels & Geocloth 9.0M X 2M)	\$420.20
PT-LD864	Protank Leach Drain - 8.64Mtr (Includes 37 Large Panels, 36 Small Panels & Geocloth 10M X 2M)	\$460.90
PT-LD936	Protank Leach Drain - 9.36Mtr (Includes 40 Large Panels, 39 Small Panels & Geocloth 10.5M X 2M)	\$499.40
PT-LD1008	Protank Leach Drain - 10.08Mtr (Includes 43 Large Panels, 42 Small Panels & Geocloth 11M X 2M)	\$581.90
PT-LD1152	Protank Leach Drain - 11.52Mtr (Includes 49 Large Panels, 48 Small Panels & Geocloth 12.5M X 2M)	\$623.70
PT-LD1296	Protank Leach Drain - 12.96Mtr (Includes 55 Large Panels, 54 Small Panels & Geocloth 14.0M X 2M)	\$664.40
PT-LD1368	Protank Leach Drain - 13.68Mtr (Includes 58 Large Panels, 57 Small Panels & Geocloth 15.0M X 2M)	\$744.70
PT-LD1440	Protank Leach Drain - 14.40Mtr (Includes 61 Large Panels, 60 Small Panels & Geocloth 15.5M X 2M)	\$788.70
PT-LD1512	Protank Leach Drain - 15.12Mtr (Includes 64 Large Panels, 63 Small Panels & Geocloth 16.0M X 2M)	\$829.40
PT-LD1584	Protank Leach Drain - 15.84Mtr (Includes 67 Large Panels, 66 Small Panels & Geocloth 17.0M X 2M)	\$869.00
PT-LD1656	Protank Leach Drain - 16.56Mtr (Includes 70 Large Panels, 69 Small Panels & Geocloth 17.5M X 2M)	\$909.70
PT-LD1728	Protank Leach Drain - 17.28Mtr (Includes 73 Large Panels, 72 Small Panels & Geocloth 18.5M X 2M)	\$951.50
PT-LD1800	Protank Leach Drain - 18.00Mtr (Includes 76 Large Panels, 75 Small Panels & Geocloth 19.0M X 2M)	\$992.20
PT-LD1872	Protank Leach Drain - 18.72Mtr (Includes 79 Large Panels, 78 Small Panels & Geocloth 20.0M X 2M)	\$1,031.80
PT-LD1944	Protank Leach Drain - 19.44Mtr (Includes 82 Large Panels, 81 Small Panels & Geocloth 20.5M X 2M)	\$1,074.70
PT-LD2016	Protank Leach Drain - 20.16Mtr (Includes 85 Large Panels, 84 Small Panels & Geocloth 21.0M X 2M)	\$1,097.80
PT-LD2088	Protank Leach Drain - 20.88Mtr (Includes 88 Large Panels, 87 Small Panels & Geocloth 22.0M X 2M)	\$1,114.30
PT-LD2160	Protank Leach Drain - 21.60Mtr (Includes 91 Large Panels, 90 Small Panels & Geocloth 22.5M X 2M)	\$1,153.90
PT-LD2232	Protank Leach Drain - 22.32Mtr (Includes 94 Large Panels, 93 Small Panels & Geocloth 23.5M X 2M)	\$1,197.90
PT-LD2304	Protank Leach Drain - 23.04Mtr (Includes 97 Large Panels, 96 Small Panels & Geocloth 24M X 2M)	\$1,238.60
PT-LD2376	Protank Leach Drain - 23.76Mtr (Includes 100 Large Panels, 99 Small Panels & Geocloth 23.5M X 2M)	\$1,278.20
PT-LD2448	Protank Leach Drain - 24.48Mtr (Includes 103 Large Panels, 102 Small Panels & Geocloth 25.5M X 2M)	\$1,361.80
PT-LD2520	Protank Leach Drain - 25.20Mtr (Includes 106 Large Panels, 105 Small Panels & Geocloth 26.0M X 2M)	\$1,399.20
PT-LD2592	Protank Leach Drain - 25.92Mtr (Includes 109 Large Panels, 108 Small Panels & Geocloth 27.0M X 2M)	\$1,430.00
PT-LD2664	Protank Leach Drain - 26.64Mtr (Includes 112 Large Panels, 111 Small Panels & Geocloth 27.5M X 2M)	\$1,458.60
PT-LD2736	Protank Leach Drain - 27.36Mtr (Includes 115 Large Panels, 114 Small Panels & Geocloth 28.5M X 2M)	\$1,482.80
PT-LD2808	Protank Leach Drain - 28.08Mtr (Includes 118 Large Panels, 117 Small Panels & Geocloth 29.0M X 2M)	\$1,524.60
PT-LD2880	Protank Leach Drain - 28.80Mtr (Includes 121 Large Panels, 120 Small Panels & Geocloth 30.0M X 2M)	\$1,563.10
PT-LD2952	Protank Leach Drain - 29.52Mtr (Includes 124 Large Panels, 123 Small Panels & Geocloth 30.5M X 2M)	\$1,604.90
PT-LD3024	Protank Leach Drain - 30.24Mtr (Includes 127 Large Panels, 126 Small Panels & Geocloth 31.0M X 2M)	\$1,648.90
PT-LD3096	Protank Leach Drain - 30.96Mtr (Includes 130 Large Panels, 129 Small Panels & Geocloth 32.0M X 2M)	\$1,686.30
PT-LD3168	Protank Leach Drain - 31.68Mtr (Includes 133 Large Panels, 132 Small Panels & Geocloth 32.5M X 2M)	\$1,707.20
PT-LD3240	Protank Leach Drain - 32.40Mtr (Includes 136 Large Panels, 135 Small Panels & Geocloth 33.5M X 2M)	\$1,742.40
PT-LD3312	Protank Leach Drain - 33.12Mtr (Includes 139 Large Panels, 138 Small Panels & Geocloth 34.0M X 2M)	\$1,769.90
PT-LD3384	Protank Leach Drain - 33.84Mtr (Includes 142 Large Panels, 141 Small Panels & Geocloth 35.0M X 2M)	\$1,810.60
PT-LD3456	Protank Leach Drain - 34.56Mtr (Includes 145 Large Panels, 144 Small Panels & Geocloth 35.5M X 2M)	\$1,852.40
PT-LD3528	Protank Leach Drain - 35.28Mtr (Includes 148 Large Panels, 147 Small Panels & Geocloth 36.0M X 2M)	\$1,893.10
PT-LD3600	Protank Leach Drain - 36.00Mtr (Includes 151 Large Panels, 150 Small Panels & Geocloth 37.0M X 2M)	\$1,934.90
PTLD-CELL33	Leach Drain Cell (3 Large, 3 Small Panels - 720L X 403W X 443H MM)	\$34.10
PTLD-CELL43	Leach Drain Cell (4 Large, 3 Small Panels - 720L X 403W X 443H MM)	\$39.60
EFD-100	Effluent Diverter (100MM Sewer)	\$148.50

Coerco

General Conditions and Delivery Information



Product Benefits

Coerco products are manufactured from the highest food grade material conforming to Australian standards. These products are strong, lightweight, UV resistant and exceptionally durable.

Product Specifications

All specifications are subject to change in line with on-going improvements.

Pricing Includes GST

All prices specified include GST and are subject to change without notice.

Product Design Protection

Many of Coerco products are subject of an Australian Patent and pending design registration.

Sizes

All sizes, measurements and capacities throughout this brochure are only approximate due to the variable shrinkage nature of polyethylene during manufacture.

Placing Your Order

We have a diverse network of distributors throughout Western Australia. Contact your local Coerco agent or call us on 1800 646 277.

Product Returns

All products returned for credit must be in "As New" condition and are subject to a 15% restocking fee and a return freight cost.

Warranty

All our products are guaranteed against faulty workmanship and carry a warranty. To see our full warranty details go to <https://agriculture.coerco.com.au/warranty>

Minimum Orders

Any order under \$55 including GST is subject to a postage and handling fee of \$16.50 including GST.

Disclaimer

All recommendations within this sales catalogue are intended as suggestions only. Coerco does not take any responsibility for the suitability of any product for the use it is given. Product images are a close guide only and may not represent actual product.

Trademarks & Copyright

© Coerco 2020. This publication is copyrighted to Coerco.

Delivery Information

When you purchase a tank from Coerco, it is very important that you provide as much detail as to the desired delivery location as possible. Ideally, the Google Maps latitude and longitude coordinates are the best and most accurate way for you to tell us where you want your tank delivered.

Steps for getting the coordinates of a place with Google Maps:

1. Open Google Maps on your device.
2. Navigate to the position on the map where you want your product delivered.
3. Right click the place/area and select "What's Here".
4. You'll see the coordinates on a card at the bottom of the map.

Other options

Another option is a clearly defined instruction on a recent map or, as last preference, an address with well-outlined written drop-off instructions. A site contact phone number should also be provided.

Clearance

Please note that our truck and trailer combinations require a minimum clearance of **20 metres long, 3.5 metres wide and 5 metres high**.

Please be aware that it is the owner's responsibility to provide clear access to the site. Clear access on roads, lane ways, through gateways, crossings and trees as this is essential to ensure the safe delivery of your tank/s or other product/s without damage.

Large tanks can be delivered direct to property where there is a properly made road and large turning area available. If a driver cannot reach the location, the tank/s will be left at the closest practical position.

General guide for placement of tanks on tank pads

Placement of tanks above 9,500ltr on pad requires customer assistance. The following is a general guide to follow (please note that this is a GUIDE ONLY; safe work practices and lifting techniques are to be followed at all times and are the responsibility of the client to observe):

- Tanks between 9,500ltr and 13,500ltr need three persons (not including our driver) to handle and manoeuvre into place.
- Tanks between 22,500ltr and 32,000ltr need four persons (not including our driver) to handle and manoeuvre into place.

Tanks above 50,000ltr are too heavy to safely manoeuvre by hand and require either a machine (telehandler, forklift or bobcat) to assist. Alternatively, our logistics team will arrange for the delivery and placement to be conducted with a Hiab equipped truck. This will be discussed and determined during the delivery scheduling call with the customer. Please be reminded that it is the customer's responsibility to ensure there is adequate assistance and/or resources available to safely unload your tank.

If you have any questions regarding your delivery, please give us a call on 1800 646 277 and speak with one of our friendly team member to discuss!

General Conditions and Delivery Information

Freight

Zone 1:

Freight is FREE within 800 kilometres of Perth to your property (access permitting) for 9,000ltr tanks and above. Alternatively, freight is free to your nearest authorised distributor.


NOTE:

Additional freight charges apply for **direct-to-property** delivery on the following products below:

Freight Charges (Direct to Customer)	
Product	\$82.50 inc GST
Water Tanks	Any tank or combination less than 9,000L
Troughs	PTM range, less than 5 units of any other trough
Cup & Saucers	Any tank or combination less than 9,000L
Liquid Fertiliser Storage Tanks	N/A
Liquid Transport Tanks (FNS, ST & DT)	Any tank or combination less than 7,000L
Firefighter Units	2 or less compact or skid mount units (excludes trailers)
Diesel Storage Tanks	N/A
Self-Contained Diesel Transport Tanks	All units (unless 5+)
Aquaculture Tubs	All units (unless 5+)
Septic Tanks	Any tank or combination less than 9,000L
Leach Drain	All units (unless with septic tanks with capacity of more than 9,000L)

Zone 2:

For locations outside of Zone 1, please contact us for a highly competitive quote for delivery as per your requirements. We have the largest distribution network throughout Western Australia and our own fleet of delivery vehicles with the capability to deliver throughout Australia and further afield. We deliver when it suits our customers, not according to anyone else's schedule.



Water Tank Installation Guide

WARNING! The inside of a water tank is a Restricted Space- always carry out a risk assessment prior to entering. Never enter a tank alone, always have an attendant standing by. Entry inside tank not required when installing.

1. A FIRM SOLID BASE MUST BE PROVIDED TO SUPPORT THE TANK FULLY

The tank site must be level and flat, the area well compacted and free from any rocks, stones or sharp objects.

SAND OR OTHER CONSOLIDATED FILL

- 75-100mm (3-4") of compacted sand or other consolidated fill i.e. crusher dust should extend out at least 300mm (12") past the side of the tank walls.
- Line the tank site with a retaining wall, timber or similar edging to prevent erosion.

CONCRETE


- A concrete pad 75-100mm (3-4") thick can be used and must extend out at least 300mm (12") past the side of the tank walls.

TANK STAND

- If a tank stand is being used, decking should be no more than 50mm (2") apart.

BE SURE NOT TO MAKE THESE ERRORS

- Rocky or uneven ground with little or no base preparation
- Using an undersized base-base must extend past circumference of tank



2. OUTLET


Ensure that a flexible hose with a length of at least 300mm (12") should be used from the ball valve to absorb any shocks or movements.

3. OVERFLOW

Overflow should be piped well clear of the tank to avoid any undermining of base.

4. TANK STAND PIPE WORK

If tank is placed on a stand, support pipe work off the ground, never support pipe work off the tank.





coerco

Engineered Poly Products

Freecall
Phone
Fax

1800 646 277
(08) 9661 0610
(08) 9661 1515


Address

PO Box 319
9 Huggett Drive
Dalwallinu, WA 6609

Email: orders@coerco.com.au
Website: www.coerco.com.au

Date	Order No.	
Distributor	Delivered to store? Yes No	
Contact Name		
Delivery Address		
Delivery Suburb		
Home Phone	Mobile	
Product Code		
Colour		
Quantity		

Round Tanks




*Please mark drain outlet and overflow positions. Mark high tap position if required.

Fittings	Type	Size
	(Poly/Brass)	(mm)
Leaf Basket		
Overflow		
Drain Outlet & Valve		
High Tap		

**Please note additional Outlets and Overflows will be charged accordingly*

Standard Fit	Yes	No
90mm PVC Mesh Overflow @ 6		
40mm Brass Threaded Outlet & Ball Valve @ 12		

Under Eave / Slimline Tanks



*Please mark drain outlet and overflow positions. Mark high tap position if required.

Fittings	Type	Size
	(Poly/Brass)	(mm)
Leaf Basket		
Overflow		
Drain Outlet & Valve		
High Tap		

**Please note additional Outlets and Overflows will be charged accordingly*

Standard Fit	Yes	No
90mm PVC Mesh Overflow @ 9		
Drain Outlet @ 3		
High Tap @ 12		


Additional Notes & General Comments:

Ordered by (Name & Sign) _____

**updated 06/04/2018

Ready To Get A Quote?

Would you like to improve your farm's water planning, efficiency and productivity? Are you ready to invest in high quality poly products that will last for decades and revolutionise your everyday operations?



coerco
agriculture

**GET IN TOUCH TODAY FOR A
NO-OBLIGATION CHAT AND
FREE QUOTATION.**

Call us: 1800 646 277

Email us: info@coerco.com.au

Or visit coerco.com.au to find your nearest distributor



coerco
Engineered Poly Products

Coerco Pty Ltd
ABN 54 145 356 565

9 Huggett Drive
Dalwallinu
Western Australia 6609
PO BOX 319 Dalwallinu
Western Australia 6609

Freecall 1800 646 277
Phone 08 9661 0610
Fax 08 9661 1515
info@coerco.com.au
www.coerco.com.au