

Giving Shape to Ideas

Standard dual scanning handles up to 240 originals per minute
High capacity 300-sheet document feeder
INFO-Palette display for instant access to more information
Large 9" color display with quick tablet-like interface
Web browser ready with 4 GB memory
Downloadable apps to improve your productivity
Built-in Emperon® print system, universal printer drivers
Simitri® HDF toner guarantees excellent print quality
Scan to email and ftp, scan-to-me, scan-to-home convenience
6,650-Sheet capacity, tab printing support, carbon-copy printing
Finishing options for 80-page booklet-making, up to 100-sheet stapling
Options for 2/3-hole punch, tri-fold, z-fold, post-insertion and more

High-speed print/copy output of 80 ppm in high-quality B&W

bizhub 808

MONOCHROME HIGH-VOLUME MULTIFUNCTION PRINTER

mfp





bizhub 808

With 80 ppm print/copy output in high-resolution B&W, standard dual scanning at up to 240 opm, multiple finishing options and enhanced touch-and-swipe interface, the bizhub 808 brings maximum productivity to high-volume document demands and in-house, on-demand printing applications.

System Overview

System Overview				
System memory	4 GB			
System hard disk	250 GB			
Interface	10-BASE-T/100-BASE-TX/1,000-BASE-T Ethernet, USB 2.0,			
	Wi-Fi 802.11 b/g (opt.)			
Network protocols	TCP/IP (IPv4/IPv6), NetBEUI, SMB, LPD, IPP, SNMP, HTTP			
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAF			
Dual scan	Up to 300 originals / 5.5" x 8.5" to 11" x 17" / 35-210 gsm			
document feeder				
Printable paper size	Scanning/Copying: up to 11" x 17"			
	Printing: up to 11" x 17" full bleed on 12" x 18" paper			
	Custom paper sizes			
	Banner paper max.: 11.75" x 47.25"			
Printable	52–300 gsm			
paper weight				
Paper input capacity	Standard: 3,650 sheets / Max.: 6,650 sheets			
Tray 1	500 sheets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm			
Tray 2	500 sheets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm			
Tray 3	1,500 sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm			
Tray 4	1,000 sheets / 8.5" x 11", 5.5" x 8.5", 4" x 6" / 52-256 gsm			
Large capacity tray	3,000 sheets / 8.5" x 11" / 52-256 gsm			
LU-303 (optional)				
Large capacity tray	2,500 sheets / 8.5" x 11" to 12" x 18" / 52-256 gsm			
LU-205 (optional)				
Manual bypass	150 sheets / 4" x 6" to 12" x 18" / custom paper sizes /			
22	52-300 gsm			
Automatic duplexing	5.5" x 8.5" to 12" x 18" / 52–256 gsm			
Finishing modes	Offset, group, sort, staple, punch, post insertion,			
	z-fold, half-fold, tri-fold, booklet			
Output capacity	Max. with finisher: 3,200 sheets			
	Max. without finisher: 250 sheets			
Stapling (optional)	Max.: 100 sheets or 94 sheets + 2 cover sheets			
	(up to 209 gsm)			
Stapling	Max.: 1000 sheets			
output capacity	STORY STORY STORY			
Tri-fold	Up to 3 sheets			
Tri-fold capacity	Max.: 30 sheets (tray), unlimited			
Booklet	Max.: 20 sheets or 19 sheets + 1 cover sheet			
	(up to 209 gsm)			
Booklet output	Max.: 100 sheets (tray), unlimited			
capacity				
Copy/print volume	Max.: 300,000 pages/month ¹			
Toner lifetime	Black: 40,800 pages			
Imaging unit lifetime	400,000 pages / 1,200,000 pages (Developer)			
Power consumption	120 V / 50/60 Hz, less than 2.1 kW (system)			
System dimensions	26.4" x 32.3" x 48.5" (W x D x H)			
System weight	Approx. 441 lb.			

Printer Specifications

rinter specification	JIIS
Print resolution	1,800 x 600 dpi, 1,200 x 1,200 dpi
PDL	PCL6 (XL 3.0), PCL5c, PostScript 3 (ver. 3016), XPS
Operating systems	Windows (x32/x64): Vista / 7 / 8
	Windows Server (x32/x64): 2008 / 2008 R2 / 2012 / 2012 R2
	Macintosh OS X 10.6 / 10.7 / 10.8 / 10.9 / 10.10
	UNIX / Linux / Citrix
Printer fonts	80 PCL Latin, 137 PostScript 3 emulation
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex, "Easy Set" job programming, overlay, watermark, copy protection, carbon copy print

Copier Specifications

Copying process	Electrostatic laser copy, tandem, indirect		
Toner system	Simitri® HD ^E Polymerized Toner		
Print speed (8.5" x 11")	Up to 80 ppm (Portrait)		
Autoduplex speed (8.5" x 11")	Up to 80 ppm (Portrait)		
1st copy out time	3.6 sec.		
Warm-up time	Approx. 100 sec. ²		
Copy resolution	600 x 600 dpi		
Gradations	256 gradations		
Multi-copy	1-9,999		
Original format	Up to 11" x 17"		
Magnification	25-400% in 0.1% steps, auto zooming		
Copy functions	Chapter, cover and page insertion, proof copy (print and screen), adjustment test print, digital art functions, job setting memory, poster mode, image repeat, overlay, stamping, copy protection		

Scanner Specifications

ocarmer opecinicat	10113
Scan speed B&W / Color: up to 240 ipm	
Scan resolution	Max.: 600 x 600 dpi
Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), compact PDF, encrypted PDF and searchable PDF (optional), XPS, compact XPS, PPTX and searchable PPTX (optional), searchable DOCX/XLSX (optional)
Scan destinations	2,100 (shared with fax), LDAP support
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs, real time scan preview

Fax Specifications

Fax	Super G3 (optional)	
Transmission	Analog, i-Fax, Color i-Fax, IP-fax	
Resolution	Max.: 600 x 600 dpi (ultra-fine)	
Compression	MH, MR, MMR, JBIG	
Modem	Up to 33.6 Kbps	
Destinations	2,100 (single + group)	
Functions	Polling, time shift, PC-fax, receipt to confidential box, receipt to Email/FTP/SMB, up to 400 job programs	

User Box Specifications

Storable documents	Max.: 3,000 documents or 10,000 pages	
Type of user boxes	Public	
	Personal (with password or authentication)	
	Group (with authentication)	
Type of system boxes	Secure print, encrypted PDF, fax receipt, fax polling	
User box functionality	Reprint, combination, download, sending	
	(Email/FTP/SMB and fax), copy box-to-box	

S١					

System Features			
Security	ISO 15408 EAL33		
	IEEE 2600.13		
	IP filtering and port blocking		
	SSL2, SSL3 and TSL1.0 network communication		
	IPsec support		
	IEEE 802.1x support		
	User authentication		
	Authentication log		
	Secure print		
	Hard disk overwrite (8 standard types)		
	Hard disk data encryption (AES 256)		
	Hard disk mirroring (opt.)		
	Memory data auto deletion		
	Confidential fax receipt		
	Print user data encryption		
	Copy protection (Copy Guard, Password Copy) (opt.)		
Accounting	Up to 1,000 user accounts		
	Active Directory support		
	(user name + password + Email + SMB folder)		
	User function access definition		
	Optional Biometric authentication (finger vein scanner)		
	Optional ID card authentication (ID card reader)		
Software	PageScope Net Care Device Manager		
	PageScope Data Administrator		
	PageScope Box Operator		
	PageScope Direct Print		
	Print Status Notifier		
	Driver Packaging Utility		
	Log Management Utility		

Log Management Uniny

Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis. This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minolta MFP and printer product line so that the appropriate device can be placed in order to meet customer needs

Com	ponent	ts and (Options
-----	--------	----------	---------

Components and Option	ns
AU-102 Biometric	Finger vein scanner
authentication	
AU-205H Universal	Various ID card technologies
ID card reader	Tarroad to date tearniologico
EK-610 USB I/F kit	USB keyboard connection
	USB keyboard connection, Bluetooth
EK-611 USB I/F kit	
FK-515 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support
FK-516 Fax board	Super G3 fax, digital fax functionality
FS-536 Staple finisher	50-sheet stapling, 3,200 sheets max. output
FS-536SD	50-sheet staple finisher, 20-sheet booklet finisher,
Booklet finisher	2,200 sheets max. output
FS-537 Staple finisher	100-sheet stapling, 3,200 sheets max. output
FS-537SD	100-sheet stapling, 20-sheet booklet finisher,
Booklet finisher	2,500 sheets max. output
HD-524 Hard	Back-up HDD
diskmirroring	out up 1100
IS-602 Job	Separation for fax output, etc.
separator for FS-537	Separation for lax output, etc.
	Established (complete KII 102)
Keyboard	External keyboard (requires KH-102)
KH-102	To place USB keyboard
Keyboard holder	
KP-101 10-Key pad	For use instead of touchscreen
LK-102 v3	PDF/A, PDF encryption, digital signature
PDF enhancements	
LK-104 v3	Provides voice guidance functions
Voice guidance	
LK-105 v3	Searchable PDF
OCR text recognition	
LK-106	Supports native barcode printing
Barcode fonts	
LK-107	Supports native Unicode printing
Unicode fonts	Section 4. Converse some prices, read to particularly to the Converse to the C
LK-108	Supports native OCR A and B font printing
OCR A and B fonts	
LK-110 Enhanced	Generates various file formats incl. DOCX, XLSX
image support	and combines LK-102 (encrypted PDF) + LK-105
magesapper	(searchable PDF/OCR functionality)
LK-111	Print data compression for reduced network impact
ThinPrint® Client	Thirt data compression for reduced network impact
LU-205	8.5" x 11" to 12" x 18", 2,500 sheets, 52–256 gsm
Large capacity tray	6.5 X 11 to 12 X 16 , 2,500 streets, 52-250 gsill
LU-303	0 E" v 11" 2 000 shoots E2 2EC some
	8.5" x 11", 3,000 sheets, 52–256 gsm
Large capacity tray	Local Ballon Lite Co. ID and another
MK-735 Mount kit	Installation kit for ID card reader
MK-742 Mount kit	Installation kit for FK-515 fax board
OT-508 Output tray	Output tray used instead of finisher
PI-507 Post inserter	Cover insertion, post finishing
for FS-537	
PK-520 Punch kit	2/3-hole punching, autoswitching
for FS-536	
PK-523 Punch kit	2/3-hole punching, autoswitching
for FS-537	
RU-515 Relay unit	Required for the FS-537/FS-537SD
	and FS-536/FS-536SD
SC-508 Security kit	Copy Guard function (2x required)
UK-212	Wireless LAN to network connector
UK-501 Multi-feed	Detects multi-feeding in the document feeder
detection kit	
WT-506 Working table	Authentication device placement
WT-513 Working table	Used to mount the control panel in an upright position
ZU-609 Z-fold unit	Z-fold for 11" x 17" prints, 2/3-hole punching
for FS-537	

 $^{^{\}rm 2}$ Warm-up time may vary depending on the operating environment and usage

³ Certification pending



Partnership.

Konica Minolta can help give shape to your ideas and partner with you to achieve your corporate objectives. Contact us to realize opportunities in:

Information Management	IT Services	Technology
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	3D Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	Laptops, Desktops and Computer Hardware
Mobility		Servers and Networking Equipment
		Managed Print Services (MPS)
		Managed Enterprise Services

© 2016 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA, Inc. All other product and brand names are trademarks or registered trademarks or trademarks of KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.



KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com





