# Regression of cervical radiculopathy after laser therapy treatment – a case report.

# E. Perez, J.A. Natera, LD. Guzmán Hernández, J. Olalde

Centro Médico Adaptógeno, Calle Dr. Santiago Veve & Calle Marti #1, Bayamón, PR 00961, Estados Unidos

Cervical radiculopathy is the clinical description of pain and/or neurological symptoms resulting from any type of condition that irritates a nerve in the cervical spine (neck). Any condition that somehow compresses or irritates a cervical nerve can cause cervical radiculopathy.

Discogenic disease affecting the cervical spine is common cause of cervical radiculopathy and represents a disabling conditions which is caused by a damaged vertebral disc, particularly due to degenerative disc disease. Cervical radiculopathy caused by degenerative changes was first described by Parkinson in 1817 and still remains one of the major contributors for neck pain, commonly seen condition across many patient populations [1, 2].

Cervical radiculopathy symptoms typically include pain, weakness, or numbness in the areas served by the affected nerve. Pain can be felt in one area only, like the shoulder, or progress along the entire arm and into the hand and fingers

The treatment involves nonsurgical (such as rest, physical therapy, manual manipulation, pain management with medications or injections) and surgical (anterior cervical discectomy and fusion and artificial disc replacement) treatments. Usually, if there is no improvement in symptoms after 6 to 12 weeks of treatment and nonsurgical treatments are not providing pain relief from cervical radiculopathy, or if neurological symptoms of arm or hand numbness and weakness continue to progress, surgery may be considered. Surgical intervention of the cervical spine can cause serious complications.

A woman 46 years old was referred to our study for the relief of pain associated to cervical radiculopathy. MRI of the neck showed signs of discogenic disease with disc desiccation at C2-C3, C4-C5 and C5-C6.

A slight loss of disc height was observed from C3-C4 to C5 (Figure 1). Presence of fluid, probably related to inflammation, was detected at the C3-C4 level, where a disc herniation was also shown. Disc herniation was located centrally and towards the right respect to midline, exerting a mass effect on the spinal cord, which was 50% narrowed. A small posterior disc protrusion was reported at the C5-C6 level, while in correspondence of C6-C7 level uncovertebral osteophytosis was present. Based on this radiographic data and on the clinical evaluation performed, the doctor proposed laser therapy to the patient in the attempt of proving pain relief and avoid cervical spine surgery.

The treatment plan included laser therapy in the cervical area and complementary botanical anti-inflammatory medicine, containing Rhodiola rosea, Morinda citrifolia, Tribulus terrestris, Uncaria tomentosa, Dioscorea villosa, Capsicum annuum. The patient was treated with a dual wavelength, high power IR laser (Multiwave Locked System (MLS<sup>®</sup>) laser, M6, ASA srl, Vicenza, Italy), using the following treatment parameters:

- Handpiece: 50% intensity, frequency of 700 Hz, for 8 minutes utilizing energy of 9.5 joules/cm<sup>2</sup>.
- Robotized head: 50% intensity, frequency of 700 Hz, for 8 minutes utilizing energy of 2.5 joules/cm<sup>2</sup>.

Sensitive area trigger points were been identified and treated with handpiece, while robotized head was used to cover the overall treatment area.

Treatment was performed every day for 8 consecutive days.

At the end of the treatment, the patient was pain free and, remarkably, MRI conducted to evaluate the patient 2 months after the first radiographic assessment (Figure 2) revealed that spontaneous regression of the herniated disc had occurred, with 90% restitution of the spinal cord space.

In the reported case, not only MLS<sup>®</sup> therapy provided an effective non-invasive approach to treat cervical pain, but the remarkable result observed in this case is the successful outcome on the spinal cord narrowing. It is important to note that there have been fewer reports of spontaneous regression of cervical disc herniation, especially ones confirmed by magnetic resonance imaging [3, 4]. Many factors related to the regression process have been recognized, including the age of the patient, dehydration of the expanded nucleus pulposus, resorption of a hematoma, revascularization, penetration of herniated cervical disc fragments through the posterior longitudinal ligament (PLL), the size of disc herniation, and the existence of cartilage and annulus fibrous tissue in the herniated material. Resorption of a herniated





Figure 1: Sagittal MRI pre-treatment

Figure 2: Sagittal MRI after MLS treatment

nucleus pulposus is thought to occur via an inflammatory reaction in the outermost layer of the herniation, with macrophages as the major cellular population [5]. It can be hypothesized that MLS<sup>®</sup> therapy could be a useful method to facilitate the mentioned factors.

In conclusion, the main result for the patient was elimination of pain and avoidance of surgical intervention, which in our experience is the most common outcome of this type of cervical condition.

# REFERENCES

- Evans G. Identifying and Treating the Causes of Neck Pain. Medical Clinics of North America. 2014;98(3):645–661.
- Cervical radiculopathy: a common cause of neck pain. American Family Physician. 2016;93(9).
- Mochida K., Komori H., Okawa A., Muneta T., Haro H., Shinomiya K. Regression of cervical disc herniation observed on magnetic resonance images. Spine. 1998;23(9):990–995.
- Kobayashi N., Asamoto S., Doi H., Ikeda Y., Matusmoto K. Spontaneous regression of herniated cervical disc. Spine J. 2003;3(2):171–173.

 Pan H, Xiao LW, Hu QF. Spontaneous regression of herniated cervical disc fragments and its clinical significance. Orthop-Surg. 2010;2(1):77-9.



# **Guide for Authors**

The aim of "Energy for Health" is to spread the results of research on the application of laser and magnetic field in biology and medicine. The journal will publish studies which involve basic research and clinical trials: laser-tissue interaction, effects of laser and electromagnetic field on cells.

Attention will be focused on studies devoted to explain the molecular and cellular mechanisms at the basis of the effects produced by laser and magnetotherapy.

## **ARTICLE CATEGORIES**

**Articles** are full-length papers presenting complete descriptions of original research, which have not been published and are not being considered for publication elsewhere.

Letters to the editor will be accepted and published if considered pertinent to the aim of the journal by the editorial board.

Reviews are topical overviews on emerging areas of research. They summarize key problems, concepts, experimental approaches, and research opportunities that characterize a subject area. Reviews should not include previously unpublished research results. The Editors generally invite them; authors who wish to submit a review should first consult with the Editors

Case Reports will be considered if they present data with relevant clinical significance. Case Reports will be accepted if formatted as a research letter with 2 figures maximum, maximum length is up to 1000 words with up to 6 references and 2 tables or figures. There should be no Abstract and no headings.

#### MANUSCRIPT SUBMISSION

To keep the review time as short as possible, the authors are requested to submit manuscripts (both text and art) in electronic form to the executive editor of "Energy for Health", Dr. Monica Monici, using the following e-mail address: monica monici@asalaser.com. Manuscripts submitted via any other method will be returned. The manuscript must be accompanied by a cover letter outlining the significance of the paper. Authors are requested to read carefully the instructions (also available at the web site www.asalaser.com ) and to follow them for the preparation of their manuscript.

# PREPARATION OF MANUSCRIPTS

Manuscripts must be written in clear, concise, grammatical English. Authors unfamiliar with English usage are encouraged to seek the help of English-speaking persons in preparing their manuscripts. Manuscripts should be double-spaced.

#### TITLE PAGE

- The title page (page 1) should include: A concise and informative title
- (capital bold font; not exceeding 120 characters)The name(s) of the author(s) (lower-case bold font, initials in capital letters)
- The affiliation(s) and address(es) of the author(s) (italics font)
- The name of the corresponding author, with complete address, e-mail address, telephone and fax numbers

#### ABSTRACT

Each paper must be preceded by an abstract (page 2) that summarizes in no more than 250 words a brief introduction, the aim of the study, materials and methods; main results and conclusions. It shouldn't contain any reference.

#### **KEYWORDS**

After the abstract, in the same page, a list of 4-6 keywords should be supplied for indexing purposes.

# INTRODUCTION

The introduction should describe the state of the art, give a short review of pertinent literature, state the purpose of the investigation. It should be as concise as possible, without subheadings.

#### MATERIALS AND METHODS

The "materials and methods" section should follow the introduction and should provide enough information to enable the experiments to be reproduced.

Patients (clinical studies): typology of patients (age, sex...), criteria for enrolment in the study, etc.

Experimental model: cellular, animal, etc Instruments: laboratory instruments used for the research.

Methodology: protocols and evaluation mode. "In the case that laser sources are considered, authors are

requested to specify all the necessary technical data pertinent to the experiment(s): laser type and wavelength, emission mode (continuous, pulsed), laser power (peak and average power in case of pulsed emission), laser beam dimensions, beam intensity (Watt/cm<sup>2</sup> spot area), total energy dose on the irradiated area in a single treatment (J/cm<sup>2</sup>), duty cycle. In case of laser treatment of cultured cell models, as well as in vivo and ex vivo treatments, authors are requested to specify the dimensions of the treated region, treatment duration and timing modalities (e.g. one session, multiple sessions)." Data analysis: data-analysis method, statistical analysis.

#### RESULTS

This section should describe the outcome of the study without any comment. Data should be presented as concisely and clear as possible.

#### DISCUSSION

The discussion should be an interpretation of the results and their significance, also with reference to works by other authors. The relevance of the results in the research and clinical applications should be explained.

#### CONCLUSIONS

They should be concise and effective, with reference to possible involvements in the future.

# ACKNOWLEDGEMENTS

Concise acknowledgements may be addressed to persons, public and private organizations, companies.

# REFERENCES

Reference should be made only to articles that are published or in press. The list of references should only include papers that are cited in the text. They must be progressively numbered (in square brachets) in the order in which they appear in the text and listed at the end of the paper in numerical order. Each reference should cite article title and the authors. Abbreviations of journal titles should follow those used in Index Medicus. References with correct punctuation should be styled as follows:

Reference to a journal publication: 1. Boyle WJ, Simonet WS, Lacey DL. Osteoclast differentiation and activation. Nature, 2003, 423: 337-342.

#### Reference to a book:

2. Michaeli W. Extrusion Dies. Hanser Publishers, Munich, Vienna, New York, 1984.

# Reference to a chapter in an edited book:

3. Gmünder FK, Cogoli A. Effect of space flight on lymphocyte function and immunity. In: Fregly MJ, Blatteis CM, eds. Handbook of Physiology. Oxford:University Press, 1996, vol. 2, pp 799-813.

### FIGURES

All figures should be cited in the text and consecutively numbered with arabic numbers. Figures should be exclusively in TIFF or JPG format, with a minimum resolution of 300 dpi. Figure legends must be brief, self-sufficient explanations of the illustrations and double spaced. The legends should be prepared in a separate file in rtf format.

#### TARI ES

All tables should be cited in the text and consecutively numbered with roman numbers.

Each table should have a title and a legend (double spaced) explaining the table content and any abbreviation used. Each table should be prepared in a separate page.

#### ABBREVIATIONS

Abbreviations should be defined at first mention preceded by the extended name.

#### COPYRIGHT

The author(s) guarantee(s) that the manuscript is their original work, submitted exclusively to the journal and will not be published elsewhere without the consent of the copyright holders. Upon an article being accepted for publication, the right of publication, as well as rights of translation, of granting reproduction licences, of storage in electronic retrieval systems, of producing special impressions, photocopies, and microcopies are transferred to the publishers.

After manuscript acceptance the corresponding author is responsible for: 1) obtaining from coauthors permission to transfer copyright; 2) obtaining written permission to republish or reproduce all previously published material.

In any case, the journal will be not responsible for the lost of manuscript.

## PEER REVIEW

The practice of peer review is to ensure the good quality of the published papers. It is an objective process carried out on all reputable scientific journals. When a manuscript is submitted to "Energy for Health" it is assigned by the Executive Editor to a member of the Editorial Board, based on expertise. If the manuscript is consistent with the aims of the journal, the Editor sends it to colleagues for review, then decides to accept or reject the manuscript on the basis of the referee comments.





ASAcampus Joint Lab - ASA Research Division and Department of Experimental and Clinical Biomedical Sciences, University of Florence - Italy