

Giving Shape to Ideas

Up to 45 ppm print/copy output to keep pace with rising demands Standard dual scanning at up to 160 originals per minute Large 9" color display with quick tablet-like touchscreen interface 3rd-party software integration with standard web browser Built-in Emperon® print system, universal printer drivers Simitri® HDE polymerized toner for high-resolution imaging Standard 250 GB HDD for on-board document storage Meets ISO 15408 and IEEE 2600.1 Security standards* Standard web browser, 4 GB of memory Power-saving design with quick recovery from sleep mode $\underline{\text{6,650-sheet maximum capacity, tab printing support, carbon-copy printing}}$ Advanced authentication, secure print release, remote firmware updates Multiple bypass tray and detachable paper feed trays improve paper handling Finishing options for 80-page booklet-making, up to 100-sheet stapling Option for 2/3-hole punch, tri-fold, z-fold, post-insertion and more Downloadable apps to help you work faster and smarter Multiple i-Options to suit the needs of your workflow EPEAT Gold-certified, low power consumption to cut costs

bizhub 458

MONOCHROME MID-VOLUME MULTIFUNCTION PRINTER







bizhub 458

Ideal for growing businesses, the bizhub 458 is a powerful, affordable monochrome MFP with superior Simitri HD $^{\rm E}$ image quality and fast 45 ppm print/copy output. Optional dual scanning at up to 160 opm brings information into your workflow faster—and enhanced touch screen simplicity never slows you down.

System Overview

System Overview			
System memory	4 GB		
System hard disk	250 GB Standard		
Interface	10-BASE-T / 100-BASE-TX / 1,000-BASE-T Ethernet, USB 2.0		
Network protocols	TCP/IP (IPv4/IPv6), SMB, LPD, IPP, SNMP, HTTP		
Frame types	Ethernet 802.2, Ethernet 802.3, Ethernet II, Ethernet SNAP		
Document feeder	Up to 100 originals / 5.5" x 8.5" to 11" x 17" / 35-163 gsm		
Printable paper size	Scanning/Copying: up to 11" x 17"		
	Printing: up to 11" x 17" full bleed on 12" x 18" paper		
	Custom paper sizes		
	Banner paper max.: 11.75" x 47.25"		
Printable paper	52–300 gsm		
weight			
Paper input capacity	Standard: 1,150 sheets / Max.: 6,650 sheets		
Tray 1	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm		
Tray 2	500 sheets / 5.5" x 8.5" to 12" x 18" / 52-256 gsm		
Tray 3 (optional)	500 sheets / 5.5" x 8.5" to 11" x 17" / 52-256 gsm		
Tray 4 (optional)	2 x 500 sheets / 5.5" x 8.5" to 8.5" x 11" / 52-256 gsm		
Large capacity tray LU-207 (optional)	2,500 sheets / 8.5" x 11" to 12" x 18" / 52–256 gsm		
Large capacity tray LU-302 (optional)	3,000 sheets / 8.5" x 11" / 52-256 gsm		
Large capacity tray PC-410 (optional)	2,500 sheets / 8.5" x 11" / 52-256 gsm		
Manual bypass	150 sheets / 4" x 6" to 12" x 18" / custom paper sizes /		
manaan 2) paos	50–300 gsm		
Automatic duplexing	5.5" x 8.5" to 12" x 18" / 52–256 gsm		
Finishing modes	Offset, group, sort, staple, punch, half-fold, z-fold, tri-fold,		
	post-insertion, booklet		
Output capacity	Max. with finisher: 3,200 sheets		
,	Max. without finisher: 250 sheets		
Stapling (optional)	Max.: 100 sheets or 94 sheets + 2 cover sheet		
	(up to 209 gsm)		
Stapling output capacity	Max.: 1,000 sheets		
Tri-fold (optional)	Up to 3 sheets		
Tri-fold capacity	Max.: 30 sheets (tray)		
Booklet (optional)	Max.: 20 sheets or 19 sheets + 1 cover sheet (up to 209 gsm)		
Booklet output	Max.: 100 sheets (tray)		
capacity	wax 100 sneets (tray)		
Copy/print volume	Max.: 200,000 pages / month ¹		
Toner lifetime	24,400 pages		
Imaging unit lifetime	155,000 pages / 600,000 pages (Drum / Developer)		
Power consumption	120 V / 60 Hz, less than 0.5 kW (system)		
System dimensions	24.2" x 27" x 31" (W x D x H)		
System weight	Approx. 205.03 lb		
System weight	Αμφτολ. 200.03 ΙΒ		

Printer Specifications

Print resolution	1,800 x 600 dpi, 1,200 x 1,200 dpi			
PDL	PCL6 (XL 3.0), PCL5c, PostScript 3 (ver. 3016), XPS			
Operating systems	Windows (x32/x64): Vista / 7 / 8 / 10			
	Windows Server (x32/x64): 2003 / 2008 / 2008 R23 / 20123			
	Macintosh OS X 10.7 or later			
	Linux / Citrix			
Printer fonts	80 PCL Latin, 137 PostScript 3			
Print functions	Direct Print of PCL, PS, TIFF, XPS, PDF, encrypted PDF files and OOXML (DOCX, XLSX, PPTX), mixmedia and mixplex, "Easy Set" job programming, overlay, watermark, copy protection, carbon copy print			

Copier Specifications

Copying process	Electrostatic laser copy, tandem, indirect			
Toner system	Simitri HD ^E Polymerized Toner			
Printspeed	Up to 45 ppm (portrait)			
(8.5" x 11")				
Printspeed	Up to 22 ppm (portrait)			
(11" x 17")				
Auto duplex speed	Up to 45 ppm (portrait)			
(8.5" x 11")				
1st copy out time	4.0 sec.			
Warm-up time	Approx. 25 sec. ²			
Copy resolution	600 x 600 dpi			
Gradations	256 gradations			
Multi-copy	1-9,999			
Original format	Up to 11" x 17"			
Magnification	25-400% in 0.1% steps, auto zooming			
Copy functions	Electronic sorting, multi-job, adjustments (contrast,			
	sharpness, image density), proof copy, interrupt mode,			
	color mode, separate scan, sort/group, combination,			
	original selection, ID card copy, 2-in-1, 4-in-1			

Scanner Specifications

Scan speed	B&W / Color: up to 160 ipm		
Scan resolution	Max.: 600 x 600 dpi		
Scan modes Scan modes	Scan-to-Email, Scan-to-SMB, Scan-to-FTP, Scan-to-Box, Scan-to-USB, Scan-to-WebDAV, Scan-to-DPWS, Network TWAIN scan		
File formats	JPEG, TIFF, PDF, PDF/A 1a and 1b (optional), compact PDF, encrypted PDF and searchable PDF (optional), XPS, compact XPS, PPTX and searchable PPTX (optional), searchable DOCX/XLSX (optional)		
Scan destinations	ns 2,100 (shared with fax), LDAP support		
Scan functions	Annotation (text/time/date) for PDF, up to 400 job programs, realtime scan preview		

Fax Specifications

Fax	Super G3 (optional)		
Transmission	Analog, Internet Fax, Color i-Fax, IP-Fax		
Resolution	Max.: 600 x 600 dpi (ultra-fine)		
Compression	MH, MR, MMR, JBIG		
Modem	Up to 33.6 Kbps		
Destinations	2,100 (single + group)		
Functions	Polling, time shift, PC-fax, receipt to confidential box, receipt to Fmail/FTP/SMB, up to 400 job programs		

User Box Specifications

torable documents Max.: 3,000 documents or 10,000 pages		
Type of user boxes	Public	
	Personal (with password or authentication)	
	Group (with authentication)	
Type of system boxes	Secure print, encrypted PDF, fax receipt,	
	fax polling, annotation	
User box functionality	Reprint, combination, download, sending	
	(email/FTP/SMB and fax), copy box-to-box	

	Features

Security	ISO 15408 EAL ⁴ IEEE 2600.1 ⁴			
555555 A-1				
	IP filtering and port blocking			
	SSL2, SSL3 and TSL1.0 network communication			
	IPsec support			
	IEEE 802.1x support FIPS 140-2			
	User authentication Authentication log Secure print Hard disk overwrite (8 standard types)			
	Hard disk data encryption (AES 128) Memory data auto deletion			
	Confidential fax receipt,			
	Print user data encryption			
	Copy protection (Copy Guard, Password Copy) optional			
Accounting	Up to 1,000 user accounts			
	Active Directory support			
	(user name + password + email + SMB folder)			
	User function access definition			
	Optional Biometric authentication (finger vein scanner)			
	Optional ID card authentication (ID card reader)			
Software	PageScope Net Care Device Manager			
	PageScope Data Administrator			
	PageScope Box Operator			
	PageScope Direct Print			
	Print Status Notifier			
	Driver Packaging Utility			
	Log Management Utility			

Maximum monthly duty cycle describes the maximum number of pages a device can output on a monthly basis. This specification is a guideline intended to offer a comparison of durability as it relates to the entire Konica Minolta MFP and printer product line so that the appropriate device can be placed in order to meet customer needs

		Options	

Components and Option	ons
AU-102 Biometric	Finger vein scanner
authentication	
Dynamag magnetic	Requires WT-506 Working Table
stripe card reader	
AU-205H Universal	Various ID card technologies
ID card reader*	
AU-211 CA/PIV solution	Requires WT-506 Working Table
EK-608 USB I/F kit	USB keyboard connection
EK-609 USB I/F kit	USB keyboard connection, Bluetooth
DK-510 Copier desk	Provides storage space for print media and other materials
FK-514 Fax board	Super G3 fax, digital fax functionality
FK-515 Fax board	Super G3 fax, digital fax functionality, lines 3 & 4 support
	(requires MK-742)
FS-533 Staple finisher	50-sheet stapling, 500 sheets max. output
FS-536 Staple finisher	50-sheet stapling, 3,200 sheets max. output (requires RU-513)
FS-536SD Booklet	50-sheet staple finisher, 20-sheet booklet finisher,
finisher	2,200 sheets max. output (requires RU-513)
And the second s	
FS-537 Staple finisher	100-sheet stapling, 3,200 sheets max. output (requires RU-513)
FS-537SD Booklet	100-sheet stapling, 20-sheet booklet finisher,
finisher	2,500 sheets max. output (requires RU-513)
HD-524 Hard disk	Hard disk mirroring, 250 GB
JS-506 Job separator	Separation for fax output, etc.
JS-602 Job separator	Separation for fax output, etc.
for FS-537	
KH-102 Keyboard holder	To place USB keyboard
KP-10110-Key pad	For use instead of touchscreen
LK-102 v3 PDF	PDF/A, PDF encryption, digital signature
enhancements	
LK-104 v3 Voice	Provides voice guidance functions
guidance	7.00
LK-105 v4 OCR	Searchable PDF
text recognition	U SALAN O SINDA NAMO SUSTAN
LK-106 Barcode fonts	Supports native barcode printing
LK-107 Unicode fonts	Supports native Unicode printing
LK-108 OCR A	Supports native OCR A and B font printing
and B fonts	
LK-110 v2 Enhanced	Generates various file formats incl. DOCX, XLSX and
	Generates various file formats incl. DOCX, XLSX and combines LK-102 (encrypted PDF) + LK-105 (searchable
LK-110 v2 Enhanced image support	combines LK-102 (encrypted PDF) + LK-105 (searchable
image support	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality)
image support LK-111 Thin Print® Client	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact
image support LK-111 ThinPrint® Client LU-207 Large	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality)
image support LK-111 ThinPrint® Client LU-207 Large capacity unit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52-256 gsm 8.5" x 11", 3,000 sheets / 52-256 gsm Banner paper guide
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1)	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52-256 gsm 8.5" x 11", 3,000 sheets / 52-256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17",500 sheets, 52-256 gsm
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2)	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52-256 gsm 8.5" x 11", 3,000 sheets / 52-256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17",500 sheets, 52-256 gsm
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray(x1) PC-210 Universal tray(x2) PC-410 Large capacity tray PI-507 Post inserter	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm 8.5" x 11", 2,500 sheets, 52–256 gsm Cover insertion, post finishing
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm 8.5" x 11", 2,500 sheets, 52–256 gsm Cover insertion, post finishing
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit OT-506 Output tray PC-110 Universal tray(x1) PC-210 Universal tray(x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit for FS-536	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52-256 gsm 8.5" x 11", 3,000 sheets / 52-256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52-256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52-256 gsm 8.5" x 11", 2,500 sheets, 52-256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-536 PK-523 Punch kit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-533 PK-519 Punch kit for FS-536 PK-523 Punch kit for FS-536 PK-523 Punch kit for FS-537	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52-256 gsm 8.5" x 11", 3,000 sheets / 52-256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52-256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52-256 gsm 8.5" x 11", 2,500 sheets, 52-256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-536 PK-523 Punch kit for FS-536 PK-523 Punch kit for FS-537 RU-513 Relay unit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-537 / FS-537SD, FS-536 / FS-536SD
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit for FS-533 PK-520 Punch kit for FS-537 RU-513 Relay unit SC-508 Security kit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm 8.5" x 11", 2,500 sheets, 52–256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-537 / FS-537SD, FS-536 / FS-536SD Copy Guard function (2x required)
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray(x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit for FS-536 PK-523 Punch kit for FS-537 RU-513 Relay unit SC-508 Security kit SP-501 Stamp unit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52-256 gsm 8.5" x 11", 3,000 sheets / 52-256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52-256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52-256 gsm 8.5" x 11", 2,500 sheets, 52-256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-537 / FS-537SD, FS-536 / FS-536SD Copy Guard function (2x required) Added fax stamp capability kit
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray(x1) PC-210 Universal tray(x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit for FS-537 RU-513 Relay unit SC-508 Security kit SP-501 Stamp unit UK-212 Wireless LAN	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52-256 gsm 8.5" x 11", 3,000 sheets / 52-256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52-256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52-256 gsm 8.5" x 11", 2,500 sheets, 52-256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-537 / FS-537SD, FS-536 / FS-536SD Copy Guard function (2x required) Added fax stamp capability kit Wireless LAN to network connector
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit for FS-537 RU-513 Relay unit SC-508 Security kit SP-501 Stamp unit UK-212 Wireless LAN UK-501 Multi-feed	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52-256 gsm 8.5" x 11", 3,000 sheets / 52-256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52-256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52-256 gsm 8.5" x 11", 2,500 sheets, 52-256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-537 / FS-537SD, FS-536 / FS-536SD Copy Guard function (2x required) Added fax stamp capability kit
image support LK-111 Thin Print® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit for FS-536 PK-523 Punch kit for FS-537 RU-513 Relay unit SC-508 Security kit SP-501 Stamp unit UK-212 Wireless LAN UK-501 Multi-feed detection kit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm 8.5" x 11", 2,500 sheets, 52–256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-537 / FS-537SD, FS-536 / FS-536SD Copy Guard function (2x required) Added fax stamp capability kit Wireless LAN to network connector Detects multi-feeding in the document feeder
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit for FS-537 RU-513 Relay unit SC-508 Security kit SP-501 Stamp unit UK-212 Wireless LAN UK-501 Multi-feed detection kit WT-506 Working table	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-537 / FS-537SD, FS-536 / FS-536SD Copy Guard function (2x required) Added fax stamp capability kit Wireless LAN to network connector Detects multi-feeding in the document feeder
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit for FS-536 PK-523 Punch kit for FS-537 RU-513 Relay unit SC-508 Security kit SP-501 Stamp unit UK-212 Wireless LAN UK-501 Multi-feed detection kit WT-506 Working table ZU-609 Z-fold unit	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52–256 gsm 8.5" x 11", 3,000 sheets / 52–256 gsm Banner paper guide Installation kit for ID card reader Installation kit for ID card reader Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52–256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52–256 gsm 8.5" x 11", 2,500 sheets, 52–256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-537 / FS-537SD, FS-536 / FS-536SD Copy Guard function (2x required) Added fax stamp capability kit Wireless LAN to network connector Detects multi-feeding in the document feeder
image support LK-111 ThinPrint® Client LU-207 Large capacity unit LU-302 Large capacity unit MK-730 Mount kit MK-735 Mount kit MK-742 Mount kit OT-506 Output tray PC-110 Universal tray (x1) PC-210 Universal tray (x2) PC-410 Large capacity tray PI-507 Post inserter for FS-537 PK-519 Punch kit for FS-533 PK-520 Punch kit for FS-537 RU-513 Relay unit SC-508 Security kit SP-501 Stamp unit UK-212 Wireless LAN UK-501 Multi-feed detection kit WT-506 Working table	combines LK-102 (encrypted PDF) + LK-105 (searchable PDF/OCR functionality) Print data compression for reduced network impact 8.5" x 11" to 12" x 18", 2,500 sheets / 52-256 gsm 8.5" x 11", 3,000 sheets / 52-256 gsm Banner paper guide Installation kit for ID card reader Installation kit for FK-515 fax board Output tray use instead of finisher 5.5" x 8.5" to 11" x 17", 500 sheets, 52-256 gsm 5.5" x 8.5" to 11" x 17", 2 x 500 sheets, 52-256 gsm 8.5" x 11", 2,500 sheets, 52-256 gsm Cover insertion, post finishing 2/3-hole punching, autoswitching 2/3-hole punching, autoswitching Required for the FS-537 / FS-537SD, FS-536 / FS-536SD Copy Guard function (2x required) Added fax stamp capability kit Wireless LAN to network connector Detects multi-feeding in the document feeder Authentication device placement 2-fold for 11" x 17" prints, 2/3-hole punching

 $^{^{\}rm 2}$ Warm-up time may vary depending on the operating environment and usage

³ Supports x64 only

⁴ Certification pending



Partnership.

 $Konica\ Minolta\ can\ help\ give\ shape\ to\ your\ ideas\ and\ partner\ with\ you\ to\ achieve\ your\ corporate$ objectives. Contact us to realize opportunities in:

Information Management	IT Services	Technology
Enterprise Content Management (ECM)	Application Services	Office Multifunction Business Solutions
Document Management	Cloud Services	Commercial and Production Printers
Automated Workflow Solutions	IT Security	3D Printers
Business Process Automation	Managed IT Services	Wide Format Printers
Security and Compliance	IT Consulting & Projects	Laptops, Desktops and Computer Hardware
Mobility		Servers and Networking Equipment
eDiscovery Services		Managed Print Services (MPS)
		Managed Enterprise Services





© 2016 KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA, Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. KONICA MINOLTA, the KONICA MINOLTA, INC. All other product and brand names are trademarks or registered trademarks of their respective companies or organizations. All features and functions described here may not be available on some products. Design & specifications are subject to change without notice.





KONICA MINOLTA BUSINESS SOLUTIONS U.S.A., INC. 100 Williams Drive, Ramsey, New Jersey 07446

CountOnKonicaMinolta.com







Item #: 458SS 12/2016-C