

# Seafarer 228

22' WALKAROUND CABIN

# Main Specifications

Beam Amidships: 8' (2.44 m)

Center Line Length w/o Engine: 22'2" (6.76 m)

Bridge Clearance: 8'4" (2.54 m) Cockpit Depth: 26" (0.66 m) Hull Draft: 16" (0.41 m)

Transom Deadrise: 20 degrees (SeaV2® progression)

**Maximum HP:** 300 (224 kW)

Fuel Capacity - Standard: 114 gal. (431 l)

Passenger Capacity: 10

Weight w/o Engine: 3510 lb. (1592 kg)

## Standard Features

### Safety

2 automatic bilge pumps (total 2200 GPH) (8328 LPH)

Basic flotation

Bow rail - 316 grade stainless steel Captain Grady® - digital boat systems & operations guide for iPad & iPhone

Cockpit toe rails

Companion grab rail

Composite stringer system & transom - water impervious

Nonskid fiberglass liner

Nonskid recessed walkaround

Self-bailing cockpit w/cockpit drains (2) Stainless steel through-hull fittings

#### Cabin

Berth - forward vee berth

Carbon monoxide detector

Door - lockable w/screen & companionway hatch

Forward hatch - low profile acrylic hatch w/screen

Lighting - dome light

Head - portable

Rod storage holders - horizontal (4)

Sink

Storage - cabinet

Storage - under berth compartments (3) Windows - opening windows w/screens (2)

# Cockpit & Deck

100% hand laid SeaV2 hull & deck

Accessory outlet - 12V (2)

Batteries (2) w/battery select switch (1)

Bow pulpit

Cleats

Cockpit bolsters

Cockpit freshwater shower (recessed)

Cockpit lights - blue LED

Companion grab rail

Compass

Deck hardware - 316 grade stainless steel through-bolted

Drink holders - stainless steel (6)

Engine flush system w/hose attachment aft

Factory engine pre-rigging

Fish box - 190-qt. (179.8 l) starboard insulated

fish box w/ob drain
Fish box - 72-qt. (68.1 I) aft insulated fish box w/ob drain

Fish box - divided port insulated fish box (80-qt. & 45-qt. sections w/ob drain) (75.7 | & 42.6 |)

Flush mount electronics area

Footrests (helm & companion)

Hardtop wradio box, storage net, spreader lights, side mounted rod holders (4) & front & side curtains (black or ivory)

Hydraulic trim tabs w/indicator & retractor International lighting

Rigging station w/cutting board & drink holders (2)

Rod holders (4)

Rod storage holders - vertical (4)

Rod storage racks - horizontal (6)

Rubrail - high density PVC w/stainless steel insert

Seating - aft seats (2)

Seating - Deluxe I helm & companion chairs (2)

Seating - port & starboard fish box cushions

Steering - hydraulic tilt

Steering wheel - 316 grade stainless steel

Stern eyes - 316 grade stainless steel

Storage - aft lift out boxes (2)

Storage - forward anchor locker w/rode storage

Storage - lockable electronics box at helm

Storage - tackle drawers under helm &

companion chairs Storage nets

Swim platform - full transom width w/ladder Washdown - pressurized raw water w/hose

Water tank - 10-gallon (38 l) freshwater Windshield - ventilated tempered glass

windshield

Windshield wipers (port & starboard)





# **Optional Features**

## **Options**

CE certification package (European Conformity)
Engine paint - Yamaha factory-painted
engine(s), pearlescent white (300 HP only)
Hardtop color - underside of fiberglass hardtop
(requires matching gelcoat color option)
Hardtop top mounted rod holders (4)
Head - portable w/deck pump out
Hull color - Celestial Blue, Coastal Fog Blue,
Ocean Mist Blue, Sand, Sea Glass or
Seaport Blue gelcoat; Cape Gray or Harbor
Blue paint
Livewell - 20-gallon (75.7 I) aft insulated raw
water livewell
Seating - foredeck cushions

## Canvas Options

Hardtop drop curtain (black or ivory)



