2017 Full-Line Catalog

Building Professionals' Entry & Patio Door Directory





Home begins at the door.

Table of Contents

Introduction	. 2–31
Door Systems	4–5
Door System Components	6–7
Door Selections	. 8–15
Decorative & Specialty Glass	16–19
The Therma-Tru Difference	20–21
Impact Products	22–23
Curb Appeal Inspiration	24–29
NEW Products	30–31

Classic-Craft..... 32–109

Decorative & Specialty Glass	32–41
Accessories	42-43
American Style Collection™	44–51
Mahogany Collection™	52–63
Rustic Collection	64–79
Oak Collection	80–91
Canvas Collection	92–109

Fiber-Classic. & Smooth-Star.

	110_201
Decorative & Specialty Glass	
Accessories	123
Steel	202-226
Profiles _™	
Traditions 203–206,	
Decorative & Specialty Glass	
Decorative & Specially Class	200-200
Fire Doors	227–231
Pulse.	232–245
Hinged Patio	246–253
Door System Component	-
Door System Component	
Door System Component	
	254–263
	254–263
	254–263 264–265
Same-Day. Stain Kit Special Quote Program	254–263 264–265
Same-Day, Stain Kit Special Quote Program 3'6" Width Options Chart	254–263 264–265 266
Same-Day. Stain Kit Special Quote Program	254–263 264–265 266
Same-Day, Stain Kit Special Quote Program 3'6" Width Options Chart	254–263 264–265 266 269
Same-Day, Stain Kit Special Quote Program 3'6" Width Options Chart 7'0" & 6'6" Height Options	254–263 264–265
Same-Day, Stain Kit Special Quote Program 3'6" Width Options Chart	254–263 264–265
Same-Day, Stain Kit Special Quote Program 3'6" Width Options Chart 7'0" & 6'6" Height Options	254–263 264–265
Same-Day, Stain Kit Special Quote Program 3'6" Width Options Chart 7'0" & 6'6" Height Options Charts	254–263 264–265

NEW for 2017



Smooth-Star Shaker-Style Doors & Sidelites Page 30



Grained & Smooth 3-1/2" Simulated Divided Lites Page 31



47" Internal Blinds Page 174



Grip-Style Multi-Point Locking System Handlesets Page 260

*Brand Use Study, 2016 *Builder* magazine. Right Page: Classic-Craft Mahogany Collection, Ashurst Glass, Door – CCM893, Sidelites – CCM8002SL

Therma-Tru. You're in expert hands.

Choosing Therma-Tru isn't about just selecting a door. It's about designing an inspired entrance. Creating a look everyone will love. And having confidence that it will perform for years to come.

Whether it's Classic or Contemporary – or somewhere in between – Therma-Tru offers virtually unlimited choices to complement the architecture of a home and a homeowner's sense of style.

But it's more than beauty that makes Therma-Tru the brand building professionals prefer most.* With more than 50 years of industry experience and technical know-how, we've built a reputation for delivering high-quality, low-maintenance exterior door products for the whole house – from entry to patio. We invented the fiberglass door because we believe it combines the best characteristics of wood and steel – beauty and performance – without the compromises. And we remain committed to making smart, innovative new products that are better and more beautiful every year.

Whatever the entrance needs – from energy efficiency to security – your search ends here. You'll find a wide range of durable and reliable Therma-Tru_{*} products built to meet the needs of the home and the homeowner's lifestyle.

That's where the beauty of choosing Therma-Tru begins.

Therma-Tru. Door Systems

Uncompromising quality, inside and out.



A Therma-Tru door with genuine Therma-Tru components is more than a beautiful door – it's a complete door system. One that offers uncompromising quality, inside and out. We manufacture or specify every aspect – from the glass to the hinges – all engineered with craftsman precision for durability and reliability through the years. So you can be confident that it will perform as exceptionally as it looks.

•

Backed by our lifetime limited warranty.

Lifetime Limited Warranty

We stand behind more parts and for longer than other door companies because we make or specify everything that goes into our door system. A Therma-Tru fiberglass door system is backed by the industry's most comprehensive lifetime limited warranty.



Energy Efficiency

In any region or climate, energy efficiency is key. More than 80% of Therma-Tru door and glass options are ENERGY STAR® qualified and National Fenestration Rating Council (NFRC) certified, helping save money on energy costs.



Quality Testing

Our doors, glass and components are held to high standards. We conduct thorough testing to help ensure that our products will live up to a homeowner's toughest quality and performance expectations.

The Beauty of Choice

The architectural beauty of a Therma-Tru door is easy to see. With the look of real wood, rich panel details and intricate, handcrafted decorative glass designs, there are thousands of possibilities to suit the style of a home and express a homeowner's personal style.



Door System Components

Have confidence in a door system made with genuine Therma-Tru components to meet the needs of many applications. More on pages 6–7.

Door Selections

Find choices in design, texture and material with many configurations available to find the ideal door system. More on pages 8–15.

Decorative & Specialty Glass

Complement any Therma-Tru door with a variety of glass shapes and designs. More on pages 16–19.

Finish Options

Complete the desired look with stain or paint, including the Same-Day. Stain kit available in seven popular finish colors. More on pages 264–265.

Selecting a Door System

Therma-Tru pays close attention to regional and consumer trends to deliver choices designed to inspire. Keep these considerations in mind when choosing from our portfolio of door system products:

- What is the size of the doorway?
- What is the style of the home?
- Does the homeowner want to stain or paint the door?
- How much light or privacy is desired?

Also consider:

- Regional weather conditions and building codes. See pages 22–23 for more.
- Therma-Tru 2017 new products. See pages 30–31 for more.



Engineered to Work Together

Our complete door systems feature doors, glass and components engineered to work together to resist leaks and drafts, and help maintain energy efficiency and weather resistance.



Sill and bottom sweep form a tight seal against wind-driven moisture infiltration at the bottom of the door system and help channel moisture away from the home. Sill pan (recommended) adds an extra layer of protection to help keep moisture away from the subfloor.





Corner seal pads (inswing only) complete the seal between the sill cap, bottom sweep and weatherstrip to help block potential pathways where wind-driven moisture can infiltrate the bottom corner of the door system.



Hinges position the door to properly compress the weatherstrip to help form a tight, even seal against air and moisture infiltration when the door closes.



Weatherstrip is specifically engineered in a variety of profiles to provide the best possible fit with our door systems, helping to deliver a precise seal between the door and frame.



Oulti-point locking system (recommended) engages the door and frame at three points from top to bottom, helping to preserve the weatherstrip's seal even under wind pressure.



(i) Lip-lite frame (shown right) features a compression seal against weather on the outside of the door and an adhesive seal against weather on the outside of the glass. Flush-glazed glass (shown left) is built directly into the door without a Lip-lite frame, featuring a high-performance adhesive weather seal inside and out.

A Complete Door System

More than beautiful doors and glass; a complete door system includes the components used to assemble it. We manufacture or specify every aspect of a complete door system. The Therma-Tru_® genuine components shown here are our premium options for long-lasting durability.



Composite Adjustable Sills 📲

Inswing and outswing composite sills resist rotting and insects. Inswing adjustable sills help to maintain a tight seal over time.



Dual-Bulb / Dual-Fin Bottom Sweeps === (Inswing Only)

A dual-bulb, dual-fin design helps maintain tight contact with adjustable sill caps and creates added barriers against moisture.



7-Shape Corner Seal Pads 1

Innovative options include our patented jamb assembly, featuring the 7-shape corner seal pad which creates an air pocket that helps prevent a vacuum from wicking moisture up the weatherstrip.



Removable Weatherstrip

Resilient design compresses when closed and springs back when open, protected by a durable jacket, for long-lasting sealing power.



Multi-Point Locking Systems

Increased engagement between door and frame enhances stability and the homeowner's sense of security. (Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.)



Ball-Bearing Hinges 📲

Hinges with ball bearings protecting each hinge pivot, or "knuckle", offer added support and stability.

(Recommended for Classic-Craft doors, 8'0" doors, doors with glass, and Impactand Fire-rated fiberglass doors.)



Frame Components

Check with your Therma-Tru seller for options to complete the door system, including rot-resistant brickmould, jambs, mullions and coil cladding manufactured to our specifications.

For more, including these additional component options, see pages 256–265:

Sill Pans , Rain Protection , Strike Plate and Astragals

Tru-Defense: The Ultimate Protection

Therma-Tru fiberglass doors are available with our exclusive Tru-Defense. system as an option. It integrates specific components engineered and tested to deliver outstanding protection in all kinds of weather conditions. And it's backed by a Warranty Rider that provides for cash reimbursement that may be used toward secondary damage to flooring and trim, and the labor to make repairs if water infiltration occurs.* Look for the (••) icon. For details, visit www.thermatru.com/trudefense.

Water Infiltration Cash Reimbursement Limit

Latch and Deadbolt Lock with Standard Assembly:	\$250
with a Therma-Tru Sill Pan:	\$500
Multi-Point Lock with Standard Assembly:	\$750
with a Therma-Tru Sill Pan:	\$1,500
Multi-Point Lock with NAFS-Certified Door System:	\$1,000
with a Therma-Tru Sill Pan:	\$2,000

*The Rider does not warrant workmanship of anyone who assembles or installs a Tru-Defense door system, nor any damages caused by improper handling, assembly or installation.

Door Selections

Choose from our many door selections to complement the architectural style of the home. The possibilities are endless from fiberglass and steel materials to wood-grained and smooth textures to stainable and paintable finishes.

Classic-Craft. Collections Pages 32-109

Find the right style for any personality. Choose from premium fiberglass entryways in four wood grains or a smooth surface that all rival custom wood.





Fiber-Classic. Collections Pages 110-201

The industry's first fiberglass door delivers the look and feel of real Mahogany and Oak with excellent performance and value.



Smooth-Star® Pages 110-201

A smooth, ready-to-paint fiberglass door that offers excellent performance and value.







LIFETIME WARRANTY



Steel Pages 202-226

Bring style and affordability together to create very attractive results with our steel doors.

10 YEAR

WARRANTY



LIFETIME

WARRANT



Pulse® Pages 232-245

A contemporary series of door styles and glass designs that can be combined to make a bold statement.





See the difference.

Discover architecturally correct designs, exclusive glass options and rich, authentic finishes.



Feel the difference. Experience the integrity of a solid, precision-engineered entryway built for long-term durability, stability and peace of mind.

Extraordinary in every way.



Classic-Craft。 Premium Entryways



Premium – right down to the edge. A solid hardwood square edge delivers a genuine wood appearance.



Standard fiberglass bullnose edge. The bullnose profile, typical of other fiberglass doors, detracts from the authentic wood look.



The look of real wood. Realistic wood grains that are virtually indistinguishable from high-grade wood doors, thanks to Therma-Tru's AccuGrain. technology.





Details that define a custom door. Crisp, handcrafted elegance creates embossments that are deeper than standard fiberglass doors.

A premium entryway that's truly unique and uncompromising in every detail. One that blends precision-engineered features with architecturally correct details to produce an entryway that performs as exceptionally as it looks – instilling confidence and peace of mind. And Classic-Craft entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, quality of materials and construction, and resemblance to a real wood door.



Compare for yourself.

Architecturally correct for true classic beauty.

Doors designed to be architecturally correct, with proportions modeled after classic architectural principles, to create a more premium entryway.





Standard Fiberglass Door

*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details. Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions. Left Page: Classic-Craft Rustic Collection Door – CCR8222; Low-E Glass, Sidelite – CCR8000SL, ©TheHouseDesigners.com Therma-Tru_® Doors



Find options to fit every entrance.



Fiber-Classic. & Smooth-Star. Doors

Bring home the authentic look of wood with the low-maintenance benefits of fiberglass. From front entry to patio, you will find flexible options to fit virtually every entrance with beautiful, energy-efficient, durable and secure fiberglass doors. Choose from a wide range of door styles and sizes, glass designs, and options to meet building codes. And Fiber-Classic entry doors are rated a *Consumers Digest* Best Buy for their exceptional warranty, breadth of style options and wood-grained texture.



Portfolio versatility.

With many door styles in common and interchangeable glass designs between collections, it allows flexibility to find the right door, in the right texture, without compromises.





On-trend surfaces.

Available in a variety of textures, including grain choices with the look of real wood or a smooth, paintable alternative to steel. (Wood-grained images shown in Natural Oak stain.)



High-definition panel embossments. High-definition panel embossments are standard on all doors and sidelites.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions. Left Page Top: Fiber-Classic Oak Collection, Salinas Glass, Door – 81955P, Sidelites – 81955PSL Left Page Bottom Left: Smooth-Star, Screen Vented Lite, Door – S243

Left Page Bottom Right: Smooth-Star, Clear Glass, Door - S8140

Door Construction

Therma-Tru fiberglass doors offer the authentic look of wood. It's virtually impossible to tell the difference. But the beauty goes beyond skin deep. We combine craftsmanship and innovation to build our doors for long-lasting energy efficiency, durability and security.

Classic-Craft. Premium Entryways



1 Enhanced Weather Resistance

No more worries about rotting, warping or twisting. Classic-Craft premium entryways are tested and designed to resist extreme weather conditions and the damaging effects of moisture. Both the top and bottom of the door are protected by composite rails for a longer-lasting entryway.

2 Solid Security

Classic-Craft premium entryways feel solid and close with authority. A $4-\frac{1}{6}$ " wide beam of engineered lumber runs from the top to the bottom of the locking side of the door to add mass and rigidity, giving the door weight and a natural wood feel.

6 Excellent Durability

Built to stand up to the elements and years of wear, Classic-Craft's fiberglass skins are thicker than other standard fiberglass doors to provide added durability and better long-term performance.

Higher R-Values

Classic-Craft premium entryways contribute to an energy-efficient home. A polyurethane foam core provides up to four times the insulating R-Value of wood.*

6 Edge-to-Edge Moisture Protection

Resist moisture at every turn – and along every edge. Classic-Craft premium entryways have hardwood and composite edges that help prevent moisture penetration.

14

Fiber-Classic. & Smooth-Star. Doors



1 Weather Resistance

Composite rails protect the door at the top and bottom edges to help block moisture that can wick into doors.

2 Security

An enhanced lock block combined with a 1-¼" engineered lumber lock stile increases rigidity and stability.

O Durability

With very little maintenance, a fiberglass door can bring a home years of durability. Unlike wood, fiberglass will not warp or rot. And, unlike steel, it will not dent or rust.

4 R-Values

Built with a polyurethane foam core that offers up to four times the insulating R-Value of wood*, Therma-Tru fiberglass doors insulate against cold and heat for exceptional energy efficiency.



Decorative & Specialty Glass

A Therma-Tru door system with decorative glass can create an entrance that makes a statement - one that says the homeowner has high standards for style, quality and craftsmanship.

- Our wide array of glass designs, from simple to intricate, reflect the home design trends and homeowner desires of today and tomorrow.
- Numerous glass colors, textures, shapes and caming options are available to complement any door.
- Our glass designs are researched in the market to ensure they are highly rated in consumer preference.
- Our decorative glass is handcrafted and built with all-glass bevels for premium quality.
- Our glass designs offer varying levels of privacy and light to suit homeowner needs.
- All Low-E and clear glass panels are tempered to provide added safety.

Doors come to life with Therma-Tru_® glass.



Classic-Craft Flush-Glazed Sidelite



More than 10%





Standard Glass

*Comparison of Classic-Craft to other standard fiberglass doors

with similar styles. Visit www.thermatru.com for details. Note: See your Therma-Tru seller or visit www.thermatru.com

for details on ENERGY STAR qualified products.

Classic-Craft, **Premium Entryways**

- An exclusive collection of 13 decorative glass families, starting on page 32.
- Close attention to detail produces truly distinctive designs you won't find anywhere else.
- More than 10% wider glass* welcomes more light into the home and creates a distinctive entryway.
- Fiberglass lite frames are made with the same material as the door to blend seamlessly with the rest of the entryway when stained or painted.
- All sidelites are made with flush-glazed glass for a truly seamless, consistent appearance.
- All clear glass options are Low-E, providing long-term energy efficiency.

ma-Tru_« Doors





Special Quote Program

Don't sacrifice the look you want. With thousands of standard glass choices and additional glass options available through special quote, we can help you find the right look for virtually any home. See page 266.



Triple-Pane Construction

All triple-pane decorative, as well as privacy and textured, glass panels are enclosed between tempered glass, offering superior quality and thermal performance.

Fiber-Classic. & Smooth-Star. Doors

- A portfolio of 14 interchangeable decorative glass designs, starting on page 114.
- Invite light into the home for a more brilliant interior with 22" wide glass in a Lip-lite frame, as well as flush-glazed options with 25–27" wide glass – starting on page 163.
- Scrolled profile lite frames are heat and fade resistant, and suitable for use with a storm door.
- Low-E glass is available for internal blinds, divided lites and clear glass, providing exceptional energy efficiency.

Privacy & Textured Glass

Therma-Tru[®] doors and sidelites can be fitted with our beautiful privacy and textured glass. This versatile assortment aligns with personal style and homeowner desires for privacy while allowing natural light to brighten the interior.

- Category includes diverse textures for individual design expression.
- Varying opacity levels range from 8–10.
- All privacy and textured glass options are triple-pane, providing thermal efficiency.
- Triple-pane construction also allows for an easy-to-clean surface.
- Available with two Lip-lite frame options, as well as seamless flush-glazed options, in select doors.

Available in Classic-Craft_{*}, Fiber-Classic_{*}, Smooth-Star_{*}, Profiles_{**}, Traditions and Pulse_{*} doors and sidelites.



Convenient choices for more light.

Low-E Glass

Factory-coated Low-E glass delivers exceptional energy efficiency. Available in Classic-Craft, Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse. Look for the (*****) icon.



In cold weather, Low-E glass can help reduce the loss of heat by reflecting the heat back inside the home.



In warm weather, Low-E glass reflects the sun's rays off of the glass, helping to keep the interior of the home cool.

Flush-Glazed Glass



Glass built directly into the door during the manufacturing process eliminates the need for a lite frame and provides a high-performance weather seal. Flush-glazed glass features clean lines and eliminates the need for screw plugs. It also offers up to a 16% increase in visible glass area compared to conventional lite frames.

Available in Classic-Craft, Fiber-Classic and Smooth-Star. Look for the () icon. See page 122 for more.

Top: Classic-Craft Canvas Collection, Chinchilla Glass, Door – CCV05020XJ, Sidelites – CCV100XJSL; Clear Glass, Transom – 19220T Right Page Top: Smooth-Star, Internal Blinds, Door – S8132 Right Page Bottom: Smooth-Star, Clear Glass with SDLs, Door – S92, Transom – 19200T

18

Therma-Tru_® Doors

Internal Blinds

Enjoy the privacy and convenience of a cordless blind enclosed between glass. Control the desired level of light and privacy with the simplicity of a single handle.

- Protected between two panes of tempered glass for enhanced safety and performance.
- With no dangling cords, this is a kid- and pet-friendly choice.
- Blinds remain dust free, and glass is easier to clean than traditional blinds.
- Choose Low-E glass for maximum energy efficiency or standard clear glass.

Available in Fiber-Classic, Smooth-Star, Profiles, Traditions and Pulse, doors and sidelites.





Divided Lites

Enhance the beauty of any home with a variety of divided lite options for entry and patio doors. Tailor the look with different texture, profile and color choices. See pages 120–121 for more.

- Coordinate with the home's window patterns for a cohesive look and increased curb appeal.
- Choose from Colonial, Craftsman or Prairie styles to suit the home's architectural details.
- Available glass options include elegant privacy and textured, as well as energy-efficient Low-E and clear.

20

Discover the Therma-Tru Difference Classic-Craft. Canvas Collection.



The premium smooth, paintable choice.

For years, Classic-Craft premium entryways have defined beauty and durability for fiberglass doors. The innovative Canvas Collection delivers a high-performing alternative to custom wood and heavy-gauge steel. These doors pair durable Classic-Craft construction with crisp embossments and custom wood details. Find choices to match any home décor with a smooth surface that's paintable inside and out, and available in more than 375 door and glass combinations.

- The aesthetics of wood and the performance of fiberglass in a smooth, paintable door.
- Extraordinary in every detail with precision-engineered features and architecturally correct details.

- The largest line of door and glass combinations available in any Classic-Craft collection.
- Classic-Craft is rated a Consumers Digest Best Buy for the fiberglass entry door category.
- Available in many styles and sizes including 8'0" heights - to complement more home styles.

See the collection, starting on page 92.



Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products.

Discover the Therma-Tru Difference Vented Sidelites



Ventilation and aesthetics second to none.



Perfect for the front entry.

- Enjoy the added curb appeal of an elegant front entry unobstructed by a screen door.
- Choose eye-catching, decorative glass designs to complement the front entry door selection.

Therma-Tru reinvented sidelites to meet the needs of homeowners seeking ventilation, convenience and aesthetics. Keep the incredible look of the entry or patio door system without sacrificing the pleasure of a fresh breeze. There's no need to cover the door with a screen. Choose beautiful vented sidelites instead. And only Therma-Tru offers vented sidelites with decorative glass design options.

- Works as a small swinging door with sturdy stiles to accommodate hinges, multi-point locking system and thumbturn.
- Wide patio mullions provide required structural strength for years of dependable operation.

- Continuous system, recessed strike plates and multi-point locking gears provide security and stability.
- Convenient, removable screens available in bronze and white – are easy to operate and designed for years of worry-free use.

Available in Fiber-Classic and Smooth-Star, starting on page 110.



Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Tru-Defense Rider and ENERGY STAR qualified products. Top: Smooth-Star, Clear Glass with SDLs, Doors – S2000-4C, Sidelites – S2000SL-4C Bottom: Fiber-Classic Oak Collection, Saratoga Glass, Door – FC905, Sidelites – FC815SL

Tough When You Need It. Beautiful Always.



22



Impact-Rated Products

Therma-Tru offers Impact-rated doors and glass that can be used to meet high-wind and coastal region codes and regulations, offering excellent performance in extreme weather conditions while providing added protection.

1 Use the map as a guide to find out if you need product for WBDR or HVHZ.

Always confirm building code requirements in your area before buying.*





WBDR / HVHZ Options: Look for this icon to find door and

sidelite styles that can be configured for WBDR or HVHZ.

3 Verify that there is a Therma-Tru product approval specific to your area for the door system configuration before buying.*

4 Make sure the product is installed in compliance with the product approval to meet building codes.

The performance of the door system depends on how it is installed. Proper installation is required to comply with building codes.

*Product approvals show that the door system meets applicable codes when selected, assembled and installed as instructed.

Note: See your Therma-Tru seller or visit www.thermatru.com for product approvals and installation instructions. Always confirm building code requirements in your area before buying. Follow weather and news reports to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Right Page: Fiber-Classic Mahogany Collection, Saratoga Glass, Door - FCM602, Sidelite - FCM815SL, Dentil Shelf

Therma-Tru_® Doors

Constructed to help protect the interior of the home from flying debris and high winds associated with tropical storms and hurricanes, these products are tested to meet codes and regulations in coastal regions, including parts of Florida, Texas and the Carolinas.*

Impact Doors

Feature a built-in 24-gauge steel plate lining.

Impact Glass

Features special laminated glass construction.

Impact Lip-Lite Frame

Features durable, paintable aluminum construction. An attractive scrolled profile gives a thin, sleek appearance and a screw channel cover helps hide unsightly screws.

With Cover Without Cover

Other Considerations

Fire Doors

We offer an industry-leading selection of fiberglass 20-Minute Fire-rated doors – with 20- and 90-Minute Fire-rated steel options available – for protection with a sense of style. See pages 227–231.

Noise Reduction Doors

Therma-Tru Sound Transmission Class- (STC) rated Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. See page 200.



The Power of Curb Appeal

After





A smart investment, a new Therma-Tru entry door can increase a home's perceived value by 4.2% or \$18,750 on average.*1



Potential homebuyers will form an opinion about a home's value within 10 seconds of seeing it in person.²



90% of homebuyers will look at photos of homes on the Internet, making curb appeal a show stopper.²



Builders

This is the ideal time for you and your customers to think about entry door size. There are many ways to complement a home's style with unique door and glass designs from Therma-Tru.

Remodelers

There are so many ways to renovate a home. But adding a stunning new Therma-Tru entry door is one sure way to help homeowners add curb appeal.

Open the door to increased value with a stylish new Therma-Tru door. Learn more at **www.thermatru.com/curbappeal**.

24

¹www.thermatru.com ²www.about.com

*Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Not based on actual home sales. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research.

Get Inspired





Choose entry doors by design.

With a wide array of door styles, Therma-Tru has something for everyone. New for 2017, the Architectural Home Styles Guide pairs stylish Therma-Tru doors with popular home design trends, giving you confidence that your door selection will add curb appeal while enhancing the home's architectural style. Turn the page for a preview.

Download the full Architectural Home Styles Guide at www.homestyles.thermatru.com.



Top: Classic-Craft Rustic Collection, Zaha Glass, Door - CCR1851, Sidelites - CCR1851SL

26



Colonial

Preserves the classic style of homes from America's history. Known for its formal design and symmetry.





Left: Classic-Craft Rustic Collection, Provincial Glass, Doors – CCR804028

European

Inspired by the provincial style of countryside estates. Features rich details on brick, stone and stucco exteriors.





Right: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM898, Sidelites – CCM8102SL





Victorian

Reflects the style of this grand period with elaborate detail. Marked by its asymmetry and textured exteriors.





Left: Classic-Craft Canvas Collection, Arcadia Glass, Door – CCV05029, Sidelites – CCV109SL, Transom – CC620T

Therma-Tru_® Doors

Craftsman

Exemplifies the craft of building by hand. Emphasized by the use of natural wood, stone and brick materials.





Right: Classic-Craft American Style Collection, Arborwatch Glass with SDLs, Door – CCA9300, Sidelites – CCA9100SL





Southwest

Includes breezy spaces practical for warm climates. Feels exotic with stucco exteriors and stone accents.





Left: Classic-Craft Canvas Collection, Augustine Glass, Door – CCV806027

Traditional

Combines practicality with classic looks in almost any form. Represents elements from a variety of styles.





Right: Classic-Craft Oak Collection, Cambridge Glass, Door – CC96, Sidelites – CC2044SL





Coastal

Mixes traditional details and clean lines for casual elegance. Blends indoor and outdoor living with great views.





Left: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM900

Modern

Focuses on clean lines and asymmetrical exteriors. Fuses together industrial concrete, vinyl and glass materials.





Right: Pulse Echo, Granite Glass with Scrolled Lite Frame, Door – S85XN, Sidelite – S85XNSL



Smooth-Star®

New Shaker-Style Doors & Sidelites







Craftsman-Lite 2-Panel

Shaker Flush-Glazed



2-Panel Craftsman Shaker

Relaxed style for simple living.

A transitional update to the historic Shaker style, new Smooth-Star Shaker-style doors and sidelites feature flush-glazed glass and recessed panels delivering a simple design with broad appeal. Ideal for homes that take design cues from Farmhouse, Prairie and Modern architectural elements, Shaker-style doors and sidelites bridge the gap between yesterday's styles and today's trends.

Available in Smooth-Star, starting on page 165.

Flush-Glazed Fiberglass Door Replacement Rider

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and sidelite.



Note: To learn more about availability, call 1-800-323-3533. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, Rider and ENERGY STAR qualified products.

Top: Smooth-Star, Low-E Glass with SDLs, Door – S4814, Sidelites – S4812SL

Simulated Divided Lites

New 3-1/2" Wide Bars



SDL Bar Options*



Glass Shapes & Grid Patterns



Flush-glazed with modern appeal.

Add contemporary style to the entry with 3-½" wide simulated divided lite (SDL) bars. Designed to pair with flush-glazed doors and sidelites, this addition to the SDL portfolio features a flat profile to complement the seamless appearance of flush-glazed privacy and textured, Low-E and clear glass for a clean, sleek look.

Available in Fiber-Classic_® Oak Collection_™ and Smooth-Star_®, starting on page 164. Look for the (♥) icon.



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See your Therma-Tru seller or visit www.thermatru.com for details on available product sizes and options, limited warranties and exclusions, and ENERGY STAR qualified products.

Top: Smooth-Star, Clear Glass with SDLs, Door - S85720

Classic-Craft. Decorative & Specialty Glass Designs

Villager_M

Villager beautifully interprets the Craftsman chevron design with 1 bronze waterglass, 2 seeded glass, 3 clear bevels, 4 gray artique glass and caming. Artistically authentic in every detail.

Available in: American Style Collection Mahogany Collection Rustic Collection Oak Collection Canvas Collection.

(5) **Glass Privacy Rating**





Brushed Nickel

Homeward

The balanced Mission-style pattern of Homeward invites light to cascade through its distinctive 1 clear bevels, 2 seeded glass and 3 gray artique glass. An ideal complement for a Transitional home design.

Available in: American Style Collection Mahogany Collection Rustic Collection Oak Collection Canvas Collection.

4

Glass Privacy Rating

1





Black Nickel

Brushed Nickel

With its timeless petal design, Arcadia combines 1 gray baroque glass, 2 seeded glass, 3 clear curved bevels and caming for a distinctive display that evokes a simpler time.

Available in: Mahogany Collection Rustic Collection Oak Collection Canvas Collection.

(5) 1

Glass Privacy Rating









Black Nickel

Brass

34

Augustine

Augustine's swirl leaf design adds that touch of elegance. Made of round wrought iron and 1 granite glass for the ultimate in privacy, Augustine pays homage to classic English styling.

Available in: Mahogany Collection Rustic Collection Canvas Collection

Glass Privacy Rating



Wrought Iron

10

Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 109 to see an example on a home.



Ashurst recalls the familiar feel of American-crafted sophistication. ① Clear bevels, ② double waterglass and caming come together to provide modest privacy with a traditional vibe.

Available in: Mahogany Collection Rustic Collection Canvas Collection

1 8

Glass Privacy Rating





Brushed Nickel

Bella™

As its name suggests, Bella's design is delicate and appealing, bringing together 1 clear bevels, 2 clear baroque glass, 3 rainglass, 4 seeded glass, 5 bronze waterglass and caming. Available in: Mahogany Collection Rustic Collection Oak Collection Canvas Collection

(6)

Glass Privacy Rating

1



Black Nickel

Brushed Nickel

Arborwatch

An eclectic interpretation of the Arts and Crafts movement, Arborwatch combines 1 narrow reed glass, 2 M seedy glass, 3 waterglass and caming in a symmetrical arrangement accented by 4 pale amber glass, 5 amber artique glass and 6 clear bevels.

Available in: American Style Collection Mahogany Collection Rustic Collection Oak Collection Canvas Collection

1 6 Glass Privacy Rating



Note: The use of pale amber and amber artique glass varies based on glass size. Refer to the image on page 49 to see an example on a home.



Brushed Nickel

Borrassa.

A statement of strength and beauty, Borrassa combines linear and curved wrought iron with 1 hammered glass for the ultimate in privacy. Wrought iron decorative accents add an authentic Old World feel to this stately design.

Available in: Mahogany Collection Rustic Collection Canvas Collection

Glass Privacy Rating

1



Note: Features a lite frame with an authentic wrought iron look in a black finish. Refer to the image on page 109 to see an example on a home.

Provincial_M

A unique diamond-based motif features ① double waterglass, ② clear bevels and caming surrounded by a ③ gray baroque glass border. Provincial captivates with stunning clarity.

Available in: Rustic Collection Oak Collection Canvas Collection

Glass Privacy Rating

6

1







Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.
Longford

The traditional design of Longford integrates a hint of a Celtic knot with ① seeded glass, ② clear bevels, ③ granite glass and caming. A timeless design ideal for entries where modest privacy is desired.

Available in: Mahogany Collection Rustic Collection Canvas Collection

Glass Privacy Rating

1





Cambridge

Ornate and enchanting, Cambridge exhibits a traditional 19th century-inspired elegance with modest privacy using 1 glue chip glass, 2 clear curved bevels, 3 double waterglass and caming.

Available in: Rustic Collection_™ Oak Collection_™ Canvas Collection_®

1

Glass Privacy Rating









Black Nickel

8 10

Brass

Zaha.

Structured right angles are offset by dynamic curves in this high-energy design. Zaha features 1 oceana and 2 seedy glass, 3 clear and 4 multifaceted bevels, and caming to create a refreshing and unexpected elegance that appeals to Contemporary home styles.

Available in: Mahogany Collection Rustic Collection Canvas Collection.

3 **Glass Privacy Rating**





Black Nickel

Brushed Nickel





Black Nickel

Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for details on glass privacy ratings and designs.

Lucerna.

1

Named for the beauty of light it reflects, Lucerna glass presents an elegant, updated fleur-de-lis pattern in a spectrum of 1 curved, 2 diamond and 3 rectangular bevels surrounded by smooth, swirling 4 barn wood and heavily textured 6 diamond border glass.

Available in: Mahogany Collection Rustic Collection Oak Collection Canvas Collection.

Glass Privacy Rating

 $(\mathbf{7})$

Privacy & Textured Glass

10

(10

Chord Glass

A vertical flowing pattern reminiscent of waves on the water.

Available in: American Style Collection Mahogany Collection Rustic Collection Oak Collection Canvas Collection

Glass Privacy Rating

1



Chinchilla Glass

A free-flowing configuration, presenting quiet lines

and curves.

Available in: American Style Collection Mahogany Collection Rustic Collection Oak Collection Canvas Collection

Glass Privacy Rating



Rainglass

An elegantly fashioned glass, featuring ripples of cascading water.

Available in: American Style Collection Mahogany Collection Rustic Collection Oak Collection Canvas Collection

8 10



1





Granite Glass

A coarse grained arrangement with surface detail over the entirety of glass.

Available in:

American Style Collection Mahogany Collection Rustic Collection Oak Collection Canvas Collection

1 Glass Privacy Rating



Divided Lites

Enhance the beauty of any home with divided lites for entry and patio doors. Increase curb appeal by coordinating with window grid patterns for a cohesive look that suits the home's architectural details.

Simulated Divided Lites (SDLs)*

Wood-grained or smooth SDL bars adhere to the interior and exterior panes of tempered glass and can be stained or painted to complement the door and home. Look for the (>) icon.



Classic-Craft. American Style Collection

Classic-Craft. Canvas Collection.

Removable Wood Grilles

Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the (>) icon.



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Top: Classic-Craft Canvas Collection, Low-E Glass with SDLs, Door - CCV940, Sidelites - CCV100SL, Transom - 19220T, Dentil Shelf



Clavos & Strap Hinges

Add a finishing touch of rustic flavor with decorative hardware in an authentic, hand-forged wrought iron look with a black finish. Includes pyramid and round clavos, as well as strap hinges.







Top: Classic-Craft Rustic Collection Door – CCR205; Rainglass, Sidelites – CCR3400XRSL; Clavos & Strap Hinges





4-Block Dentil Shelf Shown on 3'6" x 8'0" door.



4-Block Dentil Shelf Shown on 3'0" x 8'0" door.

Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal or to complement other architectural elements around the house. Includes 4- and 16-block options.



Classic-Craft. Canvas Collection. 4-Block Dentil Shelf





Classic-Craft. American Style Collection.

Vertical Douglas Fir grain.

The simple vertical lines and Shaker-style recessed panels of Classic-Craft American Style premium fiberglass entryways create a timeless look that is perfect for Craftsman-inspired Cottage- and Bungalow-style homes.

Left Page: Classic-Craft American Style Collection, Villager Glass with SDLs, Door – CCA232, Sidelites – CCA3402SL, Transom – VGRT, Dentil Shelf

Classic-Craft. American Style Collection...

Features high-definition vertical Douglas Fir grain with Craftsman styling, ideal for homes with an Arts and Crafts flair.









See the difference stain can make. Kit available in seven finish colors on pages 264–265.

Architectural Character

- Architecturally correct design up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain. technology.
- More than 10% wider glass.*
- Flush-glazed doors and sidelites.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4-¹/₈" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"-82-½" and 96"-98-½" rough openings.

Finish Options

Classic-Craft American Style entryways can be stained or painted any color.

Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.

Flush-Glazed Fiberglass Door Replacement Rider

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and glass.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Riders and ENERGY STAR qualified products.

Bottom: Classic-Craft American Style Collection, Chord Glass with SDLs, Door – CCA8240XC

Right Page: Classic-Craft American Style Collection, Arborwatch Glass, Door – CC9100, Sidelites – CCA9100SL, Dentil Shelf

Classic-Craft, American Style Collection,

Decorative Glass Designs



Villager™ Page 48 Glass Privacy Rating: **5**



Arborwatch Page 49 Glass Privacy Rating: 6



Homeward → Page 48 Glass Privacy Rating: 4

Also Available:

Privacy & Textured Glass Page 50

Low-E Glass Page 51

Glass Privacy Rating Scale

1	2	3	4	5	6	7	8	9	10
Cle	ar							Op	aque

Simulated divided lites (SDLs) available to create authentic Craftsman glass configurations.

Caming Options

Black Nickel Caming (1D)
 Brushed Nickel Caming (1C)



47

Villager...











CCA212SL

♦ ♦ III
12"x 6'8"

14" x 6'8"

VGRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

VG30T ◆ III3'0" Door Only

Homeward





CCA87112 ♦ ♦ III
3'6" x 8'0"



CCA221 CCA8221 🌢 🔶 II 🍽 è 🔶 🎫 🍽 3'0" x 6'8" 3'0"x 8'0"



🌢 🔶 II 庵 3'6" x 8'0"



CCA231 CCA8231 è 🔶 💠 🎫 🍽 🌢 🔶 🎫 🍽 3'0"x 6'8" 3'0" x 8'0"



CCA87132 🌢 🔶 II 庵 3'6" x 8'0"



12" x 6'8"

14" x 6'8"

1 HWRT • • • 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

CCA211SL HW30T • :: 12" x 6'8" 3'0" Door Only 14"x 6'8"

♦ ♦ ::



*Pairs with 3'6" wide doors.

♦ ♦ ■

12"x 8'0"

14" x 8'0"

Note: See page 273 for important product details that may help with your purchase decision.

Bottom: Classic-Craft American Style Collection, Homeward Glass, Door - CCA211, Sidelites - CCA3401SL, Transom - HWRT, Dentil Shelf Right Page: Classic-Craft American Style Collection, Arborwatch Glass with SDLs, Door - CCA9300, Sidelites - CCA9100SL

Arborwatch.



♦ ♦ ::: 3'0" x 8'0"



CCA87111 **♦ ♦ :::** 3'6" x 8'0"



♦ ♦ ::: ■ 3'0" x 8'0"

♦ ♦ ***** ■** 3'0" x 6'8"

大小学

CCA9100SL

♦ ♦ III
12" x 6'8"
14" x 6'8"



♦ ♦ **== ■** 3'6" x 8'0"



CCA9300 ▲ ◆ Ⅲ ■ 3'0"x 6'8"



♦ ♦ ::: ■ 3'0"x 8'0"





▲ ◆ ::: 3'0"x 6'8"

CCA87131 **♦ ♦ ::: ■** 3'6"x 8'0"



♦ ♦ III
12" x 6'8"
14" x 6'8"

CCA81423SL ♦ ♦ ■ 12" x 8'0" 14" x 8'0"







AB30T ♦ III3'0" Door Only



Key Flush-Glazed Glass (FG) + Black Nickel Caming (1D) 4-Block Dentil Shelf Brushed Nickel Caming (1C) Simulated Divided Lites (SDL) 4-Block Dentil Shelf*

Optional Dentil Shelves



Privacy & Textured Glass



CCA87100__* d 3'6"x 8'0"



 CCA220_____
 CCA8220____

 ▲ ■
 ▲ ■

 3'0" x 6'8"
 3'0" x 8'0"



CCA87200__* ▲ ► 3'6"x 8'0"



≜ 3'0"x 6'8"

CCA8230____ ▲ ■ 3'0"x 8'0"



▲ 3'6"x 8'0"

▲■ 3'0"x 8'0"

CCA240___ ▲ ■ 3'0"x 6'8"



▲ 3'6"x 8'0"



 CCA260____
 CCA8260___

 3'0" x 6'8"
 3'0" x 8'0"



CCA87600__* ▲■ 3'6"x 8'0"



CCA3450_SL 12"x 6'8" 14"x 6'8" 14"x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39-40.

XC = Chord Glass XJ = Chinchilla Glass XR = Rainglass XN = Granite Glass

Note: See page 273 for important product details that may help with your purchase decision.

Classic-Craft American Style Collection

Low-E Glass



CCA87100 3'6" x 8'0"



CCA220 CCA8220



CCA87200 **≜ ₩ ■** 3'6"x 8'0"





≜ * 3'0"x 6'8"

CCA87300



CCA240 **≜ ₩ ■** 3'0" x 6'8" | **≜ ₩ ■** | 3'0"x 8'0"



CCA87400 **≜ * ■** 3'6" x 8'0"



CCA260 CCA8260 3'0" x 6'8"



CCA3400SL CCA3500SL **♦ *** 12"x 8'0" 14"x 8'0"





CCA210SL **≜ *** 12"x 6'8" 14"x 6'8"

CCA220SL

♦ ₩ ■ 12"x 6'8" 14"x 6'8"



19200T

3'0" Door Only







- Flush-Glazed Glass (FG)
- ₩ Low-E Glass (LE)
- Simulated Divided Lites (SDL)

Optional Dentil Shelves







Classic-Craft. Mahogany Collection.

Rich, warm Mahogany wood tones.

Especially suited for European, Victorian and Colonial home styles, Classic-Craft Mahogany premium fiberglass entryways are a sophisticated, elegant option for homeowners looking to make a statement by creating dramatic, grand entrances.

Left Page: Classic-Craft Mahogany Collection, Homeward Glass, Door – CCM89922, ©TheHouseDesigners.com

Classic-Craft. Mahogany Collection.

Offers rich, warm wood tones in authentic Honduran Mahogany, especially suited for European, Victorian and Colonial homes.











See the difference stain can make. Kit available in seven finish colors on pages 264–265.

Architectural Character

- Architecturally correct design up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain. technology.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4-¹/₈" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"-82-½" and 96"-98-½" rough openings.

Finish Options

Classic-Craft Mahogany entryways can be stained or painted any color.



- Fire-rated options available on solid-panel doors. See pages 227–231.
- Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details. **Please verify that there is a Therma-Tru product approval for the

**Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Mahogany Collection, Zaha Glass, Door – CCM1851, Sidelites – CCM1851SL Right Page: Classic-Craft Mahogany Collection, Lucerna Glass, Door – CCM702, Sidelites – CCM3412SL, Transom – LCET

Classic-Craft. Mahogany Collection...

Decorative Glass Designs



Villager Page 56 Glass Privacy Rating: 5



Homeward Page 56 Glass Privacy Rating: 4



Arcadia Page 57 Glass Privacy Rating: 5



Augustine Page 57 Glass Privacy Rating: **10**



Ashurst Page 58 Glass Privacy Rating: 8



Bella Page 58 Glass Privacy Rating: 6



Lucerna Page 61 Glass Privacy Rating: 7



Arborwatch Page 59 Glass Privacy Rating: 6



Low-E Glass Page 62

Glass Privacy Rating Scale





Borrassa Page 59 Glass Privacy Rating: 10



Longford Page 60 Glass Privacy Rating: 8

Zaha Page 60 Glass Privacy Rating: 3







- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)



Classic-Craft_® Mahogany Collection

Villager_m











CCM9811 ◆ III3'0"x 6'8"



CCM89812SL ♦ ♦ III
12"x 6'8" ♦ ♦ III
12"x 8'0" 14" x 8'0" 14" x 6'8"



VGRT • ::

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





◆ III3'0" Door Only





CCM9925 ♦ III 3'0"x 6'8"



CCM9923 ♦ III 3'0" x 6'8"







♦ III 3'0" x 6'8"



CCM9925SL CCM89925SL ♦ ♦ III
12" x 6'8"
14" x 6'8" ♦ ♦ III
12" x 8'0"
14" x 8'0"



HWRT Si⁰" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



HW30T 3'0" Door Only



Note: See page 273 for important product details that may help with your purchase decision. Bottom: Classic-Craft Mahogany Collection, Arcadia Glass, Door - CCM209, Sidelites - CCM3309SL, Transom - CC620T

Arcadia



CCM809 • :: • 3'0" x 6'8"



CCM8003SL

♦ ♦ ₩ ♦ 12"x 8'0" **♦ ♦ = ♦** 12"x 6'8" 14" x 6'8" 14" x 8'0"



CCM3309SL CCM3509SL ♦ ♦ ****** ♦ 12"x 6'8" 14"x 6'8"

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



CC060T ♦ :: ♦
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC600T ◆ III ◆
3'0" Door Only



Augustine



CCM30027



CCM1485 X 3'0"x 6'8"



CCM805027 X 3'0"x 8'0"



CCM1495 X 3'0"x 6'8"



Note: Coordinating sidelites feature granite glass without wrought iron.

12"x 6'8" 14" x 6'8"

12"x 8'0" 14" x 8'0"





Brass Caming (1A)

X Wrought Iron (1W)

- Flush-Glazed Glass (FG)
- + Black Nickel Caming (1D) Brushed Nickel Caming (1C)

Ashurst_M





◆ III3'0"x 6'8"



◆ III
3'0"x 6'8"





CCM305

◆ III
3'0" x 6'8"



CCM405

◆ III
3'0" x 6'8"



CCM505

◆ II
3'0"x 6'8"





CCM605

◆ III3'0"x 6'8"



◆ II
3'0"x 6'8"



CCM805 ◆ II
 3'0"x 6'8"



CCM3405SL ♦ ♦ III
12"x 6'8" ♦ ♦ III
12"x 8'0" 14" x 6'8" 14" x 8'0"



CCM893

♦ III 3'0" x 8'0"

CCM3305SL ♦ ♦ == 10"x 6'8" 12"x 6'8" 14" x 6'8"



CCM3505SL ♦ ♦ III
12" x 6'8" 14" x 6'8"



ASHRT State 12 Sidelites 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



• :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



ASN1 ASN1 Si and a state of the state of t



AS30T ♦ III3'0" Door Only

Bella_m



CCM110B 3'0"x 6'8"



CCM210B ◆
∷ 3'0"x 6'8"







CCM310B 3'0"x 6'8"





CCM710B 3'0"x 6'8"



CCM810B 3'0"x 6'8"





85	
CCM3410BSL	CCM8004BSL
۵ 🔶 💴	♦ ♦ ::
12" x 6'8"	12" x 8'0"

14" x 8'0"

Arborwatch

♦ ♦ ::: 12" x 6'8" 14" x 6'8"

♦ ♦ :: 10"x 6'8" 12"x 6'8" 14"x 6'8"

CCM3310BSL

CCM3510BSL

♦ ♦ :: 12" x 6'8"

14" x 6'8"



BEBHRT • :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



BEET-B

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites Continuous Sill Systems Only



BERT-B 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites Continuous Sill Systems Only

ABRT Continuous Sill Systems Only

• :::



CCM1424 • ::: 3'0"x 6'8"



CCM1423SL CCM81423SL ♦ ♦ ■ 12"x 8'0" ۰۰۰ ا 12" x 6'8" 14" x 6'8" 14" x 8'0"



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites

Note: Product images show exterior side of door.

AB30T 3'0" Door Only

Borrassa

CCM1419

3'0" x 6'8"

• :::



CCM1423

3'0" x 6'8"

• :::

CCM1528 3'0" x 6'8"

Key



3'0" x 6'8"



CCM81418

3'0" x 8'0"

+ :::

3'0"x 8'0"



CCM1465 3'0" x 6'8"



hammered glass without wrought iron.

Note: Coordinating sidelites feature

CCM3400XHSL 12"x 6'8" 12"x 8'0" 14" x 6'8" 14" x 8'0"



- Flush-Glazed Glass (FG)
- + Black Nickel Caming (1D)
- **Brushed Nickel Caming (1C)**

Longford



CCM103 ♦ III 3'0"x 6'8"





CCM892

• ::: 3'0" x 8'0"



♦ III 3'0"x 6'8"





CCM403

♦ III 3'0" x 6'8"



CCM503

♦ III 3'0"x 6'8"



CCM603

♦ III 3'0"x 6'8"



CCM703 ◆ III3'0"x 6'8"





CCM803 • ::: 3'0"x 6'8"

CCM3403SL ♦ ♦ ₩ 12" x 6'8" 14" x 6'8"

CCM3503SL ♦ ♦ ## 12"x 6'8" 14" x 6'8"



LFHRT 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



LFET > III 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



Note: Product images show exterior side of door.

LFRT • :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



♦ III3'0" Door Only

Zaha



CCM1851 • :: 3'0" x 6'8"



• :::



CCM1844 3'0" x 6'8"

ZHRT



CCM1842 **•** ::: 3'0"x 6'8"



CCM81851SL <u>الا</u> ♦ ♦ III
12" x 8'0" 12"x 6'8" 14" x 6'8" 14" x 8'0"



♦ ♦ :: 10"x 6'8" 12" x 6'8" 14" x 6'8"



ZHHRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



CCM81843

3'0"x 8'0"

• :::

3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Note: See page 273 for important product details that may help with your purchase decision.





CCM3303SL • • :: 10"x 6'8" 12" x 6'8" 14" x 6'8"

Lucerna



Privacy & Textured Glass



CCM100____ 3'0"x 6'8"



CCM200_____ 3'0" x 6'8"

CCM891_____ 3'0" x 8'0"



CCM300____ 3'0"x 6'8"



• 12"x 8'0" 14"x 8'0"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

XC = Chord Glass XJ = Chinchilla Glass

12"x 6'8"

14" x 6'8"

XR = Rainglass XN = Granite Glass

Key

- Flush-Glazed Glass (FG)
- 🔶 Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Low-E Glass





3'0"x 8'0"



3'0"x 6'8"



3'0"x 6'8"



CCM500

3'0" x 6'8"



CCM600

3'0"x 6'8"



3'0"x 6'8"







3'0"x 6'8"



14"x 6'8"

DLHRT

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

19020T 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

19200T 3'0" Door Only

CCM8000SL 12"x 8'0" 12" x 6'8" 14" x 6'8" 14"x 8'0"

♦ # 10"x 6'8" 12"x 6'8" 14"x 6'8"





CCM890 **9** 3'0"x 8'0"

Key



CCM60 **9** 3'0" x 6'8"





CCM801



3'0" x 6'8"



- Flush-Glazed Glass (FG)
- Low-E Glass (LE) 6 WBDR / HVHZ Options

Note: See page 273 for important product details that may help with your purchase decision. Right Page: Classic-Craft Mahogany Collection, Borrassa Glass, Door - CCM81519

9 3'0"x 6'8"





Classic-Craft. Rustic Collection.

Casually elegant wood graining.

Designed to complement American Southwest and European-inspired home styles, Classic-Craft Rustic premium fiberglass entryways feature casually elegant wood graining that can be coordinated with decorative glass and accessories to create enchanting entrances.

Left Page: Classic-Craft Rustic Collection Door – CCR205; Low-E Glass, Sidelites – CCR3400SL

Classic-Craft. Rustic Collection.

Seamlessly blends Southwest and European styling with rustic wood grains to evoke Old World charm.











See the difference stain can make. Kit available in seven finish colors on pages 264–265.

Architectural Character

- Architecturally correct design up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain. technology.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4-¹/₈" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"-82-½" and 96"-98-½" rough openings.

Finish Options

Classic-Craft Rustic entryways can be stained or painted any color.

- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**
- Fire-rated options available on solid-panel doors. See pages 227–231.
- Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details. **Please verify that there is a Therma-Tru product approval for the

configuration before buying. Note: Finish colors may vary from an actual application due to

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Rustic Collection, Ashurst Glass, Door – CCR804035

Decorative Glass Designs



Villager Page 68 Glass Privacy Rating: 5



Homeward™ Page 69 Glass Privacy Rating: 4



Arcadia Page 69 Glass Privacy Rating: 5

•••



Augustine Page 70 Glass Privacy Rating: **10**



Ashurst Page 71 Glass Privacy Rating: 8



Bella Page 72 Glass Privacy Rating: 6



Cambridge™ Page 75 Glass Privacy Rating: 8



Arborwatch。 Page 72 Glass Privacy Rating: 6



Zaha Page 76 Glass Privacy Rating: 3



Borrassa. Page 73 Glass Privacy Rating: **10**



Lucerna. Page 76 Glass Privacy Rating: 7



Provincial Page 74 Glass Privacy Rating: 6



Longford Page 75 Glass Privacy Rating: 8

Also Available: **Privacy & Textured Glass** Page 77

Low-E Glass Page 78

Glass Privacy Rating Scale

1	2	3	4	5	6	7	8	9	10
Cle							Ор	aque	

Caming Options

- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)

Panel Embossments



2-Panel Square Top - WS



2-Panel Soft Arch 4-Panel Round Top Arched 2-Panel Soft Arch Radiused 4-Panel Round Top 2-Panel Round Top Radiused 2-Panel Round Top



2-Panel Plank Soft Arch Arched 2-Panel Plank Soft Arch 1-Panel Plank Soft Arch 2-Panel Plank Round Top Radiused 2-Panel Plank Round Top



Arched Full Plank Full Plank Radiused Full Plank

Classic-Craft. Rustic Collection

Villager...





◆ II
3'0"x 6'8"



♦ III
3'0" x 8'0"

◆ II
3'0" x 6'8"





00000010
CCR822219
+ ::
3'0"x 8'0"



CCR9812SL CCR89812SL ♦ ♦ III
12" x 6'8" ♦ ♦ III
12"x 8'0" 14"x 6'8" 14"x 8'0"



♦ III 3'0" x 6'8"

VGRT

◆ III
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



♦ III 3'0" x 8'0"



Note: See page 273 for important product details that may help with your purchase decision. Top: Classic-Craft Rustic Collection, Villager Glass, Door - CCR9822

Homeward_M



CCR9925

◆ II3'0"x 6'8"









• :::

3'0" x 6'8"



• :::

3'0" x 8'0"

3'6" x 8'0"

CCR9918 3'0"x 6'8"



3'6" x 8'0"



 CCR9925SL
 ♦ #

 12"x 6'8"
 12"x 8'0"

 14"x 6'8"
 14"x 8'0"



HWKI • :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

HW30T

Arcadia



CCR30029 ♦ ::: ❖ 3'0" x 6'8"



CCR04029 ♦ ::: ❖ 3'0" x 6'8"

CCR804029

3'0"x 8'0"



CCR20529 ♦ :: ♦ 3'0"x 6'8" CCR820529 ♦ :: ♦ 3'0"x 8'0"



 CCR20029
 CCR820029

 ◆ ∷ ◆
 3'0" x 6'8"



CCR822229 ♦ :: ◆ 3'0" x 8'0"

 CCR3409SL
 CCR8009SL

 ▲● ::: ◆
 12"x 6'8"

 12"x 6'8"
 12"x 8'0"

 14"x 6'8"
 14"x 8'0"



ARHRT ♦ :: ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



♦ :: ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Brass Caming (1A)

X Wrought Iron (1W)



CC620T ♦ III ↔ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



♦ III <> 3'0" Door Only



Key

- Flush-Glazed Glass (FG)
 Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)

Augustine.

Note: Product images show exterior side of door.



Classic-Craft_® Rustic Collection_™



CCR04027 CCR804027 X 3'0"x 6'8" 3'0" x 8'0" 3'6" x 8'0"



CCR04037 CCR804037 X 3'0"x 8'0" 3'0" x 6'8" 3'6" x 8'0"



CCR04037A CCR804037A 3'0"x 6'8" 3'0"x 8'0" 3'6" x 8'0"



CCR820527 X 3'0" x 8'0" 3'0" x 6'8" 3'6" x 8'0"



CCR20537 3'0" x 6'8"



3'0" x 6'8"



CCR20537A CCR820537A 3'0" x 8'0" 3'6" x 8'0"



CCR20027 CCR820027 3'0"x 8'0" 3'0" x 6'8"



CCR822227 3'0" x 8'0" 3'6" x 8'0"



CCR20037 CCR820037 3'0"x 8'0" 3'0" x 6'8"



CCR20037A CCR820037A 3'0"x 8'0" 3'0" x 6'8"



12" x 6'8" 14" x 6'8" 12" x 8'0" 14" x 8'0"

Note: Coordinating sidelites feature granite glass without wrought iron.



Ashurst_M



CCR30025 • :: 3'0" x 6'8"



• ::: • :: 3'0" x 6'8" 3'0" x 8'0"



CCR804035 ◆ III
 3'0"x 8'0"



CCR804035A **+** II 3'0"x 8'0"



CCR20525 CCR820525 • :: **+** :: 3'0" x 6'8" 3'0" x 8'0"



CCR820535 ◆ III
3'0" x 8'0"



CCR820535A ◆ ☷ 3'0"x 8'0"



CCR20025 CCR820025 ◆ III
3'0"x 6'8" ◆ III
3'0" x 8'0"



CCR822225 ♦ III
3'0" x 8'0"



CCR820035 ♦ III
3'0"x 8'0"



CCR820035A ♦ III 3'0" x 8'0"



♦ ♦ 12" x 6'8"

14" x 6'8"

CCR8001SL ♦ ♦ III
12" x 8'0"





ASHRT 🔶 🎫 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



ASRT 🔶 🎫 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



AS30T 🔶 📰 3'0" Door Only



- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- X Wrought Iron (1W)



Classic-Craft_® Rustic Collection

Bella_m

CCR30024B

♦ III 3'0" x 6'8"





CCR04024B CCR804024B ◆ III3'0" x 6'8" ◆ III
3'0"x 8'0"



CCR20524B | CCR820524B ◆ II
3'0"x 6'8" ♦ III 3'0" x 8'0"



CCR20024B CCR820024B ♦ III
3'0" x 6'8" •:: 3'0"x 8'0"



CCR822224B ♦ III 3'0"x 8'0"

CCR3410BSL CCR8010BSL ♦ ● ■ 12"x 6'8" 14"x 6'8" ♦ ♦ III
12"x 8'0" 14"x 8'0"



BEBHRT • ::: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



BEET-B •:: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



BERT-B • ::: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Arborwatch



CCR1423 • :: 3'0"x 6'8"



• :: 3'0"x 6'8"



Ner I Ner 10

ABRT 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites Continuous Sill Systems Only



• :: 3'0"x 8'0" 3'6"x 8'0"

AB30T

♦ III 3'0" Door Only



♦ :: 3'0"x 6'8" • ::: 3'0" x 8'0" 3'6" x 8'0"



• :: • :: 3'0"x 6'8" 3'0" x 8'0"



3'0"x 8'0" 3'6"x 8'0"



14" x 8'0"




Borrassa.

Note: Product images show exterior side of door.

CCR1528 CCR1518 3'0"x 6'8" 3'0"x 6'8	30" x 8'0" CCR81514 3'0" x 6'8" CCR81514 3'0" x 6'8" CCR81514 3'0" x 6'8"	CRR1514A CCR81514A X 30"x 6'8"	CCR1516 * 3'0"x 6'8" CCR3516 * 3'0"x 8'0"	CCR1512 3'0"x 6'8" CCR81512 X 3'0"x 8'0"
X X	CCR1515 CCR81515 3'0" x 6'8" 3'0" x 8'0"	CCR1511 3'0"x 6'8"	CCR1511A 30"x 6'8" CCR81511A	CCCR3400XHSL CCCR8000XHSL 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"

- Key
- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- X Wrought Iron (1W)

Provincial_M





CCR04028 CCR804028 ♦ ::: ♦ 3'0" x 8'0"



CCR820528

♦ III ♦ 3'0"x 8'0"

CCR20528

♦ ::: ♦ 3'0"x 6'8"



CCR20028 CCR820028 ♦ ::: ♦ 3'0" x 6'8" ♦ ::: ♦ 3'0" x 8'0"

CCR822228 ♦ ::: ◆ 3'0" x 8'0"

CCR3408SL

♦ ● ■ ◆ 12" x 6'8" 14" x 6'8"

CCR8008SL ▲ ◆ ::: ◆ 12"x 8'0" 14"x 8'0"



PRHRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



♦ :: ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

	 	-	
9	 	Y	

CC420T Silon door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC400T ♦ III
3'0" Door Only



Note: See page 273 for important product details that may help with your purchase decision. Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors - CCR804028

Longford



CCR30023

3'0" x 6'8"

• :::









CCR3407SL





• ::: 3'0"x 6'8"



CCR820523 • :: 3'0"x 8'0"

• :: 3'0" x 6'8" 3'0"x 8'0"

CCR822223 3'0"x 8'0"

♦ ♦ ■ 12" x 6'8" 14" x 6'8"



Classic-Craft, Rustic Collection

LFHRT III
III
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous / Roxed Sill System Continuous / Boxed Sill Systems



LFET Sill Systems Only



• ::

LFRT • :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LF30T • :: 3'0" Door Only

Cambridge



CCR30026 • :: • 3'0" x 6'8"



CCR04026 ◆ ∷ ◆
3'0"x 6'8"



CCR20526 CCR820526 • :: •

♦ III ◆ 3'0" x 8'0" 3'0" x 6'8"



CCR20026 CCR820026 ♦ III ♦ 3'0"x 6'8" ♦ III ♦ 3'0"x 8'0"





CCR822226 ◆ ::: ◆
3'0" x 8'0"



CBHRT • = * 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



CC090T • = • 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC920T • :: 💠 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC900T • :: • 3'0" Door Only







- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)



Zaha

Note: Product images show exterior side of door.

CCR1851 → :: 3'0"x 6'8"	CCR1841 ↔ ::: 3'0"× 6'8"	CCR81841 ◆ II 3'0" × 8'0"	CCR81847 ◆ ::: 3'0" × 8'0"	CCR81: • II 3'0"× E		🔶 🗰 🔰 🔶	** 🔶 *	R81846 # "x 8'0"
CCR81846A → III 3'0"× 8'0"	CCR1838 ♦ :: 3'0" x 6'8"	CCR81838 3'0"x 8'0"	CCR822238 → 13 3'0"x 8'0"		11845 c 8'0"	CCR81845A ♦ :: 3'0"x 8'0"	CCR1851SL ▲ ◆ :: 12"x 6'8" 14"x 6'8"	CCR81851SL → .:: 12" x 8"0" 14" x 8"0"
CHHRT 30" door + (2) 12" sidelif 30" door + (2) 14" sidelif Continuous / Boxed Sill Sy	tes /stems	ZHRT •:: 3'0" door + (2) 12 3'0" door + (2) 14 Continuous Sill Sy	l" sidelites					
CCR10022 → III 3'0'' x 6'8"	CCR04022 3'0"x 6'8"	CCR804022 *:: 3'0" x 8'0" 3'6" x 8'0"	CCR20522 → II 3'0" × 6'8"	CCR820522 * :: 3'0" x 8'0" 3'6" x 8'0"	CCR20022 → ::: 3'0" x 6'8"	CCR820022 * :: 3'0'' x 8'0''	CCR822222 3'0" × 8'0" 3'6" × 8'0"	CCR820532 3'0"x 8'0"
*Available in Rainglas Note: See page 273 f	s only. or important p	roduct details that	at may help wit	h your purchase c	decision.			





LCHRT State of the state of th



LCEI
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only

If a state of the state of the



LC30T ◆ ∷: 3'0" Door Only

Privacy & Textured Glass

CCR30020____ 3'0" x 6'8"



CCR04020 3'0"x 6'8"

)20___ | CCR804020__ '8" | 3'0"x 8'0" | 3'6"x 8'0"* CCR20520_ | CCR820520

CCR20520____ | CCR820520_____3'0" x 8'0" 3'0" x 8'0" 3'6" x 8'0"*



CCR20020___ | CCR820020__ 3'0"x 6'8" | 3'0"x 8'0"



3'0" x 8'0" 3'6" x 8'0"*



CCR804030____ 3'0"x 8'0"

Privacy & Textured Glass Continues on next page.

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

XC = Chord Glass XJ = Chinchilla Glass XR = Rainglass XN = Granite Glass

Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)





Privacy & Textured Glass Continued





CCR804030A

3'0" x 8'0"











Low-E Glass

3'0"x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

XC = Chord Glass XJ = Chinchilla Glass XR = Rainglass XN = Granite Glass

Note: See page 273 for important product details that may help with your purchase decision.

Solid Panel















Classic-Craft, Rustic Collection

CCR205 **CCR8205 9** 3'0"x 8'0" 3'0" x 6'8" 3'6"x 8'0"

CCR8205A 5 3'0"x 8'0" 3'6"x 8'0" CCR205A 3'0" x 6'8"

CCR8225 3'0" x 8'0" 3'6" x 8'0"

CCR8225R 3'0"x 8'0" 3'6" x 8'0"

6

CCR8005 3'0" x 8'0"

CCR8005A 3'0"x 8'0"

CCR040 CCR8040 6 3'0" x 8'0" 3'6" x 8'0" 3'0" x 6'8"



3'6" x 8'0"

CCR040R 6 3'0" x 6'8"

CCR8040R **9** 3'0" x 8'0"



3'6"x 8'0"



CCR200 9 3'0"x 6'8" CCR8200 5 3'0"x 8'0"



CCR200A 5 3'0"x 6'8"
CCR8200A 5 3'0"x 8'0"



CCR8220 9 3'0"x 8'0"



CCR8220R 6 3'0" x 8'0"



CCR8100 3'0" x 8'0"

3'6" x 8'0"



CCR100A 3'0" x 6'8" 3'6" x 6'8" 3'0"x 8'0" 3'6" x 8'0"



CCR100R CCR8100R 3'0" x 6'8" 3'6" x 6'8" 3'0"x 8'0" 3'6" x 8'0"













Key Flush-Glazed Glass (FG) ★ Low-E Glass (LE) 6 WBDR / HVHZ Options



Classic-Craft. Oak Collection.

Warm wood graining.

With warm wood graining, Classic-Craft Oak premium fiberglass entryways are designed as the perfect complement to homes with Traditional styling.

Classic-Craft. Oak Collection.

Features warm wood grains with the look of classic Oak, suitable for homes with Traditional styling.











See the difference stain can make. Kit available in seven finish colors on pages 264–265.

Architectural Character

- Architecturally correct design up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- AccuGrain. technology.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4-¹/₈" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 2'8", 3'0" and 3'6" wide doors in 6'8" and 8'0" heights.
- 2-½" of height trimmability allows flexibility to fit 80"-82-½" and 96"-98-½" rough openings.

Finish Options

Classic-Craft Oak entryways can be stained or painted any color.

- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**
- Fire-rated options available on solid-panel doors. See pages 227–231.
- Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details. **Please verify that there is a Therma-Tru product approval for the

configuration before buying. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Oak Collection, Lucerna Glass, Door – CC822 Right Page: Classic-Craft Oak Collection, Provincial Glass, Door – CC97, Sidelites – CC2040SL, Transom – CC420T

Classic-Craft. Oak Collection.

Decorative Glass Designs



Villager Page 84 Glass Privacy Rating: 5



Provincial Mage 87 Glass Privacy Rating: 6



Homeward Page 84 Glass Privacy Rating: 4



Cambridge™ Page 87 Glass Privacy Rating: 8



Arcadia Page 84 Glass Privacy Rating: 5



Lucerna Page 88 Glass Privacy Rating: 7



Bella Page 85 Glass Privacy Rating: 6

Also Available:

Privacy & Textured Glass Page 89

Low-E Glass Page 90

Glass Privacy Rating Scale





> Removable wood grilles available to create authentic Colonial configurations.



Arborwatch Page 86 Glass Privacy Rating: 6

Caming Options

Black Nickel Caming (1D) Brushed Nickel Caming (1C)

Brass Caming (1A)

Classic-Craft_® Oak Collection



Villager_m



Homeward



CC9925 ♦ III 3'0" x 6'8"



CC89924 3'0"x 8'0"

+::

CC9926 • :: 3'0" x 6'8"



CC89925SL ::: 🔶 🍐 ::: 🔶 🍐 12"x 8'0" 12" x 6'8" 14" x 6'8" 14" x 8'0"



HWRT •::

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



HW30T **+**:: 3'0" Door Only

Arcadia



Note: See page 273 for important product details that may help with your purchase decision.



12"x 6'8" 14"x 6'8" 14"x 6'8" 14" x 6'8"



ARHRT Anni 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



CC620T Sio" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

CC060T

◆ :: ◆
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC600T ♦ III ♦ 3'0" Door Only

Bella_m



CC111B

◆ III3'0" x 6'8"



◆ III
3'0"x 8'0"

◆ III3'0" x 6'8"



CC900B ♦ III 3'0"x 8'0"



CC110B ◆ III
3'0"x 6'8"



CC113B ◆ III3'0"x 6'8"



◆ III3'0" x 6'8"

CC2080BSL CC8010BSL

▲ ◆ 12" x 6'8" 14" x 6'8" **▲ ::: ◆** 12"x 8'0" 14"x 8'0"





• ::: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



BEET-B • :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



BERT-B ◆ III
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites Continuous Sill Systems Only



- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)

Arborwatch.











CC81423SL ▲ ◆ ::: 12" x 8'0" 14"x 8'0"

CC1423 ♦ ::: 3'0"x 6'8"



CC81420 ♦ ☷ 3'0" x 8'0"



ABRT ADD1 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

AB30T ◆ Ⅲ 3'0" Door Only



Note: See page 273 for important product details that may help with your purchase decision. Bottom: Classic-Craft Oak Collection, Provincial Glass, Door - CC97, Sidelites - CC2040SL, Transom - CC420T

Provincial_M







CC897 ♦ **::: ◊** 3'0"x 8'0"



CC837 ♦ **::** ❖ 3'0" x 8'0"



3'0"x 6'8"





CC77 ♦ **II** ❖ 3'0"x 6'8"

CC17 ♦ ::: ❖ 3'0" x 6'8"



♦ ♦ :: ᠅

12"x 8'0"

14" x 8'0"

CC2040SL 12" x 6'8" 14" x 6'8"

CC2277SL 12"x 6'8" 14"x 6'8"



14" x 6'8"

CC1017SL **♦ ::: ◆** 12"x 6'8" 14" x 6'8"



PRHRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



CC420T ♦ ::
> 3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC040T ♦ ::•
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



♦ III ◆3'0" Door Only

Cambridge_M



CC106 ♦ :: ♦ 3'0" x 6'8"



CC96 ♦ :: ♦ 3'0" x 6'8"



CC836 ♦ = ♦ 3'0"x 8'0"



CC44 ♦ ::: ◆
2'8" x 6'8" 3'0" x 6'8"



CC76 ♦ ::: ♦ 3'0" x 6'8"



♦ ::: ♦ 3'0" x 6'8"

Cambridge Glass Continues on next page.

Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)



Cambridge™ Glass Continued





14" x 6'8"



CBHRT ♦ # ♦

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

CC920T • :: • 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC090T ♦ ::</



• :: • 3'0" Door Only

Lucerna



♦ # 3'0" x 6'8"

14" x 6'8"

14" x 6'8"

CC833 **◆ ∷** 3'0"x 8'0"



CC612

♦ II 3'0" x 6'8"

CC78

◆ III3'0"x 6'8"



CC822 ♦ ## 3'0"x 6'8"





14"x 6'8'

Note: See page 273 for important product details that may help with your purchase decision. Right Page: Classic-Craft Oak Collection, Granite Glass, Door - CC90XN, Sidelites - CC2020XNSL

♦ II 3'0"x 8'0"

CC3502SL ♦ ♦ # 12" x 6'8" 14"x 6'8"



LCHRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



LCET 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LCRT 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



LC30T • ::: 3'0" Door Only

14" x 6'8"

Classic-Craft. Oak Collection...

CC10022

♦ ## 3'0" x 6'8"

Privacy & Textured Glass with Divided Lites



3'0" x 6'8"



3'0" x 6'8" 3'0" x 8'0"





Privacy & Textured Glass





CC100____ 3'0"x 6'8"



CC830_____ 3'0"x 8'0"



CC2020__ ▲ 12"x 6'8" 14"x 6'8"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

12" x 8'0" 14" x 8'0"

> XC = Chord Glass XJ = Chinchilla Glass

XR = Rainglass XN = Granite Glass

Key

- Flush-Glazed Glass (FG)
- 🔶 Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)



Removable Wood Grilles (RG)

Low-E Glass with Divided Lites











▲ * > 12"x 6'8"

14" x 6'8"

CC832 ***** > 3'0"x 8'0"



19020T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only Grille Sticks Applied



3'0" Door Only Grille Sticks Applied



≜ * 12"x 6'8"

14" x 6'8'

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

3'0" Door Only

Low-E Glass



12" x 6'8"

14" x 6'8"

12" x 8'0"

14" x 8'0"

CC100 3'0"x 6'8"

CC61

3'0"x 6'8"

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Note: See page 273 for important product details that may help with your purchase decision. Right Page: Classic-Craft Oak Collection, Villager Glass, Door - CC9818, Sidelites - CC9812SL

≜ * 12"x 6'8"

14"x 6'8"

≜ * 12"x 6'8"

14"x 6'8'

Solid Panel



Key

- Flush-Glazed Glass (FG)
- ₩ Low-E Glass (LE)
- Removable Wood Grilles (RG)
- **O** WBDR / HVHZ Options





Classic-Craft. Canvas Collection.

Premium paintable surfaces.

The first premium smooth, paintable fiberglass door to carry the Therma-Tru_® brand name, Classic-Craft Canvas is designed for homeowners seeking the aesthetics of a sleek, modern entryway that can be adapted to suit multiple styles.

Left Page: Classic-Craft Canvas Collection, Arborwatch Glass, Door – CCV81414, Sidelites – CCV81423SL

Classic-Craft. Canvas Collection.

Creates a sleek, modern entryway with a smooth, paintable surface for virtually unlimited color options both inside and out.





Architectural Character

- Architecturally correct design up to 25% wider panels.*
- Deeper embossments.
- Solid hardwood square edges.
- More than 10% wider glass.*
- Flush-glazed sidelites.
- Fiberglass lite frames.
- Exclusive glass designs.
- Low-E glass standard.

Heavier Construction

- 20% heavier construction.*
- Top and bottom composite rails.
- 4-¹/₈" full-length engineered lumber lockstile for added weight and rigidity.
- Thicker fiberglass skins.

Available Sizes

- 3'0" wide doors in 6'8" and 8'0" heights.
- 2- $\frac{1}{2}$ " of height trimmability allows flexibility to fit 80"-82- $\frac{1}{2}$ " and 96"-98- $\frac{1}{2}$ " rough openings.

Finish Options

Classic-Craft Canvas entryways can be painted any color.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.**

- Fire-rated options available on solid-panel doors. See pages 227–231.
- Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



*Comparison of Classic-Craft to other standard fiberglass doors with similar styles. Visit www.thermatru.com for details.. **Please verify that there is a Therma-Tru product approval for the

configuration before buying. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on height trimmability, limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

Bottom: Classic-Craft Canvas Collection, Borrassa Glass, Door – CCV1515, Straps

Decorative Glass Designs



Villager Page 97 Glass Privacy Rating: 5



Homeward Page 97 Glass Privacy Rating: 4



Arcadia Page 98 Glass Privacy Rating: 5

12 •



Augustine. Page 99 Glass Privacy Rating: 10



Ashurst Page 99 Glass Privacy Rating: 8



Bella Page 100 Glass Privacy Rating: 6



Cambridge_M Page 103 Glass Privacy Rating: 8



Page 101 Glass Privacy Rating: 6



Borrassa Page 101 Glass Privacy Rating: 10



Provincial Page 102 Glass Privacy Rating: 6



Longford_™ Page 103 Glass Privacy Rating: 8

Caming Options Black Nickel Caming (1D)

Brass Caming (1A)

X Wrought Iron (1W)

Brushed Nickel Caming (1C)





Zaha Page 104 Glass Privacy Rating: 3



Lucerna Page 105 Glass Privacy Rating: 7



Page 107

Glass Privacy Rating Scale

1 2	3	4	5	6	7	8	9	10
Clear							Ор	aque
oroar							Οp	aquo

Simulated divided lites (SDLs) and removable wood grilles available to create authentic Craftsman and Colonial configurations.

Panel Embossments



4-Panel Square Top 4-Panel Soft Arch Arched 4-Panel Soft Arch 6-Panel



2-Panel Plank Soft Arch Arched 2-Panel Plank Soft Arch



2-Panel Square Top – WS



2-Panel 3/4 Top 3-Panel 5-Panel



Craftsman Lite 1-Panel Plank

Classic-Craft_® Canvas Collection



Villager



CCV9812 3'0" x 6'8"



CCV9818 CCV89818 • :: 3'0"x 6'8" 3'0"x 8'0"



CCV9821 CCV89821 • :: 3'0" x 8'0" 3'0" x 6'8"



CCV9822 CCV89822 **b** ::: 3'0" x 6'8" 3'0" x 8'0" CCV9820

• ::: 3'0" x 6'8"





CCV89815 ♦ II 3'0"x 8'0"



◆ III
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



VG30T

♦ III3'0" Door Only

CCV922 ♦ ******* 3'0" x 6'8"



CCV932 ♦ ******* ■ 3'0"x 6'8"





CCV8112SL **♦ ♦** 12" x 6'8" ♦ ♦ III
12"x 8'0" 14" x 6'8" 14" x 8'0"

▲ ... ← 12"x 6'8" 14" x 6'8"

CCV9012SL

Classic-Craft_® Canvas Collection

Homeward

♦ ₩ 3'0"x 6'8"



Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)



Note: See page 273 for important product details that may help with your purchase decision. Left Page: Classic-Craft Canvas Collection, Homeward Glass, Door - CCV9925, Sidelites - CCV911SL, Transom - HWRT **Optional Dentil Shelf**

Homeward Glass Continued







CCV931 ♦ ****** ■ 3'0"x 6'8"





HWRT III
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites

Continuous Sill Systems Only



Arcadia



CCV10029 ♦ ::: <> 3'0" x 6'8"



CCV06029 CCV806029 ★ ::: ◆
3'0"x 6'8"
3'0"x 8'0"



CCV05029 • = • • = • 3'0" x 6'8" 3'0" x 8'0"



CCV803029 ♦ ::: ♦ 3'0"x 8'0"

Note: See page 273 for important product details that may help with your purchase decision.



CCV20529

CCV820529

ARHRT

• :: •

CC060T

• :: •

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites

Continuous Sill Systems Only

• :: •

3'0" x 8'0"

CCV8109SL 12" x 8'0" 14"x 6'8" 14" x 8'0"



♦ ...
3'0" x 6'8" . . 3'0"x 8'0"



CCV45529 ♦ ::: ❖ 3'0" x 6'8"



CC620T • :: • 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC600T ♦ III ◆3'0" Door Only



CCV805029



CCV109SL * :: + ا 12"x 6'8"



Augustine.

Note: Product images show exterior side of door.



Ashurst_M



CCV10025 ♦ ::: 3'0"x 6'8"



 CCV05025
 CCV805025

 ◆ III
 → III

 3'0"x 6'8"
 3'0"x 8'0"



 CCV20525
 CCV820525

 ◆ II
 ◆ III

 3'0" x 6'8"
 3'0" x 8'0"





CCV820535 ◆ ∷ 3'0"x 8'0"

Ashurst Glass Continues on next page.

Key

- Flush-Glazed Glass (FG)
- 🔶 Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)

Optional Dentil Shelf

4-Block Dentil Shelf Available for all Craftsman-style Canvas Collection doors.

Ashurst_™ Glass Continued



CCV06025 ♦ III
3'0" x 6'8" • :: 3'0"x 8'0"



CCV803025 ♦ III
3'0" x 8'0"



♦ III
3'0" x 8'0"



♦ ♦ III
12"x 6'8" ♦ ♦ III
12"x 8'0" 14" x 6'8" 14"x 8'0"



ASHRT ♦ ∷

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



+ :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only





AS30T ♦ III 3'0" Door Only

Bella_m



CCV10024B ◆ III
3'0"x 6'8"



CCV05024B CCV805024B ◆ III
 3'0"x 6'8" • :: 3'0" x 8'0"



CCV20524B CCV820524B ♦ III
3'0"x 8'0" • :: 3'0" x 6'8"



CCV22024B CCV822024B • :: • :: 3'0" x 6'8" 3'0" x 8'0"



◆ III
3'0" x 6'8"



CCV06024B CCV806024B **◆ ∷** 3'0"x 6'8" **◆ ∷** 3'0"x 8'0"



CCV803024B ♦ ☷ 3'0" x 8'0"



CCV8104BSL CCV104BSL ♦ ♦ III
12" x 6'8"
14" x 6'8" **♦ ♦ :::** 12"x 8'0" 14" x 8'0"



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



BEET-B Sill 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



BERT-B BERI-D
Si0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



Arborwatch

CCV1423 ♦ # 3'0"x 6'8"	CCV1418 CCV81	+ ::	CCV81415	CCV1414 CCV81414	CCV1416 ◆ ∷ 3'0" x 6'8"	CCV1424 CCV81417 ♦ :: 3'0"x 6'8" 3'0"x 8'0"
						ABRT • :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only
CCV81420 ◆ III 3'0"x 8'0"	CCV4100 ▲ ◆ ः 3'0"x 6'8"	CCV4200 ▲ ◆ :: ■ 3'0"x 6'8"	CCV4300 ▲ ◆ == ■ 3'0"x 6'8"	CCV1423SL CCV81423S ♦ ♦ ::: 12"x 6'8" 14"x 6'8" 12"x 8'0"	GL CCV4100SL ▲ ◆ ::: 12"x 6'8" 14"x 6'8"	AB30T

Borrassa

Note: Product images show exterior side of door.



Borrassa Glass Continues on next page.

Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- X Wrought Iron (1W)
- Simulated Divided Lites (SDL)

Optional Dentil Shelf

4-Block Dentil Shelf Available for all Craftsman-style Canvas Collection doors.

CCV1512 CCV81512

3'0" x 8'0"

Classic-Craft_® Canvas Collection



Provincial



CCV10028 ♦ ::: ♦ 3'0" x 6'8"



CCV05028 ♦ ::: ♦ 3'0"x 6'8"



♦ ■ ♦ 3'0"x 8'0"



CCV820528 CCV20528 ♦ III ♦ 3'0" x 6'8" ♦ ::: ♦ 3'0" x 8'0"



CCV22028 CCV822028 ♦ ## ♦ 3'0" x 6'8" ♦ ::: ♦ 3'0" x 8'0"



CCV45528 ♦ ::: ❖ 3'0"x 6'8"



CCV06028 CCV806028 ♦ ::: ♦ 3'0" x 8'0" ♦ ::: ♦ 3'0" x 6'8"



CCV803028 ♦ ::: ♦ 3'0" x 8'0"



CCV8108SL 12" x 6'8" 14" x 8'0" 14" x 6'8"



PRHRT ◆ ∷ ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

CC040T ♦ :: ♦
3'0" door + (2) 12" sidelites
3'0" door + (2) 14" sidelites
Continuous Sill Systems Only



CC420T ♦ :: ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC400T ◆ ∷ ◆
3'0" Door Only

Longford_M



CCV10023 3'0"x 6'8"



CCV05023 3'0" x 6'8"



CCV20523 CCV820523 ♦ III 3'0" x 6'8" 3'0"x 8'0"



CCV22023 CCV822023 • ::: 3'0"x 6'8" 3'0"x 8'0"



CCV45523 3'0"x 6'8"



• ::: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

LF30T • :: 3'0" Door Only



CCV06023 ♦ III 3'0"x 6'8"



3'0"x 8'0"

♦ III 3'0"x 8'0"



CCV8103SL ♦ ♦ III
12"x 8'0" 14" x 6'8" 14"x 8'0"



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



• :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Cambridge_M

♦ III 3'0"x 8'0"



CCV10026 ♦ III <> 3'0" x 6'8"



♦ ::: ♦ 3'0"x 6'8" ♦ ::: ◆ 3'0"x 8'0"



CCV820526 ♦ III 3'0" x 6'8" ♦ III <> 3'0"x 8'0"



♦ III 3'0" x 6'8" ♦ ::: <> 3'0"x 8'0"

CCV45526 ♦ ::: ♦ 3'0"x 6'8"

Cambridge Glass Continues on next page.

Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)



X Wrought Iron (1W)

Cambridge™ Glass Continued

CCV806026 • :: • 3'0" x 8'0"



CCV803026 ♦ ::: ❖ 3'0" x 8'0"



▲ ◆ III ◆ 12" x 8'0" 14" x 8'0" **♦ ♦ ::: ♦** 12" x 6'8" 14" x 6'8"



♦ :: ♦ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



CCO90T Sidelites 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CC920T ♦ II 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



Note: Product images show exterior side of door.

CC900T ♦ ::: ❖ 3'0" Door Only

Zaha

CCV1851 **◆ ∷** 3'0"x 6'8"



CCV1843 CCV81843 **◆ ∷** 3'0" x 6'8" ♦ II 3'0"x 8'0"



CCV1839 CCV81839 **◆ ∷** 3'0" x 6'8" ♦ III 3'0" x 8'0"



CCV1838 CCV81838 ♦ ::: 3'0"x 6'8" ♦ ::: 3'0" x 8'0"



♦ ::: 3'0" x 6'8"





CCV81840 ♦ III 3'0"x 8'0"



CCV81846 ♦ II 3'0"x 8'0"



CCV1851SL **♦ ♦ ::** 12"x 6'8" 14" x 6'8"

CCV81851SL

♦ ♦ :: 12" x 8'0"

14" x 8'0"



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



 ◆ III
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39–40.

XC = Chord Glass XJ = Chinchilla Glass XR = Rainglass XN = Granite Glass



CCV81846A

♦ III 3'0"x 8'0"

Note: See page 273 for important product details that may help with your purchase decision.

Lucerna.



Privacy & Textured Glass with Divided Lites



3'0"x 6'8"





3'0" x 8'0"



3'0" x 8'0"



3'0"x 8'0"



Classic-Craft_® Canvas Collection

3'0" x 8'0"

Privacy & Textured Glass with Divided Lites Continues on next page.

Key

- Flush-Glazed Glass (FG)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- > **Removable Wood Grilles (RG)**

Privacy & Textured Glass with Divided Lites Continued



Privacy & Textured Glass





CCV10020_ 3'0" x 6'8"

CCV05020__ 3'0"x 6'8"



CCV805020___

3'0" x 8'0"



CCV820520_ CCV20520_ 3'0" x 8'0" 3'0" x 6'8"



CCV22020_ CCV822020___ 3'0" x 6'8" 3'0" x 8'0"



3'0" x 6'8"

CCV806020_ 3'0"x 8'0"



3'0"x 8'0"



CCV820530A_ 3'0" x 8'0"







12"x 6'8" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see pages 39-40.

XC = Chord Glass XJ = Chinchilla Glass XR = Rainglass XN = Granite Glass

Low-E Glass with Divided Lites



CCV10015

***** > 3'0"x 6'8"

≜≋ 3'0"x 6'8"





CCV822012 ★ > 3'0" x 8'0"



★ > 3'0"x 8'0"



CCV0609 CCV806012 ***** > 3'0"x 6'8" ★ > 3'0" x 8'0"



CCV803012 ***** > 3'0"x 8'0"



CCV930

♦₩ 3'0"x 6'8"



CCV940 **≜≋** 3'0"x 6'8"





14" x 6'8"



14" x 6'8"



≜ # ■ 12" x 6'8" 14" x 6'8"

≜ ≈ 3'0" x 6'8"

Low-E Glass











3'0" x 6'8"

Low-E Glass Continues on next page.

Classic-Craft_® Canvas Collection

Key

Flush-Glazed Glass (FG) Low-E Glass (LE) Nimulated Divided Lites (SDL) Removable Wood Grilles (RG)

Optional Dentil Shelf

4-Block Dentil Shelf Available for all Craftsman-style Canvas Collection doors.

Low-E Glass Continued

CCV06020 CCV806020 CCV910 CCV803020 CCV820530 3'0" x 6'8" 3'0" x 8'0" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

19020T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems





3'0"x 8'0"







3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Solid Panel



CCV400 9 3'0"x 6'8"



6

3'0"x 8'0"

3'0"x 6'8"



CCV205A 6 3'0"x 6'8" 3'0" x 8'0"



19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems









3'0"x 6'8"

19200T

3'0" Door Only



19210T

12" & 14" Sidelite Only



3'0" x 8'0"



CCV060 CCV831 CCV050 CCV860 3'0" x 6'8" 3'0"x 8'0" 3'0" x 8'0" 3'0"x 6'8"



Note: See page 273 for important product details that may help with your purchase decision. Bottom: Classic-Craft Canvas Collection Door -CCV455; Ashurst Glass, Sidelites - CCV105SL, Transom – ASET

Flush-Glazed Glass (FG)

🌟 Low-E Glass (LE)

WBDR / HVHZ Options

Key

Optional Dentil Shelf

4-Block Dentil Shelf Available for all Craftsman-style Canvas Collection doors.


Top: Classic-Craft Canvas Collection, Zaha Glass, Door – CCV813838 Bottom Left: Classic-Craft Rustic Collection, Borrassa Glass, Door – CCR1528; Hammered Glass, Sidelites – CCR3400XHSL Bottom Right: Classic-Craft Rustic Collection, Augustine Glass, Door – CCR820537A

Fiber-Classic Mahogany Collection & Oak Collection



Wood grains to suit any style.



Choose from two wood-grained collections for the perfect fiberglass door to fit a variety of home styles at an excellent value. Fiber-Classic Mahogany complements rich wood tones in home interiors, extending the look to the outside with beauty and elegance. Fiber-Classic Oak is the door that started the fiberglass revolution, featuring the distinctive look of natural Oak graining.

Top: Fiber-Classic Oak Collection, Riserva Glass, Door – FC8529, Sidelites – FC8572SL Bottom: Fiber-Classic Mahogany Collection, Concorde Glass, Door – FCM911, Sidelite – FCM809SL

111

Smooth-Star.





Smooth, paintable surfaces.

Smooth-Star is the answer when the best look for the home is delivered in a sleek, paintable package. The more attractive and durable alternative to steel, Smooth-Star fiberglass doors are ready-to-paint with crisp, clean contours that meet the needs of homeowners seeking more color options for their doorways.

Top: Smooth-Star, Sedona Glass, Door – S91, Sidelites – S139SL, Transom – 19520T Bottom: Smooth-Star, Low-E Glass with SDLs, Door – S84812

Fiber-Classic. & Smooth-Star. Fiberglass Doors

Therma-Tru gives the homeowner options to choose the style that best fits their personality and home without compromise. Fiber-Classic and Smooth-Star share many door styles in common. And the available glass families cross over between door collections. Find flexible options to fit virtually every entrance from front entry to patio to utility doors.

Fiber-Classic & Smooth-Star fiberglass doors offer:

- High-definition panel embossments.
- Composite top and bottom rails.
- 1-¼" engineered lumber lock stiles.
- 22-½" lock block in Fiber-Classic and 12-½" lock block in Smooth-Star.
- Durable, long-lasting fiberglass skins.

WBDR Options: Look for this icon to find door styles that can be configured for WBDR.*

- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- Fire-rated options available on solid-panel doors. See pages 227–231.
- Tru-Defense. Warranty Rider eligible when properly assembled and installed with all Therma-Tru specified system components, in accordance with the Rider.



Fiber-Classic. Mahogany Collection...

Features deep Mahogany graining to complement homes with richer wood tones.



Fiber-Classic. Oak Collection,

Features the warm look and feel of Oak graining.



Smooth-Star. Features smooth, ready-to-paint surfaces.

Fiber-Classic。& Smoo<u>th-Star</u>。

*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, Tru-Defense Rider, ENERGY STAR qualified products and product approvals.

 = Available = Not Applicable S = Stain P = Paint 	Fiber-Classic, Mahogany Collection	Fiber-Classic。 Oak Collection	Smooth-Star.
Door Widths			
2'0"			
2'4"			
2'6"			
2'8"			
2'10"			
3'0"			
3'6"	•	•	
Door Heights			
6'6"			
6'8"			
7'0"			
8'0"			
Glass Options			
Decorative	14	14	14
Privacy & Textured	5	5	5
Internal Blinds			
Flush-Glazed	•		
Screen Vented	•	•	
Simulated Divided Lites			
Grilles Between Glass			
Removable Wood Grilles			
Fixed Grilles			
Low-E			
Clear			
Additional Options			
Finish	S/P	S/P	Р
Vented Sidelites			

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 246–248. 5'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors



SAME-DAY. **STAIN**

See the difference stain can make. Kit available in seven finish colors on pages 264–265.

Vented Sidelites



More than a sidelite. Vented sidelites from Therma-Tru let the homeowner enjoy the added curb appeal of an elegant front entry unobstructed by a screen door. Choose from convenient specialty glass options or eye-catching decorative designs. In fact, only Therma-Tru offers vented sidelites with decorative glass. Look for the () icon.

- Sturdy stiles and hinges make the unit work as a small swinging door.
- Wide patio mullions provide dependable operation.
- Multi-point lock and continuous system help provide security and stability.
- Convenient removable screens available in bronze and white are designed for worry-free use.

Available Configurations:



Vented Sidelites

(Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: No Impact options available for vented sidelites. Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL

Decorative & Specialty Glass Designs



114

Glass Privacy Rating



Brushed Nickel

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Art Glass /

Black Nickel

115

Salinas Page 134

Oceana glass and wrought iron come together to create a cheerful entry glass design that offers the ultimate in privacy with yesterday's charm.

(10

Glass Privacy Rating

1



Wrought Iron

Maple Park Page 137

With hints of Mission style and the American Southwest, Maple Park provides a sophisticated appearance with 1 waterglass, 2 clear bevels, 3 granite glass and caming. The curved design adds unique appeal.

Glass Privacy Rating





Brushed Nickel

Avonlea Page 140

The dainty leaf design seemingly grows upward in this elegant glass design. Light pours through Avonlea's 1 clear baroque glass and 2 bronze waterglass surrounded by black nickel caming.

1 4 10 Glass Privacy Rating



Black Nickel

Saratoga™ Page 142

Saratoga evokes a certain urban
sophistication while offering modest
privacy with its 1 clear bevels,
2 diamond glass, 3 reed glass and
caming. The geometric pattern bridges
both modern and traditional designs.







Brushed Nickel

Texas Star Page 144

Beautifully crafted with 1 clear bevels,
2 curved bevels, 3 clear waterglass,
4 granite glass, 5 glue chip glass and brushed nickel caming, there's no mistaking the inspiration for this recognizable design. Strong, independent and all-American.



Glass Privacy Rating

1

Wellesley Mage 146

(5)

Simple yet charming, Wellesley's
Victorian-inspired design uses 1 clear
baroque glass, 2 clear curved bevels,
waterglass, 4 granite glass and
caming to add beauty to any entry.

Brushed Nickel









Brushed Nickel

Brass

Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

117

Riserva Mage 149

Riserva decorative glass features a combination of linear and curved wrought iron elements that create a simple yet graceful design. Riserva features ① oceana glass for privacy with a look that enhances a wide variety of home styles, including Mediterranean, Old World and Southwest.

(10)

(8) 10

1 Glass Privacy Rating

Concorde[™] Page 152

There's just something friendly about
Concorde's cheery four-leaf design.
Glue chip glass, 2 clear curved
bevels, 3 clear glass and caming
make up its Old World charm.

Glass Privacy Rating

1







Brushed Nickel

Brass

Kensington Page 155

Kensington speaks European elegance
while offering modest privacy with its
clear bevels, 2 glue chip glass,
granite glass and caming.

8

Black Nickel

Glass Privacy Rating

1





Brushed Nickel

Axis Page 158

Simple and smart, Axis combines narrow reed glass in horizontal and vertical arrangements to create contrast and modest privacy. A vertical band of 2 clear glass bevels completes this linear design, ideal for Modern home styles.



Glass Privacy Rating

Frosted Images.

Page 161

1

Delicate and ornate, Frosted Images offers a high privacy rating with an elegant aesthetic achieved with the simplicity of white-frosted glass.

(8)

Glass Privacy Rating

1



Internal Blinds Page 174

Internal blinds provide the privacy and convenience of a cordless blind enclosed between glass. A single-hand operator opens, closes and tilts the blinds to control the desired level of privacy and light.

Single-Hand Operator
 Privacy Bar



Screen Vented Page 176

Screen vented lites offer a built-in screen for ventilation, featuring a gliding operation and sash locking system.



Note: Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

119

Privacy & Textured Glass Page 163



10

10

10



Satin Etch Glass

1 Glass Privacy Rating

Chord Glass





Glass Privacy Rating

1





Rainglass

8 10 1 Glass Privacy Rating



Granite Glass

1

Also Available: Clear Glass Page 177

Glass Privacy Rating

Simulated Divided Lites with Grilles Between Glass

Choose wood-grained or smooth-textured SDL bars layered over flat bronze GBG bars to achieve the most authentic divided lite look.

Look for the $(\blacksquare \blacklozenge \blacklozenge)$ icons.

Shown with flat bronze GBGs, recommended.

120

Grilles Between Glass (GBGs)

Contour or flat GBG bars are thermally sealed between two panes of tempered glass for the convenience of a smooth, easy-to-clean glass surface.

Look for the $(\diamond \diamond)$ icons.

Simulated Divided Lites (SDLs)

Wood-grained or smooth SDL bars are adhered to the interior and exterior panes of tempered glass. Can be stained or painted to complement the door and home.

Look for the (



Removable wood grilles snap on and off the interior pane of tempered glass for easy cleaning. Can be stained or painted to complement the home décor.

Look for the (>) icon.

Interior view.

*Available in Special Quote Program.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision. Right Page: Fiber-Classic Mahogany Collection, Clear Glass with SDLs, Door – FCM608

Fixed Grilles

Fixed grilles are molded as part of the lite frame on the interior and exterior panes of tempered glass. Can be stained or painted to complement the home décor.

Look for the (\diamondsuit) icon.





- Simulated Divided Lites (SDLF2)**
 - Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

121

Flush-Glazed Glass Page 163, 177

Long-Term Performance

Glass built directly into the door during manufacturing offers long-term performance. The 1 polyurethane foam core surrounds the glass, helping to provide durability and strength, and a 2 dual adhesive weather seal provides high-performance protection inside and out.

Authentic Wood Door Appeal

Features true flush-glazed construction, crafted with attention to detail that replicates traditional wood door construction.

Available in privacy and textured glass, as well as divided lites, Low-E and clear glass. Look for the () icon.

Up to 16% wider daylight opening



Wider Daylight Opening*

Let in more natural light with up to a 16% increase in visible glass area.

Seamless, Clean Lines

Factory-built, seamless construction eliminates the need for a lite frame and screw plugs.



Flush-Glazed Fiberglass Door Replacement Rider

Provides protection in case of accidental glass breakage during residential and multi-family construction or installation. Therma-Tru will replace the flush-glazed fiberglass door and sidelite.

Flush-Glazed Glass

Note: See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and Rider.

Traditional Lip-Lite

Clavos & Strap Hinges



Dentil Shelves

Complete the look with a dentil shelf for true Craftsman appeal.





**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Bottom: Fiber-Classic Mahogany Collection, Chord Glass with SDLs, Door – FCM608XC, Sidelites – FCM6126XCSL, Dentil Shelf



- A- 1

Star a

20

Top: Smooth-Star, Clear Glass with GBGs, Door – S8321, Sidelites – S3487SL Bottom Left: Fiber-Classic Oak Collection, Avonlea Glass, Door – FC785, Sidelites – FC758SL, Transom – AVRT Bottom Right: Smooth-Star, Salinas Glass, Door – S81937P

Blackstone

Fiber-Classic. Mahogany



FCM108 **•** :: **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'8" x 8'0"

3'0" x 8'0"

2'10" x 8'0"



FCM816 2'6" x 8'0" 2'8"x6'8" Ň 2'8" x 8'0" 2'10" x 6'8" Ň 2'10" x 8'0' 3'0" x 8'0"



FCM765 **•** :: **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM109 FCM863 **•** :: 6 **•** :: **6** 2'8" x 6'8" 2'8" x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6032 **•** :: **6** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6052 ♦ :: 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM110

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

• ::



FCM760

2'8" x 6'8"

2'10" x 6'8"

3'0"x 6'8"

• ::

FCM808SL •::•9 10" x 6'8" 12"x 6'8" ≵‡ 14" x 6'8" Ň

FCM81918SL FCM871SL •:•9 ♦ :: 6 12" x 8'0" 12" x 8'0" 14" x 8'0" 14" x 8'0"

FCM765SL FCM882SL ♦ :: 6 12"x 6'8" 14" x 6'8" 14"x 8'0"

₩6

12" x 8'0"

FCM109SL FCM863SL **♦**:::6 12"x 6'8" 14" x 6'8"

12"x 8'0" 14" x 8'0"



FCM164

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

• ::



FC108 81918P 2'6"x 6'8" 2'8"x 8'0" 2'8" x 6'8" ‡ 2'10" x 8'0" 2'10"x 6'8" ‡ 3'0" x 8'0" 3'0" x 6'8" ‡

🔶 Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

Key No Stile Lines



FC310 FC816 ■ ◆ :: 5 2'6"x 8'0" •••6 2'6" x 6'8" \$ 2'8" x 6'8" \$ 2'8" x 6'8" \$ 2'10" x 6'8" \$ 2'10" x 6'8" \$ 2'10" x 8'0" 3'0" x 6'8" 👌 ‡ 3'0" x 8'0"

WBDR Options

Vented Sidelite (No Impact)

(6'6" & 6'8" only in 12" & 14") (8'0" only in 14")



FC765 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

WBDR / HVHZ Options

1 6'6" Height Available

7'0" Height Available



81952P FC770 2'8" x 6'8" 2'10" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



FC109 81933P 2'6"x 6'8" 2'8" x 8'0" 2'8" x 6'8" ‡ 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0" x 8'0" 3'0" x 6'8" ‡

Blackstone Glass Continues on next page.

Blackstone. Glass Continued

126



81975P 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



FC129 ◆ III
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



• ::: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

14"x 6'8"



FC164 ▶ 11
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



FC794 ◆ III
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"



• ::: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





FC109SL 81933PSL ♦ ::: 9
12"x 6'8"
14"x 6'8" ♦ ::: 9 12"x 8'0" 14"x 8'0"





S6032 ♦**∷9** 2'6" x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



Smooth-Star.

3'0" x 8'0"

3'0" x 6'8"



\$6002 ♦**∷ \$** S85892 **+::6** 2'6" x 6'8" ± 2'8" x 6'8" ± 2'10" x 6'8" ± ‡ 3'0" x 6'8" ± ‡ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"



S816 ■ ◆ **::: 9** 2'6" x 8'0" 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å ‡ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 6'8" 3'6"x 8'0"



S975 **•**::**6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S979 ♦**∷ \$**

S894 **• : : 6** 2'8"x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"

\$6000 ♦**∷**\$ 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

S81933P **+ :: 6** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

127





S9343 ♦**∷ \$** 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S83143 **+** :: 6 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



S6002SL S85892SL ♦ :: 9
12" x 6'8"
14" x 6'8" ♦ ::: 9 12"x 8'0" 14"x 8'0"



12"x 8'0"

14"x 8'0"

10"x 6'8"



S975SL	S894SL
♦ :: 6	♦∷6
12"x 6'8"	12"x 8'0"
14"x 6'8"	14"x 8'0"

S6000SL ♦ # 9 12"x 6'8"



S85912SL



BSHRT ◆ II
 3'0" door + (2) 12" sidelites
 3'0" door + (2) 14" sidelites
 ○ Horee / Roxed Sill Syste Continuous / Boxed Sill Systems



3'0" door + (2) 12" sidelites
Sill Systems Only Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Key

No Stile Lines Black Nickel Caming (1D)

Brushed Nickel Caming (1C)



WBDR / HVHZ Options 6'6" Height Available

\$ **†** 7'0" Height Available



Å

ĩ



Crystalline

Fiber-Classic. Mahogany



2'10"x 8'0" 3'0"x 8'0"

FCM16 ♦ ::: ♦ 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM668 2'6" x 6'8" ± 2'8" x 6'8" ± 2'10" x 6'8" ± 3'0" x 6'8" ±



FCM38 • :: • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM898 • :: • • • 2'8" x 8'0"

2'10" x 8'0" 3'0" x 8'0"

FCM45 ♦ **::** ♦ 9 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6027 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 6'8" 3'0" x 6'8"



FCM814 **■**♦**∷**\$9

2'6" x 8'0"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



Fiber-Classic. Oak



FC16 81800P ♦ ::: ♦ 9 2'8" x 8'0" **♦**∷∻6 2'6" x 6[']8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" ‡



FC668 FC814 **■**♦::*6 **■**♦**∷***9 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'10"x 6'8" 🛓 ‡ 3'0" x 6'8" 🕹 ‡ 3'0" x 8'0"



FC38 ♦::÷6 2'8" x 6[']8" 2'10" x 6'8" 3'0" x 6'8"



FC772 81953P **♦**∷\$6 ♦::÷6 2'8"x 8[']0" 2'8" x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FC45 ♦ ::: ♦ 9
2'8" x 8'0" **♦**::**♦** 2'6" x 6[']8" 2'10"x 8'0" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 8'0" 3'0" x 6'8" ‡



81977P ♦:::÷6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC43 • :: • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC124 • :: • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86241 ♦:::<6</p> 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



FC21 • : • 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FC802 • : • 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

FC46SL

81800PSL • :: • 9 12" x 8'0" 10"x 6'8" 12"x 6'8" 14"x 8'0" 14" x 6'8"

Crystalline Glass Continues on next page.

Key

- No Stile Lines + Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") WBDR Options 6

WBDR / HVHZ Options

6

♦:::<6</p>

2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"

- 1 6'6" Height Available
- **‡** 7'0" Height Available

Crystalline Glass Continued





S977 **♦∷***6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 6'8"



S81935P **♦**:::**♦**6 2'8"x 8'0" 2'10"x 8'0" 2'10" x 6'8" ‡ 3'0"x 8'0"



♦∷∻6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



3'0"x 6'8"



S950 ♦∷� 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S930 ♦ ::: ◆ 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



♦∷♦

2'8" x 6'8"

2'10" x 6'8" 3'0" x 6'8"

S9341 ♦ ::: ♦ 6
2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83141 ◆ **∷** ↔ **∮** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S6123 ◆ ::: ◆
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"

83

S936 ♦∷� 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



S916SL S814SL ♦∷≎6 **♦**∷≎6 12" x 6'8" 12"x 8'0" 14" x 6'8" 14"x 8'0"



♦::*6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



3'0" x 6'8" ‡









♦∷∻6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

S815 ■ ◆ ::: ◆ 6 2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0" 3'6" x 8'0"



BLHRT 🔶 🗄 🛟 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems 19810T 🔶 🎞 💠 12" & 14" Sidelite Only

19800T 🔶 👯 💠 3'0" Door Only



19820T 🔶 🏽 🛠 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Note: Shown in art glass with black nickel caming.



FCM872-A

FCM872

2'8" x 8'0"

3'0"x 8'0"

2'10" x 8'0"

• ::

Sedona

FCM100-A FCM100 • :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM241-A FCM822-A FCM241 FCM822 • • 2'8" x 8'0"

2'6"x 6'8" 🕹 ‡ 2'8" x 6'8" <u>Å</u>‡ 2'10" x 6'8" <u>Å</u>‡ 3'0"x 6'8" ≵‡



FCM131-A Þ FCM131 • :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



FCM864-A

FCM864

2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"

• ::

FCM101-A

FCM101

2'8"x 6'8"

2'10" x 6'8"

3'0" x 6'8'

• ::



FCM6025-A FCM6025 • :: 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6045-A FCM6045 • :: 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

FCM604-A FCM604 • ::: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM126-A Ь FCM126 • ::: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 8'0"

3'0" x 8'0"

FCM81968SL-A FCM81968SL 🔳 🔶 :: 🔵 12" x 8'0" 14" x 8'0"



FCM872SL-A FCM872SL • ::: 12"x 8'0" 14" x 8'0"



FCM883SL

12"x 8'0'

14" x 8'0'

• ::

FCM131SL-A Ь FCM131SL • ::: 12" x 6'8" 14" x 6'8'



FCM864SL-A FCM864SL • ::: 12" x 8'0" 14" x 8'0"

Sedona Glass Continues on next page.

FCM101SL

12" x 6'8"

14" x 6'8"

• ::

Optional Dentil Shelf*

4-Block Dentil Shelf Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.



- No Stile Lines Art Glass / Black Nickel D
- Caming (1D) Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Brass Caming (1A)

WBDR / HVHZ Options 6 Vented Sidelite (No Impact) 6'6" Height Available £ (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

6

‡ 7'0" Height Available

WBDR Options

131

Sedona Glass Continued

Fiber-Classic_® Oak







FC241-A FC822-A FC241 FC822 • • 2'6" x 6'8" Ň 2'8" x 6'8" Ň 2'10" x 6'8" Ň 3'0" x 6'8" Ň 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC131-A FC131 ♦ :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



81954P-A FC773 81954P • :: 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

• ::



FC101-A 81936P-A FC101 81936P • :: • :: 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡





81978P-A 81978P • ::: 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC128-A FC128 **•** :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC126-A FC126 • :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC80952-A FC80952 **+** :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86252-A FC86252 **+** :: 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC100SL-A FC100SL • :: 10" x 6'8" 12" x 6'8" 14" x 6'8"

Smooth-Star.



S139 • :: 2'6" x 6'8" Å 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 3'0" x 6'8" 🛓 ‡



S241-A S241 • 3'0"x 6'8" ≛‡ 3'6" x 6'8'







*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Fiber-Classic. & Smooth-Star.

81968PSL-A 81968PSL **+** :: 12"x 8'0" 14"x 8'0"



S95-A Þ S95 • ::: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S91-A S887-A Þ S91 S887 • ::: • == 2'8" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



S211-A S81936P-A S81936P S211 • ::: • ::: 2'8"x 8'0" 2'6" x 6'8" 2'10"x 8'0" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 8'0" 3'0" x 6'8" ‡

Þ



Þ S6025 • ::: 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡



S6045-A Þ S6045 • ::: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S833-A Þ S35 S833 • :: • :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Þ





S294-A S294 • :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S604-A S8604-A S604 S8604 ♦ :: **+** :: 2'8" x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0" x 6'8' 3'0"x 8'0"



S12-A S12 • :: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S9352-A Þ S9352 • ::: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S83152-A

Þ

• ::



ini.

S139SL

+ :::

12" x 6'8"

14" x 6'8"

S83152 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S604SL-A S604SL • 10"x 6'8"

--Lond H Ĩ ini S91SL-A

Þ

• :::

12"x 8'0"

14"x 8'0"







19055T-A ▶ 19055T

• :::

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

_		1000	-				100	_	
	1.00	1000	1.55	- 98	SEC.	1.0		1201	
-	1000	1000		1000	1000	الشبيبين	1000	1000	

19520T-A

19520T **•** ::

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Key

Þ

S91SL

12"x 6'8"

14"x 6'8"

• ::

- No Stile Lines
- Art Glass / Black Nickel Caming (1D)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C) Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14")

(8'0" only in 14")

1 6'6" Height Available

- **7'0"** Height Available

Optional Dentil Shelf*

4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.

Salinas

Fiber-Classic. Mahogany



FCM873

2'8" x 8'0"

3'0" x 8'0"

2'10"x 8'0"

x 6

FCM113 x 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM369 FCM817 **x**6 **x**6 2'6" x 6'8" Ň 2'8" x 6'8" Ň 2'10" x 6'8" Ň 2'10" x 6'8" Ň 2'10" x 6'8" Ň 3'0"x 6'8" 🛓 3'0"x 8'0"



FCM115 x 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM114 FCM865 **× 9** 2'8"x 8'0" x 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0"x 8'0"



FCM6031 **× 6** 2'8" x 6'8" 2'10"x 8'0" 2'10" x 6'8" 3'0" x 6'8"

FCM6051 x 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Fiber-Classic. Oak



FCM118 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



14" x 8'0"

FCM81919SL

FCM814SL **X 6** 10" x 6'8" **X** 6 12"x 8'0" 14" x 8'0"



14" x 6'8"

FCM114SL

× 9 12"x 6'8" **X**6 12"x 8'0" 14" x 6'8" 14" x 8'0"

FCM865SL



FC113 × 9 81919P **x**6 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" ‡ 2'10" x 8'0" 2'10"x 6'8" ‡ 3'0" x 8'0" 3'0"x 6'8" ±



FC369 FC817
 2'6''x 6'8'' ±
 2'6''x 8'0''

 2'8''x 6'8'' ±
 2'8''x 8'0''

 2'10''x 6'8'' ±
 2'10''x 8'0''

 3'0''x 6'8'' ±
 3'0''x 8'0''



FC115 **x 6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



81955P **x**6 2'8"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0"x 8'0" 3'0" x 6'8"

3



14"x 8'0"

FC114 81937P **× 6** 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ **x**6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" ±



81980P **× 6** 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC130 X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



X 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC80953 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Fiber-Classic. & Smooth-Star.





Key

No Stile Lines X Wrought Iron (1W) Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")



▲ 6'6" Height Available

‡ 7'0" Height Available

Salinas Glass Continues on next page.

Salinas. Glass Continued

Smooth-Star.







S369 S817 **x**6 **x**6 2'6" x 6'8" 2'6" x 8'0" ≵ 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0" 3'6" x 6'8'



S6009 x6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S895 2'8"x 6'8" x6 2'8"x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0"x 6'8" 3'0"x 8'0"



S81937P 2'6"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 2'8" x 6'8" ‡ 2'10" x 6'8"[`]‡ 3'0" x 6'8" ‡



S6031 **× 6** 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



S6051

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

14" x 6'8"

x 6

5

x 6 2'8" x 6'8" 3'0" x 6'8'



S893 **x 6** 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



S6011 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6014 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6012 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 6'8"

3'0" x 6'8"



S83153 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"

界人会と思



泉人父と多人父とき 第十人や大将十人や大学 S85931SL **X** • **6** 12"x 8'0"



S6009SL × 9 12"x 6'8" S895SL **× 9** 12"x 8'0" 14"x 8'0' 14" x 6'8"



S6006SL X 9 12"x 6'8" S85916SL **× 6** 12"x 8'0" 14"x 8'0' 14"x 6'8"

SART

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

S6134SL **× 9** 12" x 8'0" **X** • **6** 10"x 6'8" 12"x 6'8" Å ‡ 14" x 8'0" 14" x 8'0"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Maple Park

Fiber-Classic_® Mahogany



FCM900 ♦ ::: 9 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM1006 2'10"x 6'8" 🕹 ‡ 3'0" x 6'8" 👗 ‡



FCM902 •:: 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM901 FCM886 + II 9 ◆ :: ∮
2'8" x 6'8"
2'10" x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6107 •::•9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6108

♦ :: 9

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



FCM609 ♦ :: 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM904 • ::: 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM812SL



FCM902SL + :: 6 12"x 6'8" 14" x 6'8" 14"x 8'0"





FC903 • ::: 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

Maple Park Glass Continues on next page.

Optional Dentil Shelf*

4-Block Dentil Shelf Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.





■◆ **::** ● **6** 10" x 6'8" 12"x 6'8" ≛‡

FCM887SL • :: 6 12"x 8'0"

FCM901SL FCM886SL +::6 12"x 6'8" 12" x 8'0" 14"x 6'8" 14" x 8'0"

Fiber-Classic_® Oak



FC900 ♦ # 6 2'8" x 6'8" ‡ 2'10"x 6'8" ± 3'0" x 6'8" ‡



FC1006



2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC777 ◆**≡9** 2'8"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'10" x 8'0" 3'0" x 8'0"



2'6" x 6'8" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0" x 6'8" ‡

2'8" x 8'0" 2'10" x 8'0" 2'10"x 8'0" 3'0" x 8'0" 3'0"x 8'0"

81982P

+=6

Key

- No Stile Lines
- Black Nickel Caming (1D) Brushed Nickel Caming (1C)
- X Wrought Iron (1W)
- (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") WBDR Options 0

Vented Sidelite (No Impact)





Maple Park Glass Continued

138



3'0" x 8'0"

14" x 6'8"

Smooth-Star.

3'0" x 6'8"

3'0"x 8'0"

\$6102 ♦ **# \$**

2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

3'0" x 6'8"



2'8" x 6'8" ‡ 2'10" x 6'8" Å ‡

S1006 ■ ♦ **::: \$** 3'0"x 6'8" Å ‡ 3'6"x 6'8"



3'0" x 6'8" ‡

\$6103 ♦**∷ \$** S85898 ♦**∷**∮ 2'8" x 6'8" 2'10" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" 3'0" x 8'0"



♦ :: 9
2'8" x 8'0" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 2'10"x 8'0" 3'0" x 6'8" ‡ 3'0" x 8'0"



S6108 ♦**∷ \$** 2'8'x 6'8" 2'10"x 6'8" 3'0"x 6'8"

\$6106 ♦**∷**∮ S85897 ♦**∷ \$** 2'8" x 6'8" 2'8" x 8'0"

2'10"x 6'8"

3'0" x 6'8"



3'0"x 8'0"

\$6104 ♦ ::: 2'8" x 6'8" 2'10"x 8'0" 2'10" x 6'8" 3'0" x 6'8"



\$609 ♦ **:: \$** 2'8"x 6'8" \$8609 ♦**≣**∮ 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



• :::

2'8'x 6'8"

2'10"x 6'8"

3'0" x 6'8"



S6107 ♦**∷ \$**

2'8"x 6'8" ‡

2'10"x 6'8" ‡

3'0" x 6'8" ‡

\$9355 ♦**∷ \$** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



\$83155 ♦ **:: 9** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Right Page: Fiber-Classic Mahogany Collection, Maple Park Glass, Door - FCM609

Fiber-Classic. & Smooth-Star.



S858985L +::6 12"x 8'0" 14"x 8'0" S858985L S61015L +::6 12"x 6'8" 12"x 6'8" 14"x 8'0" S859185L +::6 12"x 8'0" 14"x 8'0"

	THE	
FWRT + ::	China Mariana	

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

No Stile Lines Black Nickel Caming (1D) Brushed Nickel Caming (1C) Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
 WBDR Options

- WBDR / HVHZ Options
- ▲ 6'6" Height Available
- **†** 7'0" Height Available

Optional Dentil Shelf*

4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.

Avonlea

Fiber-Classic_® Mahogany



FCM758 •6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1027 • • 6 3'0"x 6'8" 🕹 ‡

FCM764 •6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM761 •6 2'8" x 6'8"



FCM896 •6 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



+6

FCM968 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

+6

2'8'x 6'8"

3'0" x 6'8"

2'10" x 6'8"





2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"



FCM788 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM800 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



12"x 6'8" ≛‡

14"x 6'8" ±±

FCM764SL

• **9** 12" x 6'8"

14" x 6'8"



FCM8104SL

◆ 9 12" x 8'0"

14" x 8'0"

FCM761SL FCM896SL • **9** 12"x 6'8" ◆ 9 12"x 8'0" 14"x 6'8" 14" x 8'0"

Fiber-Classic_® Oak



2'10"x 6'8" ‡ 3'0" x 6'8" ‡



FC1027 ● ◆ 9 2'8"x 6'8" Å ‡ 2'10"x 6'8" Å ‡ 3'0" x 6'8" 🗴 ‡



FC764 • • 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



81967P

2'8"x 8'0"

2'10"x 8'0"

3'0"x 8'0"

+6

FC769 +6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC761 81932P •6 •6 2'8"x 8'0" 2'10"x 8'0" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0" x 8'0" 3'0" x 6'8" ‡



81974P **+9** 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FC782 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC785 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC788 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC792 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

140

Fiber-Classic. & Smooth-Star.



Smooth-Star



S962 ♦ ∮ 2'8" x 6'8" ‡ 2'10" x 6'8" Å ‡ 3'0"x 6'8" Å ‡



S1027 2'8"x 6'8" Å ‡ 2'10"x 6'8" Å ‡ 3'0"x 6'8" Å ‡ 3'6"x 6'8"



S976 ◆ **9** 2'8"x 6'8" 2'10" x 6'8"

3'0" x 6'8"

S



\$980 6 2'8" x 6'8" 2'10" x 6'8" \$85900 ♦ **∮** 2'8"x 8'0" 2'10"x 8'0" 3'0"x 6'8" 3'0"x 8'0"



\$964 ♦ **9** S81932P •6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" ‡ 3'0"x 8'0"



S968 ♦ **\$**

2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0" x 6'8" ‡

15

E

S6121

2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"



S966 ◆ **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2



S85906

S970 ♦ ∮ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



♦ 6
2'8"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0"x 8'0" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S991 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





Avonlea Glass Continues on next page.



- No Stile Lines Black Nickel Caming (1D) Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- **WBDR Options**
- 6 WBDR / HVHZ Options Å 6'6" Height Available
- **‡** 7'0" Height Available

141

Avonlea. Glass Continued



Saratoga

Fiber-Classic. Mahogany



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Fiber-Classic. & Smooth-Star.



FC907 •:: 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



• :: 6

2'8"x 8'0"

2'10" x 8'0"

• :::

2'8"x 8'0" 2'10"x 8'0"

3'0" x 8'0"

3'0"x 8'0"

FC776 •:: 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



 FC906
 81938P

 ♦ :: 6
 2'8" x 8'0"

 2'6" x 6'8" ‡
 2'8" x 8'0"

 2'10" x 6'8" ‡
 2'10" x 8'0"

 3'0" x 6'8" ‡
 3'0" x 8'0"



♦ :: 6

2'8" x 8'0"

2'10" x 8'0"

3'0"x 8'0"

FC908 ◆ Ⅲ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Ē



FC909 ◆ ∷ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC80954 ◆ :: ∮ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC86254

2'10" x 8'0"

3'0"x 8'0"

FC707

• :::

2'8" x 6'8"‡ 2'10" x 6'8"‡

3'0" x 6'8"‡



FC905SL •:: 6 10"x 6'8" 12"x 6'8" 14"x 8'0" 14"x 8'0"



•••6

12" x 8'0" 14" x 8'0"



♦ ::: 9
12" x 6'8"
14" x 6'8"

81956PSL • :: 9 12" x 8'0" 14" x 8'0"



 FC906SL
 81938PSL

 ◆ :: 6
 > :: 6

 12"x 6'8"
 12"x 8'0"

 14"x 6'8"
 14"x 8'0"

143

Smooth-Star.



FC815SL

■ ◆ ::: ● 6 12"x 6'8" Ň 14"x 6'8" Ň

Saratoga Glass Continues on next page.

Key No Stile Lines Black Nickel Carning (1D)

Brushed Nickel Caming (1C)

- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
 WBDR Options
- WBDR / HVHZ Options
- 1 6'6" Height Available
- **†** 7'0" Height Available

Optional Dentil Shelf*

4-Block Dentil Shelf Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

Saratoga Glass Continued



Texas Star

Fiber-Classic_® Mahogany



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

H

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

3'0" x 6'8"
Fiber-Classic Oak



FC142 **#9** 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ±



FC1029 [●] ::: **6** 2'8" x 6'8" Ň 2'10" x 6'8" Ň 3'0" x 6'8" Ň



::: 6

2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"

FC778

#6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

81958P :: 6 2'8"x 8'0" 2'10"x 8'0" 3'0" x 8'0"



FC144 81940P :: 6 2'6"x 6'8" 2'8" x 8'0" 2'8" x 6'8" ‡ 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0" x 8'0" 3'0"x 6'8" ‡



81983P 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC145 11 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC146 -2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC165 11 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC80957 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"

FC86257

2'8"x 8'0"

3'0" x 8'0"

Key

No Stile Lines

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)

2'10" x 8'0"

:: 6

FC142SL **** 9** 10"x 6'8"

12" x 6'8'

14" x 6'8'



FC143SL 81958PSL **#6 #**6 12"x 8'0" 12"x 6'8" 14" x 6'8" 14" x 8'0"



#6 **#**6 12"x 8'0" 12"x 6'8" 14"x 8'0" 14" x 6'8"



S6070 ∷∮ 2'8" x 6'8" ‡ 2'10" x 6'8" Å ‡ 3'0"x 6'8" Å ‡

S1029 2'8" x 6'8" Ň 2'10" x 6'8" Ň 3'0" x 6'8" Ň 3'0" x 6'8" Ň 3'6" x 6'8"



Texas Star Glass Continues on next page.





4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.

Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

WBDR Options

- WBDR / HVHZ Options
- 1 6'6" Height Available
- **‡** 7'0" Height Available

Smooth-Star

2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"

Texas Star Glass Continued



Wellesley_M

Fiber-Classic. Mahogany



3'0" x 8'0"

FCM104 • :: • • • 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



FCM6094 ■ ◆ :: ◆ ∮ 2'6"x 6'8" ▲ ‡ 2'8"x 6'8" ▲ ‡ 2'10"x 6'8" ▲ ‡ 3'0"x 6'8" ≛‡



FCM147 ◆ ::: ◆ ∮ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM105 FCM866 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6030 • :: • • • 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 6'8" 3'0"x 6'8"

3'0" x 8'0"



FCM106 ♦ :: ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM163 ♦ ∷ ❖ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM125 ♦ :: ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM721 ♦ :: ♦ 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

Fiber-Classic_® Oak

FCM8721 ♦ ::: ♦ 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"

FCM818SL FCM81921SL 12"x 8'0" 12"x 6'8" Ň 14"x 6'8" Ň 14" x 8'0"

12"x 8'0" 14"x 8'0"

FCM874SL ♦ # ♦ 6



14" x 6'8" 14" x 8'0"

FCM105SL • :: • • • 12"x 6'8"

14" x 6'8"

FCM866SL ♦ :: ♦ 9
12"x 8'0" 14"x 8'0'



81921P • :: • • • 2'8" x 8'0" 2'10" x 8'0" FC104 ◆ ∷ ◆ ∮ 2'6" x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0" x 8'0" 3'0" x 6'8" ‡





FC147 • :: • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC779 ♦ ::: ♦ 6
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"

3'0" x 8'0"



FC105 81941P ♦ :: ♦ 6
2'8"x 8'0" ♦ # ♦ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 8'0" 3'0" x 8'0" 2'10"x 6'8" ± 3'0" x 6'8" ‡



81984P ♦ :: ♦ 6
2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC127 ◆ ∷ ◆
2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC713 ♦ ::: ◆
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"



FC163 ◆ Ⅲ ◆
2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



◆ Ⅲ ◆
2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

FC125 ◆ ■ ◆
2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

Wellesley Glass Continues on next page.

Key

- No Stile Lines
- + Black Nickel Caming (1D) Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") 6
- WBDR Options WBDR / HVHZ Options
- 1 6'6" Height Available
- **†** 7'0" Height Available





81959P ♦ :: ♦ 9
2'8" x 8'0"
2'10" x 8'0" 147

Wellesley Glass Continued



Smooth-Star



S85896 ♦ **::** ❖ **6** S155 ♦ # ♦ 6 2'6" x 8'0"
 2'8" x 6'8" Δ‡
 2'8" x 8'0"

 2'10"x 6'8" Δ‡
 2'10"x 8'0"

 3'0"x 6'8" Δ‡
 3'0"x 8'0"



S6094

••**6

2'6" x 6'8" 🕹

S821 ■ ♦ **::** ♦ **9** 2'6"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8" 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0" 3'6"x 8'0"



S6091 ♦ II ♦ 9
2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



S983 ◆ :: ◆ 6
2'8" x 6'8"
2'10" x 6'8" ♦ 11 ♦ 6
2'8" x 8'0"
2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S81941P ♦ :: ♦ 6 ◆ :: ◆ ∮
2'8" x 8'0"
2'10" x 8'0" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0" x 6'8" ‡



S6050 ◆ :: ◆ ∮
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"





S42 ♦ # ♦ 6 2'8'x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10"x 8'0" 3'0"x 8'0"

• :: • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Ŵ



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

S6082 • :: • 3'0" x 6'8"



S999

• :: •

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

2'8" x 6'8" 2'10" x 6'8"

E

S6117 • :: • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





S83149 ♦ # ♦ 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



148

Fiber-Classic. & Smooth-Star.

S892

S214



2'10"x 6'8" ‡

3'0" x 6'8" ‡

語な事

S9349

♦ # ♦ 6

2'8" x 6'8"

2'10" x 6'8" 3'0" x 6'8"

T	
大学	WLHRT :: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems
	19720T ◆ ः ◆ 3'0" Door Only



S85922SL

◆ **∷** ◆ **9** 12"x 8'0"

S292SL

♦ :: ♦ 9
12"x 6'8"

14"x 6'8" 14"x 8'0"

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

-PITTIN-

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

Riserva

S8721 ♦ ∷ ❖

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

S721 ♦ ∷ ❖

2'8" x 6'8" ‡

3'0" x 6'8" ‡

2'10" x 6'8" ‡

600

Note: Product images show exterior side of door.

Fiber-Classic. Mahogany

S155SL ♦ ::: ♦ 9 12" x 6'8"

14" x 6'8" 14" x 8'0"

S85896SL

♦ # ♦ 9
12" x 8'0"



FCM574 **x**6 2'8["]x 6'8" 2'10" x 6'8" 3'0" x 6'8'



FCM571 ■x6 2'6" x 6'8" Ň 2'8" x 6'8" Ň 2'10" x 6'8" Ň 3'0" x 6'8" Ň



FCM543 **x**6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

金火火

S85934SL

■ ◆ == ◆ ● **6** 12" x 8'0"

14" x 8'0"

5060

S5870SL

10" x 6'8"

14"x 6'8" ≵‡



S892SL

♦ ::: ♦ 9
12"x 8'0"

S6091SL

◆ **∷** ◆ **9** 12"x 6'8"

14" x 6'8" 14" x 8'0"

FCM581 FCM8581 **x**6 **x**6 2'8"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



FCM575 **× 6** 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM577 **x 6** 2'8["]x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM508 **× 6** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8'

Key

No Stile Lines

Brass Caming (1A)

Black Nickel Caming (1D)

Brushed Nickel Caming (1C)



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



X Wrought Iron (1W)

WBDR Options

6

Vented Sidelite (No Impact)

(6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

FCM8571

2'6" x 8'0"

2'8" x 8'0" 2'10"x 8'0"

3'0" x 8'0"

∎x6

X 6 12" x 8'0" 14" x 8'0" 12"x 6'8" ≵‡ 14"x 6'8" ≵‡



WBDR / HVHZ Options

1 6'6" Height Available

7'0" Height Available

FCM545SL FCM8545SL **× 6** 12" x 6'8" **x**6 12" x 8'0" 14" x 8'0" 14" x 6'8"



FCM8583SL **× 6** 12" x 6'8" **× 6** 12" x 8'0" 14" x 6'8" 14" x 8'0"

Riserva Glass Continues on next page.

Optional Dentil Shelf*



Riserva Glass Continued

Fiber-Classic_® Oak



FC574 FC8574 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'0" x 6'8" ‡



FC571 FC8571
 × 6
 × 6

 2'6"x 6'8" \$\$
 2'6"x 8'0"

 2'8"x 6'8" \$\$
 2'6"x 8'0"

 2'10"x 6'8" \$\$
 2'10"x 8'8"

 2'10"x 6'8" \$\$
 2'10"x 8'8"
 3'0"x 6'8" 🕹 ‡ | 3'0"x 8'0"



FC543 × 6 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC529 × 9 2'8" x 6'8" 2'10" x 6'8" FC8529 × 9 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



FC581 × 9 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ FC8581 × 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" ‡

FC8579 × 9 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC507 x 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC549 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



FC573SL × 6 10"x 6'8" 12"x 6'8" FC8573SL **× 6** 12"x 8'0" 14"x 8'0" 14" x 6'8"



■ X ● 6 12"x 6'8" Ň 14"x 6'8" Ň

FC8572SL ■ X ● 6 12"x 8'0" 14" x 8'0"











S571 ■ × 6 2'6"x 6'8" Å 2'8"x 6'8" Ň 2'10"x 6'8" Ň 2'10"x 6'8" Ň S8571 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"



S543 **× 6** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Fiber-Classic. & Smooth-Star.

FC585

FC506 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"







S508 X 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0"x 8'0"



X

E



\$507 2'8" x 6'8" 2'10" x 6'8" 2'0" x 6'8" 3'0" x 6'8"



S549 × 6 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"





S573SL X 9 12"x 6'8" **S8573SL X 9** 12"x 8'0" S5 10 12 14"x 6'8" 14"x 8'0' 14

572SL	S8572SL
0" x 6'8"	12" x 8'0"
2" x 6'8"	14" x 8'0"





S545SL **× 9** 12"x 6'8" 14" x 6'8"

S8545SL S583SL **× 6** 12" x 8'0" **× 9** 12"x 6'8" 14" x 6'8" 14" x 8'0" 14" x 8'0"



70.90 0 3'0" door + (2) 12" sidelites

500

Transoms can be stained or painted to match

a Fiber-Classic or Smooth-Star door system.



No Stile Lines X Wrought Iron (1W) Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")



× 6 12" x 8'0"

‡ 7'0" Height Available

Optional Dentil Shelf*



Concorde

Fiber-Classic_® Mahogany

FCM6095

■ ♦ :: ♦ 6



FCM910 ♦ :: ♦ 9
2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"





FCM820 FCM912 **■**♦ **:: * 6** ♦ ::: ♦ 6
2'8" x 6'8" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

FCM8735

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

• :: •



FCM911 ♦ :: ♦ 9
2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM891 ♦ III ♦ 6
2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



FCM6026 ♦ :: ÷ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM890SL

♦∷≎6

12"x 8'0"

14" x 8'0"

FCM6046

♦ :: ♦ 6

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



FCM916 ♦ :: ♦

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM915 🌣 💠 🔶 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 6'8"

3'0" x 6'8"



FCM735

• = •

2'8" x 6'8"

2'10"x 6'8'

3'0" x 6'8'



FCM809SL FCM81928SL Civitioussi Civi • • 12"x 8'0" 14" x 8'0"



FCM912SL FCM892SL ♦∷∻6 ♦ :: ♦ 6

12" x 8'0"

14"x 8'0"

12"x 6'8"

14" x 6'8"

FCM916SL • = • ♦∷≎6 12"x 6'8" 12"x 6'8" 14"x 6'8" 14" x 6'8"

FCM911SL FCM891SL ♦ # ♦ 6 12" x 8'0" 14"x 8'0"

Fiber-Classic_® Oak



FC910 81928P ♦ ::: ♦ 6
2'8" x 8'0" ♦ :: ♦ 6
2'6" x 6'8" 2'10"x 8'0' 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0" x 8'0" 3'0" x 6'8" ‡



FC6095 FC820

 → :: • 6
 → :: • 6

 2'6"x 6'8" Ň
 2'6"x 8'0"

 2'8"x 6'8" Ň
 2'8"x 8'0"

 2'10"x 6'8" Ň
 2'10"x 8'0

 3'0"x 6'8" Ň
 3'0"x 8'0"

 •••• 2'10"x 8'0"



FC912 ♦ :: ♦ 6
 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC780 81960P ♦ ::: ♦ 6
2'8" x 8'0" 2'10"x 8'0" 2'10"x 6'8' 3'0" x 6'8" 3'0"x 8'0"



FC911 81942P ◆ **::** ◆ **6** 2'6" x 6'8" 2'8"x 6'8" ‡ 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0" x 6'8" ‡



81985P ♦ :: ♦ 9
2'8" x 8'0"
2'10" x 8'0"
3'0" x 8'0"





FC915

♦ :: ♦

2'8" x 6'8"

2'10" x 6'8" 3'0" x 6'8"



FC797 ♦ :: ♦ 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"

81928PSL

◆ **#** ◆ **9** 12" x 8'0"

14"x 8'0"

FC809SL

12"x 6'8" Ň 14"x 6'8" Ň

FC910SL

♦ :: ♦ 6

10"x 6'8'

12"x 6'8"

14" x 6'8"



• :: • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC80947 ♦ :: ♦ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



♦∷≎6 2'8" x 8'0" 3'0"x 8'0"





12"x 6'8"

14"x 6'8"

81942PSL ◆ **∷ ◇ 9** 12"x 6'8" ◆ **#** ◆ **9** 12" x 8'0" 14"x 6'8" 14" x 8'0"

153

Fiber-Classic. & Smooth-Star.

Smooth-Star

FC8735

♦ :: ♦

2'8" x 8'0"

2'10"x 8'0"

FC913

♦ :: ♦

2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"

FC735

2'8"x 6'8" ‡

2'10"x 6'8" ‡

3'0"x 6'8" ‡ 3'0"x 8'0"

FC916

• :: •

2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

FC917

♦ :: ♦

2'6" x 6'8"

2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"



S6090 S85895 ♦ :: ♦ 6 ♦ :: ♦ 6 2'6"x 6'8" Å 2'6" x 8'0" 2'8" x 6'8" ⊥ ‡ 2'8"x 8'0" 2'10"x 6'8" Å ‡ 2'10" x 8'0" 3'0" x 6'8" 🛓 ‡ 🗍 3'0" x 8'0"



2'8" x 6'8" ⊥±

2'10"x 6'8" Ň

6

3'6"x 6'8"

S912 ♦ :: ♦ 9 **■**♦ :: ♦ **6** 2'6" x 8'0" 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0" 3'6"x 8'0"



S97

81928SL

• • = •

6 12"x 8'0"

14"x 8'0"

FC912SL

♦ :: ♦ 6

12"x 6'8

14" x 6'8"

81960PSL

♦ # ♦ 9
12" x 8'0"

14" x 8'0"

S85902 ♦ :: ♦ 6 ♦ :: ♦ 6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0"x 8'0"



♦ ::: ♦ 9
2'8" x 8'0" 2'8" x 6'8" ‡ 2'10"x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0"x 6'8" ‡



S6026 ♦ II ♦ 6 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Concorde Glass Continues on next page.

Key

- No Stile Lines Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") 6 WBDR Options
- 1 6'6" Height Available **‡** 7'0" Height Available
- WBDR / HVHZ Options

Concorde Glass Continued



♦ # ♦ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



♦ :: ♦ 6

S37 S837 ♦ :: ♦ 6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S430 ♦ = ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S400 • • = • 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 4 ‡ 3'0"x 6'8" 🛓‡ 3'6" x 6'8"



S773 • :: • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S6084 • :: • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

T

T

ψ



S1000 S1000
♦ III ♦
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"

154



3'0"x 6'8"

2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



S83147 ◆ **::** ◆ **9** 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Ų



S8735 S733
♦ III ◆
2'8" x 6'8" ‡
2'10" x 6'8" ‡ • :: • 2'8" x 8'0" 2'10" x 8'0" 3'0"x 6'8" ‡ 3'0" x 8'0"



S454 ◆ II ◆
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"

S416SL ♦ :: ♦ 9 12"x 6'8" S85895SL ◆ ∷ ◆ 9 12" x 8'0" 14" x 6'8" 14" x 8'0"

CNHRT

♦ III ◆ 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



CNRT Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



14"x 8'0"





1

Kensington

Fiber-Classic_® Mahogany



FCM148 ♦ # 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM626 ■ ◆ ::: ∮ 2'8"x 6'8" Ň 2'10"x 6'8" Ň



+::6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM149 FCM8149 ♦ # 6 ♦ # 6 2'8" x 6'8" 2'8"x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6036 ♦ # 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



♦ =: 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM151 ≅ **♦** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



• ። 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

FCM150

◆ II2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

Fiber-Classic_® Oak

FC626

FC62b ■ ◆ #: 6 2'8"x 6'8" Ň 2'10"x 6'8" Ň

3'0"x 6'8" ≛‡



FCM813SL FCM1442SL ■ ♦ **::** ● **9** 10"x 6'8" ◆**∷**9 12"x6'8" 14" x 6'8"



FCM8107SL

♦ :: 6 12" x 8'0"

14" x 8'0"

14"x 8'0"

FC152 • ::: 3'0" x 6'8"

Kensington Glass Continues on next page.

Key

FC148

• :: 6

2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0" x 6'8" ‡

- No Stile Lines
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") WBDR Options

WBDR / HVHZ Options

6

6

FC20042

2'8"x 6'8" 2'10"x 6'8"

3'0"x 6'8"

+ :: **6**

81961P

• :: 6

- 6'6" Height Available
- **‡** 7'0" Height Available





FCM149SL ♦ # 6
12" x 6'8" 14" x 6'8"

2'8" x 6'8" 2'10" x 6'8"



FC156 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FC149 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"

FC89701 ♦ ::: 6 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"





Kensington Glass Continued



Fiber-Classic. & Smooth-Star.

FC709 • ::: 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC151 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

• ::



• :::

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC150 ◆ ∷ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Smooth-Star.



2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FC86242 • :: • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC813SL ● ◆ ::: ● 6 12"x 6'8" Ň 14"x 6'8" Ň





• :: 6 12"x 8'0" 14"x 8'0"



S160 ◆ **:: 9** 2'8" x 6'8" ‡ 2'10" x 6'8" Å ‡ 3'0"x 6'8" Å ‡



S626 ■ ◆ :: 6 2'8"x 6'8" Ň 2'10"x 6'8" Ň 3'0"x 6'8" ≛‡ 3'6"x 6'8"



≥:0042
≥:8"x 6'8"
2'10"x 6'8"
3'0"x 6'8" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S156 ♦**∷** ∮ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S8149

+ :: 6

2'8"x 8'0"

2'10"x 8'0"

3'0" x 8'0"

S161 + :: 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



S6036 **+ :: 6** 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



• :: **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S89701 **•** :: 6 • :: 6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



S162 • :: 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S709 • :: 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC1442SL | 81961PSL ♦ # 6
12"x 6'8"
14"x 6'8" ♦ # 6
12"x 8'0"
14"x 8'0"

♦ :: 6
12"x 6'8"
14"x 6'8"



S163 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1001★ ■
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"

\$9342 ♦**∷ \$** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

1.7



\$83142 ♦**∷ ∮** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



12"x 6'8" 14"x 6'8"

田田

114

S6132SL ■ ♦ :: ● 6



S1442SL ◆ **∷ 6** 12" x 6'8" 14" x 6'8" 14" x 8'0"

S867SL ♦ :: 6 12"x 8'0" 14"x 6'8" 14" x 8'0"

三の二



KNRT 🔶 🎞 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Key

- No Stile Lines Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") **WBDR Options**
- WBDR / HVHZ Options 6'6" Height Available
- **‡** 7'0" Height Available

≵

Axis

Fiber-Classic. Mahogany







FCM81652 • 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



■ ◆ 9 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0"



FCM1647 • 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1654 • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FCM81654 3'0"x 8'0"



FCM1656 • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1658 3'0" x 6'8"



FCM1650 • • • 2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"

FCM1645 FCM81645



2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"



■ ◆ ● **9** 10"x6'8"

••• 12"x 8'0" 14"x 8'0"

12"x 8'0"

14"x 8'0"



12"x 6'8"

14"x 6'8"



12"x 8'0"

14"x 8'0"



12" x 6'8"

14" x 6'8"

12"x 8'0" 14" x 8'0"

Fiber-Classic. Oak

2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"



2'8"x 6'8" ‡ 2'10"x 6'8" ‡

3'0" x 6'8" ‡

FC1651 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



■ ◆ **9** 2'6"x 8'0" 2'4" x 6'8" Å 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å ‡ 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0"x6'8" ≛‡



FC1647 **+6** 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC81646 • • • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC1654 • 9 2'6"x 6'8" 2'8"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8" ‡ 3'0"x 8'0"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Fiber-Classic. & Smooth-Star.

Fiber-Classic. & Smooth-Star.

159



Smooth-Star





•6 • 6 12"x 6'8" 12"x 8'0" 14"x 6'8" | 14"x 8'0" FC1656SL | FC81654SL ♦ 9 12"x 8'0" 12"x 6'8" 14"x 6'8" | 14"x 8'0"



\$1652 S81652 •6 2'6"x 6'8" ± 2'6"x 8'0" 2'8"x 6'8" ± 2'8"x 8'0" 2'10"x 6'8" ± 2'10"x 8'0 3'0"x 6'8" ± 3'0"x 8'0" 2'10" x 8'0"



S1651 S81651 ■ **◆ ∮** 2'4" x 6'8" Å ■ ◆ **9** 2'6"x 8'0" 2'6" x 6'8" 🗴 2'8" x 8'0" 2'8" x 6'8" Ň 2'10"x 6'8" Ň 3'0"x 6'8" Ň 3'6"x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'6"x 8'0"



S1647 ♦ 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S1646 ♦ ∮ S81646 **+**6 2'8" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0"x 8'0"

S1654 S81654 •6 •6 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" ‡ 2'10" x 8'0" 2'10" x 6'8"‡ 3'0" x 8'0" 3'0" x 6'8"‡



◆ ∮
2'6" x 6'8" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0" x 6'8" ‡



S1658 •6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



◆ ∮
2'8'x 6'8" •6 2'8'x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0"x 8'0"





Axis Glass Continues on next page.

Optional Dentil Shelves*

4-Block Dentil Shelf Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

Key



- 6 WBDR Options
- 6 WBDR / HVHZ Options 1 6'6" Height Available
- **†** 7'0" Height Available

FC81651SL

Axis Glass Continued

S1645	S81645

S81649 ◆ **6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S1646SL ◆ 9 12"x 6'8" 14"x 6'8" S81646SL ◆ 9 12"x 8'0" 14"x 8'0" **S81646SL** ◆ **9** 12" x 8'0" S1656SL ♦ 9 12"x 6'8" S81654SL ♦ 9 12"x 8'0" 14"x 6'8" 14"x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"





3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



Note: See page 273 for important product details that may help with your purchase decision. Bottom: Fiber-Classic Mahogany Collection, Axis Glass, Door - FCM1652, ©TheHouseDesigners.com

Frosted Images

Fiber-Classic. Mahogany



FCM8113

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FCM11 **9** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



 2'6"x 6'8" ±
 2'6"x 8'0"

 2'8"x 6'8" ±
 2'6"x 8'0"

 2'10"x 6'8" ±
 2'10"x 8'0"

 3'0"x 6'8" ±
 3'0"x 8'0"

FCM763 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM66 FCM895 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" **9** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6023

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FCM6043 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Fiber-Classic_® Oak



FCM784 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



12"x 6'8" ≛‡

14"x 6'8" Ň

2'10" x 8'0"

WBDR Options

Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

3'0" x 8'0"

FCM81300SL FCM8113SL 12" x 8'0" **9** 12" x 8'0" 14" x 8'0" 14" x 8'0"



9 12" x 8'0" 14" x 8'0" 14" x 6'8"



FC11 9 2'6"x 6'8" 81970P **9** 2'8"x 8'0" 2'8" x 6'8" ‡ 2'10" x 8'0" 2'10" x 6'8" ‡ | 3'0" x 8'0" 3'0"x 6'8" ‡



FC813 **6** 2'6" x 8'0" FC669 2'6"x 6'8" ≜‡ 2'8"x 6'8" ≜‡ 2'10"x 6'8" ≜‡ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC763 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Key

No Stile Lines

+ Black Nickel Caming (1D)



9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



81931P 9 2'8"x 8'0" **5** 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10" x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0"x 6'8" ‡



81973P 6 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

WBDR / HVHZ Options

6'6" Height Available **‡** 7'0" Height Available

\$



3'0" x 6'8"

FC784 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



FC787 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Frosted Images Glass Continues on next page.

161

Frosted Images. Glass Continued



FC791

2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"







2'10" x 6'8" 3'0" x 6'8"









6 10" x 6'8" 12" x 6'8" 14" x 8'0" 14" x 6'8"



	f
当時の計画	ł
j,	
8196 9 12"x 14"x	3PSL 8'0" 8'0"

FC44SL **6** 12"x 6'8" 14"x 6'8"

Smooth-Star



S812 9 2'6"x 8'0" S138 6 2'6"x 6'8" Å 2'8"x 6'8" Å ‡ 2'10"x 6'8" Å ‡ 2'8"x 8'0" 2'10" x 8'0" 3'0"x 6'8" 🗴 ‡ 3'0"x 8'0"



S669

S813 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" Ň 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"

S84 **9** 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S94 **9** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



6 2'8"x 8'0"

2'10" x 8'0"

3'0"x 8'0"

9 2'8" x 6'8" ‡ 2'10" x 8'0" 2'10"x 6'8" ‡ 3'0" x 6'8" ‡

5 2'8"x 8'0"

3'0"x 8'0"



S6023 **9** 2'8"x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡





S994 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch Glass XC = Chord Glass

3'6" x 6'8"

XJ = Chinchilla Glass XN = Granite Glass XR = Rainglass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision. Right Page: Fiber-Classic Oak Collection, Satin Etch Glass with SDLs, Door - FCO2000XE-3C



Flush-Glazed Privacy & Textured Glass with Divided Lites

Note: For details on divided lite options, see pages 120–121.

Fiber-Classic_® Oak





FC1207_ **A N** 2'6" x 6'8" 🗴 2'8" x 6'8" 🛓 2'10" x 6'6" 3'0" x 6'8" 👗

2010 **A** 2'6" x 6'8" 👗 2'8" x 6'8" Å 2'10" x 6'6" 3'0" x 6'8" 🗴



2050 SL 6 N 12"x 6'8" 14"x 6'8"



FC02000_-2C 2'10"x 6'6" 3'0" x 6'8" 🗴





2050

2'6" x 6'8" 👗

2'8" x 6'8" 👗

2'10" x 6'6"

3'0" x 6'8" 🗴

A



Flush-Glazed Privacy & Textured Glass with Divided Lites Continues on next page.

Key

- No Stile Lines
- Flush-Glazed Glass (FG)
- Simulated Divided Lites (SDL)*

- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") 6 WBDR Options
- WBDR / HVHZ Options
- ▲ 6'6" Height Available
- **7'0"** Height Available

163

Flush-Glazed Privacy & Textured Glass with Divided Lites continued

FC02000_-4C FC082000_-4C A 🐂 2'6" x 6'8" 🗴 2'6" x 8'0" 2'8" x 6'8" 👗 2'8" x 8'0" 2'10"x 6'6" 2'10" x 8'0" 3'0" x 6'8" 🗴 3'0" x 8'0"



6 N

FC02000_-6C FC082000_-6C ۵ 🛤 2'6" x 6'8" 🗴 2'6" x 8'0" 2'8" x 6'8" 👗 2'8" x 8'0" 2'10" x 6'6" 2'10"x 8'0" 3'0" x 6'8" 👗 3'0" x 8'0"



FC5700_ FC85700 6 🕰 2'6" x 6'8" 🗴 2'6" x 8'0" 2'8" x 6'8" 👗 2'8"x 8'0" 2'10" x 6'6" 2'10" x 8'0" 3'0" x 6'8" 👗 3'0" x 8'0"

<u>الم</u>



FC5710_ FC85710_ 6 🕰 2'6" x 6'8" 🗴 2'8"x 6'8" 🗴 2'10" x 6'6" 3'0" x 6'8" 🛣





FC5720_ 2'10"x 6'6" 3'0" x 6'8" 🗴

164



A 2'6" x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"

FC5700_SL 6 🕰 12" x 6'8" 14"x 6'8"



FC5710_SL 12"x 6'8" 14" x 6'8"



FC5720_SL 12" x 6'8" 14" x 6'8"

Smooth-Star.



A 2'6" x 6'8" Å 2'8" x 6'8" 👗 2'10" x 6'8" 🛣 3'0" x 6'8" 🗴



S82105_ 2'6" x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



▲ 2'6"x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"









Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

XE = Satin Etch Glass XC = Chord Glass

XR = Rainglass

XJ = Chinchilla Glass XN = Granite Glass





S4813_ S84813_ **A** 6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0"x 8'0"



S5700_ 3'0" x 6'8" Å





S84814_

2'8"x 8'0"

A









3'0"x 6'8" Å



≥'6"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



Key

- Flush-Glazed Glass (FG) Simulated Divided Lites (SDL)*
- Simulated Divided Lites (SDLF1)*

Simulated Divided Lites (SDLF2)* Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

▲ 6'6" Height Available

3'0" x 8'0"

‡ 7'0" Height Available

Optional Dentil Shelf*

4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.





2'8" x 8'0" 2'10"x 8'0"

S2000_SL-2C S2000_SL-4C à 💐 🔘 🍐 🐂 🔴 10" x 6'8" 🛔 10"x 6'8" Å 12"x 6'8" Å 14"x 6'8" Å 12" x 6'8" Å 14" x 6'8" Å







2'8" x 8'0"

3'0" x 8'0"

S4814_

2'8" x 6'8"

A

2'10" x 8'0"



S82113_ ≥'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





S82116_ ▲ ■ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S84812 6 PU 2'8" x 8'0" 2'10" x 8'0"

Flush-Glazed Privacy & Textured Glass with Divided Lites Continued



Flush-Glazed Privacy & Textured Glass



2'0"x 6'8" 🗴 2'6" x 6'8" 👗



Smooth-Star



2'0"x 8'0" 2'6" x 8'0" 2'8" x 6'8" Å 2'10" x 6'8" Å 3'0" x 6'8" Å 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"

S82200_ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S4810_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



2'0"x 8'0"

2'6" x 8'0"

2'8"x 8'0"

3'0"x 8'0"

2'10" x 8'0"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch Glass XC = Chord Glass

XJ = Chinchilla Glass XN = Granite Glass XR = Rainglass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Fiber-Classic. & Smooth-Star.

Privacy & Textured Glass with Divided Lites

Fiber-Classic_® Mahogany





FCM138 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

FCM1285 • 2'6"x6'8" ≛‡



FCM18 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1284 2'6"x6'8" ≛‡ 2'8"x 6'8" ⊥± 2'10"x 6'8" Ň



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM65 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Note: For details on divided

lite options, see pages 120-121.

FCM6022 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6042_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



🔳 🐚 🌗

FCM92_SL 12"x 6'8" 14"x 6'8"



12"x 8'0" 14"x 8'0"

FCM65_SL 12" x 6'8"

14" x 6'8"



FCM605_ 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Fiber-Classic. Oak

12" x 8'0"

14" x 8'0"





Privacy & Textured Glass with Divided Lites Continues on next page.

3'0" x 6'8" ‡

Optional Dentil Shelves*

4-Block Dentil Shelf Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.



- No Stile Lines Flush-Glazed Glass (FG)
- Simulated Divided Lites (SDL)*
- Simulated Divided Lites (SDLF2)*
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") t 6'6" Height Available
- **‡** 7'0" Height Available

Privacy & Textured Glass with Divided Lites Continued



2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡





2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC92_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



81946P_ 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



FC65_ 2'6" x 6'8" 2'8"x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FC8321_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"





2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC809203_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

14" x 6'8"

XE = Satin Etch Glass

XC = Chord Glass



~		

81946P_SL FC63_SL 12" x 8'0" 12" x 6'8" 14" x 8'0" 14" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.



14" x 6'8"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.





XJ = Chinchilla Glass

XR = Rainglass



12" x 6'8" 14" x 6'8"

XN = Granite Glass

FC832_ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"









Smooth-Star.



Privacy & Textured Glass with Divided Lites Continues on next page.



Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") 6'6" Height Available
7'0" Height Available

Privacy & Textured Glass Continued



Privacy & Textured Glass

Fiber-Classic. Mahogany



 FCM10_
 FCM870_

 2'8"x 6'8"
 2'8"x 8'0"

 2'10"x 6'8"
 2'8"x 8'0"

 3'0"x 6'8"
 3'0"x 8'0"



FCM1283_ 2'4"x 6'8" Å 2'6"x 6'8" Å 2'6"x 6'8" Å 2'8"x 6'8" Å 2'8"x 6'8" Å 2'8"x 8'0" 2'8"x 8'0" 2'10"x 6'8" Å 3'0"x 6'8" Å



FCM32_ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



 FCM62_
 FCM862_

 2'8"x 6'8"
 2'8"x 8'0"

 2'10"x 6'8"
 2'8"x 8'0"

 3'0"x 6'8"
 3'0"x 8'0"



FCM6021_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch Glass XC = Chord Glass XJ = Chinchilla Glass XR = Rainglass

s XN = Granite Glass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

170



FCM6041_ 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM104_ 2'8" x 6'8" ‡ 2'10"x 7'0" 3'0" x 6'8" ‡



FCM601 6 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM708 FCM8708 2'8" x 6'8" 2'8"x 8'0" 2'10" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0"x 8'0"



2'8"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0"x 8'0"







FCM62_SL FCM862 SL 9 12"x 6'8"

9 12"x 8'0" 14"x 6'8" 14"x 8'0"

FCM12101_SL

1283_

 1203_______

 2'4"x 6'8" Å

 2'6"x 6'8" Ň

 2'8"x 6'8" Ň

 2'10"x 6'8" Ň

 2'10"x 6'8" Ň

3'0"x 6'8" ≛‡

FCM81200 SL 12"x 8'0" 14"x 8'0"

Fiber-Classic. Oak

81200_

■ **6** 2'6"x 8'0"

2'8"x 8'0"

2'10"x 8'0" 3'0"x 8'0"



9 12" x 6'8" 9 12"x 8'0" 14" x 6'8" 14"x 8'0"

FC766_

6 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

81943P_

2'10" x 8'0"

3'0"x 8'0"

6 2'8"x 8'0"



FC32______ 5 2'8" x 6'8" 2'10" x 6'8"

3'0" x 6'8"



2'10" x 8'0" 3'0" x 8'0"

Privacy & Textured Glass Continues on next page.

3'0"x 6'8" ‡



- 6 WBDR Options
- 6 WBDR / HVHZ Options

81200P_

2'8"x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FC10_

6 2'6"x 6'8"

2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

- 1 6'6" Height Available
- **‡** 7'0" Height Available

Optional Dentil Shelves*

4-Block Dentil Shelf Available for all Craftsman-style Fiber-Classic Mahogany Collection doors. Available for all Craftsman-style Smooth-Star doors.

Privacy & Textured Glass Continued



FC104_ **6** 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0" x 6'8" ‡



81971P_ **9** 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'8"x 6'8"

2'10" x 6'8"

3'0" x 6'8"



FC80920 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



6 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC708 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0" x 6'8" ‡

FC8708 2'8"x 8'0" 2'10"x 8'0" 3'0" x 8'0"



112 101 FC861_ 2'8"x 8'0" 2'10"x 8'0" FC61

2'6" x 6'8" ‡ 2'8" x 6'8" ‡

2'10"x 6'8" ‡

3'0" x 6'8" ‡

3'0"x 8'0"



••6

14" x 8'0"

12" x 8'0"

••6

81200P_SL FC47_SL

9 10" x 6'8" **9** 12" x 8'0" 12" x 6'8" 14"x 8'0" 14" x 6'8"



81943P_SL

9 12"x 8'0"

14"x 8'0"



81929P_SL

FC32_SL **6** 12"x 6'8" 14" x 6'8"

FC48_SL 9 12"x 6'8" 14" x 6'8"



Smooth-Star



FC803_

2'6" x 6'8" 2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

172



3'6" x 6'8"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 119.

XE = Satin Etch Glass XC = Chord Glass

XR = Rainglass

XJ = Chinchilla Glass XN = Granite Glass

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.



S6041_ 9 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S104_ ● 9 2'8"x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



S830_ 6 2'8" x 8'0" 2'10"x 6'8" 2'10"x 8'0" 3'0" x 8'0" 3'0" x 6'8"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S601_ 2'8"x 6'8" **5** 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"

S9320_ 6 2'8"x 6'8"

2'10"x 6'8" 3'0" x 6'8"



\$83120_ 6 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



S708_ S8708_ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S256_ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S296_ S896_ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S601_SL ● 6 10"x 6'8" 12"x 6'8" Ň 14"x 6'8" Ň 12" x 8'0" 14" x 8'0"





S8601_SL **9** 12" x 8'0"

14" x 8'0"

14" x 6'8"



Key No Stile Lines Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

9 WBDR Options



S751_SL 9 12" x 6'8"

14" x 6'8"

Å 6'6" Height Available

‡ 7'0" Height Available

S880_SL

9 12" x 8'0"

14"x 8'0"

Optional Dentil Shelf*

TT **4-Block Dentil Shelf** Available for all Craftsman-style Smooth-Star doors.

Internal Blinds

Note: Product images show exterior side of door.

Fiber-Classic. Mahogany



FCM141

2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"



FCM8115 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FCM81225 FCM1286 2'4" x 6'8" Å 2'6" x 6'8" Å 2'8" x 6'8" Å 2'10" x 6'8" Å ‡ 2'6" x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

FCM5425 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM678 FCM8678 2'8" x 6'8" 2'8" x 8'0" 2'10"x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM6035 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6055 2'8" x 6'8"

2'10"x 6'8" 3'0" x 6'8"





. 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 7'0" 3'0" x 6'8" ‡

FCM116







FCM678SL 12" x 6'8" 14" x 6'8" 14" x 8'0"

FCM8115SL 12"x 8'0" 12"x 8'0" 14"x 8'0" 14"x 8'0"









Fiber-Classic_® Oak











174











2'10"x 8'0" 3'0"x 8'0" 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8"‡

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.



FC116 •* 2'4" x 6'8" 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FC141SL ** 10"x 6'8" 12"x 6'8" 14"x 6'8"	81225PSL ** 12"x 8'0" 14"x 8'0"







12" x 6'8" 12"x 8'0" 14" x 6'8" 14" x 8'0"

12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Smooth-Star.



S130 S829



S6061 2'4" x 6'8" Å 2'6" x 6'8" Å 2'8" x 6'8" Ň 2'10" x 6'8" Ň 3'0" x 6'8" Ň 3'6" x 6'8" ■ * 2'6"x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6" x 8'0"



S8682 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0"x 8'0"



2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 2'0" x 6'8" ‡

Internal Blinds Continues on next page.



No Stile Lines Low-E Glass (LE)

1 6'6" Height Available

† 7'0" Height Available

Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

Internal Blinds Continued



Screen Vented Lites*

Smooth-Star.



2'10" x 6'8" ‡

3'0" x 6'8" ‡



S6054 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 6'8" ‡ 3'0" x 6'8" ‡

*Features a gliding operation and sash locking system.

2'10" x 6'8" ‡

3'0" x 6'8" ‡

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Flush-Glazed Clear Glass with Divided Lites

Fiber-Classic. Oak





FC1205 ▲ ** ♦ 2'6"x 6'8" <u>Å</u> 2'8"x 6'8" <u>Å</u> 2'10" x 6'6" 3'0"x 6'8" ≵

FC1206 **▲ * ♦** 2'6"x 6'8" <u>Å</u> 2'8"x 6'8" <u>Å</u> 2'10" x 6'6" 3'0"x 6'8" 🛓



▲ *** ■ •** 2'6" x 6'8" <u>↓</u> 2'8" x 6'8" <u>↓</u> 2'10"x 6'6" 3'0" x 6'8" 🛔



2010 **♦ * ■ • >** 2'6" x 6'8" Å 2'8"x 6'8" ≵ 2'10" x 6'6" 3'0"x 6'8" ≵



FC1204 **≜ * †** 2'6"x 6'8" <u></u>≵ 2'8" x 6'8" Å 2'10" x 6'6" 3'0"x 6'8" ≵



2050 ۵ 🗰 🍋 🍾 2'10" x 6'6" 3'0"x 6'8" ≵



Note: For details on divided lite options, see pages 120-121.

8000-12 * * * > 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



8000-18 **♦ * ♦ >** 2'0"x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0'



2150 < 🛊 🛤 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8'



FC1206SL ٭ 🌢 12" x 6'8" 14" x 6'8"



12" x 6'8" 14" x 6'8"



2050SL ۵ 🗰 🍋 🔪 12"x 6'8" 14" x 6'8"



FC02000-2C 2'8" x 6'8" 👗 2'10"x 6'6" 3'0" x 6'8" 🗴



♦ ★ ► ♦ 2'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



2'10" x 6'6"

۲ 🗮 🌢

12" x 6'8"

14" x 6'8"

FC082000-3C **♦ ★ ► ♦ 2**'0" x 8'0" 2'6" x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0" x 6'8" 🗴 3'0"x 8'0"



♦ * ■ + 2'0"x 8'0" 2'6"x 8'0" 2'8" x 6'8" Å 2'8" x 8'0" 2'10" x 6'6" 2'10" x 8'0" 3'0" x 6'8" Å 3'0" x 8'0"



2'8"x 6'8" Å

3'0" x 6'8" 🗴

2'10" x 6'6"

FC082000-6C **♦ ★ ► ♦ 2**'0" x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Flush-Glazed Clear Glass with Divided Lites Continues on next page.

Key

- No Stile Lines
- Flush-Glazed Glass (FG) ▲
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)**
- Flat White Grilles Between Glass Only (GBGFW)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- t. 6'6" Height Available
- **‡** 7'0" Height Available



Flush-Glazed Clear Glass with Divided Lites continued



 2009
 8000-9

 2'0"x 6'8" ±
 2'6"x 8'0"

 2'6"x 6'8" ±
 2'6"x 8'0"

 2'8"x 6'8" ±
 2'6"x 8'0"

 2'10"x 6'6"
 2'10"x 8'0"

 3'0"x 6'8" ±
 3'0"x 8'0"



FC1409 ▲ * ♦ 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



▲ * ↑ 12"x 6'8" 14"x 6'8"



FC5700 ▲ *** ©** 2'6" x 6'8" <u>Å</u> 2'8" x 6'8" <u>Å</u> 2'10" x 6'6" 3'0" x 6'8" <u>Å</u>

FC85700

▲ *** ©** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



 FC5710
 FC85710

 *** C * C**

 2'6" x 6'8" Å
 2'6" x 8'0"

 2'10" x 6'8" Å
 2'8" x 8'0"

 3'0" x 6'8" Å
 3'0" x 8'0"



 FC5700SL
 FC5710SL

 12"x 6'8"
 12"x 6'8"

 14"x 6'8"
 14"x 6'8"



*Available 2nd quarter 2017. To learn more about availability, call 1-800-323-3533. **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision. Top: Fiber-Classic Oak Collection, Clear Glass with SDLs, Door – FC5710, Sidelite – FC5710SL

Smooth-Star.

	'6" x 6'8"	▶ 6 '8" <u>Å</u> x 6'8" <u>Å</u> "x 6'8" <u>Å</u>	S2010 2'6"x 6'8" Å 2'6"x 6'8" Å 2'10"x 6'8" Å	S1204 ▲ ★ ↑ 2'6"x 6'8" Å 2'6"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å	S2050 2'6'×6'8' Å 2'8'×6'8' Å 2'8'×6'8' Å 2'10'×6'8'' Å 3'0'×6'8'' Å	S8000-12 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	S8000-18 • • • 2'6" × 8'0" 2'6" × 8'0" 2'8" × 8'0" 2'10" × 8'0" 3'0" × 8'0"
S2103 2'6"x 6'8" 2'6"x 6'8" 2'6"x 6'8" 2'6"x 6'8" 2'6"x 8'0 2'6"x 8'0 2'6"x 8'0 2'6"x 8'0 2'6"x 8'0 2'6"x 8'0 2'6"x 8'0 2'6"x 8'0	" 2'8" x 6'8" 0" 2'10" x 6'8"	S82104 2'6"x 8'0" 2'6"x 8'0" 2'8"x 8'0" 2'8"x 8'0" 3'0"x 8'0"	S2105 2'6"x 6'8" 2'6"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S82105 2'6"× 8'0" 2'6"× 8'0" 2'8"× 8'0" 2'10"× 8'0"	S2250 2'6"x 6'8" 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S82106 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	
S82107 2'6' × 8'0" 2'6' × 8'0" 2'8' × 8'0" 2'10" × 8'0" 3'0" × 8'0"	S2150 2'8' x 6'8" 2'8' x 6'8" 3'0" x 6'8"	S1205SL 10"x 6'8" Å 12"x 6'8" Å 14"x 6'8" Å	S1206SL 10"×6'8" Å 12"×6'8" Å 14"×6'8" Å	12" x 6'8" 👗	S2010SL 10"x 6'8" Å 14"x 6'8" Å	S2103SL S2104 12" x 6'8" 12" x 6'8" 14" x 6'8" 14" x 6'8	♦ * † > 6'8" 12"x 6'8"

Flush-Glazed Clear Glass with Divided Lites Continues on next page.

Key

- Flush-Glazed Glass (FG)
- 🌟 Low-E Glass (LE)
- Simulated Divided Lites (SDL)** Simulated Divided Lites (SDLF1)**
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
 - Removable Wood Grilles (RG)

Simulated Divided Lites (SDLF2)**

- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- 1 6'6" Height Available

Flush-Glazed Clear Glass with Divided Lites Continued



*Available 2nd quarter 2017. To learn more about availability, call 1-800-323-3533. **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision. Top: Smooth-Star, Low-E Glass with SDLs, Door – S84816, Sidelites – S8000SL


♦ * ■
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"





▲ *** ■** 2'8" x 6'8" 2'10" x 6'8" ♦ * ■
2'8" x 8'0"
2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



S2000SL-2C

S2000SL-4C

▲ ※ ■ ◆ ● 10"x 6'8" Å 12"x 6'8" Å

14"x 6'8" Å



S4812SL | S84812SL



S2009 S8000-9 **♦ * ♦ >** 2'0"x 8'0" 2'6" x 8'0" 2'8" x 8'0" 2'10"x 6'8" Å 2'10" x 8'0" 3'0"x 6'8" Å 3'0"x 8'0"



S1401 S81401 **♦ ₩ ♦ >** 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0" x 6'8' 3'0" x 8'0"



S1409 **♦ * •** 2'6"x 6'8" 2'8"x 6'8" 3'0"x 6'8"



S1401SL **▲ * ↑ ●** 10"x 6'8" <u>Å</u> 12"x 6'8" <u>Å</u> **♦ * •** 12"x 6'8" 14"x 6'8" 14"x 6'8" Å



3'0" x 6'8" Å

▲ ★ ☎ 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0" x 8'0"



S5710 ♦ **₩** 🔁 S85710 2'6" x 8'0" 2'8" x 8'0" 2'10"x 6'8" Å 2'10" x 8'0" 3'0" x 6'8" 🗴 3'0"x 8'0"





S2009SL

Flush-Glazed Clear Glass with Divided Lites Continues on next page.

S85700SL* ▲ *** ¤** 12"x 8'0"

14" x 8'0"

Key

- ۵ Flush-Glazed Glass (FG)
- ₩ Low-E Glass (LE)
- Simulated Divided Lites (SDL)**
- Simulated Divided Lites (SDLF1)**
- Simulated Divided Lites (SDLF2)**
- Flat White Grilles Between Glass Only (GBGFW)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC) ٠

Removable Wood Grilles (RG) Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") 1 6'6" Height Available

Optional Dentil Shelf**

4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.

Flush-Glazed Clear Glass with Divided Lites Continued



14" x 6'8'





Flush-Glazed Clear Glass



*Available 2nd quarter 2017. To learn more about availability, call 1-800-323-3533. **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision. Top: Smooth-Star, Satin Etch Glass with SDLs, Door – S5710XE, Sidelite – S5710XESL



S2100 ▲ ** 2'6" x 6'8" 2'8" x 6'8" 3'0" x 6'8"

Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 120-121.



FCM1209 * • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



Fiber-Classic_® Mahogany

***** 2'4" x 6'8" Å 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 3'0"x6'8" ≛‡



* • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1202 ***** 2'4"x 6'8" Å 2'6"x 6'8" Å ‡ 2'8"x 6'8" Å ‡ 2'10"x 6'8" 🛓 ‡ 3'0"x6'8" ⊥‡



FCM1212 *****♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1203 ***** 3'0"x6'8" ⊥ ‡



FCM138 *** ≥ 5** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1285 ■ * ■ • > 6 2'4"x 6'8" Å 2'6"x 6'8" Å ‡ 2'8" x 6'8" 👗 ‡ 2'10"x 6'8" 🛓 ‡ 3'0"x 6'8" 👗 ‡



FCM1208 * • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1200 ■ *** • 6** 2'4"x 6'8" Å 2'6"x 6'8" Å ‡ 2'8"x 6'8" Å ‡ 2'10"x 6'8" 🕹 ‡ 3'0"x 6'8" 🗴 ‡



FCM18 ***■♦>9** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM1284 ■ * ■ • > 6 2'4"x 6'8" Å 2'6"x 6'8" Å ‡ 3'0" x 6'8" 👗 ‡



FCM828 * • • • 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FCM81828 ■ *** † 9** 2'6"x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FCM81208P * • **6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

Key

٨

₩

No Stile Lines

Low-E Glass (LE)

Flush-Glazed Glass (FG)

Simulated Divided Lites (SDL)**

Simulated Divided Lites (SDLF2)**



FCM81829 ■ * *** 6** 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0"x 8'0"



₩ 🕈

1

2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM2107 * • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM2108 * 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM82 * ► • > 6 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



*> 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass with Divided Lites Continues on next page.

Optional Dentil Shelf**

4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.

Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

- WBDR / HVHZ Options 6'6" Height Available \$
- **‡** 7'0" Height Available

Clear Glass with Divided Lites Continued

FCM6097 FCM811 FCM8322 ★ > 2'8"x 6'8" ★ > 2'8"x 6'8" * ♦ 2'8" x 8'0" 2'10" x 6'8" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0" x 6'8" 3'0" x 8'0"





FCM8323 * • **6** 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



* ♦ 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FCM65 ***≥ > 5 > 5 2**'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FCM6022 *≈+>6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM6042 2'10"x 6'8" 3'0" x 6'8"



3'0"x 8'0"

FCM752 * • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM8752 FCM1201SL * • • 🔳 🗰 🛊 🔴 2'8" x 8'0" 2'10" x 8'0" 10" x 6'8" 3'0" x 8'0"



FCM1202SL FCM1200SL 🔳 🗰 🛉 🔴 10"x 6'8" 10"x 6'8" 12"x 6'8" ≵ ‡ 12"x 6'8" ≵ ‡ 14"x 6'8" Å ‡ 14"x 6'8" Å ‡



FCM12102SL FCM81208PSL ■ *** N *** > ● **9** 10"x 6'8" **>6 12" x 8'0" 14" x 8'0" 12"x 6'8" ≵ ‡ 14"x 6'8" Å ‡



FCM81208SL ■ *** * > ● 9** 12" x 8'0" 14"x 8'0"

FCM1089SL | FCM8311SL * * • 12"x 6'8" 12"x 8'0"

14"x 8'0"

14"x 6'8"





FCM8310SL *** ■ • 9** 12" x 6'8" *** ♦ 9** 12"x 8'0" 14" x 6'8" 14" x 8'0"

FCM8101SL FCM8675SL *** ■ * > 9** 12"x 8'0" *** ♦** 12"x 8'0"

14"x 8'0"

14"x 8'0"



14"x 6'8"

FCM3487SL *** ■ † 9** 12"x 8'0" 14"x 8'0" 14" x 8'0"

*2'0" frames do not have simulated divided lites option. **Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

185



FCM3000-2C FCM83000-2C * 🛤 🔶 * 🛤 🔶 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"



FCM83000F-2C ■ *** ■ +** 2'8" x 8'0" 2'4" x 6'8" Å 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 2'10" x 8'0" 3'0" x 8'0" 3'0"x 6'8" Å ‡



FCM3000-3C FCM83000-3C * 🖿 🔶 * 🛋 🔶 2'8"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0"x 8'0"



FCM3000F-3C *** = * N +** 2'0" x 6'8" 💌 2'8"x 8'0" 2'4" x 6'8" Å 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 2'10" x 8'0" 3'0" x 8'0" 3'0"x 6'8" Å ±



FCM3000-4C FCM83000-4C * 🛤 🔶 * 🛤 🔶 2'8"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0"x 8'0"



FCM3000F-4C 🔳 🍀 💐 🔶 2'0" x 6'8" 🚩 2'4"x 6'8" Å 2'6"x 6'8" Å ‡ 2'8"x 6'8" Å ‡ 2'10" x 6'8" 🛓 ‡

FCM83000F-4C 🔳 🍀 🐚 🔶 * 🖿 🔶 2'8" x 8'0" 2'8" x 6'8" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8"



FCM3000-6C FCM83000-6C * 🖿 🔶 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0"x 8'0"



FCM3000F-6C 🔳 🌞 🐚 🔶 📕 🍀 🐚 🔶 2'0" x 6'8" 🚩 2'4" x 6'8" Å 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 2'10" x 6'8" 🛓 ‡ 3'0" x 6'8" 👗 ‡

FCM83000F-6C * 🔊 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"



FCM605 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



* 🖿

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"



3'0" x 6'8"

3'0"x 6'8" 👗 ‡



2'10"x 6'8"

3'0" x 6'8"

Key

✦

No Stile Lines

🌟 Low-E Glass (LE)

Simulated Divided Lites (SDL)*,**

Flat White Grilles Between

Glass Only (GBGFW)









2'10" x 6'8" 3'0" x 6'8"

1 6'6" Height Available

‡ 7'0" Height Available

PVC Doorlite Frame**

FCM1289 FCM1402 * * * 6 2'4" x 6'8" Å 2'6" x 6'8" 👗 ‡ 2'8" x 6'8" 👗 ‡

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass with Divided Lites Continues on next page.

2'10"x 6'8" 🛓 ‡

Optional Dentil Shelf**

4-Block Dentil Shelf Available for all Craftsman-style Fiber-Classic Mahogany Collection doors.

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- **Removable Wood Grilles (RG)**
- Fixed Grilles (FXG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
- 9 WBDR Options
- 6 WBDR / HVHZ Options



Clear Glass with Divided Lites Continued



*

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

₩ 🕈

2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"

FCM1405 * 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"





* 🔶



FCM8704 * 🔶 2'8" x 6'8" 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



10"x 6'8"

12"x 6'8" ≵ ‡

14"x 6'8" ≟ ‡





FCM1400SL| FCM81944SL * ♦ * 🕈 12"x 6'8" 12"x 8'0" 12"x 6'8" 14"x 6'8" 14"x 8'0" 14"x 6'8"

FCM1405SL | FCM8145SL * 12"x 8'0" 14"x 8'0"

Fiber-Classic. Oak



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Top: Shown Left - Smooth-Star, Clear Glass with GBGs, Doors - S808; Shown Right - Fiber-Classic Oak Collection, Clear Glass with SDLs, Door - 81946P, Sidelites 81946PSL

187



1285 ****** 2'4" x 6'8" Å 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 3'0"x 6'8" Å ‡



2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FC1200 ■ * ◆ ∮ 2'4"x 6'8" Å 2'6"x 6'8" Å 2'8"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å ‡



FC18 * 🛋 🔹 🌖 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ±

	_	_	
			y
F			Q.
	_		W.

1284 FC828

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

81828 ■ * • **6** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



81208P *19 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0'



81208 ■ *** † 6** 2'6"x 8'0" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

* 🕈



FC2107 * • 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC2108 * 🕈 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC82





FC1089 * ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

٥



* 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8"



2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"

81945P ***** ■ ♦ > 9 2'8" x 8'0" 2'10"x 8'0" 3'0" x 8'0"



81946P *** ■ ♦ > 9** 2'8"x 8'0" 2'10" x 8'0" 3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.



- No Stile Lines
- 🔆 Low-E Glass (LE)
- Simulated Divided Lites (SDL)*

* ♦

2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"

- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC) **Removable Wood Grilles (RG)**
- Fixed Grilles (FXG)
- Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") WBDR / HVHZ Options

- 1 6'6" Height Available
- 7'0" Height Available

Clear Glass with Divided Lites Continued









FC8318 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC752 * 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

FC8752 * 🕈 🔶 2'8" x 8'0" 2'10"x 8'0" 3'0"x 8'0"



FC23 * • • 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



*2'0" frames do not have simulated divided lites option.

10"x 6'8" 12" x 6'8" 14" x 6'8"



* 12"x 6'8" ≵ ‡ 14"x 6'8" ≟ ‡ 12"x 6'8"

14" x 6'8"

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.



3'0" x 6'8"

FC1208SL * 19 10"x 6'8" 14"x 6'8" Å ‡ 12" x 6'8"

14"x 6'8"



3'0" x 6'8"

FC18SL * 🐚 🕇 > 6 10"x 6'8"

12" x 6'8"

14" x 6'8"

3'0" x 8'0"



• * **•** • > • 6 12"x 6'8" Å ‡ 14"x 6'8" Å ‡

FC8322

*

Fiber-Classic. & Smooth-Star.

FC8319 * • • • 2'8"x 8'0" 2'10" x 8'0"

3'0"x 8'0"

2'10"x 8'0" 3'0"x 8'0"

3'0"x 8'0"

Fiber-Classic. & Smooth-Star



FC3000-2C FC083000P-2C * 🖿 🔶 * 🖬 🔶 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" ‡ 2'10" x 8'0" 2'10"x 6'8" ‡ 3'0" x 8'0" 3'0"x 6'8" ‡





FC083000P-3C * 🖬 🔶 2'8" x 8'0" 2'10" x 8'0" 2'10" x 6'8" ‡ 3'0" x 8'0" 3'0" x 6'8" ‡

FC03000F-3C 🔳 🌞 🖿 🔶 2'0"x 6'8" 🗖 2'4" x 6'8" 🗴 2'8"x 6'8" ≜‡ 2'10"x 6'8" ≜‡ 3'0"x 6'8" 👌 ‡ 🛛 3'0"x 8'0"

FC083000F-3C ■ *** ■ +** 2'0"x 8'0" 2'4" x 8'0" 🕨 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0"

FC3000-4C FC083000P-4C * 🛤 🔶 * 🖿 🔶 2'6" x 6'8" 2'8" x 8'0" 2'8" x 6'8" ‡ 2'10"x 8'0" 2'10" x 6'8" ‡ 3'0" x 8'0"



FC03000F-4C FC083000F-4C 🔳 🌟 🐚 🔶 🔳 🍀 💐 🔶 2'0" x 6'8" 💌 2'0"x 8'0" 💌 2'4" x 6'8" 🗴 2'4" x 8'0" 🕨 2'6"x 6'8" ⊥± 2'6"x 8'0" 2'8"x6'8" <u>↓</u>‡ 2'8"x 8'0" 2'10"x 6'8" 🛓 🕴 2'10"x 8'0"



* 🖿 🔶

2'8" x 8'0"

2'10" x 8'0"

* 🐚 🔶

2'6" x 6'8"

2'8" x 6'8" ‡

3'0" x 6'8" ‡

2'10" x 6'8" ‡ 3'0" x 8'0"

٠

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"

FC03000F-6C

FC083000F-6C 🔳 🍀 💐 🔶 🔳 🌞 🖿 🔶 2'0"x 6'8" 💌 2'0"x 8'0" 🕨 2'4" x 6'8" 👗 2'4" x 8'0" 🕨 2'6"x 6'8" ⊥± 2'6"x 8'0" 2'8"x 6'8" ⊥± 2'8" x 8'0" 2'10"x 6'8" Ň 2'10" x 8'0" 3'0" x 8'0"

6

6



* 🐚 🔶 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



3'0" x 6'8" ‡

81949P 2'10"x 8'0" 3'0" x 8'0"

Clear Glass with Divided Lites Continues on next page.

Key

- No Stile Lines
- 🌟 Low-E Glass (LE)
- Simulated Divided Lites (SDL)*,**
- Flat White Grilles Between Glass Only (GBGFW)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- **Removable Wood Grilles (RG)**
- Fixed Grilles (FXG)

Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

- 1 6'6" Height Available **‡** 7'0" Height Available
- **PVC Doorlite Frame****
- WBDR Options WBDR / HVHZ Options

2'10"x 8'0"

3'0" x 8'0"

Clear Glass with Divided Lites Continued

81950P * ■ ◆ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC06188SL ※ ■ 10"x 6'8" 12"x 6'8" 14"x 6'8"	FC06184SL ■ ★ ■ ● 12"x 6'8" Å ‡ 14"x 6'8" Å ‡	FC06189SL ※ ■ 10"x 6'8" 12"x 6'8" 14"x 6'8"	FC06185SL ■ ★ ■ ● 12"x 6'8" Å ‡ 14"x 6'8" Å ‡	FC06190SL * = 10"x 6'8" 12"x 6'8" 14"x 6'8"	FC06186SL ■ * ■ ● 12"x 6'8" Å ‡ 14"x 6'8" Å ‡	81900PSL *	81947PSL ※ ■ 12"x 8'0" 14"x 8'0"	81949PSL ※ ■ 12"x 8'0" 14"x 8'0"
FC198 * • • 2'6'x 6'8" 2'8'x 6'8" 2'8'x 6'8" 2'10'x 6'8" ‡ 3'0''x 6'8" ‡	1289 • * • 6 2'4" 6'8" Å 2'6" K 6'8" Å 2'6" K 6'8" Å 2'6" X 6'8" Å 2'10" X 6'8" Å ‡ 2'10" X 6'8" Å ‡	FC1402 ★ ↑ 2'8"x 6'8" 2'10" x 6'8"	2'10		0" 2'8"x 6	** 2'8" x 8'0" 2'10" x 8'0' 6'8" ‡ 3'0" x 8'0"	FC8144 ★ ↑ 2'8"× 8'0" 2'10"× 8'0 3'0"× 8'0"	* 2'8 " 2'1	1411 "x 6'8" "x 6'8" "x 6'8"



FC1404 ** • 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



2'10"x 8'0" 3'0"x 8'0"



2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

FC1289SL

FC198SL

10"x 6'8"

12"x 6'8"

14" x 6'8"

* 🕈



14"x 6'8" 14"x 8'0"

FC1408SL | FC8145SL * ♦ 12"x 8'0" * 🕈

12"x 6'8" | 12"x 8'0" 14"x 6'8" | 14"x 8'0"

Smooth-Star.

S1209 2'6"x 6'8" Å 2'8"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å ‡	S1201 2'4"x 6'8" Å 2'6"x 6'8" Å 2'6"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å 3'6"x 6'8"	S1211 2'6"×6'8" Å 2'8"×6'8" Å 2'10"×6'8" Å 3'0"×6'8" Å 3'0"×6'8" Å ±	S1202 2'4" × 6'8" Å 2'6" × 6'8" Å 2'6" × 6'8" Å 2'6" × 6'8" Å 3'0" × 6'8" Å 3'0" × 6'8" Å 3'0" × 6'8" Å 3'6" × 6'8"	S1212 2'6"×6'8" Å 2'8"×6'8" Å 2'8"×6'8" Å 2'10"×6'8" Å 3'0"×6'8" Å \$	S1203 2'4"x6'8" Å 2'6"x6'8" Å 2'6"x6'8" Å 2'10"x6'8" Å 3'0"x6'8" Å 3'0"x6'8" Å 3'6"x6'8"	S128 2'6"x 6'8" Å 2'8"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å 4 3'0"x 6'8" Å	S141 2'4"x 6'8" Å 2'6"x 6'8" Å 2'6"x 6'8" Å 3'0"x 6'8" Å 3'6"x 6'8"
S1208 2'6' \$6'8" \$ 2'8' \$6'8" \$ 2'10" \$6'8" \$ 3'0" \$6'8" \$ \$	S1200 2'4"×6'8" Å 2'6"×6'8" Å 2'6"×6'8" Å 2'8"×6'8" Å 2'10"×6'8" Å 2'10"×6'8" Å 3'0"×6'8" Å 3'6"×6'8"	S108 2'6''x 6'8'' Ň 2'10''x 6'8'' Ň 3'0''x 6'8'' Ň	S6063 • 4"x 68" Å 2'6"x 6'8" Å 2'6"x 6'8" Å 2'10"x 6'8" Å 3'0"x 6'8" Å 3'0"x 6'8" Å 3'0"x 6'8" Å 3'0"x 6'8" Å	S828 * * * 6 2'6' × 8'0" 2'8" × 8'0" 2'10" × 8'0" 3'0" × 8'0"	S81828 • * * • • • 2*6* × 8*0* 2*6* × 8*0* 2*10* × 8*0* 3*0* × 8*0* 3*6* × 8*0*	S808 *** 6 2'6'* 8'0" 2'10"x 8'0" 3'0"x 8'0"	S81208 ••••• ***** ***** ***** ***** ***** ***** ***** ******
S2106 ** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	S2107 **9 2'8'x 6'8" 2'10''x 6'8" 3'0'' x 6'8"	S2108 2'8"x 6'8" 2'9"x 6'8" 3'0"x 6'8"	S82 2'8"x 6'8" 2'0"x 6'8" 3'0"x 6'8"	2'10"x 6'8" 2'10 3'0"x 6'8" 3'0"	* * 5 2'8"x 6' "x 8'0" 2'8"x 6' "x 8'0" 2'10"x 6 x 8'0" 3'0"x 6'	5'8" 2'10"x 8'0" 8" 3'0"x 8'0"	S2102 2'8"x6'8" 2'10"x6'8" 3'0"x6'8" S0"x6'8"

Key

- No Stile Lines
- k Low-E Glass (LE)
- Simulated Divided Lites (SDL)*
- ✦ Flat White Grilles Between Glass Only (GBGFW)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)

۲

 Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14")
 WBDR Options

WBDR / HVHZ Options

6

6'6" Height Available

Fiber-Classic. & Smooth-Star.

191

‡ 7'0" Height Available



Clear Glass with Divided Lites Continued



*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Top: Smooth-Star, Clear Glass with GBGs, Door - S1089, Transom - 19200T



S8320 * 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



* • • 6

2'8"x 8'0"

3'0" x 8'0"

2'10" x 8'0"

S32 *** ■ • > ◆ 6** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S151 * 🔶 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S807 ***** ■ ***** > ◆ 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



\$93203 *** ■ • > • ∮** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



\$831203 *** ■ • > ◆ ∮** 2'8"x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S115 ■ * ◆ 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



S8752

* 🕈 🔶

2'8" x 8'0"

S1200SL

10" x 6'8"

*** * • 6**

12"x 6'8" ≛‡

14"x 6'8" Ň

S308SL

* • • > • • •

12"x 6'8"

14" x 6'8'

S1170SL

10" x 6'8"

Removable Wood Grilles (RG)

Vented Sidelite (No Impact)

(6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

Fixed Grilles (FXG)

S808SL

***•**•>

12"x 8'0"

14" x 8'0"

S752 * 🕈 🔶 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

S255 * 🕈 🔶 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'10"x 8'0" 3'0"x 8'0"



S236 S8317 ٠ ٠ 2'6"x 8'0" 2'6"x 6'8" 2'8"x 8'0" 2'10"x 8'0" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0"x 8'0"



S237 * 🔶 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" (Scalloped Lite Frame)



10"x 6'8" 12"x 6'8" Ň 14"x 6'8" Ň



S1211SL

12" x 6'8"

14" x 6'8"

* 🕈

S1202SL **=** * † •

S1089SL | S8311SL

12" x 6'8" | 12" x 8'0" 14" x 6'8" | 14" x 8'0"

*

*

***** ♦ 12" x 6'8"

14" x 6'8"





Clear Glass with Divided Lites Continues on next page.

6 WBDR Options

S81186SL

■ * • > • 6 12"x 8'0"

14" x 8'0"

- WBDR / HVHZ Options 6
- \$ 6'6" Height Available
- **t** 7'0" Height Available

Key

S1208SL

*** ♦ 9** 12" x 6'8"

14" x 6'8'

- No Stile Lines
- Low-E Glass (LE)
- Simulated Divided Lites (SDL)*
- 4 Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

Fiber-Classic. & Smooth-Star.

Clear Glass with Divided Lites Continued



S3000F-3C \$83000F-3C 🔳 🍀 💐 🔶 🔳 🌞 🖿 🔶 2'0" x 6'8" 2'0"x 8'0" 🕨 2'4" x 6'8" Å 2'4"x 8'0" 2'6" x 6'8" 👗 2'6"x 8'0" 2'8" x 6'8" ±‡ 2'8" x 8'0" 2'10"x 6'8" 🛓 ‡ 2'10" x 8'0' 3'0"x 6'8" ≵‡ 3'0"x 8'0" 3'6" x 6'8" 3'6" x 8'0'



* 🛋 🔶 2'6" x 6'8" 3'0" x 6'8" 🗴 ‡

2'6" x 8'0"

2'8" x 8'0"

2'10" x 8'0"

3'0" x 8'0"



S3000F-4C S83000F-4C 🔳 🌞 🖿 🔶 **•** * **•** + 2'0"x 6'8" 2'0" x 8'0" 🕨 2'4"x 6'8" Å 2'4" x 8'0" 2'6" x 6'8" 👗 2'6" x 8'0" 2'8"x 6'8" Ň 2'8" x 8'0" 2'10"x 6'8" 🛓 ‡ 2'10" x 8'0" 3'0"x 6'8" ≵‡ 3'0" x 8'0" 3'6" x 6'8" 3'6" x 8'0'



S3000-6C \$83000-6C * 🖿 🔶 * 🖿 🔶 2'6" x 6'8" 2'6" x 8'0" t 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 2'8" x 8'0" 2'10"x 8'0" 3'0"x 6'8" ≵ ‡ 3'0" x 8'0"



S3000F-6C S83000F-6C 🔳 🌞 🖿 🔶 🔳 🍀 💐 🔶 2'0"x 6'8" 2'0" x 8'0" 🕨 2'4"x 6'8" Å 2'4"x 8'0" 2'6" x 6'8" 🗴 2'6" x 8'0" 2'8"x 6'8" Ň 2'8" x 8'0" 2'10"x 6'8" 🛓 ‡ 2'10" x 8'0" 3'0"x 6'8" ≛‡ 3'0" x 8'0" 3'6" x 8'0" 3'6" x 6'8"



*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.







S1408

2'6" x 6'8"

*

S8145 ₩ 🕈 2'8" x 8'0" 2'8" x 6'8" ‡ 2'10" x 8'0" 2'10" x 6'8" ‡ 3'0"x 8'0" 3'0" x 6'8" ‡

S704 S1406 S1407 S8144 S1411 S1404 S8141 S8704 * * * 🔶 * * ♦ * * * 🔶 2'8" x 6'8" 2'8"x 8'0" 2'8" x 6'8" 2'8" x 6'8" ‡ 2'8" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'8"x 8'0" 2'10" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 2'10" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 2'10" x 6'8" ‡ 2'10"x 8'0" 3'0"x 6'8" 3'0" x 6'8" 3'0" x 8'0" 3'0" x 6'8" 3'0" x 6'8" 3'0"x 8'0" 3'0"x 6'8" ‡ 3'0"x 8'0"

S1400

2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"

*

S898

*16

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

Clear Glass with Divided Lites Continues on next page.

Optional Dentil Shelf**

4-Block Dentil Shelf Available for all Craftsman-style Smooth-Star doors.

Key

S1405

2'6" x 6'8"

2'8" x 6'8" ‡

3'0" x 6'8" ‡

2'10"x 6'8" ‡

*

- No Stile Lines
- ₩ Low-E Glass (LE)
- Simulated Divided Lites (SDL)*,**
- Flat White Grilles Between Glass Only (GBGFW) ٠
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- **Removable Wood Grilles (RG)**
- Fixed Grilles (FXG)

Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") **WBDR** Options

- 6 WBDR / HVHZ Options
- 6'6" Height Available £ ŧ. 7'0" Height Available
- **PVC Doorlite Frame****

Clear Glass with Divided Lites Continued





19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems Grille Sticks Applied



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems Grille Sticks Applied

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.

19200T

3'0" Door Only Grille Sticks Applied

Clear Glass

Fiber-Classic. Mahogany



2'10"x 6'8'

3'0" x 6'8"

FCM870

2'10" x 8'0'

3'0"x 8'0"



FCM81200 ■ * **±** 9 2'0"x 6'8" **/** ■ * **±** 9 2'0"x 8'0" **/** 2'4"x 6'8" Å 2'6"x 6'8" Å ‡ 2'8"x 6'8" Å ‡ 2'10"x 6'8" Å ‡ 2'4"x 8'0" 🖊 2'6" x 8'0" 2'8"x 8'0" 2'10" x 8'0" 3'0" x 6'8" 👗 ‡ 3'0" x 8'0"



FCM32 * **9** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM62 FCM862 * **6** 2'8" x 6'8" *6 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0" x 8'0"

FCM6021 * **6** 2'8"x 6'8"

2'10" x 6'8" 3'0"x 6'8"

FCM6041 * **6** 2'8"x 6'8"

2'10" x 6'8"

3'0"x 6'8"

FCM670 ■ * **9** 2'4"x 6'8" 2'6"x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



FCM80 2'8" x 6'8" 2'10" x 6'8' 3'0" x 6'8"



FCM160 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'10"x 6'8" 3'0"x 6'8"

FCM132 2'8" x 6'8" 2'10" x 6'8' 3'0"x 6'8"







2'8" x 6'8"

3'0" x 6'8"





14"x 8'0' 14"x 6'8" ≟‡

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

196

Fiber-Classic. & Smooth-Star.



Fiber-Classic. Oak









FC32 * **9** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC766 * 9 2'8"x 6'8" 2'10" x 6'8" 81943P * \$ 2'8"x 8'0" 2'10"x 8'0" 3'0" x 8'0" 3'0" x 6'8"



FC62 * 6 2'6"x 6'8" 2'8"x 6'8" ‡ 81929P * **6** 2'8"x 8'0" 2'10" x 8'0" 2'10"x 6'8" ‡ 3'0"x 8'0" 3'0" x 6'8" ‡



3'0" x 6'8" ±

81971P * 9 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"

FC710 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC160 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"

Key

No Stile Lines

🌟 Low-E Glass (LE)

Turtle Glass



FC789 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

۲



2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

Vented Sidelite (No Impact)

(6'6" & 6'8" only in 12" & 14") (8'0" only in 14")

FC80920 * **6** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

6 WBDR Options

WBDR / HVHZ Options

1 6'6" Height Available

6



2'10" x 6'8" ‡

3'0" x 6'8" ‡

FC86220 *9 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"

‡ 7'0" Height Available

PVC Doorlite Frame*



FC708 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



FC803 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Clear Glass Continues on next page.

Optional Dentil Shelf*

4-Block Dentil Shelf Available for all Craftsman-style Fiber-Classic Mahogany Collection doors. Clear Glass Continued

FC61 * 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡	FC861 ₩ 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0"	FC47SL * 9 10"x 6'8" 12"x 6'8" 14"x 6'8"	81200PSL * 9 12"x 8'0" 14"x 8'0"	12101SL ■ * ● 6 12"x 6'8" &‡ 14"x 6'8" &‡	81200SL * • • • • 12"x 8'0" 14"x 8'0"	FC32SL * 9 12"x 6'8" 14"x 6'8"	81943PSL * 6 12"x 8'0" 14"x 8'0"	FC701SL ₩ 12"x 6'8" 14"x 6'8"	FC48SL 81929PSL * 6 * 6 12"x 6'8" 12"x 8'0" 14"x 6'8" 14"x 8'0"

Smooth-Star.

3'0" x 6'8" ‡



S118 *** ₫ 6** 2'6"x 6'8" Å 2'8"x 6'8" Å ‡ S818 * • • • 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'10"x 6'8" \$\$ \$ 2'10"x 8'0 3'0"x 6'8" \$\$ \$ 3'0"x 8'0



S140 ■ *** * 6** 2'0" x 6'8" **/** 2'4" x 6'8" **▲**

2'6"x 6'8" Å 2'8"x 6'8" Ň

S80 * **9** 2'8"x 6'8" 2'10"x 6'8" **S8140** ■ *** * 6** 2'0"x 8'0" **►** 2'4"x 8'0" **►** 2'6" x 8'0" 3'0" x 6'8" 2'8"x 8'0" 2'10"x 8'0" 3'0"x 8'0" 3'6"x 8'0"



S90 ★ ∮ 2'8"x 6'8" **S880 ★** ★ **9** 2'8" x 8'0" 2'10" x 6'8" 2'10" x 8'0" 3'0" x 6'8" 3'0"x 8'0"



 S206
 S81929P

 * 6
 2'6"x 6'8"

 2'6"x 6'8" ‡
 2'8"x 8'0"

 2'10"x 6'8" ‡
 2'10"x 8'0

 3'0"x 8'0"
 3'0"x 8'0"
 2'10" x 8'0" 3'0" x 6'8" ‡



S6021 * **9** 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

S6041 *6 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"

S104 ■* 9 2'4"x 6'8"

2'6" x 6'8"







S150





S102 •* 2'6" x 6'8" Å 2'8" x 6'8" Ň 2'10" x 6'8" Ň 3'0" x 6'8" Ň 3'6" x 6'8"



S770

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

2'8" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 6'8"

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.





S6080 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S105 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0" x 6'8" ‡



S601 * **9** 2'8" x 6'8" 2'10" x 6'8" S8601 * **9** 2'8"x 8'0" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"

Ē

S10 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S9320 * **9** 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S83120 * **6** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"



S8708 S708 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'0" x 6'8" ‡

S256 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



S296 S896 2'6" x 6'8" 2'6" x 8'0" 2'8" x 6'8" ‡ 2'8" x 8'0" 2'10"x 6'8" ‡ 2'10" x 8'0" 3'0" x 6'8" ‡ 3'0" x 8'0"







14"x 6'8" | 14"x 8'0"





3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



S601SL

■ * ● **6** 10" x 6'8"

14"x 6'8" ≵‡

12"x 6'8" 🛓 14"x 8'0"

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems





12" & 14" Sidelite Only

Transoms can be stained or painted to match a Fiber-Classic or Smooth-Star door system.



S761SL S210SL S85910SL * **9** 12"x 8'0" * **9** 12" x 6'8" 12"x 6'8" 14"x 6'8" 14" x 6'8" 14" x 8'0"



6

Key

Vented Sidelite (No Impact) (6'6" & 6'8" only in 12" & 14") (8'0" only in 14") WBDR Options WBDR / HVHZ Options

S150SL

12"x 6'8"

14"x 6'8"

1 6'6" Height Available **1** 7'0" Height Available

PVC Doorlite Frame*



Noise Reduction Doors

Therma-Tru_® Noise Reduction doors deliver aesthetics with a commercial level of performance for residential projects. Ideal for multi-use and urban in-fill projects located near sources of noise pollution, our Noise Reduction doors provide a Sound Transmission Class (STC) rating of 36. Our Noise Reduction lites also offer added security from forced entry with laminated glass surrounded by a standard Lip-lite frame.

Note: Also available in decorative full-lite glass option in aluminum Lip-lite frame.

Smooth-Star



S140STC S8140STC 2'6" x 8'0" 2'8" x 8'0" 2'10"x 6'8" 🛣 2'10" x 8'0" 3'0" x 6'8" 🗴 3'0"x 8'0"



S141STC **=** * + 2'10"x 6'8" 🛦 3'0" x 6'8" 👗



S6063STC **= * +** 2'6" x 6'8" 🗴 2'8" x 6'8" 👗 2'10"x 6'8" 🛣 3'0" x 6'8" 👗

Solid Panel Fiber-Classic_® Mahogany

-iber-Classic. & Smooth-Star.



FCM31 **6** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM220 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8'



FCM205 **9** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM755 **6** 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM600 **9** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FCM134 **9** 2'8"x 6'8"



FCM60 FCM860 **6** 2'8"x 6'8" **9** 2'8"x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 8'0" 3'0" x 6'8"





9 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC809 **6** 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



FC862 **5** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

*Available with elevated 10" bottom rail.

Note: See page 273 for important product details that may help with your purchase decision.



9 2'8"x 6'8"

2'10" x 6'8"

3'0" x 6'8"

S93

6 2'8"x 6'8"

2'10" x 6'8"

3'0" x 6'8"



Smooth-Star.

FC755 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC134 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FC60* **6** 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ **5** 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'0" x 6'8" ‡



1000 2'0"> 2'4"> 2'6" 2'8" 2'10' 3'0"

)	81000
	= 🧿
x 6'8"	2'0"x 8'0
x 6'8" ≴	2'4" x 8'0
x6'8"	2'6" x 8'0
x 6'8"	2'8" x 8'0
"x6'8"	2'10" x 8'
x6'8"	3'0" x 8'0

0" 0" 0" 0" 3'0" 0"



201

S960

6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

S220* S8200 6 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ **6** 2'8" x 8'0" 2'10" x 8'0"

3'0" x 8'0"

3'0"x 6'8" ‡

S200

S897 **6** 2'6" x 6'8" **6** 2'8"x 8'0" 2'8" x 6'8" 2'10" x 8'0" 2'10" x 6'8" 3'0"x 8'0" 3'0" x 6'8"



S8201 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0" x 8'0"



1

S831 **6** 2'8"x 8'0" 2'10"x 8'0" 3'0" x 8'0"







6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Key

S4800 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



S600 S8600 **6** 2'8"x 6'8" **6** 2'8"x 8'0" 2'10"x 6'8" 3'0"x 6'8" 2'10"x 8'0" 3'0"x 8'0"





2'6" x 6'8" 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

6 2'6"x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"

- No Stile Lines
- 🌟 Low-E Glass (LE)
- Flat White Grilles Between Glass Only (GBG-F)
- WBDR / HVHZ Options

- \$ 6'6" Height Available
- **†** 7'0" Height Available

S205

6 2'8"x 8'0" 2'10"x 8'0"

Profiles. Steel



Versatile, affordable options.



Coupling distinctive styling with affordability, Profiles steel doors offer versatile front entry and house-to-garage options. Designed to suit multiple home styles, these doors feature triple-shadowed panel embossments for greater detail.

Top: Profiles, Frosted Images Glass, Door – 206EHD, Sidelite – 289ESLHD Bottom: Profiles, Texas Star Glass, Door – 1035HD, Sidelites – 1032SLHD

Traditions Steel



Back to basics.



It's back to basics with Traditions. This line of steel doors combines attractive designs and value-based options to create a great, cost-conscious alternative for front entry and house-to-garage.

Top: Traditions, Clear Glass with SDLs, Door – TS3000-6C, Sidelites – 100SL Bottom: Traditions, Clear Glass with SDLs, Doors – TS263

Profiles. & Traditions Steel Doors

Find style at an affordable price point with options to match any home style and budget in Profiles and Traditions doors. Fire-rated options on 6'8" solid-panel doors make a perfect choice for house-to-garage.

- 1-1/4" lock stiles.
- 12-1/2" lock blocks.
- No stile lines.
- Primed, ready-to-paint surface.
- WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ.*
- 20-Minute Fire-rated options available on 6'8" solid-panel doors. See pages 227–231.



Profiles. Steel

Features 24-gauge steel, smooth surface and triple-shadowed panel embossments for greater definition.





Traditions Steel

Features 25-gauge steel, standard embossed smooth surface. All 8'0" doors are 24-gauge steel with standard embossments.



 = Available = Not Applicable P = Paint 	Profiles	Traditions
Door Widths		
2'0"		
2'4"		
2'6"		
2'8"		
2'10"		
3'0"		
3'6"		•
Door Heights		
6'6"		
6'8"		
7'0"		•
8'0"	•	
Glass Options		
Decorative	14	14
Privacy & Textured	5	5
Internal Blinds		
Screen Vented Lites		
Simulated Divided Lites		
Grilles Between Glass		
Removable Wood Grilles		
Fixed Grilles		
Low-E		
Clear		

Additional Options Finish

Ρ

Ρ

Retrofit Hinged Patio Doors

Replacing common slider sizes? Find hinged patio door options in this section. For more about our patio door systems, see pages 246–248.

5'0" Patio Opening = (2) 2'4" Doors 6'0" Patio Opening = (2) 2'10" Doors

*Please verify that there is a Therma-Tru product approval for the configuration before buying. **Decorative glass designs are shown in Profiles only.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass privacy ratings may be more or less than indicated, based on glass design and size of glass. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals.

Decorative & Specialty Glass Designs**





Black Nickel

Blackstone. Page 207 Glass Privacy Rating: 7



Black Nickel Brushed Nickel Maple Park. Page 209 Glass Privacy Rating: 6



Black Nickel

Wellesley Page 212 Glass Privacy Rating: 6



Axis. Page 214 Glass Privacy Rating: 7



Black Nickel Brass

Crystalline. Page 207 Glass Privacy Rating: 7



Avonlea. Page 210 Glass Privacy Rating: 4



Riserva Page 212 Glass Privacy Rating: 10



Frosted Images. Page 215 Glass Privacy Rating: 8



Art Glass / Black Nickel Brushed Nickel

Sedona Page 208 Glass Privacy Rating: 7



Saratoga. Page 211 Glass Privacy Rating: 7



Concorde Page 213 Glass Privacy Rating: 8



Internal Blinds Page 217, 222

Clear



Salinas. Page 209 Glass Privacy Rating: 10



Texas Star Page 211 Glass Privacy Rating: 5



Kensington. Page 214 Glass Privacy Rating: 8



Screen Vented Page 217, 222



Privacy & Textured Glass

Pages 216, 221



Satin Etch Glass (XE) Chord Glass (XC) Glass Privacy Rating: 10

Rainglass (XR)

Glass Privacy Rating: 8

Glass Privacy Rating: 10

Granite Glass (XN)

Glass Privacy Rating: 10





Glass Privacy Rating Scale

1	2	3	4	5	6	7	8	9	10
Clea	ar							Ор	aque

Also Available:

Divided Lites Pages 216, 217, 221, 223 Clear Glass Pages 217, 223



Note: See page 273 for important product details that may help with your purchase decision. Bottom: Profiles, Salinas Glass, Door - 968HD, Sidelites - 971SLHD

Blackstone

207





1037HD ◆ ::: ∮
2'8" x 6'8"
2'10" x 6'8" 3'0" x 6'8"



309HD

♦ ::: 6
2'6" x 6'8" ‡
2'8" x 6'8" ‡
2'10" x 6'8" ‡

3'0" x 6'8" ‡



1001HD ◆ ::: ∮
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



◆ ::: 9
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



♦ III 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0"x 6'8" ‡







310SL ◆ ∷ ∮ 10" x 6'8"

12" x 6'8" ‡

14" x 6'8" ‡



14" x 6'8"

1037SLHD • :: • 12"x 6'8" 311SLHD ♦ ::: 9 12"x 6'8" ‡

14"x 6'8" ‡



BSHRT •:: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



BSRT • :: 3'0" door + (2) 12" sidelites

Continuous Sill Systems Only

Crystalline



Key

- + Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- WBDR / HVHZ Options
- 1 6'6" Height Available
- **†** 7'0" Height Available

Crystalline Glass Continued

K) 183



1055HD • :: • 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

19820T

• :: •

208

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites

Continuous / Boxed Sill Systems



• :: • 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



916SL ♦ :: < 6</p> 10" x 6'8" 12" x 6'8" ‡ 14"x 6'8" ‡



956SLHD 975SLHD ♦ :: * 6 • :: • 12" x 6'8 12"x 6'8"

14" x 6'8"





♦ :: * 6 12" x 6'8" ‡ 14" x 6'8" ‡



950SLHD • • • 12"x 6'8" ‡ 14" x 6'8" ‡

936SLHD • :: • 12"x 6'8" ‡ 14"x 6'8" ‡



14" x 6'8"

19080T ◆ ... ◆
 3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems



19800T





• : • 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems

Note: Shown in art glass with black nickel caming.

965SLHD-A

965SLHD

12" x 6'8"

14" x 6'8"

•::

Sedona



139-A 139 •:: 2'6"x 6'8" Å ‡
2'8"x 6'8" Å ‡
2'10"x 6'8" Å ‡
3'0"x 6'8" Å ‡ 3'6"x 6'8" ‡





•::

2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0" x 6'8" ±

Note: See page 273 for important product details that may help with your purchase decision.



996HD-A Þ 996HD 2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



1114HD-A Þ 1114HD •:: 2'8" x 6'8" 2'10"x 6'8" 3'0"x 6'8"



294HD-A Þ 294HD •::: 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



139SL-A 139SL • ::: 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡



294SLHD-A Þ 294SLHD •::: 12"x 6'8" ‡ 14" x 6'8" ‡

rendering and a second s

19520T-A 🕨

19520T 🔶 🎞 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



19055T-A 🕨 19055T + 📰 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



Salinas.

Note: Product images show exterior side of door.

369 × 6 2'6" × 6'8" ± ‡ 2'8" × 6'8" ± ‡ 2'10" × 6'8" ± ‡ 3'0" × 6'8" ± ‡	968HD × 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	374HD 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	1002HD × 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1115HD × 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	372HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	371HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡
3'6" x 6'8" ‡	HD 371SLHD	SART	***			
369SL 971SL X 6 X 6 10"x 6'8" 12"x 6 12"x 6'8" ‡ 14"x 6'8" ‡	× 6 5'8" 12"x 6'8" ‡		elites s Only			

Maple Park



1006 ◆::: ∮ 2'8" x 6'8" ‡ 2'10" x 6'8" Å ‡ 3'0" x 6'8" Å ‡ 3'6" x 6'8" ‡

1009HD • ::: 6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

l



1007HD ◆ ::: 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



1011HD •::• 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1116HD • ::: 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



> II 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



- Art Glass / Black Nickel Caming (1D)
- + Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- Wrought Iron (1W)
- ♦ WBDR / HVHZ Options
 ▲ 6'6" Height Available
- **‡** 7'0" Height Available

Maple Park Glass Continued



Avonlea



210



1027 ◆ 5 2'8"x 6'8" ‡ 2'10"x 6'8" Å ‡ 3'0"x 6'8" Å ‡ 3'6"x 6'8" ‡

1038HD • 6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



1034HD • 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1107HD • 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1044HD 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡



1047HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1038SLHD • 9 12" x 6'8" 14" x 6'8" **1027SL 6** 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡



1031SLHD 9 12"x 6'8" ‡ 14"x 6'8" ‡



3'0" door + (2) 12" sidelites

1031HD • 6 2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0" x 6'8" ‡

3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Note: Product images show exterior side of door.

Saratoga



3'0" x 6'8" ‡

Key

- + Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- WBDR / HVHZ Options
- 1 6'6" Height Available
- **‡** 7'0" Height Available

Profiles... Steel

Wellesley

620 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 3'0" x 6'8" Å ‡ 3'6" x 6'8" ↓ 3'6" x 6'8" ‡	1041HD • :: • 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	623HD 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	989HD ◆∷★ 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	1120HD ◆ :: ◆ ∮ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	625HD ◆ ::	1022HD ♦:: ♦ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"
	14 条公学 全田			19720T ♦ :: ♦ 3'0" Door Only		
721HD ◆ :: ◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	620SL ◆ Ⅲ ◆ 6 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡	1041SLHD ◆ :: ◆ 9 12" x 6'8" 14" x 6'8"	625SLHD ◆ ::: ◆ 6 12"x 6'8" ‡ 14"x 6'8" ‡	19730T ♦∷★ 3'0" door + (2) 12" sidelite: Continuous Sill Systems On	ly 3'0'	

Riserva_m



571 × 6 2'6"×6'8" Å ‡ 2'8"×6'8" Å ‡ 2'10"×6'8" Å ‡ 3'0"×6'8" Å ‡ 3'6"×6'8" ‡



544HD x 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



576HD × 6 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"



578HD × 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



588HD X 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



14" x 6'8"

Note: Product images show exterior side of door.

584SLHD X 9 12"x 6'8" ‡ 14"x 6'8" ‡

67	000	
<u>e</u>	0909	
S	DAGENS.	

RSRT

X 3'0" door + (2) 12" sidelites Continuous Sill Systems Only

582HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡

Concorde_M

1028 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 3'0" x 6'8" Å ‡ 3'6" x 6'8" Å ‡	967HD • :: • 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	426HD 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡	999HD ◆ # ◆ 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	1118HD • :: • • • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	450HD ♦ :: ◆ 2'8" × 6'8" ‡ 2'10" × 6'8" ‡ 3'0" × 6'8" ‡	430HD ◆ :: ◆ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	453HD ◆ :: ◆ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡
400HD ◆ :: ◆ 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8" ‡	1024HD ◆ ∷ ◆ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	735HD ◆	454HD ◆	416SL ● :: ◆ 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡	967SLHD ● 377SLHD ●	430SLHD ↓ 12"x 6'8" ‡ 12"x 6' 14"x 6'8" ‡ 14"x 6'	8" ‡



CNHRT S'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



CNRT Silon door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

Key

- + Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W)



- 1 6'6" Height Available
- **†** 7'0" Height Available

213

Profiles... Steel

Kensington



626 • **::: 5** 2'8" x 6'8" ‡ 2'10" x 6'8" Å ‡



Ľ

966SLHD ◆ ■ 6 12" x 6'8"

14"x 6'8"



627HD ♦ :: ∮ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



2'10" x 6'8" 3'0" x 6'8"



1113HD • :: • 2'8"x 6'8" 2'10" x 6'8" 3'0" x 6'8"



628HD ♦ III 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡





630HD • ::: 2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8"



628SLHD • ::: 6 12"x 6'8" ‡ 14"x 6'8" ‡



• ::: 3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only



1651HD 651HD ◆ 6 2'4"×6'8" Å 2'6"×6'8" Å ‡ 2'8"×6'8" Å ‡ 2'10"×6'8" Å ‡ 3'0"×6'8" Å ‡ 3'6"×6'8" ‡





◆ ∮
2'8" x 6'8"
2'10" x 6'8"
3'0" x 6'8"



 ◆ ∮
 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0"x 6'8" ‡

1651SL **+**6 10"x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡

Note: Product images show exterior side of door.

3'0" x 6'8" ‡

215



AXRT

3'0" door + (2) 12" sidelites Continuous Sill Systems Only

Frosted Images

12" x 6'8" ‡ 14" x 6'8" ‡



14" x 6'8"



138 6 2'6"x 6'8" Å ‡ 2'8"x 6'8" Å ‡ 2'10"x 6'8" Å ‡ 2'10"x 6'8" Å ‡

963HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



206EHD 5 2'8" x 6'8" ‡ 2'10" x 6'8" ‡



985HD 985HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



1110HD 5 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



250HD 2'8"x 6'8" ‡ 2'10"x 6'8" ‡

3'0" x 6'8" ‡

289EHD 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0" x 6'8" ‡



253HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡ 3'6" x 6'8" ‡



1021HD 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



3'0" x 6'8" ‡

260HD 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡



138SL 6 10" x 6'8" 12" x 6'8" ‡ 14" x 6'8" ‡



289ESLHD 250SLHD **9** 12"x 6'8" ‡ 14"x 6'8" ‡ 14" x 6'8" ‡

12" x 6'8" ‡



+ Black Nickel Caming (1D)

- Brushed Nickel Caming (1C)
- WBDR / HVHZ Options
- **6'6"** Height Available
- **7'0"** Height Available

Privacy & Textured Glass with Divided Lites

	FIIT
128 2'6" x 6'8" Ň 2'8" x 6'8" Ň 2'10" x 6'8" Ň	108 2'6" x 6'8 2'8" x 6'8 2'10" x 6

3'0"x 6'8" ±‡

3'6" x 6'8" ‡

3'6" x 6'8" ‡



262HD 2'8" x 6'8" ± 2'10" x 6'8" ‡ 3'0" x 6'8" ±



2'6" x 6'8" ‡

2'8" x 6'8" ‡

3'0"x 6'8" ‡

2'10"x 6'8" ‡



Note: For details on divided lite options, see pages 120-121.

> 6720HD SL 263SLHD 12" x 6'8" 12"x 6'8" ± 14" x 6'8" ‡ 14" x 6'8"

Privacy & Textured Glass



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 206.

XE = Satin Etch Glass XC = Chord Glass

XJ = Chinchilla Glass XR = Rainglass

XN = Granite Glass

*Features a gliding operation and sash locking system.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.
Internal Blinds

Note: Product images show exterior side of door.

							THE REAL PROPERTY IN CONTRACT OF CONTRACT.	
130 * 2'4" x 6'8" \$ 2'6" x 6'8" \$ 2'6" x 6'8" \$ 2'8" x 6'8" \$ 2'10" x 6'8" \$ 3'0" x 6'8" \$ 3'6" x 6'8" \$	5425 ₩ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	132HD * 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	984HD ** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	1121HD ** 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	131 * 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡	130SL ** 10"x 6'8" 12"x 6'8" ‡ 14"x 6'8" ‡	5425SL ** 12"x 6'8" 14"x 6'8"	132SLHD ** 12"x 6'8" ‡ 14"x 6'8" ‡

Screen Vented Lites*



243HD







1102HD 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

137 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡

Clear Glass with Divided Lites

Note: For details on divided lite options, see pages 120-121.

1201 * ♥ 2'4"x6'8" Å 2'6"x6'8" Å ‡ 2'8"x6'8" Å ‡ 2'10"x6'8" Å ‡ 3'0"x6'8" Å ‡ 3'6"x6'8" ‡	1202 ** ♦ 2'4" x 6'8" Å 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 3'0" x 6'8" Å ‡ 3'6" x 6'8" ‡	1203 * ♦ 2'4" x 6'8" Å 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 3'0" x 6'8" Å ‡ 3'6" x 6'8" Å ‡	128 2'4" x 6'8" Å 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 3'0" x 6'8" Å ‡ 3'6" x 6'8" ‡	1200 * ◆ 6 2'4" x 6'8" Å 2'6" x 6'8" Å ‡ 2'8" x 6'8" Å ‡ 3'0" x 6'8" Å ‡ 3'0" x 6'8" Å ‡	108 2'4"x6'8" Å 2'6"x6'8" Å 2'6"x6'8" Å 2'8"x6'8" Å 2'10"x6'8" Å 3'0"x6'8" Å 3'0"x6'8" Å 3'6"x6'8" ⋕	2109HD * ↑ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	2110HD * ∮ ∮ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

Clear Glass with Divided Lites Continues on next page.

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)**
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- Removable Wood Grilles (RG)
- Fixed Grilles (FXG)
- WBDR / HVHZ Options
- 1 6'6" Height Available
- 7'0" Height Available

217

Clear Glass with Divided Lites Continued



3'6" x 6'8" ‡

3'6" x 6'8" ‡

*2'0" frames do not have simulated divided lites option.

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Note: See page 273 for important product details that may help with your purchase decision.

218



3000-4C * 🖬 🔶 2'0"x 6'8" 💌 2'4" x 6'8" Å 2'6" x 6'8" Å 2'8" x 6'8" Å ‡ 2'10" x 6'8" Å ‡ 3'0"x 6'8" 🗴 ‡ 3'6" x 6'8" ‡



* 🖿

6184SL 6185SL * 🖿 10" x 6'8" 10" x 6'8" 12"x 6'8" ‡ 12"x 6'8" ‡ 14"x 6'8" ‡ 14"x 6'8" ‡



198 * • 6 2'4"x 6'8" Å 2'6"x 6'8" Å ‡ 2'8"x 6'8" Å ‡ 12" x 6'8" ‡ 14" x 6'8" ‡ 2'10"x 6'8" Å ‡ 3'0"x 6'8" Å ‡ 3'6"x 6'8" ‡



1403HD * 2'8" x 6'8" 2'10" x 6'8" 3'0"x 6'8"



1408HD * 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0"x 6'8" ‡





2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"





19020T

3'0" door + (2) 12" sidelites Continuous Sill Systems Only 3'0" door + (2) 14" sidelites Continuous / Boxed Sill Systems Grille Sticks Applied

Clear Glass

E

206HD

2'6"x 6'8" ‡

2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0" x 6'8" ‡

*9

959HD

*9

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



1411HD * 2'6"x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡



3'0" x 6'8" ‡



3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only Grille Sticks Applied



704HD * 🔶 2'8" x 6'8" ‡ 2'10"x 6'8" ‡ 3'0" x 6'8" ‡



19200T

Grille Sticks Applied



1400SLHD

12"x 6'8"

14"x 6'8"

* 🔶



*

12"x 6'8" ‡ 14"x 6'8" ‡

289HD 2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

Clear Glass Continues on next page.

Key

118

₩∎9

2'0" x 6'8" ► 2'4" x 6'8" ▲ 2'6" x 6'8" ▲ 2'8" x 6'8" ▲ 2'8" x 6'8" ▲

2'10"x 6'8" \$ ‡ 3'0"x 6'8" \$ ‡ 3'6" x 6'8" ‡

- Low-E Glass (LE)
- Turtle Glass
- Simulated Divided Lites (SDL)*,**
- Flat White Grilles Between Glass Only (GBGFW) Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)

980HD

*9

2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

Removable Wood Grilles (RG) Fixed Grilles (FXG)

1101HD

2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"

*6

104

*6

2'6" x 6'8" ‡ 2'8" x 6'8" ‡ 2'10" x 6'8" ‡

3'0" x 6'8" ‡

- 6 WBDR / HVHZ Options
- \$ 6'6" Height Available
- ŧ. 7'0" Height Available

150HD

2'8" x 6'8" ‡ 2'10" x 6'8" ‡ 3'0" x 6'8" ‡

PVC Doorlite Frame** Profiles... Stee



* 🐚

10" x 6'8"

14"x 6'8" ±

198SL

10"x 6'8"

12"x 6'8" ‡

*•

3'0" Door Only





Clear Glass Continued



220

Profiles... Steel

Solid Panel

969HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	978HD 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	1005HD 9 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	205HD 6 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	203HD 5 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	210HD 6 2'6"× 6'8" ‡ 2'8"× 6'8" ‡ 2'10"× 6'8" ‡ 3'0"× 6'8" ‡	100 2'0"x 6'8" 2'4"x 6'8" 2'6"x 6'8" ‡ 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡ 3'6"x 6'8" ‡

Privacy & Textured options, see pages 120-121. Glass with Divided Lites 6185_SL 632_SL TS128_ TS108_ TS262_ 8321_ TS263_ 6184_SL 6186_SL TS263 SL 2'6" x 6'8" 2'6" x 6'8" 2'8" x 6'8" 2'8" x 8'0" 2'6" x 6'8" 10"x 6'8" 10" x 6'8" 10"x 6'8" 10"x 6'8" 12" x 6'8" 2'8" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 2'10" x 8'0" 2'8" x 6'8" 12"x 6'8" ‡ 12"x 6'8" ‡ 12"x 6'8" ‡ 12"x 6'8" ‡ 14"x 6'8" 2'10" x 6'8" 🗴 2'10"x 6'8" 🗴 3'0" x 6'8" 3'0"x 8'0" 14"x 6'8" ‡ 14"x 6'8" ‡ 14"x 6'8" ‡ 14"x 6'8" ‡

Privacy & Textured Glass



3'0" x 6'8"

3'0" x 6'8"

TS118_ 818_ 6 6 2'4"x 6'8" ≵ 2'6" x 8'0" 2'6" x 6'8" 2'8"x 8'0" 2'8" x 6'8" 2'10" x 8'0" 2'10"x 6'8" 🗴 3'0"x 8'0" 3'0" x 6'8'



TS206_ 8206_ 6 6 2'8" x 6'8" 2'8" x 8'0" 2'10" x 6'8" 2'10"x 8'0" 3'0" x 6'8" 3'0"x 8'0"



TS104_ 6 2'8" x 6'8" 2'10"x 6'8" 🗴 3'0" x 6'8"



2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



2'8" x 8'0"

2'10"x 8'0"

3'0" x 8'0"

2'8" x 6'8"

3'0" x 6'8"

2'10"x 6'8"



TS256 2'8" x 6'8" 2'10"x 6'8" 3'0" x 6'8"

Privacy & Textured Glass Continues on next page.

Privacy & Textured Glass Options Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 206.

1 6'6" Height Available

7'0" Height Available

XE = Satin Etch Glass XC = Chord Glass

XJ = Chinchilla Glass XN = Granite Glass XR = Rainglass

Key

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)*
- WBDR / HVHZ Options

Note: For details on divided lite



3'0" x 6'8"

Privacy & Textured Glass Continued



Internal Blinds



2'4" x 6'8" 🛓

2'10" x 6'8" 👗

2'6" x 6'8"

2'8" x 6'8"

3'0" x 6'8"

2'6" x 8'0"

2'8" x 8'0"

2'10"x 8'0"

3'0"x 8'0"

Traditions Steel

222





2'8" x 8'0"

3'0"x 8'0"

2'10" x 8'0"





Note: Product images show exterior side of door.



Screen Vented Lites*





TS243 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 206.

XE = Satin Etch Glass XC = Chord Glass

XJ = Chinchilla Glass XI XR = Rainglass

lla Glass XN = Granite Glass

*Features a gliding operation and sash locking system.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.



223

Traditions Steel

TS154 * 🔶 2'8" x 6'8"



2'10" x 6'8" 3'0"x 6'8"



8321

* • • > 6

2'10" x 8'0"

2'8" x 8'0"

3'0" x 8'0"

Clear Glass with Divided Lites Continues on next page.

TS263

* 🖿 🔹 🔺

2'6" x 6'8"

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

TS151

2'8" x 6'8"

2'10"x 6'8"

3'0" x 6'8"

* 🔶

Key

8322

2'8" x 8'0"

3'0"x 8'0"

2'10"x 8'0"

* 🕈

8323

*16

2'8" x 8'0"

3'0"x 8'0"

2'10"x 8'0"

- Low-E Glass (LE)
- Simulated Divided Lites (SDL)**
- ٠ Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC)
- **Removable Wood Grilles (RG)**

8324

*

2'8" x 8'0"

2'10" x 8'0"

3'0"x 8'0"

TS262

* 🛋 🔹 🔶 🍕

2'6" x 6'8"

2'8"x 6'8"

2'10" x 6'8"

3'0" x 6'8"

- Fixed Grilles (FXG) WBDR / HVHZ Options
- 1 6'6" Height Available
- **‡** 7'0" Height Available

Clear Glass with Divided Lites Continued



*2'0" frames do not have simulated divided lites option.

*•

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

2'8" x 8'0"

2'10" x 8'0"

3'0"x 8'0"

**Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

* 🕈

10" x 6'8"

12" x 6'8" ‡

14" x 6'8" ‡

* 🕈

12"x 6'8"

14" x 6'8"

* 🕈

2'6" x 6'8"

2'8" x 6'8"

2'10" x 6'8"

3'0" x 6'8"

Clear (Glass					
TS118 818 2'0"x 6'8" 2'0"x 8'0" 2'4"x 6'8" ± 2'0"x 8'0" 2'6"x 6'8" 2'6"x 8'0" 2'8"x 6'8" 2'10"x 8'0" 2'10"x 6'8" ± 3'0"x 8'0"	2'8" x 6'8" 2'10" x 8 2'10" x 6'8" 3'0" x 8'0	'0" 2'8" x 6'8"	TS150 * 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	TS289 * 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS153 ★ 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	TS105 ** 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" Å 3'0" x 6'8"
* * 2'6" x 6'8" 2' 2'8" x 6'8" 2'	8708 8708 8"x 6'8" 2'8"x 8'0" 10"x 6'8" 2'10"x 8'0" 0"x 6'8" 3'0"x 8'0"	₩ 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	TS296 896 * * 2'6"x 6'8" 2'8"x 8'0" 2'8"x 6'8" 2'10"x 8'0" 2'10"x 6'8" 3'0"x 8'0"	TS291 # 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"	100SL 818SL • 9 2"x 8'0" 10"x 6'8" 12"x 8'0" 12"x 6'8" ‡ 14"x 8'0" 14"x 6'8" ‡	

Traditions Steel

225







19220T

3'0" door + (2) 12" sidelites 3'0" door + (2) 14" sidelites Continuous Sill Systems Only

L 19200T

3'0" Door Only

19210T

12" & 14" Sidelite Only

- Key
- Low-E Glass (LE) ≝
- **Turtle Glass** Ż.
- Simulated Divided Lites (SDL)*,** Flat White Grilles Between Glass Only (GBGFW)
- Flat or Contour, White or Color Grilles Between Glass (GBGF / GBGC) Removable Wood Grilles (RG)
- Fixed Grilles (FXG)

۲

>

- WBDR / HVHZ Options
- 1 6'6" Height Available **‡** 7'0" Height Available
- **PVC** Doorlite Frame**

Solid Panel

1	ē	12	1
Ш		Н	
Ц		Į.	
īT	hii	lī	1
Ш		Ш	
Ш		11	l
ų		[]	



TS290 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"





TS210 810 **6** 2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 2'10" x 8'0" 2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'0"x 8'0"







Fire Doors Classic-Craft, Fiber-Classic, Smooth-Star, & Steel



Safety first.

Adjusta-Fit, 2 Frame



Using the right frame is critical in any top-quality door installation, and never more so than with Fire-rated products. Therma-Tru Adjusta-Fit 2 frame technology helps ensure an optimum fit and long-lasting performance. The frames are constructed with a commercial-grade, 18-gauge base frame; galvanized steel and factory-coated paint finish; and an all-aluminum, thermally broken threshold. These features make them ideal for interior and exterior applications, including corridor openings and outside unit entries.

Therma-Tru. Adjusta-Fit 2 frames also feature these key benefits:

- 90-Minute positive-pressure Fire-rating, third-party certified by Intertek, Warnock-Hersey.
- Standard 4-⁷/₄" ANSI 115.1, or 2-³/₄" T-lip strike prep option.
- Choice of standard, public access or no-sill options.
- Minimum 22-gauge closure with 1" of adjustability, suitable for walls from 4"-9-1/2" deep.

*To confirm fire door requirements in your jurisdiction, always check with your local building code authority. Note: To see the full results of third-party Intertek, Warnock-Hersey testing, visit www.thermatru.com/performancedata.

90-Minute Fire-Rated Steel Edge

Therma-Tru's TR 12-24 Steel Edge 90-Minute Fire-rated doors and door systems provide outstanding protection. Constructed with 24-gauge steel edges and tested to withstand at least 90 minutes of fire exposure at temperatures that reach more than 1,700 degrees Fahrenheit, the doors are perfect for multi-family living and house-to-garage projects. Available in a variety of door styles, sizes and lock preparations, the units are suitable for a minimum 4" wall depth or greater. Therma-Tru also offers all the necessary components – frame, weatherstrip, bottom sweep and sill – to complete a 90-Minute Fire-rated door system.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in an Adjusta-Fit. 2 frame.*





SE210HD 2'6"x 6'8" 2'8"x 6'8" ‡ 2'10"x 6'8" ‡ 3'0"x 6'8" ‡



SE514 2'8" x 6'8" ‡ 2'10" x 6'8" 3'0" x 6'8" ‡



2'10" x 6'8"

3'0" x 6'8" ±

2'6" x 6'8"

2'8" x 6'8" ‡

2'10" x 6'8'

3'0" x 6'8" ‡ 3'6" x 6'8" ‡



6 2'8" x 6'8"

3'0" x 6'8"

2'10" x 6'8"



SE1005HD 6 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"

20-Minute Fire-Rated Wood Edge

Therma-Tru offers an industry-leading selection of fiberglass 20-Minute Fire-rated doors. Most of our solid-panel fiberglass wood-edge doors can be ordered as 20-Minute Fire-rated product, featuring a proprietary cement-based core. Solid-panel steel wood-edge doors in select sizes can be ordered with the 20-Minute Fire-rated label. The doors are tested to withstand a minimum of 20 minutes of fire exposure at temperatures that reach more than 1,400 degrees Fahrenheit, and are certified and approved for use with mortise locks.

WBDR / HVHZ Options: Look for this icon to find door styles that can be configured for WBDR or HVHZ in a Therma-Tru-specified wood frame.* Classic-Craft. Mahogany Collection...



3'0"x 8'0"



CCMF060 3'0"x 6'8"



CCMF701 3'0" x 6'8"

*Please verify that there is a Therma-Tru product approval for the configuration before buying.

Rustic Collection





3'0"x 8'0"

3'0" x 6'8"



CCRF8225

3'0"x 8'0"



3'0" x 8'0"



3'0"x 8'0"





3'0"x 8'0"



CCRF040 CCRF8040 3'0" x 6'8" 3'0"x 8'0"



3'0" x 8'0"

3'0" x 6'8"



CCRF8040F

3'0"x 8'0"

Oak Collection



CCRF200

3'0" x 6'8"







Canvas Collection.



CCRF040F

3'0" x 6'8"



CCF91 3'0" x 6'8"

Key No Stile Lines WBDR / HVHZ Options **‡** 7'0" Height Available

CCF831 3'0"x 8'0"



CCF060 2'8" x 6'8" 3'0" x 6'8"

CCVF400

3'0" x 6'8"



3'0" x 6'8" 3'0" x 8'0"

CCVF205A 3'0" x 6'8" | CCVF8205A 3'0" x 8'0"

Classic-Craft Continues on next page.





CCRF8222

3'0" x 8'0"



CCRF8200 3'0"x 8'0"





3'0"x 8'0"

CCRF8220R 3'0" x 8'0"



Fiber-Classic.

Mahogany Collection





2'8" x 6'8"

2'10"x 6'8"



2'8" x 6'8"

3'0" x 6'8"

2'10"x 6'8"





FMF600 **6** 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"



FMF134 2'8"x 6'8" 2'10"x 6'8" 3'0"x 6'8"



FMF60 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" FMF860 9 2'8"x 8'0" 3'0" x 8'0"



 FMF100
 FMF8100
 6

 2'6"x 6'8"
 2'6"x 8'0"
 2'6"x 8'0"

 2'8"x 6'8" ‡
 2'8"x 8'0"
 2'10"x 8'8"

 3'0"x 6'8" ‡
 3'0"x 8'0"
 3'0"x 8'0"

2'8"x 6'8" 2'10"x 6'8" 3'0" x 6'8" 3'0" x 6'8"

Oak Collection



Smooth-Star.



Key

- No Stile Lines
- **WBDR Options**

1 6'6" Height Available

† 7'0" Height Available

6 WBDR / HVHZ Options



Modern design. Upbeat living.



Clean lines. Crisp angles. Sleek designs. Vintage style. Pulse is a contemporary series of door styles and glass designs that can be combined to make a bold statement. With three distinct aesthetic approaches – Ari, Línea and Echo – the entrance becomes modern art.

*Please verify that there is a Therma-Tru product approval for the configuration before buying. Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. Glass designs may differ from depiction due to size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more, including details on limited warranties and exclusions, ENERGY STAR qualified products and product approvals. Top: Pulse Línea, Satin Etch Glass with Flat Lite Frame, Door – S81RXE

Pulse.

It's your decision, by design.

Pulse is geometry with energy. Designed to be fun and easy to mix and match with sleek, flush door and sidelite styles, you can create a modern entrance without missing a beat. Explore all the possible combinations at www.thermatru.com/pulse. Mix and match to get the style numbers needed to order. Turn the page for a glimpse of available styles and sizes.





The creativity is unlimited. Stain or paint the entrance any color.

These doors and sidelites come ready to stain or paint. So there's no limit to the creativity you can use when it comes to finishing touches.





233

1 Start with a STYLE.

Combine doors and sidelites to create an entrance that fits your vision.



2 Choose a MATERIAL.

Each style is available in any of these material choices.



Wood-Grained Fiberglass: Mahogany or Oak (Shown in Natural Oak stain.) Steel

Smooth

Fiberglass

3 Select a GLASS.

Find an available glass design to complete the statement you want to make.

Privacy & Textured Glass

Available for all Pulse door styles.



4 Then select a FRAME.

Choose the flat profile for modern appeal or scrolled profile for vintage style.





Frame Options I Flat Lite Frame Scrolled Lite Frame

Flat Profile Lite Frame*

Scrolled Profile Lite Frame

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Right Page: Pulse Línea, Sedona Glass with Scrolled Lite Frame, Doors – S1SN

Pulse Size Options										
	Wood-Grained Fiberglass Smooth Fiberglass			Steel						
	6'8"	8'0"	6'8"	8'0"	6'8"	8'0"				
Doors	2'6" x 6'8" • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8"	2'6" x 8'0" • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"	2'6" x 6'8" • 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0" 3'6" x 8'0"	2'6" x 6'8" 2'8" x 6'8" 2'10" x 6'8" 3'0" x 6'8" 3'6" x 6'8"	2'6" x 8'0" • 2'8" x 8'0" 2'10" x 8'0" 3'0" x 8'0"				
Sidelites	10" x 6'8" ● 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"	10" x 6'8" • 12" x 6'8" 14" x 6'8"	12" x 8'0" 14" x 8'0"				

Available in full-lite sidelites only.
Available in Línea and Echo only.

--2



Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Ari			Note: Product images show exterior side of door.
III			
2 2			
III III			
III III			
S2RS S83RS X	S2AX S83AX ◆ □ ◆ □	S2	

Línea







S1RBS ♦:::**`**\$ S81RBS ♦:::**`**\$ S1LBL S81LBL

♦::***~**6

♦::**♦Г9**



Note: Product images show exterior side of door.

S1BL ♦:::♦**Г**∮ S81BL ♦:::♦**Г**∮









Línea Continues on next page.

Privacy & Textured Glass OptionsAdd the code to the blank in the style number for the desired door and
glass combination. For details on glass options, see page 234.XE = Satin Etch Glass
XC = Chord GlassXJ = Chinchilla Glass
XR = RainglassXN = Granite Glass

Key

- 🔆 Low-E Glass (LE)
- Art Glass / Black Nickel Caming (1D)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- Brass Caming (1A)
- X Wrought Iron (1W) Flat Lite Frame*
- Scrolled Lite Frame
- WBDR / HVHZ Options

237

Pulse.

Línea Continued

Note: Product images show exterior side of door.





Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

















S1R_ S1RCL**≭** □9 S81R_ S81RCL**≭** ⊆∮







Privacy & Textured Glass Options

Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

XE = Satin Etch Glass XC = Chord Glass

XJ = Chinchilla Glass XN = Granite Glass XR = Rainglass

Key

- ₩ Low-E Glass (LE)
- Black Nickel Caming (1D)
- Brushed Nickel Caming (1C)
- X Wrought Iron (1W)
- ▲ Flat Lite Frame*
- Scrolled Lite Frame
- WBDR / HVHZ Options

Pulse₌

Echo		Note:	Product images show exterior side of door.
S4LAX	S4AX	SARAX	SSLAX SSLAX
S5AX S5AX	SSRAX	S86LAX S86LAX	x SB6RAX ►
S9LAX	S9AX T S9RAX T T S9RAX T T T T T T T T T T T T T T T T T T T	SBLAX	SBAX



It's your decision, by design.

Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the possible combinations at www.thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision. Right Page: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S85CL

Pulse

Eaba

















Echo Continues on next page.

Privacy & Textured Glass Options Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234.

XE = Satin Etch Glass XC = Chord Glass XJ = Chinchilla Glass XR = Rainglass

illa Glass XN = Granite Glass ass

Key

Low-E Glass (LE)
 Black Nickel Caming (1D)



WBDR / HVHZ Options

📕 Flat Lite Frame*

Pulse

Echo Continued

Note: Product images show exterior side of door.

S5_ S5CL*	SSR_SSRCL*		S86L_ S86L_ S86LCL *	S86_ S86CL *	S86R_ S86RCL *
S9L_	S9_	S9R_	S8L_	S8_	SBR_
S9LCL *	S9CL*	S9RCL *	S8LCL *	S8CL *	S8RCL**
S811L_	S811_	S811R_	S810L_	\$810_	S810R
S811LCL**	S811CL **	S811RCL *	S810LCL**	\$810CL ★	S810RCL **

			It's your decision, by design.
			Select a look for the door and sidelites. Choose a material. Find an available glass design and frame to complete the statement. Stain or paint it any color. Explore all the
Wood-Grained Fiberglass: Mahogany or Oak (Shown in Natural Oak stain.)	Smooth Fiberglass	Steel	possible combinations at www.thermatru.com/pulse.

Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision.

Sidel	ites			Note: Product image	es show exterior side of door.
			現人令人派人令人思		and and a second
S4570SL ◆ :: ↓ ↓ S85927S ◆ :: ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	SL S6130SL ♦ :: ♦ ● 6 S84586SL ● : ♥ ● 6	S604SL-A S604SL ◆ :: ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓ ↓	S6134SL S859315 X T • 6 X T • 6	SL S6131SL ♦ ::: Г ● €	S6127SL ◆ Г ● 6
S602SL ◆ ::	S6135SL ₩ Г● ∮	\$572SL x r • 6 x r • 6	\$1651SL ◆□●∮ ◆□●∮	S601_SL S601SL S601SL S81086SL S81086SL S81086SL S81086SL S81086 SL S81086 SL S81086 SL S81086 SL SB1086 SL SL SL SL SL SL SL SL SL SL	S6128SL * Г ● * Г ●
S86AXSL	S5AXSL	S4AXSL	S811AXSL •	S810AXSL	S9AXSL

Sidelites Continue on next page.

Privacy & Textured Glass Options Add the code to the blank in the style number for the desired door and glass combination. For details on glass options, see page 234. XE = Satin Etch Glass XJ = Chinchilla Glass XN = Granite Glass XC = Chord Glass XR = Rainglass Key 🔆 Low-E Glass (LE) Brushed Nickel Caming (1C) **Scrolled Lite Frame** Art Glass / Black Nickel Caming (1D) Vented Sidelite (No Impact) (6'8" & 8'0" in 14") (6'8" full-lite only in 12") Brass Caming (1A) X Wrought Iron (1W) Black Nickel Caming (1D) ▲ Flat Lite Frame* WBDR / HVHZ Options

Sidelites Continued

Note: Product images show exterior side of door.

S86_SL S86CLSL *	S5_SL S5CLSL* S5CLSL*	S4_SL S4CLSL**	S811_SL S811CLSL*	S810_SL S810CLSL*	S9_SL S9CLSL**	S10_SL S10CLSL*



Note: Door and sidelite styles shown in smooth fiberglass with scrolled lite frame. To see styles in other material choices, go to www.thermatru.com/pulse.

*Not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Note: See page 273 for important product details that may help with your purchase decision. Top Left: Pulse Línea, Satin Etch Glass with Flat Lite Frame, Door – S1RXE, Sidelite – S601XESL Top Right: Pulse Ari, Satin Etch Glass with Flat Lite Frame, Door – S83XE Right Page: Pulse Echo, Low-E Glass with Flat Lite Frame, Door – S811CL, Sidelites – S81086SL

Pulse.



Hinged Patio Doors





Simply beautiful, any way you see it.

Extend the beauty and quality of a Therma-Tru. entrance to the back of the home with hinged patio doors. Find style and convenience that's unsurpassed from any view with smart options to control the level of privacy and light, complement window patterns, and let fresh air into the home.



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See your Therma-Tru seller or visit www.thermatru.com for details on limited warranties and exclusions, and ENERGY STAR qualified products. Top: Smooth-Star, Clear Glass, Doors - S140, Transoms - 19200T Bottom: Smooth-Star, Clear Glass with GBGs, Doors - S81828

Door Selections



Classic-Craft. Mahogany Collection



Classic-Craft. Rustic Collection

Fiber-Classic.

Smooth-Star.

Mahogany

Collection







Profiles... & Traditions

(Wood-grained images shown in Natural Oak stain.)





Clear

Glass Selections

Internal Blinds

Low-E Glass



Energy-efficient Low-E glass can help keep a home warm in the winter and cool in the summer. Available for internal blinds, divided lites and clear glass.

Flush-Glazed Glass

Glass built directly into the door during the manufacturing process offers a seamless appearance, wider daylight opening and high-performance weather seal.

= Available • = Not Applicable					
Door Selections	Classic-Craft.	Fiber-Classic.	Smooth-Star.	Profiles _m	Traditions
Material	Fiberglass	Fiberglass	Fiberglass	Steel	Steel
Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years
Finish Options	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Glass Selections					
Internal Blinds	•				
Flush-Glazed with Divided Lites	•			•	0
Flush-Glazed Clear	•			•	
Low-E with Divided Lites	Standard	Option	Option	Option	Option
Low-E	Standard	Option	Option	Option	Option
Clear with Divided Lites	•				
Clear	•				
Also Available	13 Decorative / 4 Privacy & Textured	14 Decorative / 5 Privacy & Textured	14 Decorative / 5 Privacy & Textured	14 Decorative / 5 Privacy & Textured	14 Decorative / 5 Privacy & Textured
Available Sizes					
Heights	6'8", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0", 8'0"	6'6", 6'8", 7'0"	6'6", 6'8", 8'0"
Single Widths	3'0"	2'0"-3'0"	2'0"-3'6"	2'0"-3'6"	2'0"-3'0"
Double Widths	6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"	4'0"-6'0"
Triple Widths	9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"	6'0"-9'0"
Retrofit Openings	•	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"	5'0", 6'0"
Additional Options					
Vented Sidelites (Single / Double Widths)	•	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	6'6", 6'8", 8'0" Heights in 2'4"–6'0" Widths	٠	٠
Screens & Screen Accessories Available Colors: Bronze, Stone, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Impact-Rated Options	•				
Tru-Defense Eligible				•	0

Hinged Patio Door Systems



A Therma-Tru_{*} patio door with genuine Therma-Tru components is a complete door system with doors, glass and components engineered to work together for durability and reliability through the years.

Patio Transoms

Transoms can be stained or painted to match a Fiber-Classic[®] or Smooth-Star[®] door system. Available for 5'0", 5'4", 5'8" and 6'0" patio openings.

Note: Patio transoms are designed for a unit with a mullion.



Vented Sidelites

Enjoy the view – and a fresh breeze, too.

- Constructed to provide ventilation without sliding screens blocking the view, vented sidelites work as small swinging doors with convenient removable screens — available in bronze and white.
- Engineered for durability and safety with wide patio mullions for strength, and multi-point locking gears and recessed strike plates for security.

Available Configurations



Single Door with Vented Sidelites (Inswing Only)



Double Doors with Vented Sidelites (Inswing Only)

Note: See page 273 for important product details that may help with your purchase decision. Right Page: Fiber-Classic Oak Collection, Clear Glass, Doors – 2000



Internal Blinds



Available Door Styles Fiber-Classic. Mahogany (Page 174) / Fiber-Classic. Oak (Page 174) / Smooth-Star. (Page 175) / Profiles... (Page 217) / Traditions (Page 222) See page numbers above for door styles and sizes.

Available Configurations

	-

Flush-Glazed Clear Glass with Divided Lites Colonial Style



Available Door Styles

Fiber-Classic Oak (Page 177) / Smooth-Star (Page 179) See page numbers above for door styles and sizes.



Available Configurations







Craftsman Style



Available Door Styles

Fiber-Classic. Oak (Page 177) / Smooth-Star. (Page 180) See page numbers above for door styles and sizes.



Available Configurations



Note: See page 273 for important product details that may help with your purchase decision.

Prairie Style



Available Door Styles

Fiber-Classic Oak (Page 178) / Smooth-Star (Page 181) See page numbers above for door styles and sizes.





Flush-Glazed Clear Glass



Available Door Styles

Fiber-Classic. Oak (Page 182) / Smooth-Star. (Page 182) See page numbers above for door styles and sizes.





Low-E / Clear Glass with Divided Lites

Colonial Style



Available Door Styles

Classic-Craft, Oak (Page 90) / Classic-Craft, Canvas (Page 107) / Fiber-Classic, Mahogany (Page 183) / Fiber-Classic, Oak (Page 186) / Smooth-Star. (Page 191) / Profiles. (Page 217) / Traditions (Page 223) See page numbers above for door styles and sizes.



Available Configurations



252





Craftsman Style



Available Door Styles

Fiber-Classic. Mahogany (Page 185) / Fiber-Classic. Oak (Page 189) / Smooth-Star. (Page 194) / Profiles. (Page 218) / Traditions (Page 224) See page numbers above for door styles and sizes.



Available Configurations



Note: See page 273 for important product details that may help with your purchase decision.
Prairie Style



Available Door Styles

Fiber-Classic. Mahogany (Page 185) / Fiber-Classic. Oak (Page 190) / Smooth-Star. (Page 195) / Profiles. (Page 219) / Traditions (Page 224) See page numbers above for door styles and sizes.





Low-E / Clear Glass



Available Door Styles

Classic-Craft Mahogany (Page 62) / Classic-Craft Rustic (Page 78) / Classic-Craft Oak (Page 90) / Classic-Craft Canvas (Page 107) / Fiber-Classic. Mahogany (Page 196) / Fiber-Classic. Oak (Page 197) / Smooth-Star. (Page 198) / Profiles... (Page 219) / Traditions (Page 225) See page numbers above for door styles and sizes.



Available Configurations



Door System Components

Door System Components





Engineered to work together.

More than a beautiful door. A Therma-Tru. door system with genuine Therma-Tru components is engineered with craftsman precision for durability and reliability through the years. With weather resistance and energy efficiency so the door performs as exceptionally as it looks.

Visit our online replacement parts configurator and helpful videos to maintain the integrity of a complete door system with genuine Therma-Tru components - www.thermatru.com/parts.

Left Page: Classic-Craft Mahogany Collection, Bella Glass, Doors - CCM895B Top: Classic-Craft Rustic Collection, Provincial Glass, Doors - CCR804028

Sills

Allow for a tight seal to help block wind-driven moisture infiltration at the bottom of the door. Available in a variety of materials with features to meet the needs of different climates and exposures. Ask your Therma-Tru seller for a complete list of options.

Inswing Options

Composite Adjustable Sill 📫

- · Thick wood-grained composite cap and nosing.
- U-shaped weather seal.

Continuous length with spread mullion capability to fill 49"-75" rough openings.*



Durable hardwood cap and nosing can be stained

- to match door and trim. U-shaped weather seal.
- Adjustable flush zinc dichromate screws.

Basic Composite Adjustable Sill

- · Wood-grained composite cap and nosing.
- Adjustable zinc dichromate screws with removable screw caps.

Basic Fixed Sill

 Slanted cap and nosing mates with the single-bulb bottom sweep.



All-aluminum construction.

Slanted cap.

Inswing Sill Extenders



Outswing Options

Composite Outswing Sill 📫

- · Thick wood-grained composite cap and nosing.
- Integrated weatherstrip.



Public Access Sill

Public Access Sill with Thermal Break** (For ADA Applications)

- All-aluminum construction.
 - Ramp slope meets Americans with Disabilities Act (ADA) requirements.
- Also available without thermal break.

Key

Tru-Defense Eligible

*See the Therma-Tru Architectural Details & Components manual for actual unit size specifications.

**Door systems built with public access sills have little resistance to water penetration and have a potential to leak if installed exposed to weather. We recommend these systems be installed away from weather under large soffits or overhangs.

***For full details on the Tru-Defense Warranty Rider, visit www.thermatru.com/trudefense.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important product details that may help with your purchase decision.

Sill Finishes



Bronze





Satin Nickel

Cap Colors



Lightwood (Premium) Composite Adjustable / Composite Outswing





Lightwood (Economy) Basic Composite Adjustable



Darkwood (Economy) Basic Composite Adjustable / Basic Fixed



Hardwood Hardwood Adjustable

 = Available = Not Applicable 	Inswing Options	Composite Adjustable	Hardwood Adjustable	Basic Composite Adjustable	Basic Fixed	Moderate Climate	Outswing Options	Composite Outswing	Aluminum with Thermal Break	Aluminum without Thermal Break	Coastal	Public Access (Inswing / Outswing)	Public Access (ADA)**
Sill Finishes													
Mill													
Bronze		_	•	•	•	•		_	•	•	•		•
Brass Satin Nickel		-	•	•	•	•		-	•	•	•		•
Cap Colors			1										
Lightwood Darkwood		_	•		•	•		-	•	•	•		•
Hardwood		•		•	•	•		•	•	•	•		•
			-					-					
Sill Configurations													
Single													
French Double Patio		-		•	•			-			•		•
Triple Patio		-		•	•	•		-	•	•	•		•
Lineal				•	•	•		•	•	•	•		•
		-											
Sidelite Configurations Boxed Sidelites		-	•	•	•	•		•	•	•	•		•
Single with Sidelites		-		•	•	•			•	•	•		•
French with Sidelites			•	•	•	•		•	•	•	•		•
Single Vented Sidelites			•	•	•	•		•	•	•	•		•
French Vented Sidelites			•	•	•	•		•	•	•	•		•
Depths													
4-9/16"			•			•		•	•				
5-3/4"										•	•		•
6-%16"		•	•	•	•	•		•	•	•	•		
7- ³ /4"						•		•		•	•		٠
Substrates													
Composite Extruded			•	•	•	•			•	•	•		•
Composite Injection Molded			•		•	•		•	•	•	•		٠
Treated Pine		•		•		•		•					٠
Composite Blocked		•	•	•	•			•	•	•	•		٠
Other Options													
Integrated Thermal Break						•				•	•		
Screen Rail Available				•	•	•			•	•	•		٠
Sill Extenders Available					•	•			•	•	•		٠
Sill Covers Available									٠	•	٠		٠
Tru-Defense Eligible***			•	٠	٠	٠			٠	•	٠		•
With Anchor Holes Without Anchor Holes		•	•	•	•	•		•			•		
Without Anonor Holos										•			•

Door Bottoms

Designed to mate with our sills and help provide added protection to help seal the margin between the door and sill.

Kerf-applied for a secure fit and made of a heavy-duty material that holds its shape to help maintain contact.

Inswing Options

Non-kerf-applied option available for replacement applications.

Available in bronze only.

Kerf-Applied Dual-Bulb / Dual-Fin Bottom Sweep

Sills: Composite Adjustable Hardwood Adjustable Basic Composite Adjustable

Colors: Bronze White

Outswing Options







ADA / Replacement



Inactive Door Bottom Sills:

Composite Adjustable Hardwood Adjustable Colors:

Bronze

Sill Protection

Shown over composite

adjustable sill.

Sill Covers (Recommended)

- Fits over the sill to help protect cap and finish from damage during installation.
- Made of a heavy-duty material to withstand wear.
- Available in a variety of options to fit our sills.

See page 256 for availability.



• Engineered with sloped channels to help collect and drain moisture away.

258

Corner Seal Pads (Inswing Only)

Fit securely behind weatherstrip and mate with our inswing sills to help block wind-driven moisture from pushing through

the corner and up the frame. (Not required for outswing sills.)

Classic-Craft, 7-Shape Pads 📲



Colors: Bronze White Sills: Composite Adjustable Hardwood Adjustable

Public Access



Colors: Bronze White Sills: Composite Adjustable Hardwood Adjustable Basic Composite Adjustable

Public Access

Basic Fixed Pads 📫 Colors: Bronze Sills: Basic Fixed Moderate Climate

Weatherstrip

Engineered in a variety of profiles for a precise seal between the door and frame. Made of a flexible, foam-filled material protected by a durable jacket to resist moisture and wear.



Rain Protection (Recommended)

Helps repel moisture away from areas exposed to wind-driven moisture infiltration, enhancing weather protection. Highly

recommended for applications directly exposed to wind and rain.



Hardware

Multi-Point Locking Systems (MPLS) (Recommended)

Engages the door and frame at three critical points from top to bottom for enhanced stability compared to traditional deadbolt assemblies. Features premium stainless steel construction that resists corrosion.

NEW Grip-Style MPLS

New grip-style handlesets offer an intuitive approach to the multi-point locking system with on-trend aesthetics. A simple 90-degree twist of the thumbturn (interior) or a key (exterior) is all it takes to engage the door frame at three points with no need to lift the handleset lever. An integrated mishandling device protects the door and frame from accidental damage. Features deadbolt located above handleset.

(Highly recommended for 8'0" fiberglass doors. Not recommended for steel doors. Strike plate package available. Active option only.)

Standard Door MPLS 💠





Tongue (For single door systems.) Heights: 6'8" Configurations: Inswing 0utswing 8'0"

Self-lubricating locks.
 1" premium stainless steel deadbolt.
 Integrated mishandling device.



Door System Components



Lever-Style MPLS

Lever-style handlesets bring form and function together with decorative styles. A convenient upward turn of the handle is required before all three points will engage. An integrated mishandling device helps protect the door and frame from accidental damage. Features deadbolt below the handleset.

(Highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors. Strike plate packages available to meet the installation needs of various MPLS applications.)

Standard Door MPLS 💠





Tongue (For single door systems.) Heights: Configurations: 6'8" Inswing 6'8" Outswing 7'0"



Shootbolt (For double door systems.) Heights: Configurations: 6'8" Inswing 6'8" Outswing 7'0"

Vented Sidelite MPLS





Tongue (Included in vented sidelite units.) Heights: 6'6" 6'8" 8'0"

Exterior view of door.

Handleset Options for Standard Door MPLS

Designed to complement Therma-Tru door styles from traditional to contemporary.





Finish Options for Handlesets & Hinges



*Not available for Forte and Prospect handlesets.

Hinges & Strike Plate

Interior

 = Available = Not Applicable 	Adjustable	Classic- Craft _® Ball- Bearing	Self- Aligning Ball- Bearing	Self- Aligning	Self- Aligning NRP (Non-Removable Pin)	Security Tab	Spring- Loaded	Adjustable Security Strike Plate (For Latch & Deadbolt)
Hinge Finish Options								Ţ)
Bright Brass				•	•	•	٠	•
Antique Brass				٠	•	•	٠	
Brushed Nickel			-	-				
Black Nickel			-	٠		•		
Polished Chrome			-	٠		•		
Oil-Rubbed Bronze			-	-		•		
Stainless Steel	٠			٠				
Zinc Dichromate	٠							
Hinges position the door	to properly co	moress the w	eatherstrin and	heln ensure s	mooth operati	ion Features (ntions to suit	various applications

Hinges position the door to properly compress the weatherstrip and help ensure smooth operation. Features options to suit various applications and mate with mortise pockets machined into our doors. Adjustable security strike plate wraps around the jamb and engages the frame for added support and strength, and resistance against forced entry.

Interior

Astragals

Cover the margin between double doors to help complete the seal against air and moisture infiltration, with aluminum construction for stability, holding power and durability. Available in a stainable wood-grained vinyl wrap or paintable aluminum.

Astragal

Textures Available

Oak Grain

Stainable (Shown in Natural Oak stain.)

Available with strike plates to receive a latch and deadbolt or multi-point locking system.

Integrated weatherstrip helps form a tight seal between the astragal and active door when closed.

Durable boot engineered to work with the active bottom sweep to complete the seal across the sill.

16-1/2" locking steel slide bolt can be vertically adjusted for a secure fit with the sill and frame.

product details that may help with your purchase decision.



Coastal option

Aluminum





Fir Grain



Configurations: Multi-Point Lock Grain Options: Weatherstrip:

Configurations: 7'0" Multi-Point Lock 8'0" Double Bore Left-Handed Width: Right-Handed 7/8' **Finish Colors:** Bronze White Weatherstrip: Bronze

also available.





Finish with the same stain as the doors. Kit available in seven finish colors on pages 264-265.

Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important Key Bottom: Classic-Craft Rustic Collection, Provincial Glass, Doors - CCR804028 Tru-Defense Eligible



SAME-DAY. STAIN

Create the authentic look of real wood in just a few simple steps.

- Achieve professional-looking results with an easy-to-use, quick-drying formula.
- Colorfast stain resists fading, bleaching and yellowing to create a beautiful finish.
- Finish colors can be applied in a variety of shades to complement multiple home styles.
- Specially formulated for Therma-Tru_® fiberglass doors.

All-Inclusive Kit

Contains everything needed to stain a Therma-Tru fiberglass double door system or a single door with two sidelites.*



Watch easy-to-follow instructions at www.samedaystain.com.

*Actual coverage may vary based on product selected, application method and desired appearance.



TAIN

TOPCOA

For Therma-Tru fiberglass doors. For complete details on the Same-Day Stain and topcoat limited warranty, go to www.samedaystain.com or ask your seller for more details.

ME-DAY

$Classic\text{-}Craft_{\tiny @} American \ Style \ Collection_{\tiny \mbox{--}}$

Light Oak	Mahogany
Natural Oak	Cherry
Walnut	Cedar
English Walnut	

Classic-Craft_® Mahogany Collection_™



Note: Finish colors may vary from an actual application due to fluctuations in finishing or printing. See page 273 for important product details that may help with your purchase decision.

Classic-Craft_® Rustic Collection™



Fiber-Classic. Mahogany Collection



Classic-Craft. Oak Collection



Fiber-Classic. Oak Collection

English Walnut



265

Special Quote Program

Don't sacrifice the look you want. In addition to thousands of standard glass choices, we offer additional glass options through our Special Quote Program to help you find the right look for virtually any home.

266



Privacy & Textured Glass

Achieve the desired look and level of privacy with additional options, including hammered glass doorlites shown above.





Divided Lites

Match various window patterns and home styles with additional grid patterns and color options.



Texas Star with Standard Brushed Nickel Caming



Texas Star with Special Quote Black Nickel Caming

Caming Colors

Pair black nickel, brushed nickel or brass caming with any decorative glass design to complement home hardware and fixtures.











Top: Classic-Craft Rustic Collection Door – CCR8222; Low-E Glass, Sidelites – CCR8000SL Bottom Left: Pulse Ari, Satin Etch Glass with Flat Lite Frame, Door – S83XE Bottom Right: Classic-Craft Rustic Collection Door – CCR100, Strap Hinges

3'6" Width Door Style Options

Classic-Craft.

Door Styles									
Glass Designs									
Homeward _™	•		•				•		
Augustine	•	•	•	•	•	•	•		
Arborwatch	•		•				•	-	
Borrassa	•	•	•	•	•	•	•		
Lucerna	•		•				•		
Rainglass	•		•				•		
Low-E	•		•				•		

Key

Classic-Craft₀ American Style Collection™

- Classic-Craft₀ Rustic Collection™
- ▲ Classic-Craft_® Oak Collection_™
- Smooth-Star.
- Profiles™ & Traditions

Solid-Panel Door Styles



Smooth-Star, Profiles, Traditions & Pulse

							All Puls	e Styles					
Door Styles Glass Designs				Β						:			
Blackstone	*)	*				*)	*						
Crystalline _™	*)	*				*)	*						
Sedona	*)					*)	*						
Salinas	*)	*				*)	*						
Maple Park.	*)					*)							
Avonlea	*)					*)							
Saratoga _™	*)					*)	*						
Texas Star	*)					*)							
Wellesley™	*)	*											
Riserva™	*)	*		*)	*	*)	*						
Concorde™	*)	*	*)										
Kensington	*)												
Axis™	*)	*		*)	*	*)	*	*)	*	*)	*		
Frosted Images.	*)	*	*)										
Privacy & Textured Glass	*)	*		*)	*	*)	*	*)	*	*)	*		
Internal Blinds	*)	*				*)	*						
Divided Lites	*)	*											
Clear	*)	*	*)	*)	*	*)	*	*)	*	*)	*		
Solid Panel												*)	*

7'0" Height Door Style Options

Door Styles	П											
Glass Designs												
Blackstone.	▼▲*♪	*	*								VA*)	
Crystalline _™	▼▲*♪	*	*						*		▼▲*♪	
Sedona	▼▲*♪	*	*								▼▲*♪	
Salinas	▼▲*♪	*	*								▼▲*♪	
Maple Park.	▼▲*♪	*	*					*			▼▲*♪	
Avonlea	▼▲*♪	*	*								▼▲*♪	
Saratoga _™	▼▲*♪	*	*					*			▼▲*♪	
Texas Star	▼▲*♪	*	*								▼▲*♪	
Wellesley	▼▲*♪	*	*					*			▼▲*♪	
Riserva™	▼▲*♪	*	*								▼▲*♪	
Concorde™	▼▲*♪	*	*			*)		*			▼▲*♪	
Kensington™	▼▲*♪	*	*								▼▲*♪	
Axis™	▼▲*♪	*	*						*		▼▲*♪	
Frosted Images.	▼▲*♪	*	*			*)					▼▲*♪	
Privacy & Textured Glass	▼▲*♪	*	*	▼▲*♪				*	*		▼▲★♪	
Internal Blinds	▼▲*♪	*	*	▼▲*♪							▼▲*♪	
Screen Vented		*)	*	*)								
Divided Lites	▼▲*♪	*	*				*)	*			▼▲*♪	
Clear	▼▲*♪	*	*	▼▲*♪		*)	*)	*	*		▼▲*♪	
Solid Panel												

6'6" Height Door Style Options

Door Styles Glass Designs					
Blackstone	▼▲*♪			▼▲*	
Crystalline _™	▼▲*♪			▼▲*	
Sedona	▼▲*♪			▼ ▲*	
Salinas	▼▲*▶			▼ ▲*	
Maple Park.	▼▲*▶			▼ ▲*	
Avonlea。	▼▲*▶			▼ ▲*	
Saratoga _™	▼▲*▶			▼ ▲*	
Texas Star	▼▲*▶			▼ ▲*	
Wellesley _™	▼▲*▶			▼ ▲*	
Riserva™	▼▲*▶			▼ ▲*	
Concorde™	▼▲*▶		*)	▼ ▲*	
Kensington™	▼▲*▶			▼ ▲*	
Axis	▼▲*▶			▼ ▲*	
Frosted Images.	▼▲*▶		*)	▼ ▲*	
Privacy & Textured Glass	▼▲*▶			▼ ▲*	
Internal Blinds	▼▲*▶			▼ ▲*	
Screen Vented		•			
Divided Lites	▼▲*♪			▼ ▲*	
Clear	VA*)	•	*)	▼▲*	
Solid Panel					▼▲*♪

Key

- ▼ Fiber-Classic_® Mahogany Collection_™
- ▲ Fiber-Classic_® Oak Collection_™
- * Smooth-Star.
- ▶ Profiles. & Traditions
- Steel Edge





Bottom: Smooth-Star Door - SSF220

Entry & Patio Door Systems

272

		3101113			
Feature	Classic-Craft₀	Fiber-Classic。 & Pulse。 Wood-Grained	Smooth-Star. & Pulse. Smooth	Profiles _™ & Pulse₌ Steel (6'8")	Traditions & Pulse Steel (8'0")
Skin Material	Fiberglass	Fiberglass	Fiberglass	24-Gauge Steel	6'8": 25-Gauge Steel / 8'0": 24-Gauge Steel
Skin Texture	Oak, Mahogany, Fir Grain; High-Detail Smooth	Oak, Mahogany Grain	High-Detail Smooth	Smooth	Smooth
Exterior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Interior Finish	Stain or Paint	Stain or Paint	Paint	Paint	Paint
Panel – Top Rail	Composite	Composite	Composite	Wood	Wood
Panel – Bottom Rail	Composite	Composite	Composite	Composite	Composite
Lock Stile	4-1/8" Full-Length Engineered Lumber Stile	1-¼" Engineered Lumber	1-¼" Engineered Lumber	1-¼" Wood	1-1⁄4" Wood
Lock Block	4-1/8" Full-Length Engineered Lumber Stile	22-1⁄2" Wood	12-1⁄2" Wood	12-1⁄2" Wood	6'8": 12-½" Wood / 8'0": 22-½" Wood
Height Options	6'8" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8", 7'0" & 8'0"	6'6", 6'8" & 7'0"	6'6", 6'8" & 8'0"
Width Options	2'8", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0" & 3'6"	2'0", 2'4", 2'6", 2'8", 2'10" & 3'0"
Panel Options	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple	Single, Double or Triple
Sidelite Options	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"	10", 12" & 14"
Glass Options	SMC Frame; Deco / Privacy & Textured / Low-E IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG	BTS Frame, PVC Frame; Deco / Privacy & Textured / Low-E / Clear IG
Sill*	Inswing: Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Composite Adjustable Outswing: Composite Outswing	Inswing: Basic Fixed Outswing: Aluminum	Inswing: Basic Fixed Outswing: Aluminum
Weatherstrip – Hinge	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach	Medium-Reach
Weatherstrip – Lock	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Weatherstrip – Head	Medium-Reach	Long-Reach	Long-Reach	Long-Reach or Magnetic	Long-Reach or Magnetic
Multi-Point Lock	Recommended	Recommended	Recommended	-	-
Security Strike Plate	Recommended	Recommended	Recommended	Recommended	Recommended
Hinges*	Classic-Craft Ball-Bearing	Self-Aligning	Self-Aligning	Self-Aligning	Self-Aligning
Frame*	Rot-Resistant	Rot-Resistant	Rot-Resistant	Primed Pine	Primed Pine
Screens & Screen Accessories Available Colors: Bronze, Stone, White	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame	2" Frame, 3" Frame
Residential Limited Warranty	Lifetime	Lifetime	Lifetime	10 Years	Door: 5 Years / Glass: 10 Years / Pulse 8'0": 10 Years

For dimensional data, see your Therma-Tru seller or visit www.thermatru.com for a copy of the Therma-Tru Unit & Rough Opening Sizing Booklet.

Therma-Tru_® Door Systems

Independent Laboratory Performance Testing

At the time of manufacture, Therma-Tru exterior door systems (properly assembled with all genuine Therma-Tru components) have been tested under one or more of the following performance specifications: structural load, uniform load deflection, vertical load resistance, air infiltration, water penetration resistance, forced entry resistance, operating forces, force to latch, deglazing resistance, operating cycle performance, impact resistance, sound transmission, thermal performance and solar heat gain performance. Therma-Tru exterior door systems conform to the applicable Performance Standards / Test Methods that may include ANSI/AAMA/NWWDA 101/I.S.2, AAMA/WDMA 101/I.S.2/NAFS, AAMA/ WDMA/CSA 101/I.S.2-A440, ASTM E330, ASTM E547, ASTM E283, ASTM E 331, ANSI/BHMA A156.2, AAMA 1304, AAMA 920, AAMA 925, ASTM E2068, ASTM F842, ASTM E987, ASTM E1300, ASTM E90, ASTM E413, ASTM E1332, ASTM E1886, ASTM E1996, PA/TAS 201, PA/TAS 202, PA/TAS 203, HUD UM89, AAMA 1702.2, 24 CFR 3280, 24 CFR 3282, NFRC 100 and NFRC 200. Refer to www.thermatru.com for design pressure and other performance ratings.

Doors

Recommended Door Overhang – For best performance, all doors should be protected by an overhang. The recommended size is half the distance from the base of the door to the bottom of the overhang. So, as an example, a distance of 10' for this dimension would require an overhang of 5' minimum. For wetter climates, southern or western exposures, and for double doors, the overhang should be the same as the distance from the base of the door to the bottom of the overhang. In this same example, the dimension is 10' so the overhang should be 10'.

For best performance, double doors to be used in areas with severe weather exposure must be installed using entry alcoves or large soffit overhangs to protect entry unit from exposure. Multi-point locking systems are highly recommended for 8'0" and double door applications.

Doorlites

Doorlites are insulated, and exposed panes are tempered. Optional wood grilles available for clear doorlites and transoms.

Inserts – All glass (except flush-glazed styles) shall be bedded with glazing mastic and secured in doors with screws. Therma-Tru's SMC and BTS doorlite frames are available for most styles except where noted. SMC and BTS frames shall resist significant deformation by heat up to 200 degrees Fahrenheit, regardless of paint or stain color or placement behind a storm door.

PVC doorlite frames and dividers must be finished within 30 days of installation. Failure to do so will increase the chance for product damage of the type that is not covered by the warranty. PVC doorlite frames and dividers are not recommended for use behind storm doors or to be painted dark colors, if exposed to direct sunlight. Decorative Glass & Wrought Iron – Each Therma-Tru decorative glass unit is handcrafted by skilled artisans replicating Old World techniques. Each piece is a unique work of art and many things that would appear to be imperfections (small bubbles, lines and waves within the glass) are normal and are part of the Old World charm.

Condensation occurs naturally in the home, caused by excessive humidity in the air. Often this harmless water vapor can be seen collecting on glass surfaces, such as doorlites. Energy-efficient glass units in Therma-Tru door systems are constructed to keep the glass as warm as possible, reducing condensation build-up. However, there is no such thing as a condensation-free window or doorlite in high-humidity conditions.

NOTE: Glass privacy ratings are determined by the 1/2-lite glass size. As a result, the amount of privacy / glass transparency may be more or less than indicated by the privacy rating, based on the glass design and size of the glass that is inserted into the door, sidelite or transom.

Glass designs may differ from depiction due to the size and hand craftsmanship of glass. See your Therma-Tru seller or visit www.thermatru.com for more details.

Components

Adjustable Security Strike Plate – Proprietary adjustable type, permitting in-out adjustment of door in frame, up to 3/16".

Hinges – Minimum hinge size 4" x 4" x .098".

Ball-bearing hinges are recommended for 8'0" doors, doors using heavy lites (e.g., wrought iron), all 20-Minute Fire-rated fiberglass doors, Impact-rated doors and glass, and all Classic-Craft doors.

Use of the multi-point locking system is highly recommended for 8'0" and double fiberglass doors. Not recommended for steel doors.

Please be aware that single door units built with public access sills have little resistance to water penetration, and double doors built with these sills have a potential to leak if installed exposed to weather. We recommend that units be installed away from weather under large soffits or overhangs.

Use of a sill pan is recommended.

Fiber-Classic and Smooth-Star dentil shelves are not recommended for placement behind storm doors or to be painted dark colors, if exposed to direct sunlight.

Impact-Rated Products

Impact-rated products must be installed as part of a Therma-Tru door system in compliance with a Therma-Tru product approval. Visit www.thermatru.com for product approvals and full details on WBDR- (Wind-Borne Debris Region) / HVHZ-(High Velocity Hurricane Zone) compliant products. Follow weather and news reports in order to assess severe weather situations and obey local authorities' shelter and evacuation orders. No product guarantees safety for persons or property, nor makes any premises hurricane- or impact-proof.

Fire-Rating Performance Standards

Fire and building codes vary throughout the country and acceptance of products and labels is left to the discretion of the local authorities.

MODIFICATION OF PRODUCTS DESCRIBED IN THIS BROCHURE WHICH CARRY FIRE RATINGS (DOORS AND FRAMES) MAY VOID THE FIRE RATINGS.

Test conducted by Intertek, Warnock-Hersey.

Limited Warranties

Please be aware of the applicable Therma-Tru Limited Warranty which contains important restrictions, disclaimers, exclusions and conditions, as well as the below listed Installation, Finishing & Maintenance documents, related to the Therma-Tru product purchased (e.g., Fiberglass, Steel, Patio Door Systems), all of which can be obtained from your Therma-Tru seller or found in their entirety at www.thermatru.com:

- Therma-Tru. Fiberglass and Steel Door Systems Residential Limited Warranty: Fiberglass – Classic-Craft., Fiber-Classic., Smooth-Star. and Pulse. Door Systems; Steel – Pulse., Profiles., Traditions and Therma-Tru. Fire Door (TR 12-24) Steel Edge Door Systems
- Therma-Tru, Tru-Defense, Door System Rider to Fiberglass Door Systems Limited Warranty: Classic-Craft, Fiber-Classic, Smooth-Star, and Pulse, Fiberglass Door Systems
- Therma-Tru_{*} Construction Glass Breakage Rider to Fiberglass Door Systems Limited Warranty for Residential and Multi-Resident Premises: Classic-Craft_{*}, Fiber-Classic_{*} and Smooth-Star_{*} Flush-Glazed Fiberglass Door Systems
- Same-Day, Stain 5-Year Limited Warranty: Same-Day, Stain and Topcoat for Use on Therma-Tru, Fiberglass Door Systems and Fypon, Stainable Polyurethane Products

Installation, Finishing & Maintenance

Installation, finishing and maintenance must be performed according to Therma-Tru's recommendations to comply with warranty requirements. Obtain a copy of the following documents outlining recommendations from your Therma-Tru seller or find them in their entirety at www.thermatru.com:

- Installation Instructions
- Therma-Tru Fiberglass and Steel Door Systems Recommendations for Proper Finishing and Painting or Staining

NOTE: Finish colors may vary from an actual application due to fluctuations in finishing or the printing of this catalog. See your Therma-Tru seller or visit www.thermatru.com for more details.



Therma-Tru. Owner's Manual & Warranties www.thermatru.com/warranty

Classic-Craft.

A	ner	ican	Sty	le

American Style	
Collection	51
19220T	
AB30T	
ABRT	49
CCA1423SL	49
CCA210	
CCA210SL	
CCA210XC	50 50
CCA210XU3L	
CCA210XJSL	
CCA210XN	
CCA210XNSL	
CCA210XR	
CCA210XRSL	
CCA211	
CCA2112	
CCA212SL	
CCA220	
CCA220SL	
CCA220XC	
CCA220XCSL	
CCA220XJ	
CCA220XJSL CCA220XN	
CCA220XNSL	50 50
CCA220XR	
CCA220XRSL	50
CCA221	48
CCA222	
CCA230	
CCA230XC CCA230XJ	
CCA230XJ	
CCA230XR	
CCA231	
CCA232	
CCA240	
CCA240XC	
CCA240XJ CCA240XN	
CCA240XR	
CCA260	
CCA260XC	50
CCA260XJ	50
CCA260XN	
CCA260XR	
CCA3400SL CCA3400XCSL	50
CCA3400XJSL	
CCA3400XNSL	
CCA3400XRSL	50
CCA3401SL	
CCA3402SL	
CCA3450SL CCA3450XCSL	
CCA3450XJSL	
CCA3450XNSL	
CCA3450XRSL	
CCA3500SL	
CCA3500XCSL	
CCA3500XJSL CCA3500XNSL	
CCA3500XNSL	
CCA3500XR3L	
CCA3502SL	
CCA3560SL	
CCA3560XCSL	
	50

CCA3560XRSL	50	BEET-
CCA81423SL		BERT-
CCA8210 5	51	CC06
CCA8210XC		CC60
CCA8210XJ		CC620
CCA8210XN		CCM1
CCA8210XR		CCM1
CCA8211		CCM1
CCA8212		CCM1
CCA8220		CCM1
CCA8220XC		CCM1
CCA8220XJ		CCM1
CCA8220XN		CCM1
CCA8220XR		CCM1
CCA8221		CCM1
CCA8222		CCM1
CCA8230		CCM1
CCA8230XC		CCM1
CCA8230XJ		CCM1
CCA8230XN	50	CCM1
CCA8230XR 5		CCM1
CCA8231	48	CCM1
CCA8232	48	CCM1
CCA8240 5	51	CCM1
CCA8240XC	50	CCM1
CCA8240XJ 5	50	CCM1
CCA8240XN	50	CCM1
CCA8240XR 5	50	CCM1
CCA8260 5	51	CCM1
CCA8260XC	50	CCM2
CCA8260XJ	50	CCM2
CCA8260XN5	50	CCM2
CCA8260XR 5	50	CCM2
CCA87100 5	51	CCM2
CCA87100XR		CCM2
CCA871114		CCM2
CCA87112 4		CCM2
CCA87121 4		CCM2
CCA87122		CCM2
CCA87131 4		CCM3 CCM3
CCA87132		CCM3
CCA87200XR		CCM3
CCA87300		CCM3
CCA87300XR		CCM3
CCA87400		ССМЗ
CCA87400XR		ссмз
CCA87600	51	ссмз
CCA87600XR	50	ссмз
CCA89100 4	49	ссмз
CCA89200 4	49	ССМЗ
CCA89300 4	49	ССМЗ
CCA9100 4		ССМЗ
CCA9100SL	49	ССМЗ
CCA9200 4	49	ССМЗ
CCA9300 4		ССМЗ
HW30T4		ССМЗ
HWRT 4		ССМЗ
VG30T 4		ССМЗ
VGRT 4		CCM3
Mahogany		CCM3
Collection _m		CCM3
19020T6	52	CCM3
19200T6	52	CCM3 CCM3
19220T6	52	CCM3
AB30T	59	CCM3
ABRT	59	CCM3
ARHRT	57	CCM3
AS30T	00	CCM3
ASET	38	CCM3
ASHRT	38	ССМЗ
BEBHRT		ссмз
	50	

BEET-B	59
BERT-B	59
CC060T	57
CC600T	
CC620T	
CCM100	
CCM10022	61
CCM100XC	61
CCM100XJ	61
CCM100XN	61
CCM100XR	61
CCM103	
CCM105	
CCM109	
CCM110B	
CCM1419	
CCM1423	
CCM1423SL	59
CCM1424	59
CCM1465	59
CCM1475	59
CCM1485	57
CCM1495	
CCM1528	
CCM1842	
CCM1843SL	
CCM1844	
CCM1851	
CCM1851SL	60
CCM200	62
CCM200XC	61
CCM200XJ	61
CCM200XN	
CCM200XR	
CCM203	
CCM203	
CCM205	
CCM209	
CCM210B	
CCM300	
CCM30027	57
CCM300XC	61
CCM300XJ	61
CCM300XN	61
CCM300XR	61
CCM302	61
CCM303	
CCM305	
CCM309	
CCM310B CCM3410BSL	
CCM3300SL	
CCM3302SL	
CCM3303SL	
CCM3305SL	58
CCM3309SL	57
CCM3310BSL	
CCM3400SL	62
CCM3400XCSL	
CCM3400XHSL	59
CCM3400XJSL	
CCM3400XJSL	
	61
	61 57
CCM3400XNSL	61 57 61
CCM3400XNSL CCM3400XRSL	61 57 61 61
CCM3400XNSL CCM3400XRSL CCM3403SL	61 57 61 61 60
CCM3400XNSL CCM3400XRSL CCM3403SL CCM3405SL	61 57 61 61 60 58
CCM3400XNSL CCM3400XRSL CCM3403SL CCM3405SL CCM3409SL	61 57 61 61 60 58 57
CCM3400XNSL CCM3400XRSL CCM3403SL CCM3405SL	61 57 61 61 60 58 57
CCM3400XNSL CCM3400XRSL CCM3403SL CCM3405SL CCM3409SL CCM3409SL CCM3500SL	61 57 61 61 60 58 57 61 62
CCM3400XNSL CCM3400XRSL CCM3403SL CCM3405SL CCM3409SL CCM3409SL CCM3500SL	61 57 61 61 60 58 57 61 62
CCM3400XNSL CCM3400XRSL CCM3403SL CCM3405SL CCM3405SL CCM3409SL CCM3412SL	61 57 61 60 58 57 61 62 61
CCM3400XNSL CCM3400XRSL CCM3403SL CCM3405SL CCM3405SL CCM3409SL CCM3500SL CCM3500SL	61 57 61 60 58 57 61 62 61 60
CCM3400XNSL CCM3400XRSL CCM3403SL CCM3405SL CCM3409SL CCM3409SL CCM3500SL CCM3500SL CCM3502SL CCM3503SL	61 57 61 60 58 57 61 62 61 60 58

CCM3510BSL	59
CCM400	62
CCM403	
CCM405	
CCM409	
CCM500	
CCM503	
CCM505	
CCM509	
CCM60	
CCM600	
CCM603	
CCM605	
CCM609	
CCM610B	
CCM612	
CCM700	
CCM701	
CCM702	
CCM703	
CCM705	
CCM709	
CCM710B	
CCM800	
CCM8000SL	
CCM8000XCSL	
CCM8000XHSL	
CCM8000XJSL	
CCM8000XNSL	
CCM8000XNSL	
CCM8000XRSL	
CCM8001SL	
CCM8002SL	
CCM8002SL	
CCM8004BSL	
CCM801	
CCM803	
CCM805	
CCM805027 CCM809	
CCM8102SL	
CCM810B	
ССМ81418	
CCM81423SL	
CCM81519	
CCM81843 CCM81851SL	60
CCM822 CCM890	
ССМ890	
CCM891XC CCM891XJ	
CCM891XJ	
CCM891XN	
CCM891XR	
ССМ892	
ССМ893	
ССМ895В	
ССМ895В	
CCM89812SL	
CCM898125L	
CCM89922	
CCM89925SL	
CCM9811	
CCM9812	
CCM9812SL	
CCM9812SL	
ССМ9923	
ССМ9925	
CCM9925SI	56
CCM9925SL	
ССМ9926	56
	56 62

HWRT	56
LC30T	
LCET	
LCHRT	
LCRT	61
LF30T	60
LFET	60
LFHRT	
LFRT	
VGRT	
ZHHRT	60
ZHRT	60
Rustic Collection	
	78
19200T	78
19220T	78
AB30T	72
ABRT	
ARHRT	
	71
	71
	71
ASRT	71
BEBHRT	72
BEET-B	72
BERT-B	72
	75
	69
	75
	74
	74
CC600T	69
CC620T	69
CC900T	75
CC920T	75
	74
CCR040	
	78
	77
	77
	77
CCR04020XR	
CCR04022	
CCR04023	
CCR04024B	72
	71
CCR04026	75
	70
	74
CCR04029	
	70
	70
	79
CCR100	79
CCR10022	76
CCR100A	79
	79
	72
	72
	72
	72
	72
	73
CCR1511A	••
	73
CCR1512	73
CCR1512 CCR1512A	73 73
CCR1512 CCR1512A CCR1514	73 73 73 73 73
CCR1512 CCR1512A CCR1514 CCR1514A	73 73 73 73 73 73
CCR1512 CCR1512A CCR1514 CCR1514A CCR1515	73 73 73 73 73 73 73 73
CCR1512 CCR1512A CCR1514 CCR1514A CCR15155 CCR1516	73 73 73 73 73 73 73 73 73
CCR1512 CCR1512A CCR1514 CCR1514A CCR1515	73 73 73 73 73 73 73 73 73 73

CCR1838	76
CCR1839 CCR1841	
CCR1851	76
CCR1851SL	76
CCR200	79
CCR20020	78
CCR20020XC	77
CCR20020XJ	77
CCR20020XN	77
CCR20020XR	77 76
CCR20022 CCR20023	70 75
CCR20024B	72
CCR20025	71
CCR20026	75
CCR20027	70
CCR20028	74
CCR20029	
CCR20037	70
CCR20037A CCR200A	70 79
CCR200A	79 79
CCR20520	78
CCR20520XC	77
CCR20520XJ	77
CCR20520XN	77
CCR20520XR	77
CCR20522	76
CCR20523	75
CCR20524B CCR20525	72 71
CCR20526	75
CCR20527	70
CCR20528	74
CCR20529	69
CCR20537	
CCR20537A	70
CCR205A	79
CCR30020 CCR30020XC	78 77
CCR30020XJ	77
CCR30020XN	77
CCR30020XR	77
CCR30023	75
CCR30024B	
CCR30025	71
CCR30026	75
CCR30027 CCR30029	70 69
	74
CCB30028	
CCR30028 CCR3400SL	
CCR30028 CCR3400SL CCR3400XCSL	78 78
CCR3400SL	78
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL	78 78 73 78
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL	78 78 73 78 70
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL	78 78 73 78 70 78
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XRSL	78 78 73 78 70 78 78
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XRSL CCR3400SSL	78 78 73 78 70 78 78 78 71
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XRSL	78 78 73 78 70 78 78
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XRSL CCR3405SL CCR3406SL	78 78 73 78 70 78 78 71 75
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XRSL CCR3405SL CCR3406SL CCR3407SL	78 78 73 78 70 78 78 78 71 75 75
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3405SL CCR3406SL CCR3407SL CCR3409SL CCR3410BSL	78 78 73 78 70 78 78 71 75 75 75 74
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3400SL CCR3405SL CCR3406SL CCR3408SL CCR3409SL CCR3409SL CCR3409SL CCR3409SL CCR3412SL	78 78 78 70 78 78 71 75 75 75 74 69 72 77
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3405SL CCR3406SL CCR3406SL CCR3409SL CCR3409SL CCR3409SL CCR3410SSL CCR3412SL CCR3402SL CCR3402SL	78 73 78 70 78 71 75 75 74 69 72 77 78
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3405SL CCR3406SL CCR3408SL CCR3409SL CCR3409SL CCR3409SL CCR3409SL CCR340SL CCR340SL CCR340SL CCR340SL CCR340SL CCR340SL CCR340SL	78 78 78 70 78 78 71 75 75 74 69 72 77 78 73
CCR3400SL CCR3400XCSL CCR3400XJSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3400SL CCR3405SL CCR3406SL CCR3406SL CCR3409SL CCR3410BSL CCR3412SL CCR3412SL CCR3400XCSL CCR36000XSL	78 78 78 70 78 71 75 75 74 69 72 77 78 73 70
CCR3400SL CCR3400XCSL CCR3400XHSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3405SL CCR3406SL CCR3408SL CCR3409SL CCR3409SL CCR3409SL CCR3409SL CCR340SL CCR340SL CCR340SL CCR340SL CCR340SL CCR340SL CCR340SL	78 78 78 70 78 78 71 75 75 74 69 72 77 78 73
CCR3400SL CCR3400XCSL CCR3400XJSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3400SL CCR3405SL CCR3406SL CCR3406SL CCR3408SL CCR3409SL CCR3410BSL CCR3410BSL CCR3412SL CCR3400XSL CCR36000XSL CCR8000XSL CCR8000XSL CCR8001SL	78 78 78 70 78 71 75 75 75 75 75 74 69 72 77 78 73 70 71
CCR3400SL CCR3400XCSL CCR3400XISL CCR3400XISL CCR3400XISL CCR3400XISL CCR3400XISL CCR3400SL CCR3405SL CCR3405SL CCR3407SL CCR3407SL CCR3409SL CCR3409SL CCR3410BSL CCR3410BSL CCR3410SL CCR36000XISL CCR8000XISL CCR8000XISL CCR8005A CCR8005A CCR8006SL	78 78 78 70 78 78 71 75 75 74 69 72 77 78 70 71 79 79 75
CCR3400SL CCR3400XCSL CCR3400XJSL CCR3400XJSL CCR3400XNSL CCR3400XNSL CCR3400XNSL CCR3400SSL CCR3405SL CCR3405SL CCR3405SL CCR3409SL CCR3409SL CCR3410SL CCR3412SL CCR3000XCSL CCR8000XL CCR8000XSL CCR8001SL CCR8005A	78 78 78 70 78 78 71 75 75 74 69 72 77 78 70 71 79 79 75

CCR1838 76

CCR8008SL		CCR820020XN		CCR8225R		CC111B	
CCR8009SL		CCR820020XR		CCR89819		CC112B	
CCR800XCSL		CCR820022		CCR89821		CC113B	
CCR800XJSL		CCR820023		CCR89822		CC114B	
CCR800XNSL		CCR820024B		CCR89918		CC1418	
CCR800XRSL		CCR820025		CCR89919		CC1423	
CCR8010BSL		CCR820026		CCR89921		CC1423SL	
CCR802530XC		CCR820027		CCR89925SL		CC1424	
CCR802530XJ		CCR820028		CCR9812		CC16	
CCR802530XN		CCR820029		CCR9812SL	68	CC17	
CCR802530XR	78	CCR820030	78	CCR9819	68	CC19	
CCR8040	79	CCR820030A	78	CCR9821	68	CC2020SL	
CCR804020	78	CCR820030AXC	78	CCR9822		CC2020XCSL	
CCR804020XC	77	CCR820030AXJ	78	CCR89812SL		CC2020XJSL	
CCR804020XJ	77	CCR820030AXN	78	CCR9918		CC2020XNSL	
CCR804020XN	77	CCR820030AXR	78	CCR9919	69	CC2020XRSL	
CCR804020XR		CCR820030XC	78	CCR9921		CC2025SL	
CCR804022		CCR820030XJ		CCR9925		CC2025XCSL	
CCR804023		CCR820030XN		CCR9925SL		CC2025XJSL	
CCR804025		CCR820030XR		DLHRT		CC2025XNSL	
CCR804025		CCR820032		HW30T		CC2025XRSL	
		CCR820032A		HWRT			
CCR804027						CC2040SL	
CCR804028		CCR820035		LC30T		CC2044SL	
CCR804029		CCR820035A		LCET		CC2060SL	
CCR804030		CCR820037		LCHRT		CC2080BSL	
CCR804030A		CCR820037A		LCRT		CC2120SL	
CCR804030AXC		CCR8200A		LF30T		CC2122SL	
CCR804030AXJ	78	CCR8205	79	LFET	75	CC2140SL	
CCR804030AXN	78	CCR820520	78	LFHRT	75	CC2144SL	
CCR804030AXR	78	CCR820520XC	77	LFRT		CC2160SL	
CCR804030XC	77	CCR820520XJ	77	PRHRT	74	CC2270SL	
CCR804030XJ	77	CCR820520XN	77	VG30T		CC2272SL	
CCR804030XN		CCR820520XR	77	VGRT	68	CC2276SL	
CCR804030XR	77	CCR820522	76	ZHHRT		CC2277SL	
CCR804032		CCR820523		ZHRT		CC2279SL	
CCR804032A		CCR820524B				CC3412SL	
CCR804035		CCR820525		Oak Collection		CC3502SL	
CCR804035		CCR820526		19020T		CC40	
CCR804035A		CCR820526		19020T		CC400T	
				19200T	90	CC4001	
CCR804037A		CCR820528		19200T	90		
CCR8040R		CCR820529		19220T	90	CC44	
CCR80424B		CCR820530		19220T	90	CC45	
CCR8100		CCR820530A		AB30T	86	CC47	
CCR8100A		CCR820530AXC		ABRT		CC48	
CCR8100R		CCR820530AXJ		ARHRT		CC49	
CCR8102SL		CCR820530AXN		BEBHRT		CC60	
CCR81414	72	CCR820530AXR	78	BEET-B		CC600T	
CCR81415	72	CCR8205320	76	BERT-B		CC61	
CCR81417	72	CCR820532A	77	CBHRT		CC612	
CCR81423SL	72	CCR820535	71			CC620T	
CCR81511		CCR820535A		CC040T		CC70	
CCR81511A		CCR820537		CC060T		CC76	
CCR81512		CCR820537A		CC090T		CC77	
CCR81512A		CCR8205A		CC10		CC78	
CCR81514		CCR8220		CC100		CC79	
CCR81514A		CCR8220R		CC10022		CC8000XCSL	
CCR81514A		CCR8222		CC100XC		CC8000XJSL	
		CCR822214		CC100XJ			
CCR81516				CC100XN	89	CC8000XNSL	
CCR81518		CCR822215		CC100XR	89	CC8000XRSL	
CCR81838		CCR822218		CC1010SL	90	CC8006SL	
CCR81839		CCR822219		CC1016SL		CC8007SL	
CCR81841		CCR822220		CC1017SL		CC8009SL	
CCR81845		CCR822220XR		CC1019SL		CC8000SL	
CCR81845A		CCR822222	76	CC102		CC8010BSL	
CCR81846	76	CCR822223	75	CC102XC		CC810	
CCR81846A	76	CCR822224B	72	CC102XJ		CC8102SL	
CCR81847	76	CCR822225	71			CC811	
CCR81847A		CCR822226		CC102XN		CC81418	
CCR81851SL		CCR822227		CC102XR		CC81420	
CCR8200		CCR822228		CC106		CC81423SL	
				CC107		CC822	
		CCB822229	ny			660//	
CCR820020 CCR820020XC		CCR822229 CCR822238		CC109 CC11		CC830	

85	CC830XJ 89
85	CC830XN 89
85	CC830XR 89
85	CC831 91
86	CC832 90
86	CC832XC 89
86	CC832XJ 89
86	CC832XN 89
87	CC832XR 89
87	CC833 88
84	CC836 87
90	CC837 87
89	CC839 84
89	CC860 91
89	CC890 90
89	CC890XC
90	CC890XJ 89
89	CC890XN
89	CC890XR 89
89	CC892 90
89 87	CC892XC 89
	CC892XJ 89 CC892XN 89
88 84	CC892XR 89
84 85	CC896 87
90	CC897 87
88	CC898 88
87	CC89812SL 84
88	CC89815 84
85	CC89818 84
90	CC899 84
88	CC89922 84
88	CC89924 84
87	CC89925SL 84
85	CC90 90
88	CC900B85
88	CC900T 88
91	CC901B85
87	CC90XC 89
87	CC90XJ 89
87	CC90XN
84	CC90XR 89
87	CC91 91
90	CC92 90
90	CC920T 88
91	CC922 88
85	CC925 84
90	CC92XC 89
88	CC92XJ 89
85	CC92XN
90	CC92XR 89
87	CC96 87
87	CC97 87
88 84	CC9811 84 CC9812 84
	CC9812SL 84
89	CC9818 84
89 89	CC99 84
89 89	CC9922 84
88	CC9925SL 84
87	CC9926 84
84	DLHRT
90	HW30T 84
85	HWRT 84
91	LC30T
88	LCET
90	LCHRT 88
86	LCRT 88
86	PRHRT 87
86	VG30T 84
88	VGRT 84
90	CC1020BSL 85

0	0.1	1 a a 11	
l'anvac l	101	loct	inn
Udiivas	JUI	IGUL	Ulle

canvas conection.
19020T 108
19200T 108
19210T 108
19220T 108
AB30T 101
ABRT 101
ARHRT 98
AS30T 100
ASET 100
ASHRT 100
ASRT 100
BEBHRT 100
BEET-B 100
BERT-B 100
CBHRT 104
CC040T 102
CC060T 98
CC090T 104
CC400T 102
CC420T 102
CC600T 98
CC620T
CC900T 104
CC920T 104
CCV050 108
CCV05012 107
CCV05012XJ 105
CCV05012XN 105
CCV05012XR 105
CCV05020 107
CCV05020XC 106
CCV05020XJ 106
CCV05020XN 106
CCV05020XR 106
CCV05022 105
CCV05023 103
CCV05023 103 CCV05024B 100
CCV05023 103 CCV05024B 100 CCV05025 99
CCV05023
CCV05023
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV060 108
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV060 108 CCV06020 108
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV060 108 CCV06022 105
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV060 108 CCV06020 108
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV060 108 CCV06022 105 CCV06023 103
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV060 108 CCV06022 105 CCV06023 103 CCV06024B 100
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV060 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06021 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV0602 105 CCV06023 103 CCV06024B 100 CCV06025 103 CCV06026 104 CCV06028 102 CCV06028 102 CCV06025 100 CCV06026 104 CCV06028 102 CCV06029 98
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05029 98 CCV0602 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 103 CCV06024B 100 CCV06025 104 CCV06026 104 CCV06028 102 CCV06029 98 CCV06029 98 CCV06029 98 CCV06029 98 CCV06029 107
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102 CCV06029 98 CCV06029 98 CCV06029 107 CCV0609 107 CCV10015 107
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102 CCV06029 98 CCV06029 107 CCV0609 107 CCV06015 107 CCV10015XC 105
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06021 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06029 98 CCV06029 98 CCV06029 98 CCV06029 98 CCV0609 107 CCV10015 107 CCV10015XC 105 CCV10015XL 105
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102 CCV06029 98 CCV06029 107 CCV0609 107 CCV06015 107 CCV10015XC 105
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102 CCV06028 102 CCV06028 102 CCV06029 98 CCV06029 98 CCV0609 107 CCV10015 107 CCV10015XL 105 CCV10015XX 105
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06022 105 CCV06023 103 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102 CCV06028 102 CCV06029 98 CCV06029 98 CCV06029 98 CCV0609 107 CCV10015 107 CCV10015XL 105 CCV10015XL 105 CCV10015XR 105
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06023 103 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102 CCV06029 98 CCV06029 98 CCV06029 98 CCV06029 98 CCV0609 107 CCV10015 107 CCV10015 105 CCV10015 105 CCV10015XI 105 CCV10015XI 105 CCV10015XR 105 CCV10015XR 105 CCV10020 107
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06021 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06029 98 CCV10015XC 105 CCV10015XL 105 CCV10015XN 105 CCV10015XN 105 CCV10015XR 105 CCV10015XR 105 CCV10020 107
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06021 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06029 98 CCV10015X 105 CCV10015XX 105 CCV10015XX 105 CCV10015XX 105 CCV10015XR 105 CCV10020X 106
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06021 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06029 98 CCV10015XC 105 CCV10015XL 105 CCV10015XN 105 CCV10015XN 105 CCV10015XR 105 CCV10015XR 105 CCV10020 107
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06021 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06029 98 CCV10015X 105 CCV10015XX 105 CCV10015XX 105 CCV10015XX 105 CCV10015XR 105 CCV10020X 106
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV0602 103 CCV0602 103 CCV0602 108 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06028 102 CCV06029 98 CCV06029 98 CCV06029 98 CCV10015XC 105 CCV10015XL 105 CCV10015XR 105 CCV10015XR 105 CCV10020XC 107 CCV10020XC 106 CCV10020XR 106
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05027 99 CCV05028 102 CCV05029 98 CCV05020 108 CCV0602 108 CCV0602 103 CCV0602 108 CCV0602 103 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06028 102 CCV06029 98 CCV06029 98 CCV06029 98 CCV10015XC 105 CCV10015XL 105 CCV10015XR 105 CCV10020XC 106 CCV10020XL 106 CCV10020XL 106 CCV10020XR 106 CCV10022X 105
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV06023 103 CCV06023 103 CCV06024B 100 CCV06025 104 CCV06026 104 CCV06027 98 CCV06028 102 CCV06029 98 CCV06029 98 CCV06029 98 CCV10015XC 105 CCV10015XX 105 CCV10015XX 105 CCV10015XX 105 CCV1002XX 106 CCV1002XX 106
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV0602 105 CCV0602 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06027 98 CCV06028 102 CCV06029 98 CCV06029 98 CCV0609 107 CCV10015XL 105 CCV10015XL 105 CCV10015XL 105 CCV1002XL 106 CCV10022XL 105
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV06023 103 CCV06023 103 CCV06024B 100 CCV06025 104 CCV06026 104 CCV06027 98 CCV06028 102 CCV06029 98 CCV06029 98 CCV06029 98 CCV10015XC 105 CCV10015XX 105 CCV10015XX 105 CCV10015XX 105 CCV1002XX 106 CCV1002XX 106
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV0602 105 CCV0602 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06027 98 CCV06028 102 CCV06029 98 CCV06029 98 CCV0609 107 CCV10015XL 105 CCV10015XL 105 CCV10015XL 105 CCV1002XL 106 CCV10022XL 105
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV06023 103 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06027 98 CCV06028 102 CCV06029 98 CCV06028 102 CCV06029 98 CCV10015XL 105 CCV10015XL 105 CCV10015XR 105 CCV10020XL 106 CCV10020XL 106 CCV1002XN 106 CCV1002X 106 CCV10023 103 CCV10023 103 CCV10023 103 CCV10024B 100 CCV10025 99 CCV10026 103
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06021 108 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06029 98 CCV06029 98 CCV06029 98 CCV06029 98 CCV06029 98 CCV10015XC 105 CCV10015XN 105 CCV10015XN 105 CCV10020XC 106 CCV1002XI 106
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV06023 103 CCV06023 103 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102 CCV06029 98 CCV06028 102 CCV06029 98 CCV10015XC 105 CCV10015XX 105 CCV10015XX 105 CCV10020X 106 CCV10020X 106 CCV10020X 106 CCV10020X 106 CCV10020X 106 CCV10020X 106 CCV10023 103 CCV10023 103 CCV10024B 100 CCV10025 99
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV06020 108 CCV06021 105 CCV06022 105 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102 CCV06029 98 CCV10015 107 CCV10015X 105 CCV10015X 105 CCV10015X 105 CCV10020X 106 CCV10020X 106 CCV10023 103 CCV10024B 100 CCV10025 99 CCV10026 103 CCV10026 103 CCV10027 99 CCV10028 102 CCV10028 102 CCV10028 102 </td
CCV05023 103 CCV05024B 100 CCV05025 99 CCV05026 103 CCV05027 99 CCV05028 102 CCV05029 98 CCV0602 108 CCV06023 103 CCV06023 103 CCV06023 103 CCV06024B 100 CCV06025 100 CCV06026 104 CCV06028 102 CCV06029 98 CCV06028 102 CCV06029 98 CCV10015XC 105 CCV10015XX 105 CCV10015XX 105 CCV10020X 106 CCV10020X 106 CCV10020X 106 CCV10020X 106 CCV10020X 106 CCV10020X 106 CCV10023 103 CCV10023 103 CCV10024B 100 CCV10025 99

Index

С Continued

Classic-Craft
CCV100XCSL 1
CCV100XHSL 1
CCV100XJSL1
CCV100XNSL
CCV100XNSL 1
CCV100XRSL 1
CCV103SL 1
CCV104BSL 1
CCV105SL 1
CCV106SL 1
CCV108SL 1
CCV109SL
CCV1414 1
CCV1415 1
CCV1416 1
CCV14188 1
CCV1423 1
CCV1423SL 1
CCV1424 1
CCV1512 1
CCV1512A 1
CCV1513 1
CCV1513A 1
CCV1515 1
CCV1516 1
CCV1517 1
CCV1519 1
CCV1528 1
CCV1838 1

CCV1839

CCV1840

CCV1843 CCV1851

CCV1851SL

CCV200

CCV205

CCV20520

CCV20520XC

CCV20520XJ.....

CCV20520XN

CCV20520XR

CCV20522

CCV20523

CCV20524B.....

CCV20525

106	CCV20526 103
102	CCV20527 99
106	CCV20528 102
. 99	CCV20529 98
106	CCV20537 99
106	CCV20537A 99
103	CCV205A 108
100	CCV220 108
100	CCV22020 107
104	CCV22020XC 106
102	CCV22020XJ 106
. 98	CCV22020XN 106
101	CCV22020XR 106
101	CCV22022 105
101	CCV22023 103
101	CCV22024B 100
101	CCV22025 99
101	CCV22026 103
101	CCV22027 99
101	CCV22028 102
102	CCV22029 98
102	CCV3412SL 105
102	CCV400 108
101	CCV4100 101
101	CCV4100SL 101
101	CCV4200 101
101	CCV4300 101
101	CCV455 108
104	CCV45520 107
104	CCV45520XC 106
104	CCV45520XJ 106
104	CCV45520XN 106
104	CCV45520XR 106
104	CCV45522 105
108	CCV45523 103
108	CCV45524B 100
107	CCV45525 99
106	CCV45526 103
106	CCV45527 99
106	CCV45528 102
106	CCV45529 98
105	CCV45537 99
103	CCV45537A 99
100	CCV455A 108
. 99	CCV803012 107

CCV803012XC 105
CCV803012XJ 105
CCV803012XN 105
CCV803012XR 105
CCV803020 108
CCV803020XC 106
CCV803020XJ 106
CCV803020XN 106
CCV803020XR 106
CCV803022 105
CCV803023 103
CCV803024B 100
CCV803025 100
CCV803026 104
CCV803027 99
CCV803028 102
CCV803029 98
CCV805015 107
CCV805015XC 105
CCV805015XJ 105
CCV805015XN 105
CCV805015XR 105
CCV805020 107
CCV805020XC 106
CCV805020XJ 106
CCV805020XN 106
CCV805020XR 106
CCV805022 105
CCV805023 103
CCV805024B 100
CCV805025 99
CCV805026 103
CCV805027 99
CCV805028 102
CCV805029 98
CCV806012 107
CCV806012XC 105
CCV806012XJ 105
CCV806012XN 105
CCV806012XR 105
CCV806020 108
CCV806020XC 106
CCV806020XJ 106
CCV806020XN 106
CCV806020XR 106

CCV806022 105	
CCV806023 103	
CCV806024B 100	
CCV806025 100	
CCV806026 104	
CCV806027 99	
CCV806028 102	
CCV806029	
CCV8100SL 108	
CCV8100SL 108	
CCV8100XHSL 102	
CCV8100XJSL 106	
CCV8100XNSL 99	
CCV8100XNSL 106	
CCV8100XRSL 106	
CCV8102SL 105	
CCV8103SL 103	
CCV8104BSL 100	
CCV8105SL 100	
CCV8106SL 104	
CCV8108SL 102	
CCV8109SL	
CCV8111SL	
CCV8112SL	
CCV81414 101	
CCV81415 101	
CCV81417 101	
CCV81418 101	
CCV81420 101	
CCV81423SL 101	
CCV81512 101	
CCV81512A 102	
CCV81515 101	
CCV81516 101	
CCV81518 102	
CCV81519 101	
CCV81520 102	
CCV81838 104	
CCV81839 104	
CCV81840 104	
CCV81841 104	
CCV81843 104	
CCV81846 104	
CCV81846A 104	
CCV81851SL 104	
CCV8205 108	
CCV820512 108	
CCV820512XC 105	
CCV820512XJ 105	
CCV820512XN 105	
CCV820512XR 105	
CCV820520 107	
CCV820520XC 106	
CCV820520XJ 106	
CCV820520XN 106	
CCV820520XR 106	
CCV820522 105	
001020022	
CCV820523 103	
CCV820523 103	
CCV820523 103 CCV820524B 100	
CCV820523 103 CCV820524B 100 CCV820525 99	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103	
CCV820523	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820527 99 CCV820528 102	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820527 99 CCV820528 102 CCV820529 99 CCV820529 99 CCV820529 99	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820528 102 CCV820529 98 CCV820529 98 CCV820530 108	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820528 102 CCV820529 98 CCV820529 98 CCV820530 108 CCV820530A 108	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820528 102 CCV820529 98 CCV820529 98 CCV820520 108 CCV820530A 108 CCV820530AXC 106 CCV820530AXJ 106	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820528 102 CCV820529 98 CCV820520 108 CCV820530 108 CCV820530A 106 CCV820530AXL 106 CCV820530AXN 106	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820528 102 CCV820529 98 CCV820529 108 CCV820530 108 CCV820530A 106 CCV820530AXX 106 CCV820530AXR 106	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820528 102 CCV820529 98 CCV820529 108 CCV820530 108 CCV820530A 106 CCV820530AXX 106 CCV820530AXR 106 CCV820530AXR 106 CCV820530AXR 106 CCV820530AXR 106	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820528 102 CCV820529 98 CCV820529 98 CCV820530 108 CCV820530A 106 CCV820530AXX 106 CCV820530AXR 106 CCV820530XC 106 CCV820530XX 106	
CCV820523 103 CCV820524B 100 CCV820525 99 CCV820526 103 CCV820527 99 CCV820528 102 CCV820529 98 CCV820529 108 CCV820530 108 CCV820530A 106 CCV820530AXX 106 CCV820530AXR 106 CCV820530AXR 106 CCV820530AXR 106 CCV820530AXR 106	

CCV806022 105

CCV820530XR 106
CCV820532 105
CCV820532A 105
CCV820535A 100
CCV820537 99
CCV820537A 99
CCV8205A 108
CCV8220 108
CCV822012 107
CCV822012XC 105
CCV822012XJ 105
CCV822012XN 105
CCV822012XR 105
CCV822020 107
CCV822020XC 106
CCV822020XJ 106
CCV822020XN 106
CCV822020XR 106
CCV822022 105
CCV822023 103
CCV822024B 100
CCV822024D 100 CCV822025
CCV822026 103
CCV822027 99
CCV822028 102
CCV822029 98
CCV820535
CCV831 108
CCV860 108
CCV8950SL 107
CCV8950XCSL 106
CCV8950XJSL 106
CCV8950XNSL 106
CCV8950XRSL 106
CCV89815 97
CCV89818
CCV89819 97
CCV89821 97
CCV89822 97
CCV89918 97
CCV89918 97
CCV89918
CCV89918
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV89924 98
CCV89918
CCV89918
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV89924 98 CCV9010SL 108 CCV9011SL 98 CCV9012SL 97
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV89924 98 CCV9010SL 108 CCV9011SL 98 CCV9012SL 97 CCV9020SL 107
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9011SL 98 CCV9012SL 97 CCV9020SL 107 CCV910 108
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9011SL 98 CCV9012SL 97 CCV9020SL 107 CCV910 108 CCV910XC 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9011SL 98 CCV9012SL 97 CCV9020SL 107 CCV910 108
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9011SL 98 CCV9012SL 97 CCV9020SL 107 CCV910 108 CCV910XC 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV9010SL 108 CCV9011SL 98 CCV9012SL 97 CCV9020SL 107 CCV910 108 CCV910XC 106 CCV910XCSL 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV89924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 107 CCV9010SL 108 CCV9010SL 107 CCV910XC 106 CCV910XCSL 106 CCV910XJ 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV9010SL 108 CCV9011SL 98 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XSL 106 CCV910XN 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV9912S 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 107 CCV9010SL 106 CCV910XCSL 106 CCV910XJSL 106 CCV910XN 106 CCV910XNSL 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XJ 106 CCV910XJ 106 CCV910XNSL 106 CCV910XR 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XJ 106 CCV910XNL 106 CCV910XNSL 106 CCV910XR 106 CCV910XRSL 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV9010SL 108 CCV9010SL 98 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XJSL 106 CCV910XNSL 106 CCV910XNSL 106 CCV910XRSL 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XJ 106 CCV910XNL 106 CCV910XNSL 106 CCV910XR 106 CCV910XRSL 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV910 108 CCV910XC 106 CCV910XSL 106 CCV910XNSL 106 CCV910XRSL 106 CCV911XR 98 CCV911XR 98 CCV912 97
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV910 108 CCV910XC 106 CCV910XSL 106 CCV910XNSL 106 CCV910XRSL 106 CCV911XR 98 CCV911XR 98 CCV912 97
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XSL 106 CCV910XJSL 106 CCV910XNSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV911XRSL 106 CCV911XSL 106 CCV911XRSL 106 CCV911XRSL 106 CCV911XRSL 106 CCV911XRSL 106 CCV911XR 106 CCV911XR 106 CCV911XR 106 CCV911XR 106 CCV911XR 106 CCV911XR 106 CCV911XR
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV89924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9010X 108 CCV910XC 106 CCV910XCSL 106 CCV910XSL 106 CCV910XN 106 CCV910XNSL 106 CCV910XR 106 CCV910XR 106 CCV910XR 106 CCV910XR 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV911SL 98 CCV912SL 97 CCV912SL 97 CCV912SL 97 CCV920 107
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV89924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910XC 106 CCV910XC 106 CCV910XISL 106 CCV910XN 106 CCV910XNSL 106 CCV910XR 106 CCV911 98 CCV912 97 CCV912SL 97 CCV912SL 97 CCV920 107 <tr< td=""></tr<>
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV89924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9010SL 108 CCV9010SL 107 CCV910XC 106 CCV910XCSL 106 CCV910XSL 106 CCV910XNSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV911SL 98 CCV912 97 CCV912SL 97 CCV912SL 97 CCV912SL 97 CCV912SL 97 CCV912SL 97 CCV920X 107 CCV920X 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV89924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9010SL 108 CCV910XCSL 106 CCV910XCSL 106 CCV910XSL 106 CCV911SL 98 CCV912SL 97 CCV912SL 97 CCV920 107 CCV920 107 CCV920XC 106 CCV920XC 106 CCV920XSL 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9010XC 108 CCV910XCSL 106 CCV910XSL 106 CCV910XSL 106 CCV910XSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV911XL 98 CCV911XSL 97 CCV911SL 98 CCV912SL 97 CCV920XC 107 CCV920XC 107 CCV920XC 106 CCV920XCSL 106 CCV920XJSL 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XL 106 CCV910XL 106 CCV910XL 106 CCV910XL 106 CCV910XR 106 CCV910XRSL 106 CCV911SL 98 CCV9112 97 CCV912 97 CCV912 97 CCV912 97 CCV920XC 106 CCV920XC 106 CCV920XCSL 106 CCV920XJ
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9010XC 108 CCV910XCSL 106 CCV910XSL 106 CCV910XSL 106 CCV910XSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV911XL 98 CCV911XSL 97 CCV911SL 98 CCV912SL 97 CCV920XC 107 CCV920XC 107 CCV920XC 106 CCV920XCSL 106 CCV920XJSL 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XL 106 CCV910XL 106 CCV910XL 106 CCV910XL 106 CCV910XR 106 CCV910XRSL 106 CCV911SL 98 CCV9112 97 CCV912 97 CCV912 97 CCV912 97 CCV920XC 106 CCV920XC 106 CCV920XCSL 106 CCV920XJ
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV9912S 97 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XL 106 CCV910XL 106 CCV910XSL 106 CCV910XSL 106 CCV910XRSL 106 CCV910XRSL 106 CCV911SL 98 CCV912SL 97 CCV912SL 97 CCV912SL 97 CCV912SL 97 CCV920XC 106 CCV920XCSL 106 CCV920XSL 106 CCV920XJ
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XJ 106 CCV910XJ 106 CCV910XJ 106 CCV910XSL 106 CCV910XSL 106 CCV910XSL 106 CCV910XRSL 106 CCV911SL 98 CCV911SL 98 CCV911SL 97 CCV920XC 106 CCV920XCSL 106 CCV920XSL 106 CCV920XJ 106 CCV920XJ 106 CCV920XSL 106 CCV920XSL 106 CCV920XNSL 106 CCV920XRSL 106
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XJ 106 CCV910XJ 106 CCV910XSL 106 CCV910XSL 106 CCV910XRSL 106 CCV911XSL 98 CCV911XSL 106 CCV911XSL 106 CCV911XSL 98 CCV911XSL 97 CCV912SL 97 CCV920XCSL 106 CCV920XSL 106 CCV920XJSL 106 CCV920XJSL 106 CCV920XNSL 106 CCV920XNSL 106 CCV920XRSL 106 CCV920XRSL 10
CCV89918 97 CCV89919 97 CCV89921 97 CCV89922 97 CCV99924 98 CCV9010SL 108 CCV9012SL 97 CCV9012SL 97 CCV9012SL 97 CCV9012SL 107 CCV910 108 CCV910XC 106 CCV910XJ 106 CCV910XJ 106 CCV910XJ 106 CCV910XSL 106 CCV910XSL 106 CCV910XSL 106 CCV910XRSL 106 CCV911SL 98 CCV911SL 98 CCV911SL 97 CCV920XC 106 CCV920XCSL 106 CCV920XSL 106 CCV920XJ 106 CCV920XJ 106 CCV920XSL 106 CCV920XNSL 106 CCV920XRSL 106 CCV920XRSL 106

CCV930XC 106
CCV930XJ 106
CCV930XN 106
CCV930XR 106
CCV931 98
CCV932 97
CCV940 107
CCV940XC 106
CCV940XJ 106
CCV940XN 106
CCV940XR 106
CCV950SL 107
CCV950XCSL 106
CCV950XJSL 106
CCV950XNSL 106
CCV950XRSL 106
CCV960 107
CCV960XC 106
CCV960XJ 106
CCV960XN 106
CCV960XR 106
CCV981197
CCV9812
CCV9818
CCV9820
CCV9821
CCV9822 97
CCV9918
CCV991997
CCV9920
CCV9922 97
CCV9925
CCV9926
DLHRT 108
HW30T
HWRT 98
LC30T 105
LCET 105
LCHRT
LCRT 105
LF30T 103
LFET 103
LFHRT 103
LFRT
PRHRT 102
VG30T
VGSU1
ZHHRT 104
ZHRT 104
1

Bottom: Classic-Craft Canvas Collection, Ashurst Glass, Door - CCV20525, Sidelite - CCV105SL

Fiber-Classic. & Smooth-Star.

Number FORMUSE FORMUSE <th< th=""><th>Fiber-Classic.</th><th></th><th>FCM1283XR</th><th>170</th><th>FCM18XN</th><th>167</th><th>FCM6022XC</th><th>167</th><th>FCM6107</th><th>197</th><th>FCM755</th><th>200</th></th<>	Fiber-Classic.		FCM1283XR	170	FCM18XN	167	FCM6022XC	167	FCM6107	197	FCM755	200
Collection FCM120AC												
FOND FOND <th< td=""><td>· · ·</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>	· · ·											
Text Model First Model		196										
Exh 1000 200 FR0473600 FR047200 FR0473600 FR047200 FR0473600 FR0473700 FR0473600 FR0473700 FR04737000 FR04737000 FR04737000 FR04737000 FR047370000 FR047370000 FR047370000 FR0473700000 FR04737000000 FR047370000000000000000000000000000000000												
Exh IBA. ISP FRM126-MB FOX FOXMESA ISP FOXMESA ISP FOXMESA ISP <			FCM1284XN	167							FCM763	161
FAMOL 131 FAMORAL FAMORAL 132 FAMORAL 134 FAMORAL <					FCM2107	183						
Febru In- 131 FRM128/00 FF FRM220 200 FRM220 121 FRM128/16 161 FRM22 225 FRM1153_1 FRM128/16 FR FRM21 131 FRM128/16	FCM100-A	131	FCM1285	183	FCM2108	183	FCM6025-A	131	FCM6124XRSL	167	FCM764SL	140
FAM 103 111 FOM 2800 117 FOM 2800 120 FOM 2800 121 FOM 2800 127 FOM 2800 128 FOM			FCM1285XC	167	FCM220	200	FCM6026	152	FCM6125SL	185	FCM765	125
FAN1052 131 FOM 2000 145 FOM 2000 147 FOM 2000 140 FOM 2000	FCM101-A	131	FCM1285XE	167	FCM241	131	FCM6027	128	FCM6125XCSL	167	FCM765SL	125
PAIR 122 100 FOM 22001 107 FOM 2001 101 FOM 2001	FCM101SL	131	FCM1285XJ	167	FCM241-A	131	FCM6029	142	FCM6125XESL	167	FCM784	161
FUNIDQ 144 FUNIZQ 174 FUNIZQ 175 FUNIZQ 176 FUNIZQ 177 FUNIZQ 177 <t< td=""><td>FCM101SL-A</td><td> 131</td><td>FCM1285XN</td><td> 167</td><td>FCM3000-2C</td><td> 185</td><td>FCM6030</td><td> 146</td><td>FCM6125XJSL</td><td> 167</td><td>FCM785</td><td> 140</td></t<>	FCM101SL-A	131	FCM1285XN	167	FCM3000-2C	185	FCM6030	146	FCM6125XJSL	167	FCM785	140
PAMOL	FCM1027	140	FCM1285XR	167	FCM3000-3C	185	FCM6031	134	FCM6125XNSL	167	FCM787	161
PATMONC 117 FUND 288 158 FOMMONE 150 FOMMONE 157 FOMMONE 157 <t< td=""><td>FCM1029</td><td> 144</td><td>FCM1286</td><td> 174</td><td>FCM3000-4C</td><td> 185</td><td>FCM6032</td><td> 125</td><td>FCM6125XRSL</td><td> 167</td><td>FCM788</td><td> 140</td></t<>	FCM1029	144	FCM1286	174	FCM3000-4C	185	FCM6032	125	FCM6125XRSL	167	FCM788	140
FM MORE IP FOM MORE IP	FCM104	146	FCM1286SL	174	FCM3000-6C	185	FCM6035	174	FCM6126SL	185	FCM789	155
PAM DAVL IP FOM DAVL IP <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>												
PANLADM. 171 FUND STAL 110 FUND STAL 111 FUND STA												
PCMIDQR T1 PCMID												
FAM 05. 146 FCMI 05 131 FCMI 02 122 FCMI 04 171 FCMI 05												
FAM DS 147 FOM ISLA 131 FOM/SL 196 FOM/SL 171												
PAM 08 147 FOM 32 198 FOM 32 197 FOM 101 171 FOM 101 184 FOM 33 167 FOM 08 138 FOM 38 38 FOM 202L 171 FOM 002L 167 FOM 002L 170 FOM 002R 167 FOM 002L 170 FOM 002R 167 FOM 002R 170 FOM 002R 170 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
FMM 08. 126 FOM 134. 200 FOM 03302 171 FOM 04472 184 FOM 05108 171 FOM 04472 FOM 09. 125 FOM 3030 167 FOM 04472 167 FOM 05108 161 FOM 051014 161 161												
FOM 0981. 138 FOM 0380. 167 FOM 0192. 167 FOM 0102. 167 FOM 012. FOM 0102. 167 FOM 012. FOM 012. FOM 0102. 167 FOM 012. 167 FOM 0102. 170 FOM 0103. 171 FOM 0103. <th< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></th<>												
FXM 09. 126 FXM 398. 167 FXM 398. 167 FXM 398. 167 FXM 096. 170 FXM 398. 167 FXM 398. 167 FXM 398. 167 FXM 096. 170 FXM 398. 167 FXM 398. 167 FXM 398. 167 FXM 100. 170 FXM 398. 167 FXM 398. 167 FXM 398. 167 FXM 100. 170 FXM 398. 167 FXM 398. 167 FXM 398. 167 FXM 100. 170 FXM 498. FXM 498. 168 FXM 498. 161 FXM 498. 161 FXM 101. 168 FXM 498. FXM 498. 171 FXM 498. FXM 498. 171 FXM 498. 171 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
PCM10SL 125 FCM13WE 167 FCM0422M 167 FCM02SL 167 FCM10VE 170 FCM13WB/ 167 FCM0422M 167 FCM0422M 167 FCM042M 167 FCM032M 167 FCM10VL 170 FCM13WB/R 167 FCM042X 170 FCM0417X 171 FCM011X 171												
FOM IOC 170 FOMI 012L 177 FOMMO2X 177 <												
FOM TOXE 170 FOM 138/R 167 FOM 202 171 FOM 004 170 FOM 002 170 FOM 004 170 FOM 004 171												
FOM TOX												
FCM100N 170 FCM1400E 168 FCM22VISL 171 FCM00455 131 FCM22E 170 FCM101SL 155 FCM101 161 FCM1402 185 FCM22VBL 171 FCM00454 131 FCM022VBL 171 FCM101SL 155 FCM11 161 FCM14055 186 FCM32VBL 171 FCM022VBL 171 FCM101SL 151 FCM114 134 FCM1406 166 FCM3487XSL 167 FCM0644 131 FCM12VSL 171 FCM113 161 FCM115 134 FCM142 144 FCM3487XSL 167 FCM0605 148 FCM12VSL 171 FCM114 128 FCM115 134 FCM142 144 FCM387XSL 167 FCM0620 148 FCM114 128 FCM114 FCM385X 167 FCM327XSL 167 FCM327XSL 171 FCM115 174 FCM114 FCM385X 172 FCM327XSL FCM17												
FUNDOR 170 FOM1402 185 FOM22R 170 FOM6046-A 131 FOM22CS 171 FOM10SL 155 FOM11 151 FOM1405 168 FOM22RS 171 FOM6046 152 FOM22LS 171 FOM111 161 FOM11 125 FOM1405 168 FOM347XSL 167 FOM6047 122 FOM62XLSL 171 FOM111 161 FOM114 144 FOM440 166 FOM347XSLS 167 FOM604- 118 FOM62XLS 171 FOM111SL 161 FOM114 174 FOM447XNSL 167 FOM6050 148 FOM62XL 171 FOM114 128 FOM115 144 FOM432XXSL 167 FOM6050 148 FOM114 128 FOM114 128 FOM114 128 FOM114 128 FOM114 128 FOM6050 167 FOM82SL 167 FOM115 174 FOM114SL 174 FOM144SL 128												
FDM 11 151 FCM 140S. 166 FCM320XSL. 171 FCM8046. 152 FCM400SL. 161 FCM 110 125 FCM140SL 186 FCM3487XSL. 177 FCM811. 184 FCM111. 134 FCM1406 FCM3487XSL. 167 FCM604-A 131 FCM2XXSL. 171 FCM8113. 161 FCM113. 134 FCM140. FCM3487XSL. 167 FCM6050. 185 FCM62XNL. 171 FCM8113. 161 FCM113. 134 FCM143. FCM3487XSL. 167 FCM6050. 136 FCM651. 153 FCM651. 154 FCM651. 154 FCM651. 154 FCM651. 174 FCM8115. 174 FCM141. 154 FCM352. 125 FCM650. 156 FCM650. 167 FCM651. 174 FCM6115. 174 FCM6115. 174 FCM6115. 174 FCM6120. 156 FCM650. 167 FCM650. 167 FCM650. 167												
FOM 10 125 FOM 467SL 164 FOM 6047. 124 FOM 6047. 127 FOM 611. 164 FOM 113 134 FOM 1406. 166 FOM 367XSL 167 FOM 604.4 131 FOM 602XIL 170 FOM 6113L 161 FOM 114 134 FOM 141.2 FOM 610XIX 167 FOM 600X.4 170 FOM 113L 161 FOM 151 134 FOM 142 FOM 367XISL 167 FOM 600X.4 FOM 610X.4 128 FOM 115 134 FOM 143L 144 FOM 367XISL 167 FOM 600X.1 134 FOM 143L 128 FOM 120 133 FOM 143L 144 FOM 387XISL 167 FOM 600SL 167 FOM 60SL 167 FOM 60SL 164 FOM 145L 129 FOM 60SL 167 FOM 60SL 167 FOM 60SL 167 FOM 60SL 167 FOM 60SL 171 FOM 142SL 155 FOM 60SL 167 FOM 60SL 167 FOM 60SL 167												
FOM 113												
FCM114. 134 FCM1408. 186 FCM3437XESL 167 FCM605. 151 FCM62XSL 171 FCM8113. 161 FCM115L 134 FCM141 174 FCM347XISL 167 FCM605. 156 FCM22XSL 170 FCM8114. 128 FCM115SL 134 FCM143 144 FCM347XISL 167 FCM605. 134 FCM8114. 128 FCM111SL 134 FCM143L 144 FCM3639. 134 FCM655. 174 FCM655. 184 FCM8115. 174 FCM1200. 183 FCM1442SL 155 FCM363SL 129 FCM6055. 167 FCM65XCL 167 FCM6120USL 170 FCM1201 183 FCM144 1445 FCM45SL 129 FCM605XCL 167 FCM6120XCSL 170 FCM1202 183 FCM147. 144 FCM605XL 167 FCM65XSL 167 FCM6120XCSL 171 FCM1202XL 184 FCM148 <td></td>												
FCM114SL 134 FCM141 174 FCM4387XISL 167 FCM6050 185 FCM62XR 170 FCM8113L 161 FCM115L 134 FCM142 144 FCM3487XISL 167 FCM6050 146 FCM62XRSL 171 FCM8114 128 FCM115L 174 FCM143L 145 FCM3847XISL 167 FCM6052 125 FCM65S 184 FCM8115L 174 FCM1120 183 FCM144SL 145 FCM382L 128 FCM605SL 167 FCM65SL 170 FCM142DL 144 FCM45SL 129 FCM605SL 167 FCM65SL 167 FCM65SL 170 FCM65SL 170 FCM65SL 170 FCM65SL 171 FCM142DL 171 FCM142DL 171 FCM142DL												
FCM115 134 FCM142 144 FCM3437XISL. 167 FCM6050 146 FCM633 171 FCM8114 128 FCM116 134 FCM143SL. 145 FCM369 134 FCM655 134 FCM655 134 FCM655 134 FCM8115 174 FCM1200 133 FCM1442SL. 155 FCM655 128 FCM655 167 FCM81200 166 FCM12005L. 184 FCM142SL. 146 FCM45SL. 129 FCM605XC 167 FCM81200 167 FCM81200 170 FCM1201 183 FCM147 146 FCM605L 167 FCM65XSL 167 FCM81200 170 FCM1201 183 FCM147SL. 147 FCM605KSL 167 FCM81200 171 FCM1202 183 FCM147SL. 147 FCM605KSL 167 FCM81200 171 FCM1202 183 FCM143SL												
FCM11SL 134 FCM143 144 FCM3437XFSL 167 FCM6051 134 FCM653 133 FCM815 174 FCM116 174 FCM143SL 145 FCM38 128 FCM655 174 FCM65SL 127 FCM65SL 184 FCM8115SL 174 FCM1200 133 FCM144SL 155 FCM38SL 129 FCM65SC 167 FCM65XSL 167 FCM81200XL 196 FCM1201 183 FCM144 FCM45SL 129 FCM65XSL 167 FCM8120XL 170 FCM1201 183 FCM147SL 147 FCM606 149 FCM65XSL 167 FCM8120XCSL 170 FCM1202 183 FCM148 155 FCM542SL 174 FCM65XSL 167 FCM65XSL 167 FCM8120XL 170 FCM1202 183 FCM149 155 FCM542SL 149 FCM65XSL 167 FCM6120XXLSL 171 FCM1200XLSL 171 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
FCM116. T74 FCM143SL. 145 FCM369. 134 FCM6052. 125 FCM65. 184 FCM115. 174 FCM1200. 138 FCM1442SL. 145 FCM038L. 129 FCM6055. 174 FCM65XL. 167 FCM65XL. 167 FCM6120L. 196 FCM1200SL. 144 FCM144SL. 145 FCM45L. 129 FCM605XL. 167 FCM65XCSL. 167 FCM6120XL. 170 FCM1201SL. 144 FCM147SL. 146 FCM605XL. 167 FCM65XLSL. 167 FCM6120XLSL. 171 FCM1202L 183 FCM147SL. 147 FCM605XL 167 FCM65XLSL. 167 FCM6120XLSL. 171 FCM1202L 183 FCM148SL 155 FCM642SSL 147 FCM605XL 167 FCM65XLSL. 167 FCM65XLSL. 167 FCM6120XLSL. 171 FCM1208 183 FCM149SL 155 FCM642SSL 149 FCM605XRL 167			FCM143	144	FCM3487XRSL	167	FCM6051	134	FCM63	183		
FCM1200 183 FCM1442SL 155 FCM63SL 129 FCM605SC 155 FCM6SXC 167 FCM81200L 196 FCM1201 183 FCM144SL 144 FCM45SL 129 FCM605XC 167 FCM605XE 167 FCM81200XL 170 FCM1201L 184 FCM147 146 FCM50SL 149 FCM605XL 167 FCM65XL 167 FCM81200XEL 171 FCM1202 184 FCM144 155 FCM52SL 174 FCM605XR 167 FCM65XSL 167 FCM81200XEL 171 FCM1202 183 FCM149 155 FCM52SL 174 FCM605XR 167 FCM65XSL 167 FCM81200XL 170 FCM1208 183 FCM149 155 FCM543L 149 FCM606XR 167 FCM681200XL 171 FCM1201XLS 171 FCM155 FCM575 149 FCM606XL 167 FCM681200XR 170 FCM12101XLS 171 <td></td> <td></td> <td></td> <td></td> <td>FCM369</td> <td> 134</td> <td>FCM6052</td> <td> 125</td> <td>FCM65</td> <td> 184</td> <td>FCM8115</td> <td> 174</td>					FCM369	134	FCM6052	125	FCM65	184	FCM8115	174
FCM1200SL 184 FCM144SL 145 FCM45 128 FCM605XC 167 FCM60XCSL 167 FCM81200XC 170 FCM1201 183 FCM144 FCM45SL 129 FCM605XC 167 FCM605XE 167 FCM81200XC 171 FCM1201SL 184 FCM147SL 144 FCM506 149 FCM605XN 167 FCM605XN 167 FCM81200XE 171 FCM1202SL 184 FCM143 155 FCM542S 174 FCM606C 185 FCM605XN 167 FCM81200XL 170 FCM1208 183 FCM149SL 155 FCM543SL 149 FCM606CX 167 FCM617 FCM81200XJL 171 FCM1208 183 FCM151 155 FCM543SL 149 FCM606XVL 167 FCM81200XJL 171 FCM12101XCSL 171 FCM156 155 FCM572L 149 FCM606XN 167 FCM6120XJL 170 FCM12101XCSL 171 <t< td=""><td>FCM118</td><td> 134</td><td>FCM144</td><td> 144</td><td>FCM38</td><td> 128</td><td>FCM6055</td><td> 174</td><td>FCM65SL</td><td> 184</td><td>FCM8115SL</td><td> 174</td></t<>	FCM118	134	FCM144	144	FCM38	128	FCM6055	174	FCM65SL	184	FCM8115SL	174
FCM1201 183 FCM146 144 FCM45SL 129 FCM605E 167 FCM65XE 167 FCM61200XC 170 FCM1201SL 184 FCM147 146 FCM506 149 FCM605XL 167 FCM65XL 167 FCM65XL 167 FCM61200XCSL 171 FCM1202SL 184 FCM148 155 FCM542SL 174 FCM605XR 167 FCM65XL 167 FCM65XL 167 FCM81200XESL 171 FCM1200 183 FCM149L 155 FCM542SL 174 FCM606XL 167 FCM65XNL 167 FCM61200XNL 171 FCM1201SL 171 FCM151 155 FCM572L 149 FCM606XR 167 FCM668 1	FCM1200	183	FCM1442SL	155	FCM38SL	129	FCM6056	155	FCM65XC	167	FCM81200	196
FCM1201SL 184 FCM147 146 FCM506 149 FCM605XJ 167 FCM65XSL 167 FCM81200XESL 171 FCM1202 183 FCM147SL 147 FCM508 167 FCM65XL 167 FCM81200XESL 170 FCM1203L 183 FCM149 155 FCM542SL 174 FCM605XR 167 FCM65XISL 167 FCM81200XSL 171 FCM1208 183 FCM149SL 155 FCM542SSL 174 FCM606XC 167 FCM65XISL 167 FCM81200XJL 170 FCM1201SL 96 FCM151 155 FCM57L 149 FCM606XL 167 FCM65XRSL 167 FCM81200XNSL 171 FCM1201XSL 171 FCM160 196 FCM575 149 FCM606XL 167 FCM668 161 FCM81200XNSL 171 FCM1201XSL 171 FCM160 196 FCM575 149 FCM606XL 167 FCM668 161 FCM81200XNSL<	FCM1200SL	184	FCM144SL	145	FCM45	128	FCM605XC	167	FCM65XCSL	167	FCM81200SL	196
FCM1202 183 FCM147SL 147 FCM508 149 FCM605XN 167 FCM65XJ 167 FCM81200XE 170 FCM1202SL 184 FCM144 155 FCM5425 174 FCM605XR 167 FCM65XJ 167 FCM81200XESL 171 FCM1208 183 FCM149SL 155 FCM542SL 174 FCM606X 167 FCM65XNSL 167 FCM81200XJSL 171 FCM1208 183 FCM151 155 FCM54SL 149 FCM606XL 167 FCM65XRSL 167 FCM81200XRSL 171 FCM1201SL 196 FCM151 155 FCM571 149 FCM606XL 167 FCM65XRSL 161 FCM81200XRSL 171 FCM1201XSL 171 FCM160 196 FCM575 149 FCM606XR 167 FCM668 128 FCM81200XRSL 171 FCM1201XSL 171 FCM164 125 FCM575 149 FCM607 168 FCM669 161<	FCM1201	183					FCM605XE	167	FCM65XE	167		
FCM1202SL 184 FCM148 155 FCM5425 174 FCM605XR 167 FCM61200XL 167 FCM81200XSL 171 FCM1203 183 FCM149 155 FCM5425SL 174 FCM606X 167 FCM61200XL 170 FCM1209 183 FCM151 155 FCM54SL 149 FCM606XL 167 FCM65XRSL 167 FCM61200XNSL 171 FCM1201SL 196 FCM151 155 FCM571 149 FCM606XL 167 FCM65XRSL 167 FCM61200XNSL 171 FCM12101XESL 171 FCM166 128 FCM574 149 FCM606XR 167 FCM668 128 FCM1200XRSL 171 FCM12101XLSL 171 FCM160 196 FCM575 149 FCM607 185 FCM668 128 FCM1200XRSL 171 FCM1201XRSL 171 FCM164 125 FCM577 149 FCM6072 167 FCM668L 161 FCM61208SL <td< td=""><td></td><td></td><td></td><td></td><td>FCM506</td><td> 149</td><td></td><td></td><td>FCM65XESL</td><td> 167</td><td>FCM81200XCSL</td><td> 171</td></td<>					FCM506	149			FCM65XESL	167	FCM81200XCSL	171
FCM1203 183 FCM149 155 FCM542SSL 174 FCM606 185 FCM65XN 167 FCM81200XJ 170 FCM1208 183 FCM149SL 155 FCM543SL 149 FCM606XC 167 FCM65XNSL 167 FCM81200XJSL 171 FCM1201SL 196 FCM151 155 FCM57ZSL 149 FCM606XL 167 FCM66E 161 FCM81200XNSL 171 FCM12101XCSL 171 FCM156 155 FCM574 149 FCM606XN 167 FCM668 161 FCM81200XRSL 171 FCM12101XSL 171 FCM160 196 FCM575 149 FCM607 185 FCM628 161 FCM81200XRSL 171 FCM12101XRSL 171 FCM163 147 FCM577 149 FCM6074 144 FCM668L 161 FCM8120SL 183 FCM12102XLSL 171 FCM164 125 FCM583SL 149 FCM607XL 167 FCM678 1												
FCM1208 183 FCM149SL 155 FCM543 149 FCM606XC 167 FCM65XSL 167 FCM81200XJSL 171 FCM1209 183 FCM15 155 FCM54SL 149 FCM606XC 167 FCM65XRSL 167 FCM668 161 FCM81200XNSL 171 FCM12101XSL 171 FCM160 196 FCM575 149 FCM607 185 FCM668 128 FCM81200XRSL 171 FCM12101XSL 171 FCM160 196 FCM575 149 FCM607 185 FCM668 161 FCM81208XSL 184 FCM12101XSL 171 FCM164 125 FCM571 149 FCM6075 144 FCM678 174 FCM81208XSL 184 FCM12102XSL 167 FCM164SL 158 FCM600 200 <t< td=""><td></td><td></td><td></td><td></td><td>1 0110 120</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>					1 0110 120							
FCM1209 183 FCM15 FCM54SL 149 FCM606XL 167 FCM65XR 167 FCM81200XN 170 FCM12101SL 196 FCM151 155 FCM571 149 FCM606XL 167 FCM65XRL 167 FCM81200XNSL 171 FCM12101XESL 171 FCM16 128 FCM572L 149 FCM606XN 167 FCM668 161 FCM81200XRSL 171 FCM12101XSL 171 FCM160 196 FCM575 149 FCM6074 144 FCM668L 161 FCM81202RSL 183 FCM12101XRSL 171 FCM164 125 FCM581 149 FCM6074 144 FCM670 196 FCM81202SL 184 FCM12101XRSL 171 FCM164 158 FCM6072 167 FCM678 174 FCM81202SL 174 FCM12102XESL 167 FCM164SL 158 FCM607X 167 FCM678 174 FCM8122SL 174 FCM12102XESL <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></td<>												
FCM12101SL 196 FCM151 155 FCM571 149 FCM606XJ 167 FCM65XRSL 167 FCM81200XRSL 171 FCM12101XCSL 171 FCM16 155 FCM572SL 149 FCM606XJ 167 FCM668 161 FCM81200XRSL 170 FCM12101XISL 171 FCM160 166 FCM575 149 FCM607X 185 FCM669 161 FCM81200XRSL 171 FCM12101XISL 171 FCM163 147 FCM575 149 FCM6074 144 FCM670 196 FCM81208SL 183 FCM12102XISL 171 FCM164 125 FCM581 149 FCM6075 144 FCM678 174 FCM81208SL 184 FCM12102XISL 167 FCM164SL 158 FCM600 200 FCM607XL 167 FCM78 174 FCM8122SL 174 FCM12102XISL 167 FCM164SL 158 FCM600 200 FCM607XL 167 FCM701SL												
FCM12101XCSL 171 FCM156 155 FCM572SL 149 FCM606XN 167 FCM666 161 FCM81200XR 170 FCM12101XSL 171 FCM16 128 FCM574 149 FCM606XR 167 FCM668 128 FCM81200XRSL 171 FCM12101XJSL 171 FCM163 147 FCM575 149 FCM607 185 FCM668 161 FCM81208PSL 184 FCM12101XJSL 171 FCM164 125 FCM581 149 FCM607X 167 FCM678 174 FCM81208PSL 184 FCM12102XLSL 167 FCM1645 158 FCM600 200 FCM607XL 167 FCM678SL 174 FCM8122SL 174 FCM12102XLSL 167 FCM1647 158 FCM601 200 FCM607XL 167 FCM701SL 197 FCM8122SL 174 FCM12102XLSL 167 FCM165 144 FCM601 167 FCM707XL 187 FCM704												
FCM12101XESL 171 FCM16 128 FCM574 149 FCM606R 167 FCM668 128 FCM81200RSL 171 FCM12101XJSL 171 FCM160 196 FCM575 149 FCM607 185 FCM669 161 FCM81208P 183 FCM12101XJSL 171 FCM163 147 FCM575 149 FCM607 185 FCM669 161 FCM81208P 183 FCM12101XSL 171 FCM164 125 FCM581 149 FCM6075 144 FCM670 196 FCM81208SL 184 FCM12102XCSL 167 FCM1645 158 FCM60 200 FCM607XL 167 FCM678SL 174 FCM8122SL 174 FCM12102XSL 167 FCM1647 158 FCM600 200 FCM607XL 167 FCM701SL 197 FCM8122SL 174 FCM12102XSL 167 FCM1650 158 FCM601XC 171 FCM607XN 167 FCM704 186 FCM8130SL 161 FCM12102XNSL 167 FCM1650 158												
FCM12101XJSL 171 FCM160 196 FCM575 149 FCM607 185 FCM669 161 FCM81208P 183 FCM12101XNSL 171 FCM163 147 FCM577 149 FCM6074 144 FCM66SL 161 FCM81208PSL 184 FCM12101XRSL 171 FCM164 125 FCM581 149 FCM6075 144 FCM678 174 FCM81208SL 184 FCM12102XSL 184 FCM1645 158 FCM600 200 FCM607XC 167 FCM678 174 FCM8122SL 174 FCM12102XSL 167 FCM1645 158 FCM600 200 FCM607XL 167 FCM701SL 197 FCM8122SL 137 FCM12102XSL 167 FCM165 144 FCM601 196 FCM607XN 167 FCM704 186 FCM813 161 FCM12102XSL 167 FCM1650 158 FCM601XC 171 FCM607XR 167 FCM707 142 FCM81300SL 161 FCM12102XSL 167 FCM1650 158												
FCM12101XNSL 171 FCM163 147 FCM577 149 FCM6074 144 FCM66SL 161 FCM81208PSL 184 FCM12101XRSL 171 FCM164 125 FCM581 149 FCM6075 144 FCM678 174 FCM81208SL 184 FCM12102SL 184 FCM1645 158 FCM6083SL 149 FCM607XC 167 FCM678 174 FCM81225 174 FCM12102XCSL 167 FCM1645 158 FCM600 200 FCM607XJ 167 FCM701SL 174 FCM8122SL 174 FCM12102XJSL 167 FCM1647 158 FCM600 200 FCM607XJ 167 FCM701SL 197 FCM8122SL 137 FCM12102XJSL 167 FCM1650 158 FCM601XC 171 FCM607XR 167 FCM704 186 FCM8130SL 161 FCM12102XJSL 167 FCM1651 158 FCM601XC 171 FCM608X 167 FCM7075L 129 FCM813SL 155 FCM12102XRSL 167 FCM1651 <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>												
FCM12101XRSL 171 FCM164 125 FCM581 149 FCM6075 144 FCM670 196 FCM1208SL 184 FCM12102SL 184 FCM1645 158 FCM583SL 149 FCM607S 167 FCM678 174 FCM1225 174 FCM12102XCSL 167 FCM1646SL 158 FCM60 200 FCM607XL 167 FCM678SL 174 FCM122SSL 174 FCM12102XCSL 167 FCM1647 158 FCM600 200 FCM607XL 167 FCM70L 186 FCM812SL 137 FCM12102XJSL 167 FCM1650 144 FCM601XC 171 FCM607XN 167 FCM704 186 FCM81300SL 161 FCM12102XNSL 167 FCM1651 158 FCM601XC 171 FCM6088 185 FCM707SL 129 FCM81300SL 161 FCM12102XRSL 167 FCM1651SL 158 FCM601XL 171 FCM6088 185 FCM708L 171 FCM808XL 167 FCM708L 171 FCM808XL 167 FCM												
FCM12102SL 184 FCM1645 158 FCM583SL 149 FCM607XC 167 FCM678 174 FCM81225 174 FCM12102XCSL 167 FCM1646SL 158 FCM60 200 FCM607XE 167 FCM678SL 174 FCM81225SL 174 FCM12102XCSL 167 FCM1647 158 FCM600 200 FCM607XL 167 FCM701SL 197 FCM812SL 137 FCM12102XLSL 167 FCM165 144 FCM601 196 FCM607XN 167 FCM704 186 FCM813 161 FCM12102XNSL 167 FCM1650 158 FCM601XC 171 FCM607XR 167 FCM704 186 FCM813SL 155 FCM12102XRSL 167 FCM1651 158 FCM601XL 171 FCM608X 185 FCM707 142 FCM813SL 155 FCM121 183 FCM1651SL 158 FCM601XL 171 FCM608XC 167 FCM708XC 171 FCM8145 186 FCM122 183 FCM1654 158												
FCM12102XCSL 167 FCM1646SL 158 FCM60 200 FCM607XE 167 FCM678SL 174 FCM8122SL 174 FCM12102XESL 167 FCM1647 158 FCM600 200 FCM607XL 167 FCM701SL 197 FCM812SL 137 FCM12102XJSL 167 FCM165 144 FCM601 196 FCM607XN 167 FCM704 186 FCM813 161 FCM12102XJSL 167 FCM1650 158 FCM601XC 171 FCM607XR 167 FCM704 186 FCM813SL 161 FCM12102XRSL 167 FCM1651 158 FCM601XC 171 FCM6088 185 FCM707. 142 FCM8130SL 161 FCM1211 183 FOM1651SL 158 FCM601XR 171 FCM608XC 167 FCM708XC 171 FCM8145L 186 FCM121 183 FOM1654 158 FCM601XR 171 FCM608XL 167 FCM708XC 171 FCM8145L 186 FCM125 147 FCM1656 158												
FCM12102XESL 167 FCM1647 158 FCM600 200 FCM607XJ 167 FCM701SL 197 FCM812SL 137 FCM12102XJSL 167 FCM165 144 FCM601 196 FCM607XN 167 FCM704 186 FCM813 161 FCM12102XJSL 167 FCM1650 158 FCM601XC 171 FCM607XR 167 FCM707 142 FCM81300SL 161 FCM12102XRSL 167 FCM1651 158 FCM601XC 171 FCM608X 167 FCM707SL 129 FCM81300SL 161 FCM1211 183 FCM1651SL 158 FCM601X 171 FCM608XC 167 FCM708X 196 FCM814 128 FCM124 129 FCM1654 158 FCM601XN 171 FCM608XL 167 FCM708XC 171 FCM8145 186 FCM124 129 FCM1656 158 FCM601XR 171 FCM608XL 167 FCM708XL 171 FCM8145 186 FCM125 147 FCM1656 158 F												
FCM12102XJSL 167 FCM165 144 FCM601 196 FCM607XN 167 FCM704 186 FCM813 161 FCM12102XNSL 167 FCM1650 158 FCM601XC 171 FCM607XR 167 FCM707 142 FCM81300SL 161 FCM12102XRSL 167 FCM1651 158 FCM601XC 171 FCM608XC 167 FCM707SL 129 FCM813SL 155 FCM1211 183 FCM1651SL 158 FCM601XN 171 FCM608XC 167 FCM708 196 FCM814 128 FCM121 183 FCM1652 158 FCM601XN 171 FCM608XC 167 FCM708XC 171 FCM8145 186 FCM124 129 FCM1654 158 FCM601XR 171 FCM608XL 167 FCM708XC 171 FCM8145 186 FCM125 147 FCM1656 158 FCM6021XR 171 FCM608XR 167 FCM708XL 171 FCM8145L 186 FCM126 131 FCM1656SL 158 FCM												
FCM12102XNSL 167 FCM1650 158 FCM601XC 171 FCM607XR 167 FCM707 142 FCM81300SL 161 FCM12102XRSL 167 FCM1651 158 FCM601XE 171 FCM608 185 FCM707SL 129 FCM813SL 155 FCM1211 183 FCM1651SL 158 FCM601XJ 171 FCM608XC 167 FCM708 196 FCM814 128 FCM1212 183 FCM1652 158 FCM601XN 171 FCM608XC 167 FCM708XC 171 FCM8145 186 FCM124 129 FCM1654 158 FCM601XR 171 FCM608XL 167 FCM708XC 171 FCM8145 186 FCM125 147 FCM1656 158 FCM602 142 FCM608XR 167 FCM708XJ 171 FCM8145L 186 FCM126 131 FCM1656SL 158 FCM6021 142 FCM608XR 167 FCM708XR 171 FCM814SL 134 FCM126 131 FCM1656SL 158 FCM60												
FCM12102XRSL 167 FCM1651 158 FCM601XE 171 FCM608 185 FCM707SL 129 FCM813SL 155 FCM1211 183 FCM1651SL 158 FCM601XJ 171 FCM608XC 167 FCM708 196 FCM814 128 FCM1212 183 FCM1652 158 FCM601XJ 171 FCM608XC 167 FCM708XC 171 FCM8145 186 FCM124 129 FCM1654 158 FCM601XR 171 FCM608XL 167 FCM708XC 171 FCM8145 186 FCM125 147 FCM1656 158 FCM602 142 FCM608XN 167 FCM708XJ 171 FCM8145L 186 FCM126 131 FCM1656SL 158 FCM6021 196 FCM608XR 167 FCM708XN 171 FCM814SL 134 FCM126 131 FCM1656SL 158 FCM6021XC 170 FCM609XR 167 FCM708XR 171 FCM814SL 134 FCM1283 196 FCM185 158 FCM6021XC<												
FCM1211 183 FCM1651SL 158 FCM601XJ 171 FCM608XC 167 FCM708 196 FCM814 128 FCM1212 183 FCM1652 158 FCM601XN 171 FCM608XC 167 FCM708XC 171 FCM814 128 FCM124 129 FCM1654 158 FCM601XR 171 FCM608XL 167 FCM708XC 171 FCM8145 186 FCM125 147 FCM1656 158 FCM602 142 FCM608XN 167 FCM708XL 171 FCM8145SL 186 FCM126 131 FCM1656SL 158 FCM6021 196 FCM608XR 167 FCM708XN 171 FCM814SL 134 FCM126 131 FCM1656SL 158 FCM6021XC 170 FCM609XR 167 FCM708XR 171 FCM814SL 134 FCM1283 196 FCM1658 158 FCM6021XC 170 FCM6093 137 FCM708XR 171 FCM815SL 142 FCM1283 196 FCM18 183 FCM6021XE												
FCM1212 183 FCM1652 158 FCM601XN 171 FCM608XE 167 FCM708XC 171 FCM8145 186 FCM124 129 FCM1654 158 FCM601XR 171 FCM608XE 167 FCM708XC 171 FCM8145 186 FCM125 147 FCM1656 158 FCM602 142 FCM608XN 167 FCM708XL 171 FCM8145SL 186 FCM126 131 FCM1656SL 158 FCM6021 142 FCM608XR 167 FCM708XN 171 FCM814SL 134 FCM126 131 FCM1656SL 158 FCM6021XC 170 FCM609XR 167 FCM708XN 171 FCM814SL 134 FCM126 131 FCM1658L 158 FCM6021XC 170 FCM609XR 167 FCM708XR 171 FCM814SL 134 FCM1283 196 FCM18 183 FCM6021XE 170 FCM6093 142 FCM7125SL 184 FCM816 125 FCM1283XC 170 FCM18101SL 129 FCM602					FCM601XJ	171			FCM708	196		
FCM124 129 FCM1654 158 FCM601XR 171 FCM608XJ 167 FCM708XE 171 FCM8145SL 186 FCM125 147 FCM1656 158 FCM602 142 FCM608XN 167 FCM708XJ 171 FCM8145SL 186 FCM125 131 FCM1656SL 158 FCM602 142 FCM608XR 167 FCM708XJ 171 FCM8149 155 FCM126 131 FCM1656SL 158 FCM6021XC 196 FCM609XR 167 FCM708XR 171 FCM814SL 134 FCM126-A 131 FCM1658 158 FCM6021XC 170 FCM609XR 167 FCM708XR 171 FCM814SL 134 FCM1283 196 FCM18 183 FCM6021XC 170 FCM6093 142 FCM7125SL 184 FCM816 125 FCM1283XC 170 FCM18101SL 129 FCM6021XI 170 FCM6094 146 FCM721 147 FCM81645 158 FCM1283XE 170 FCM1810XC 167 FC												
FCM125			FCM1654	158	FCM601XR	171			FCM708XE	171	FCM8145SL	186
FCM126									FCM708XJ	171		
FCM1283			FCM1656SL	158	FCM6021	196	FCM608XR	167	FCM708XN	171	FCM814SL	134
FCM1283XC 170 FCM18101SL 129 FCM6021XJ 170 FCM6094 146 FCM721 147 FCM81645 158 FCM1283XE 170 FCM18XC 167 FCM6021XN 170 FCM6094 152 FCM735 152 FCM81646SL 158 FCM1283XJ 170 FCM18XE 167 FCM6021XR 170 FCM6097 184 FCM736 137 FCM81651 158	FCM126-A	131	FCM1658	158	FCM6021XC	170	FCM609	137	FCM708XR	171	FCM815SL	142
FCM1283XE 170 FCM18XC 167 FCM6021XN 170 FCM6095 152 FCM735 152 FCM81646SL 158 FCM1283XL 170 FCM6021XR 170 FCM6095 184 FCM735 137 FCM81646SL 158	FCM1283	196	FCM18	183	FCM6021XE	170	FCM6093	142			FCM816	125
FCM1283XJ170 FCM18XE	FCM1283XC	170	FCM18101SL	129			FCM6094	146				
	FCM1283XE	170										
FCM1283XN 170 FCM18XJ 167 FCM6022 184 FCM61 196 FCM752												
	FCM1283XN	170	FCM18XJ	167	FCM6022	184	FCM61	196	FCM752	184	FCM81651SL	158

Fiber-Classic & Smooth-Star Continue on next page.

277

Fiber-Classic. & Smooth-Star. Continued

FCM81652	158 1
	158 I
FCM81654SL	
FCM816SL	
FCM816SL-A	
FCM817	134 I
FCM817SL	145 I
FCM81800SL	
	183 I
FCM81829	183 I
FCM818SL	147
FCM81900SL	185 I
FCM81918SL	125
FCM81919SL	134 I
FCM81921SL	147 I
FCM81928SL	152
FCM81944SL	186 I
FCM81947SL	
FCM81949SL	185 1
FCM81968SL	
FCM81968SL-A	
FCM81986SL	
FCM82	-
FCM820	
FCM821	
FCM822	
FCM822-A	
FCM828	
FCM82XC	
FCM82XE	167 I
FCM82XJ	167 I
	167 I
FCM82XR	
FCM83000-2C	
FCM83000-3C	185 I
FCM83000-4C	185 I
FCM83000-6C	185 I
FCM83000F-2C	185 I
FCM83000F-3C	185 I
FCM83000F-4C	185 I
FCM83000F-6C	185 I
FCM8310SL	184
	184
FCM8313SL	184 1
FCM8321	
FCM8321XC	
FCM8321XE	
FCM8321XJ	
FCM8321XN	
	167 1
FCM8322	
FCM8323	
FCM8324	
FCM834SL	
FUN0345L	
FOMOLAFOL	131
FCM8545SL	131 I 149 I
FCM8571	131 149 149
FCM8571 FCM8572SL	131 149 149 149
FCM8571 FCM8572SL FCM8573SL	131 149 149 149 149 149
FCM8571 FCM8572SL FCM8573SL FCM8574	131 149 149 149 149 149 149
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581	131 149 149 149 149 149 149 149
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL	131 149 149 149 149 149 149 149 149
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 200 1
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860 FCM861	131 1 149
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860 FCM861 FCM861.XC	131 1 149 1 196 1 171 1
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860 FCM861 FCM861XC FCM861XE	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 171 1
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860 FCM861 FCM861XC FCM861XE FCM861XJ	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 171 1 171 1
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860 FCM861 FCM861XC FCM861XZ FCM861XJ FCM861XN	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 171 1 171 1 171 1 171 1
FCM8571 FCM8572SL FCM8573SL FCM8574. FCM8581. FCM8583SL FCM860 FCM861 FCM861XC. FCM861XE. FCM861XL. FCM861XJ. FCM861XN FCM861XR	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 170 1 171 1 171 1 171 1 171 1 171 1
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860 FCM861 FCM861.XC FCM861XJ FCM861XJ FCM861XJ FCM861XR FCM861XR FCM862	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 170 1 171 1 171 1 171 1 171 1 171 1 171 1 171 1
FCM8571 FCM8572SL FCM8573SL FCM8574. FCM8581. FCM8583SL FCM860 FCM861 FCM861XC. FCM861XE. FCM861XL. FCM861XJ. FCM861XN FCM861XR	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 170 1 171 1 171 1 171 1 171 1 171 1 171 1 171 1
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860 FCM861 FCM861.XC FCM861XJ FCM861XJ FCM861XJ FCM861XR FCM861XR FCM862	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 170 1 171
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581. FCM8583SL FCM860 FCM861 FCM861.XC FCM861XZ FCM861XJ. FCM861XN. FCM861XN. FCM861XR FCM862 FCM862SL	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 170 1
FCM8571 FCM8572SL FCM8573SL FCM8574 FCM8581 FCM8583SL FCM860 FCM861 FCM861.XC FCM861.XL FCM861.XL FCM861.XN FCM861.XR FCM862 FCM862SL FCM862XC	131 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 149 1 170 1 171 1 196 1 197 1 197 1 170 1 171 1

FCM862XESL 171
FCM862XJ 170
FCM862XJSL 171
FCM862XN 170
FCM862XNSL 171
FCM862XR 170
FCM862XRSL 171
FCM863 125
FCM864 131
FCM864-A 131
FCM864SL-A 131
FCM865 134
FCM865SL134
FCM8675SL 184
FCM8678 174
FCM8678SL 174
FCM867SL 155
FCM870 196
FCM8704 186
FCM8707142
FCM8708196
FCM8708XC 171
FCM8708XE 171
FCM8708XJ 171
FCM8708XN 171
FCM8708XR 171
FCM870SL 197
FCM870XC 170
FCM870XCSL 171
FCM870XE 170
FCM870XESL 171
FCM870XJ 170
FCM870XJSL 171
FCM870XN 170
FCM870XNSL 171
FCM870XR 170
FCM870XRSL 171
FCM871 125
FCM871SL 125
FCM872 131
FCM8721147
FCM872-A 131
FCM872SL 131
FCM872SL-A 131
FCM873 134
FCM8735 152
FCM8736137
FCM873SL 134
FCM874 146
FCM874SL 147
FCM8752 184
FCM881SL 197
FCM881SL 197 FCM881XCSL 171
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171
FCM881SL
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM883XL 125 FCM883SL 131 FCM883SL 131
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM883XRSL 171 FCM883SL 125 FCM883SL 131 FCM883SL 131 FCM883SL 131 FCM884SL 134
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM883SL 125 FCM883SL 131 FCM883SL 131 FCM883SL 131 FCM883SL 131 FCM884SL 134 FCM885SL 147
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM883SL 125 FCM883SL 131 FCM883SL 131 FCM883SL 131 FCM883SL 134 FCM885SL 147 FCM866SL 137
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM883SL 125 FCM883SL 131 FCM883SL 131 FCM883SL 131 FCM883SL 131 FCM884SL 134 FCM885SL 147
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM883SL 125 FCM883SL 131 FCM883SL 131 FCM883SL 131 FCM883SL 134 FCM885SL 147 FCM866SL 137
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM882SL 125 FCM883SL 131 FCM883SL 131 FCM884SL 134 FCM885SL 137 FCM886SL 137 FCM886SL 137 FCM886SL 137
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM882SL 125 FCM883SL 131 FCM883SL 131 FCM88SSL 134 FCM88SSL 134 FCM886SL 137
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM882SL 125 FCM883SL 131 FCM883SL 131 FCM884SL 134 FCM86SL 137 FCM886SL 137 FCM886SL 137 FCM886SL 137 FCM886SL 137 FCM886SL 137 FCM887SL 134 FCM886SL 137 FCM886SL 137 FCM886SL 137 FCM888SL 134
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM882SL 125 FCM883SL-A 131 FCM884SL 134 FCM885SL 147 FCM886SL 137 FCM886SL 137 FCM886SL 137 FCM886SL 137 FCM888SL 134 FCM886SL 137 FCM886SL 137 FCM888SL 142 FCM888SL 142
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM883SL 131 FCM883SL-A 131 FCM885SL 134 FCM886SL 137 FCM888SL 142 FCM888SL 142 FCM888SL 142
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM882SL 125 FCM883SL-A 131 FCM884SL 134 FCM885SL 147 FCM886SL 137 FCM886SL 137 FCM886SL 137 FCM886SL 137 FCM888SL 134 FCM886SL 137 FCM886SL 137 FCM888SL 142 FCM888SL 142
FCM881SL 197 FCM881XCSL 171 FCM881XESL 171 FCM881XJSL 171 FCM881XNSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM881XRSL 171 FCM883SL 131 FCM883SL-A 131 FCM885SL 134 FCM886SL 137 FCM888SL 142 FCM888SL 142 FCM888SL 142

FCM891	152
FCM891SL	152
FCM892SL	152
FCM893SL	142
FCM895	161
FCM896	140
FCM896SL	140
FCM898	128
FCM898SL	120
FCM899	144
FCM899SL	145
FCM900	137
FCM901	137
FCM901SL	137
FCM902	137
FCM902SL	137
FCM904	137
	142
FCM905	
FCM906	142
FCM906SL	142
FCM907	142
FCM907SL	142
FCM909	142
FCM910	152
FCM911	152
FCM911SL	152
FCM912	152
FCM912SL	152
FCM914	152
FCM915	152
FCM916	152
FCM916SL	152
FCM92SL	184
FCM92XCSL	167
FCM92XESL	167
FCM92XJSL	167
	107
FOMOOVNICI	167
FCM92XNSL	167
FCM92XRSL	167
FCM92XRSL FCM966	167 140
FCM92XRSL	167
FCM92XRSL FCM966 FCM968	167 140
FCM92XRSL FCM966 FCM968 Fiber-Classic.	167 140
FCM92XRSL FCM966 FCM968 Fiber-Classic Oak Collection	167 140 140
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000	167 140 140 201
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283	167 140 140 201 197
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284	167 140 140 201 197 187
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284	167 140 140 201 197
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283	167 140 140 201 197 187 187
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285	167 140 140 201 197 187 187
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000. 1283 1284 1285 1286 1289	167 140 140 201 197 187 187 174
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000. 1283 1284 1285 1286 1289 2000	167 140 140 201 197 187 187 187 174 190 182
FCM92XRSL FCM966 FCM968 F iber-Classic. Oak Collection 1000. 1283 1284 1285 1286 1289 2000 2009	167 140 140 201 197 187 187 174 190 182 178
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 1289 2000 2009 2010	167 140 140 201 197 187 187 174 190 182 178 177
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 1289 2000 2009 2010 2050	167 140 140 201 197 187 187 174 190 182 178 177 177
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 1289 2000 2009 2010 2050 2100	167 140 140 201 197 187 187 174 190 182 178 177 177 182
FCM92XRSLFCM966FCM966FCM968FCM968Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 2000 2000 2009 2010 2010 2150	167 140 140 201 197 187 187 174 190 182 178 177 177 182 177
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 1289 2000 2009 2010 2050 2100 2150 8000	167 140 140 201 197 187 187 174 190 182 178 177 177 182
FCM92XRSLFCM966FCM966FCM968FCM968Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 2000 2000 2009 2010 2010 2150	167 140 140 201 197 187 187 174 190 182 178 177 177 182 177
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 1289 2000 2009 2010 2050 2100 2150 8000	167 140 140 201 197 187 187 174 190 182 178 177 182 177 182 177 182
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 1289 2000 2009 2010 2050 21100 2150 8000 81000	167 140 140 201 197 187 187 187 187 187 182 178 177 182 177 182 201
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 1289 2000 2009 2010 2050 2100 2150 8000 81000 81200	167 140 140 201 197 187 187 174 190 182 178 177 182 177 182 201 197
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1283 1284 1285 1286 1289 2000 2009 2010 2050 2100 2150 8000 81000 81200 81208 81225	167 140 140 201 197 187 187 174 190 182 177 182 177 182 201 197 187
FCM92XRSL FCM966 FCM968 Fiber-Classic Oak Collection 1283 1284 1285 1286 1289 2000 2009 2010 2050 2100 2150 8000 81000 81200 81202 81225 81828	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 182 201 197 187 174 187
FCM92XRSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 182 201 197 187 174 187 198
FCM92XRSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 182 201 197 187 174 187 198 172
FCM92XRSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 182 201 197 187 174 187 198 172 172
FCM92XRSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 187 177 187 197 187 197 187 197 187 174
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 2000 2009	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 187 177 187 197 187 197 187 174 187 197 172 172
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 1289 2000 2009 2010 2050 2110 2050 2150 8000 81000 81200 81200 81200 81200 81225 81828 12101XL 12101XCSL 12101XJSL 12101XJSL 12101XSL 12101XSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 187 177 187 197 187 197 187 197 187 174
FCM92XRSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 187 177 187 197 187 197 187 174 187 197 172 172
FCM92XRSL FCM966 FCM968 Fiber-Classic. Oak Collection 1000 1283 1284 1285 1286 1289 2000 2009 2010 2050 2110 2050 2150 8000 81000 81200 81200 81200 81200 81225 81828 12101XL 12101XCSL 12101XJSL 12101XJSL 12101XSL 12101XRSL	167 140 140 201 197 187 187 187 187 187 182 201 197 182 201 197 182 201 197 182 201 197 182 201 197 182 201 197 182 201 197 182 201 197 182 201 201 201 201 201 201 201 201 201 20
FCM92XRSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 182 201 197 187 187 198 172 172 172 172 188
FCM92XRSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 187 177 182 201 197 187 174 198 172 172 172 172 172 188 168
FCM92XRSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 182 201 197 187 174 187 182 201 197 187 174 187 177 182 201 197 182 201 197 182 201 197 182 201 197 182 201 197 182 201 197 182 201 197 185 187 187 187 187 187 187 187 187 187 187
FCM92XRSL	167 140 140 201 197 187 187 174 190 182 178 177 182 201 197 187 174 187 177 182 201 197 187 174 198 172 172 172 172 172 188 168

1283XC	
1203AU	171
1283XE	
1283XJ	171
1283XN	171
1283XR	171
1284XC	168
1284XE	168
1284XJ	168
1284XN	168
1284XR	168
1285XC	167
	167
1285XJ	167
1285XN	167
1285XR	167
1286SL	175
13101SL	
	130
1964P	174
2000SL	182
2000XC	166
2000XE	166
Eccorecte	166
2000XJ	
2000XJSL	166
2000XN	166
2000XNSL	166
2000XR	
	166
2000/0102	
	178
2010XC	163
2010XE	163
2010XJ	163
2010XN	163
	163
2050SL	177
	163
	163
2050XE	
20JUNL	163
	163 163
2050XESL	
2050XESL 2050XJ	163 163
2050XESL 2050XJ 2050XJSL	163 163 163
2050XESL 2050XJ 2050XJSL 2050XN	163 163 163 163
2050XESL 2050XJ 2050XJSL 2050XN 2050XNSL	163 163 163 163 163
2050XESL 2050XJ 2050XJSL 2050XN 2050XNSL 2050XR	163 163 163 163 163 163
2050XESL 2050XJ 2050XJSL 2050XN 2050XNSL	163 163 163 163 163
2050XESL 2050XJ 2050XJSL 2050XN 2050XNSL 2050XR	163 163 163 163 163 163 163
2050XESL 2050XJ 2050XJSL 2050XN 2050XNSL 2050XR 2050XRSL	163 163 163 163 163 163 163 163 177
2050XESL 2050XJ 2050XJSL 2050XNSL 2050XNSL 2050XRSL 8000-12 8000-18	163 163 163 163 163 163 163 163 177 177
2050XESL	163 163 163 163 163 163 163 163 177 177 178
2050XESL	163 163 163 163 163 163 163 163 177 177 178 166
2050XESL	163 163 163 163 163 163 163 163 177 177 177 178 166 166
2050XESL	163 163 163 163 163 163 163 163 177 177 177 178 166 166
2050XESL	163 163 163 163 163 163 163 163 177 177 177 178 166 166
2050XESL	 163 163 163 163 163 163 163 163 177 177 178 166 166 166 166
2050XESL 2050XJ 2050XJSL 2050XNSL 2050XRSL 2050XRSL 2050XRSL 8000-12 8000-18 8000-9 8000XE 8000XE 8000XL 8000XJ 8000XN 8000XR	163 164 166 166 166 166 166 166
2050XESL	163 164 166 166 166 166 166 197
2050XESL	163 164 166 166 166 166 197 198
2050XESL	163 164 166 166 166 166 166 197 198 171
2050XESL	163 164 166 166 166 166 166 166 197 198 171 172
2050XESL	163 164 166 166 166 166 166 166 167 198 171 172 171
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 165 166 166 166 166 166 167 198 171 172 171 172
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 165 166 166 166 166 166 167 198 171 172 171 172
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 166 166 166 166 166 167 198 171 172 171 172 171
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 166 166 166 166 167 198 171 172 171 172 171 172 171 172
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 166 166 166 166 167 198 171 172 171 172 171 172 171 172 171
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 166 166 166 166 166 167 198 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 166 166 166 166 166 167 198 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 166 166 166 166 167 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 166 166 166 166 167 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 164 166 166 166 166 167 171 172 171 172 171 172 171 172 171 172 173 174 175 171 172 173
2050XESL	163 163 163 163 163 163 163 163 163 163 177 178 166 166 166 166 167 171 172 171 172 171 172 171 172 171 172 171 172 173 174 175 171 172 171 172 171 172 171 172 198 171 172 198 171 172 173 174 175 171 172 171 172 1
2050XESL	163 166 166 166 166 166 167 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 1
2050XESL	163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 163 166 166 166 166 166 167 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 1
2050XESL	163 164 166 166 166 166 166 166 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 171 172 1

81200XJSL	172
81200XN	171
81200XNSL	
	172
81200XR	171
81200XRSL	172
81208	187
81208PSL	189
81208SL	189
81225P	174
81225PSL	175
81225SL	175
81300SL	162
81800P	129
81800PSL	129
81800SL	130
81900PSL	190
81918P	125
81918PSL	126
81918SL	126
81919P	134
81919PSL	135
81919SL	135
81921P	147
81921PSL	148
81921SL	148
81928P	152
81928PSL	153
81928SL	153
81929P	197
81929PSL	198
81929PXC	171
81929PXCSL	172
81929PXE	171
81929PXESL	172
81929PXJ	171
81929PXJSL	172
81929PXN	171
81929PXNSL	172
81929PXR	171
81929PXRSL	172
81931P	161
81932P	140
81932PSL	141
	125
81933P	
81933PSL	126
81935P	129
81935PSL	130
81936P	132
81936P-A	132
81936PSL	132
81936PSL-A	132
81937P	134
81937PSL	135
81938P	143
81938PSL	143
81939PSL	
	138
81940P	145
81940PSL	145
81941P	147
81941PSL	148
81942P	152
81942PSL	153
81943P	197
81943PSL	198
81943PXC	171
81943PXCSL	172
81943PXE	171
81943PXESL	172
81943PXJ	171
81943PXJSL	172
81943PXN	171
81943PXNSL	172
81943PXR	171

81943PXRSL	172
81944P	
81944PSL	
81945P	
81945PXC	
81945PXE	
81945PXJ	
81945PXN	168
81945PXR	168
81946P	187
81946PSL	189
81946PXCSL	168
81946PXESL	168
81946PXJSL	168
81946PXNSL	168
81946PXRSL	168
81947P	189
81947PSL	190
81948P	189
81949P	189
81949PSL	
81950P	
81952P	
81952PSL	
81953P	129
81953PSL	
81954P	
81954P-A	132
81954PSL	
81954PSL-A	
81955P	
81955PSL	
81956P	
81956PSL	143
81957P	
81957PSL	
81958P	
81958PSL	
81959P	147 148
81959PSL	
81960P	152 153
81960PSL 81961P	
81961PSL	
81963P	
81963PSL	
81964P	174
81964PSL	
81967P	140
81967PSL	141
81968P	132
81968P-A	132
81968PSL	132
81968PSL-A	132
81968SL	132
81968SL-A	132
81970P	161
81971P	197
81971PXC	172
81971PXE	172
81971PXJ	172
81971PXN	172
81971PXR	172
81973P	161
81974P	140
81975P	126
81977P	129
81978P	132
81978P-A	132
81980P	134
81981P	
81982P	
81983P	145

81984P	147	FC125	147	FC18XJ	168	FC5425	174	FC65XC		FC802	129
81985P		FC126		FC18XJSL		FC5425SL		FC65XE		FC803	
81986PSL		FC126-A	132	FC18XN	168	FC543	150	FC65XJ	168	FC803XC	172
81986SL	143	FC127	147	FC18XNSL	168	FC545SL	150	FC65XN	168	FC803XE	172
81939P	137	FC128	132	FC18XR	168	FC549	150	FC65XR	168	FC803XJ	172
FC10	197	FC1289SL	190	FC18XRSL	168	FC5700	178	FC66	161	FC803XN	172
FC100	132	FC128-A	132	FC198	190	FC5700SL	178	FC668	129	FC803XR	172
FC1006		FC129	126	FC198SL		FC5700XC		FC669		FC806	
FC100-A		FC130		FC20042		FC5700XCSL		FC670		FC807	
FC100SL		FC131		FC21		FC5700XE		FC678		FC807SL	
FC100SL-A		FC131-A		FC2101		FC5700XESL		FC678SL		FC807XC	
FC101		FC131SL		FC2101SL		FC5700XJ		FC701SL		FC807XE	
FC101-A		FC131SL-A		FC2102		FC5700XJSL		FC704		FC807XJ	
FC101SL		FC132		FC2106		FC5700XN		FC707		FC807XN	
FC101SL-A FC1027		FC134 FC138		FC2107 FC2108		FC5700XNSL		FC707SL		FC807XR FC808	
FC1027		FC138XC		FC23		FC5700XR FC5700XRSL		FC708 FC708XC		FC808SL	
FC1029		FC138XE		FC241		FC571		FC708XC		FC809	
FC104SL		FC138XJ		FC241-A		FC5710		FC708XJ		FC80920	
FC104XC		FC138XN		FC3000-2C		FC5710SL		FC708XN		FC809203	
FC104XE		FC138XR		FC3000-3C		FC5710XC		FC708XR		FC809203XC	
FC104XJ		FC1404		FC3000-4C		FC5710XCSL		FC709		FC809203XE	
FC104XN		FC1400		FC3000-6C		FC5710XE		FC710	197	FC809203XJ	
FC104XR		FC1400SL		FC31	200	FC5710XESL	164	FC7125SL	189	FC809203XN	168
FC105	147	FC1402	190	FC310	125	FC5710XJ	164	FC713	147	FC809203XR	168
FC105SL	148	FC1408	190	FC32	197	FC5710XJSL	164	FC714	126	FC80920XC	172
FC108	125	FC1408SL	190	FC32SL	198	FC5710XN		FC721	148	FC80920XE	172
FC1089	187	FC1409		FC32XC		FC5710XNSL	164	FC735	153	FC80920XJ	172
FC1089SL		FC141		FC32XCSL		FC5710XR		FC736	138	FC80920XN	
FC108SL		FC1411		FC32XE		FC5710XRSL		FC752		FC80920XR	
FC109		FC141SL		FC32XESL		FC5720		FC755		FC80941	
FC109SL		FC142		FC32XJ		FC5720SL		FC758		FC80942	
FC10XC		FC142SL		FC32XJSL		FC5720XC		FC758SL		FC80943	
FC10XE		FC143		FC32XN		FC5720XCSL		FC761		FC80945	
FC10XJ		FC143SL		FC32XNSL		FC5720XE		FC761SL		FC80947	
FC10XN FC10XR		FC144 FC1442SL		FC32XR FC32XRSL		FC5720XESL		FC763		FC80949	
FC107R		FC1442SL		FC3487SL		FC5720XJ FC5720XJSL		FC764 FC764SL		FC80952 FC80952-A	
FC113		FC145		FC3487XCSL		FC5720XN		FC765		FC80953	
FC113SL		FC146		FC3487XESL		FC5720XNSL		FC765SL		FC80954	
FC114		FC147		FC3487XJSL		FC5720XR		FC766		FC80955	
FC114SL		FC147SL		FC3487XNSL		FC5720XRSL		FC766XC		FC80956	
FC115		FC148		FC3487XRSL		FC572SL		FC766XE		FC80957	
FC115SL	135	FC148SL	156	FC369	134	FC573SL	150	FC766XJ	171	FC809SL	153
FC116	175	FC149	155	FC38	129	FC574	150	FC766XN	171	FC8113SL	162
FC118		FC149SL		FC38SL	130	FC581		FC766XR	171	FC812SL	
FC1200	187	FC150	156	FC43	129	FC583SL	150	FC768	161	FC813	161
FC1200SL	188	FC151	156	FC43SL	130	FC585	150	FC769	140	FC813SL	156
FC1201		FC152		FC44		FC60		FC770		FC814	
FC1201SL		FC156		FC44SL		FC6093		FC772		FC8141	
FC1202		FC16		FC45		FC6094		FC773		FC8144	
FC1202SL		FC160		FC46SL		FC6095		FC773-A		FC8145	
FC1203		FC163		FC47SL		FC61		FC775		FC8145SL	
FC1204 FC1204SL		FC164		FC47XCSL		FC61XC		FC776 FC777		FC8149 FC814SL	
FC1205		FC1645 FC1646		FC47XESL FC47XJSL		FC61XE FC61XJ		FC778		FC815SL	
FC1205SL		FC1646SL		FC47XNSL		FC61XN		FC779		FC816	
FC1206		FC1647		FC47XRSL		FC61XR		FC780		FC81645	
FC1206SL		FC165		FC48		FC62		FC782		FC81646	
FC1207		FC1651		FC48SL		FC626		FC784		FC81649	
FC1207XC		FC1651SL		FC48XC	172	FC62XC		FC785		FC81651	
FC1207XE		FC1652		FC48XCSL		FC62XE		FC787	161	FC81651SL	
FC1207XJ		FC1652SL		FC48XE		FC62XJ		FC788		FC81652	
FC1207XN	163	FC1654	158	FC48XESL	172	FC62XN	171	FC789	197	FC81652SL	159
FC1207XR	163	FC1655	159	FC48XJ	172	FC62XR	171	FC791	162	FC81653	159
FC1208		FC1656SL		FC48XJSL		FC63		FC792		FC81654	
FC1208SL		FC1661		FC48XN		FC63SL		FC794		FC81654SL	
FC1209		FC18		FC48XNSL		FC63XCSL		FC795		FC81646SL	
FC1209SL		FC18SL		FC48XR		FC63XESL		FC796		FC816SL	
FC1211		FC18XC		FC48XRSL		FC63XJSL		FC797		FC816SL-A	
FC1211SL		FC18XCSL		FC506		FC63XNSL		FC798		FC817	
FC1212 FC124		FC18XE FC18XESL		FC507 FC529		FC63XRSL		FC800 FC801		FC817SL FC818SL	
111124	129	1 0 10AE3L	100	1 0029	130	FC65	100	1 000 1	120	1 00103L	140

279

Fiber-Classic. & Smooth-Star. Continued

FC82	187
FC820	152
FC821	147
FC822	132
FC822-A	132
FC828	187
FC82XC	168
FC82XE	168
FC82XJ	168
FC82XN	168
FC82XR	168
FC8310	187
FC8310SL	189
FC8311	187
FC8311SL	189
FC8313	187
FC8313SL	189
FC8316	187
FC8318	188
FC8319	188
FC832	188
FC8320	188
FC8321	188
FC8321XC	168
FC8321XE	168
FC8321XJ	168
FC8321XN	168
FC8321XR	168
FC8322	188
FC8323	188
FC8324	188
FC832XC	168
FC832XE	168
FC832XJ	168
FC832XN	168
FC832XR	
	168
FC8529	150
FC8545SL	150
FC85700	178
FC85700XC	164
FC85700XE	164
FC85700XJ	164
FC85700XN	
	164
FC85700XR	164
FC8571	150
FC85710	178
FC85710XC	164
FC85710XE	164
FC85710XJ	164
FC85710XN	164
FC85710XR	164
FC85720	178
FC85720XC	164
FC85720XE	164
	104
EC85720V I	164
FC85720XJ	164
FC85720XN	164
FC85720XN	164
FC85720XN FC85720XR	164 164
FC85720XN FC85720XR FC8572SL FC8573SL	164 164 150 150
FC85720XN FC85720XR FC8572SL FC8573SL FC8574	164 164 150 150 150
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579	164 164 150 150 150 150
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579 FC8581	164 164 150 150 150 150 150
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579 FC8581 FC8583SL	164 164 150 150 150 150
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579 FC8581	164 164 150 150 150 150 150
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579 FC8581 FC8583SL	164 164 150 150 150 150 150 201
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579 FC8581 FC8583SL FC860 FC861	164 164 150 150 150 150 150 201 198
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579 FC8581 FC8583SL FC860 FC861 FC861 XC	164 150 150 150 150 150 150 201 198 172
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8581 FC8583SL FC8683SL FC860 FC861 FC861 XC FC861XE	164 164 150 150 150 150 150 201 198 172 172
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8581 FC8583SL FC8683SL FC861 FC861 XC FC861XL FC861XJ	164 164 150 150 150 150 150 201 198 172 172 172
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579 FC8581 FC8583SL FC860 FC861 FC861 XC FC861XE FC861XJ FC861XN	164 164 150 150 150 150 150 150 150 150 198 172 172 172 172
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579 FC8583SL FC8583SL FC860 FC861 FC861 XC FC861 XL FC861 XJ FC861 XJ FC861 XN FC861 XR	164 164 150 150 150 150 150 201 198 172 172 172
FC85720XN FC85720XR FC8572SL FC8573SL FC8579 FC8581 FC8583SL FC860 FC861 FC861XC FC861XZ FC861XJ FC861XJ FC861XJ FC861XN FC861XR FC861XR FC861XR	164 164 150 150 150 150 150 150 150 150 198 172 172 172 172
FC85720XN FC85720XR FC8572SL FC8573SL FC8579 FC8581 FC8583SL FC860 FC861 FC861XC FC861XZ FC861XJ FC861XJ FC861XJ FC861XN FC861XR FC861XR FC861XR	164 164 150 150 150 150 150 201 198 172 172 172 172 172
FC85720XN FC85720XR FC8572SL FC8573SL FC8574 FC8579 FC8583SL FC8583SL FC860 FC861 FC861 XC FC861 XL FC861 XJ FC861 XJ FC861 XN FC861 XR	164 164 150 150 150 150 150 150 150 150 150 172 172 172 172 200

280

FC86220XC	172	FC92
FC86220XE		FC92
FC86220XJ		FC92
FC86220XN		FC92
FC86220XR		FC92
FC86241		FCO
FC86242		FCO
FC86243		FCO:
FC86245		FC02
FC86247		FC02
FC86249		FC02
FC86252		FC02
FC86252-A		FC02
FC86253		FC02
FC86254	143	FC02
FC86255	138	FC02
FC86256	141	FCO
FC86257	145	FCO
FC8675SL	189	FC02
FC8678	174	FCO
FC8678SL	175	FCO
FC8704	190	FCO
FC8707		FCO
FC8708		FCO
FC8708XC		FCO
FC8708XE		FCO
FC8708XJ		FCO
FC8708XN		FCO
FC8708XR		FCO:
FC8721		FCO:
FC8735		FCO:
FC8736		FCO:
FC8752		FC03
FC8867SL		FCO
FC89701		FCO
FC8971	175	FCO
FC8972	175	FCO
FC900	137	FCO
FC900SL	138	FCO
FC901	137	FCO
FC901SL	138	FCO
FC902	137	FCO
FC902SL	138	FCO
FC903	137	FCO
FC904	138	FCO
FC905		FCO
FC905SL		FCO
FC906		FCO
FC906SL		FCO
FC907		FCO
FC907SL		FCO
FC908		FCO
		FCO
FC909		
FC910		FCO
FC910SL		FCO
FC911		FCO
FC911SL		FCO
FC912		FCO
FC912SL		FCO
FC913		FCO
FC914	153	FCO
FC915		FCO
FC916	153	FCO
FC916SL	153	FCO
FC917	153	FCO
FC92	187	FCO
FC925	175	FCO
FC92SL	189	FCO
FC92XC	168	FCO
FC92XCSL	168	FCO
FC92XE		FCO
FC92XESL		FCO
FC92XJ		FCO

92XJSL	168
92XN	
92XNSL 92XR	
92XRSL	
)2000-2C	
02000-3C	
)2000-4C)2000-6C	
02000-80 02000XC-2C	
D2000XC-3C	
02000XC-4C	
D2000XC-6C D2000XE-2C	
D2000XE-2C	
02000XE-4C	
02000XE-6C	
)2000XJ-2C)2000XJ-3C	
)2000XJ-3C)2000XJ-4C	
02000XJ-6C	
02000XN-2C	
02000XN-3C	
)2000XN-4C)2000XN-6C	
02000XR-2C	
02000XR-3C	
02000XR-4C	
)2000XR-6C)3000F-2C	
03000F-3C	
03000F-4C	
03000F-6C	
06184SL 06184XCSL	
06184XESL	
D6184XJSL	
06184XNSL	
06184XRSL	
06185SL 06185XCSL	
D6185XESL	
06185XJSL	
06185XNSL	
06185XRSL 06186SL	168 190
06186XCSL	168
06186XESL	
06186XJSL	
06186XNSL 06186XRSL	
06188SL	
06188XCSL	
06188XESL	
D6188XJSL D6188XNSL	
06188XRSL	
06189SL	190
06189XCSL	
D6189XESL D6189XJSL	
06189XNSL	
D6189XRSL	
06190SL	
06190XCSL	
06190XESL 06190XJSL	
06190XNSL	168
06190XRSL	168
082000-2C	
)82000-3C)82000-4C	
082000-40 082000-60	

FC082000XC-2C	162
FC082000XC-3C	
FC082000XC-4C	164
FC082000XC-6C	164
FC082000XE-2C	163
FC082000XE-3C	163
FC082000XE-4C	164
FC082000XE-6C	164
FC082000XJ-2C	163
FC082000XJ-3C	163
	164
FC082000XJ-6C	
FC082000XN-2C	
FC082000XN-3C	163
FC082000XN-4C	164
FC082000XN-6C	164
FC082000XR-2C	163
FC082000XR-3C	163
FC082000XR-4C	164
FC082000XR-6C	164
FC083000F-2C	189
FC083000F-3C	189
	189
	189
FC083000P-2C	
FC083000P-3C	189
FC083000P-4C	189
FC083000P-6C	189
Smooth-Star.	
19020T	196
19020T	199
19055T	133
19055T-A	133
19080T	131
19200T	196
19200T	199
	100
19210T	199
19210T	199 196
19220T	196
19220T 19220T	196 199
19220T 19220T 19520T	196 199 133
19220T 19220T 19520T 19520T-A	196 199 133 133
19220T 19220T 19520T 19520T-A 19720T	196 199 133 133 149
19220T 19220T 19520T 19520T-A 19720T 19730T	196 199 133 133 149 149
19220T 19220T 19520T 19520T-A 19720T 19730T	196 199 133 133 149
19220T 19220T 19520T 19520T-A 19720T 19730T	196 199 133 133 149 149
19220T 19220T 19520T 19520T-A 19720T 19730T 19740T	196 199 133 133 149 149 144
19220T	196 199 133 133 149 149 144 144
19220T	196 199 133 133 149 149 144 144 131 131
19220T	196 199 133 133 149 149 144 144 131 131 131
19220T 19220T 19520T.A. 19520T-A. 19720T. 19730T 19740T 19750T 19800T 19810T. 19820T 85901SL	196 199 133 133 149 149 144 144 131 131 131 131
19220T 19220T 19520T-A 19520T-A 19720T 19730T 19740T 19750T 19800T 19810T 19820T 85901SL 85919SL	196 199 133 133 149 149 144 144 131 131 131 131 146 146
19220T 19220T 19520T-A 19520T-A 19720T 19730T 19740T 19750T 19800T 19810T 19820T 85901SL 85919SL AVRT	196 199 133 133 149 149 144 144 131 131 131 131 146 142
19220T 19220T 19520T 19520T-A 19720T 19730T 19740T 19750T 19800T 19810T 19820T 85901SL 85919SL AVRT AXRT	196 199 133 133 149 149 144 144 131 131 131 146 146 142 160
19220T 19220T 19520T 19520T-A 19720T 19730T 19740T 19750T 19800T 19810T 19820T 85901SL 85911SL 85919SL AVRT AXRT BLHRT	196 199 133 133 149 149 144 144 131 131 131 131 146 146 142 160 131
19220T	196 199 133 133 149 149 144 144 131 131 131 146 146 142 160 131 127
19220T	196 199 133 133 149 149 144 144 131 131 131 146 146 142 160 131 127 127
19220T	196 199 133 133 149 149 144 144 131 131 131 131 146 146 142 160 131 127 127 154
19220T	196 199 133 133 149 149 144 144 131 131 131 146 146 142 160 131 127 127
19220T	196 199 133 133 149 149 144 144 131 131 131 131 146 146 142 160 131 127 127 154
19220T 19220T	196 199 133 133 149 144 144 144 144 131 131 146 142 160 131 127 154 154
19220T	196 199 133 133 149 144 141 144 131 131 131 146 142 160 131 127 154 154 199
19220T	196 199 133 143 144 144 141 141 131 131 131 146 142 160 131 127 154 154 199 139
19220T	196 199 133 133 149 149 144 144 131 131 131 146 146 142 160 131 127 154 154 199 139 157
19220T	196199133133149144144131131146142160131127154154199139157151199
19220T	196199133133149144141131131146142160131127154154199139157151199201
19220T	196 199 133 149 149 144 144 131 131 131 146 146 142 160 131 127 154 154 199 157 151 199 201 154
19220T	196199133149144144131131146142160131127154159157151199201154157
19220T	196 199 133 149 149 144 144 131 131 131 146 142 160 131 127 154 154 199 157 151 199 201 154 157 138
19220T	196 199 133 149 149 144 144 131 131 146 146 131 127 154 157 151 199 201 154 157 138 199
19220T	196 199 133 149 149 144 144 131 131 146 142 160 131 127 154 157 151 199 201 157 138 199 173
19220T	196 199 133 149 149 144 144 131 131 146 146 131 127 154 157 151 157 157 157 157 157 157 157 157
19220T	196 199 133 149 149 144 144 131 131 146 146 131 127 154 157 151 157 157 157 157 157 157 157 157
19220T	196199133133149144141131131146142131127154157151159201154157153199173173173
19220T	196199133133149144141131131146142131127154157151159201154157153199173173173

S102 198

S1027	141
S1029	145
S103	162
S104	198
S104XC	173
S104XE	173
S104XJ	173
S104XN	173
S104XR	173
S105	199
S108	191
S1089	191
S1089SL	193
S108XC	169
S108XE	169
S108XJ	169
S108XN	169
S108XR	169
S11	201
S115	193
S1170SL	193
S1170XCSL	169
S1170XESL	169
S1170XJSL	169
S1170XNSL	169
S1170XRSL	169
S118	198
S118XC	172
S118XE	172
S118XJ	172
S118XN	172
S118XR	172
S12	133
S1200	191
S1200SL	193
S1201	191
S1201SL	193
S1202	191
S1202SL	193
S1203	191
S1204	179
S1204SL	179
S1205	179
S1205SL	179
S1206	179
S1206SL	179
S1207	179
S1207XC	164
S1207XE	164
S1207XJ	164
S1207XN	164
S1207XR	
	164
S1208	191
S1208	191
S1208 S1208SL S1209	191 193 191
S1208 S1208SL S1209 S1209SL	191 193 191 193
S1208 S1208SL S1209 S1209SL S1211	191 193 191 193 193
S1208 S1208SL S1209 S1209SL S1211 S1211SL	191 193 191 193
S1208 S1208SL S1209 S1209SL S1211 S1211SL	191 193 191 193 191 191 193
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1212	191 193 191 193 191 193 191
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1212 S1212	191 193 191 193 191 193 191 191
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1212 S1218 S128 S128XC	191 193 191 193 191 193 191
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1212 S1212	191 193 191 193 191 193 191 191
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1212 S128 S128XC S128XE	191 193 191 193 191 193 191 191 169 169
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1212 S1212 S128 S128XC S128XE S128XL S128XL	191 193 191 193 191 193 191 191 169 169 169
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1212 S1212 S128 S128XC S128XE S128XL S128XL S128XL S128XL S128XL S128XL S128XN	191 193 191 193 191 193 191 191 169 169 169
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1212 S1212 S128 S128XC S128XE S128XL S128XL	191 193 191 193 191 193 191 191 169 169 169
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1212 S1212 S128 S128XC S128XE S128XL S128XR S128XR	191 193 191 193 191 193 191 191 169 169 169 169
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1211SL S1212 S128 S128XC S128XL S128XL S128XL S128XL S128XR S128XR S128XR S128XR	191 193 191 193 191 193 191 193 191 169 169 169 169 169 133
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1211SL S1212 S128 S128XC S128XL S128XL S128XR S120	191 193 191 193 191 193 191 191 169 169 169 169 133 175
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1211SL S1212 S128 S128XC S128XL S128XL S128XL S128XL S128XR S128XR S128XR S128XR	191 193 191 193 191 193 191 193 191 169 169 169 169 169 133
S1208 S1208SL S1209 S1209SL S1211 S1211SL S1211SL S1212 S128 S128XC S128XL S128XL S128XR S120	191 193 191 193 191 193 191 191 169 169 169 169 133 175
S1208 S1208SL S1209SL S1211 S1211SL S1211SL S1212SL S1212SL S1212SL S1214SL S1215SL S128XC S128XL S128XL S128XL S128XR S130 S131	 191 193 191 193 191 193 191 169 169 169 169 169 169 169 175 176 176
S1208 S1208SL S1209 S1209SL S1211 S1212 S128X S128XE S128XJ S128XR S128XR S128XR S128XR S130 S130 S131 S132	 191 193 191 193 191 193 191 193 169 169 169 169 169 169 175 176 175
S1208 S1208SL S1209 S1209SL S1211 S1212 S128 S128XC S128XL S128XL S128XR S128XR S128XR S128XR S120 S130 S130 S131 S132 S132SL	 191 193 191 193 191 193 191 193 191 169 169 169 169 169 169 169 175 176 175 176
S1208 S1208SL S1209 S1209SL S1211 S1212 S128X S128XE S128XJ S128XR S128XR S128XR S128XR S130 S130 S131 S132	 191 193 191 193 191 193 191 193 169 169 169 169 169 169 175 176 175
S1208 S1208SL S1209 S1209SL S1211 S1212 S128 S128XC S128XL S128XL S128XR S128XR S128XR S128XR S120 S130 S130 S131 S132 S132SL	 191 193 191 193 191 193 191 193 191 169 169 169 169 169 169 169 175 176 175 176

S138SL	163
S139	132
S139-A	132
S139SL	133
S139SL-A	133
S140	198
S1400	195
S1400SL	196
S1401	181
S1401SL	181
S1402	195
	195
S1404	
S1405	195
S1405SL	196
S1406	195
S1407	195
S1408	195
S1409	181
S140STC	200
S140XC	172
S140XE	172
S140XJ	172
S140XN	172
S140XR	172
S141	191
S1411	195
	200
S141XC	169
S141XE	169
S141XJ	169
S141XN	169
S141XR	169
S1442SL	157
S150	198
S150SL	199
S151	193
S151SL	194
S154	143
S154SL	144
S155	148
S155SL	149
S156	156
S160	156
S160SL	157
S161	156
S161SL	157
S162	156
	157
	160
S1646	159
	160
S1647	159
S1650	159
S1651	159
	160
S1652	159
	160
	159
	159
	159
	159
	160
	159
S1661	160
S17	154
	195
	196
	144
	201
S200	
	180
S2000-2C	
S2000-4C	100

	100	60106	101	\$2000E 40	104	CA010VE	165	66000	106		100
S2000-6C S2000SL		S2106 S2107		S3000F-4C S3000F-6C		S4813XE S4813XJ		S6000 S6000SL		S604SL-A S605	
										S6050	
S2000SL-2C		S2108		S308SL		S4813XN		S6002			
S2000SL-4C		S210SL		S308XCSL		S4813XR		S6002SL		S6051	
S2000XC		S210XCSL		S308XESL		S4814		S6006		S6052	
S2000XC-2C	164	S210XESL	173	S308XJSL	169	S4814XC	165	S6006SL	136	S6054	176
S2000XC-3C	164	S210XJSL	173	S308XNSL	169	S4814XE	165	S6008	136	S6055	176
S2000XC-4C	164	S210XNSL	173	S308XRSL	169	S4814XJ	165	S6008SL	136	S6056	156
S2000XC-6C	165	S210XRSL	173	S30XC	173	S4814XN	165	S6009	136	S605SL	195
S2000XCSL	166	S211	133	S30XE	173	S4814XR	165	S6009SL	136	S605XC	170
S2000XCSL-2C		S211-A		S30XJ	173	S4816		S601		S605XCSL	
S2000XCSL-4C		S213		\$30XN		S4816XC		S6010		S605XE	
S2000XCSL-40		S214		S30XR		S4816XE		S6011		S605XESL	
				S31							
S2000XE-2C		S2150				S4816XJ		S6013		S605XJ	
S2000XE-3C		S220		S310		S4816XN		S6014		S605XJSL	
S2000XE-4C		S2200		S32		S4816XR	165	S601SL		S605XN	
S2000XE-6C	165	S2250	179	S32XC	169	S506	151	S601XC	173	S605XNSL	170
S2000XESL	166	S236	193	S32XE	169	S507	151	S601XCSL	173	S605XR	170
S2000XESL-2C	165	S237	193	S32XJ	169	S508	151	S601XE	173	S605XRSL	170
S2000XESL-4C	165	S241		S32XN		S529	151	S601XESL		S606	
S2000XJ		S241-A		S32XR		S5425		S601XJ		S6061	
S2000XJ-2C		S243		\$34		S5425SL		S601XJSL		S6062	
S2000XJ-3C		S250		S3487SL		S543		S601XN		S6062SL	
S2000XJ-4C		S250SL		S3487XCSL		S545SL		S601XNSL		S6063	
S2000XJ-6C		S255		S3487XESL		S549		S601XR		S6063XC	
S2000XJSL	166	S256		S3487XJSL	169	S5700	181	S601XRSL	173	S6063XE	169
S2000XJSL-2C	165	S256XC	173	S3487XNSL	169	S5700SL	181	S602	144	S6063XJ	169
S2000XJSL-4C	165	S256XE	173	S3487XRSL	169	S5700XC	165	S6021	198	S6063XN	169
S2000XN	166	S256XJ	173	S35		S5700XCSL	166	S6021XC	172	S6063XR	169
S2000XN-2C		S256XN		S35-A		S5700XE		S6021XE		S606SL	195
S2000XN-3C		S256XR		S369		S5700XESL		S6021XJ		S606XC	
S2000XN-3C		S260		\$309 \$37				S6021XN		S606XCSL	
						\$5700XJ					
S2000XN-6C		S262		S38		S5700XJSL		S6021XR		S606XE	
S2000XNSL		S262XC		S400		S5700XN		S6022		S606XESL	
S2000XNSL-2C	165	S262XE		S4070SL	154	S5700XNSL	166	S6022XC	169	S606XJ	170
S2000XNSL-4C	165	S262XJ	169	S41	144	S5700XR	165	S6022XE	169	S606XJSL	170
S2000XR	166	S262XN	169	S416SL	154	S5700XRSL	166	S6022XJ	169	S606XN	170
S2000XR-2C	164	S262XR	169	S42	148	S571	150	S6022XN	169	S606XNSL	170
S2000XR-3C	164	S263SL	194	S426	153	S5710	181	S6022XR	169	S606XR	170
S2000XR-4C		S263XCSL		S43		S5710SL		S6023		S606XRSL	
S2000XR-6C		S263XESL		S430		S5710XC		S6025		S607	
S2000XRSL		S263XJSL		S430SL		S5710XCSL		S6025-A		S6070	
S2000XRSL-2C		S263XNSL		S450						S6070SL	
						S5710XE		S6026			•••••
S2000XRSL-4C		S263XRSL		S450SL		S5710XESL		S60274		S6071	
S20042		S289		S454		S5710XJ		S6029		S6071SL	
S2009		S289E	162	S4570SL		S5710XJSL	166	S602SL		S6072	
S2009SL	181	S289ESL	163	S4800	201	S5710XN	165	S6030	148	S6073	146
S2010	179	S289XC	173	S4810	182	S5710XNSL	166	S6031	136	S6073SL	146
S2010XCSL	164	S289XE	173	S4810SL	182	S5710XR	165	S6032	126	S6074	146
S2010XESL	164	S289XJ	173	S4810XC	166	S5710XRSL	166	S6034	176	S6075	146
S2010XJSL		S289XN		S4810XCSL		S5720		S6035		S6076	
S2010XNSL		S289XR		S4810XE		S5720SL		S6036		S6077	
S2010XRSL		S291		S4810XESL		S5720XC		S604		S6078	
S205		S291SL		S4810XJ		S5720XE		S6041		S6079	
S2050		S292		S4810XJSL		S5720XJ		S6041XC		S607SL	
S206		S292SL		S4810XN		S5720XN		S6041XE		S607XC	
S206E		S294		S4810XNSL	166	S5720XR		S6041XJ	173	S607XCSL	
S206XC	172	S294-A	133	S4810XR	166	S572SL	151	S6041XN	173	S607XE	170
S206XE	172	S294SL	133	S4810XRSL	166	S5720XCSL	166	S6041XR	173	S607XESL	170
S206XJ		S294SL-A		S4812		S5720XESL		S6042		S607XJ	170
S206XN		S296		S4812SL		S5720XJSL		S6042XC		S607XJSL	
S206XR		S296XC		S4812XC		S5720XNSL		S6042XE		S607XN	
S2070SL		S296XE		S4812XCSL		S5720XRSL		S6042XJ		S607XNSL	
S210		S296XJ		S4812XE		S5730		S6042XN		S607XR	
S2100		S296XN		S4812XESL		S573SL		S6042XR		S607XRSL	
S2101		S296XR		S4812XJ		S574		S6043		S608	
	193	S30		S4812XJSL	165	S575	151	S6045		S6080	199
S2101SL	191	S3000-2C	194	S4812XN	165	S579	151	S6045-A	133	S6081	162
S2101SL S2102			104	S4812XNSL	165	S581	151	S6046	154	S6082	148
	179	S3000-3C		34012AN3L				00010		00002	
S2102		S3000-3C S3000-4C		S4812XR		S583SL		S6047		S6084	
S2102 S2103 S2103SL	179	S3000-4C	194	S4812XR	165	S583SL	151	S6047	130	S6084	154
S2102 S2103	179 179		194 194		165 165		151 151		130 143		154 127

Fiber-Classic. & Smooth-Star. Continued

S608XJ..... 170

S608XJ	170
S608XN	170
S608XR S609	170 138
S6090	153
S6091	148
S6091SL	149
S6092	143
S6092SL	144
S6093	143
S6094	148
S6095	153
S6097	192
S6100	138
S6100SL	139
S6101	138
S6101SL	139
S6102	138
S6102SL S6103	139 138
S6103	130
S6105	138
S6106	138
S6107	138
S6108	138
S6111	127
S6113	130
S6117	148
S6119	157
S6121	141
S6123	130
S6123 S6124SL	136 195
S6124XCSL	170
S6124XESL	170
S6124XJSL	170
S6124XNSL	170
S6124XRSL	170
S6125SL	195
S6125XCSL S6125XESL	170
S6125XJSL	170 170
S6125XNSL	170
S6125XRSL	170
S6126SL	195
S6126XCSL	170
S6126XESL	170
S6126XJSL	170
S6126XNSL	170
S6126XRSL	170
S6127SL S6128SL	142 176
S6130SL	131
S6131SL	139
S6132SL	157
S6134SL	136
S6135SL	146
S626	156
S63	192
S663STC	200
S668 S669	130
	162
S682	
	162 175
S682 S704	162 175 195
\$682 \$704 \$707 \$708 \$708 XC	162 175 195 144 199 173
\$682 \$704 \$707 \$708 \$708XC \$708XE	162 175 195 144 199 173 173
S682 S704 S707 S708 S708XC S708XE S708XL	162 175 195 144 199 173 173 173
S682	162 175 195 144 199 173 173 173 173
S682	162 175 195 144 199 173 173 173 173 173
S682	162 175 195 144 199 173 173 173 173 173

282

S7125SL	194	S8140XE		38
S721	149	S8140XJ	172 S	38
S735	154	S8140XN	172 8	38
S736	139	S8140XR	172 5	38
S751SL	199	S8141	195 S	58
S751XCSL	173	S8144	195 5	58
S751XESL	173	S8145	195 S	58
S751XJSL	173	S8145SL	196 5	58
S751XNSL	173	S8149		58
S751XRSL		S814SL		
\$752		\$815		
S755		S816		
S757SL		S81645		
		S81646		
S758SL				
S761SL		S81646SL		
S767SL		S81649		
S768SL		S81650		
\$770		S81651		
S771	127	S81651SL		58
S773	154	S81652	159 S	38
S774	148	S81652SL	160 5	38
S80	198	S81653	159 5	58
S8000	182	S81654	159 5	58
S8000-12	179	S81654SL	160 5	58
S8000-18	179	S817	136 5	58
S8000-9		S818		58
S8000SL		S81828		
S8000XC		S818XC		
S8000XCSL		S818XE		
S8000XCSL		S818XJ		
S8000XESL		S818XN		
S8000XJ		S818XR		
S8000XJSL		S81929P		
S8000XN		S81929PXC		
S8000XNSL	166	S81929PXE		
S8000XR	166	S81929PXJ	172 5	38
S8000XRSL	166	S81929PXN	172 8	38
S807	193	S81929PXR	172 8	38
S807XC	169	S81931P	162 5	58
S807XE	169	S81932P	141 5	58
S807XJ	169	S81933P	126 5	58
S807XN	169	S81935P		58
S807XR		S81936P-A		
S808		S81937P		
S808SL		S81938P		
S80XC		S81939P		
	172	S81939P		
	172			
S80XJ		S81940P		
S80XN		S81941P		
S80XR		S81942P		
S810		S81983		
S81000		S82		
S81086SL		S8200		
S81086XCSL		S82000-2C		
S81086XESL	173	S82000-3C	180 5	38
S81086XJSL	173	S82000-4C	180 5	58
S81086XNSL	173	S82000-6C	180 5	58
S81086XRSL	173	S82000XC-2C	164 5	58
S811	192	S82000XC-3C	164 5	58
S8113SL	163	S82000XC-4C	164 5	58
S81186SL		S82000XC-6C		
S812		S82000XE-2C		
S81208		S82000XE-3C		
S81225		S82000XE-4C		
		S82000XE-6C		
S813				
S81300SL		S82000XJ-2C		
S8132		S82000XJ-3C		
S8132SL		S82000XJ-4C		
S814		S82000XJ-6C		
S8140		S82000XN-2C		
S81401		S82000XN-3C		
S8140STC		S82000XN-4C		38
S8140XC	172	S82000XN-6C	165 5	58

S82000XR-2C	164
S82000XR-3C	164
S82000XR-4C	164
S82000XR-6C	165
	194
S8202	
S8202SL	195
S8203	194
S8204	194
S8204SL	195
S8205	194
S8207SL	195
S820	148
	153
S821	201
S82103	179
S82104	179
S82105	179
S82105XC	164
S82105XE	164
S82105XJ	164
S82105XN	164
S82105XR	164
S82106	179
S82106XC	164
S82106XE	164
S82106XJ	164
S82106XN	164
S82106XR	164
S82107	179
S82107XC	164
S82107XE	164
S82107XJ	164
S82107XN	164
S82107XR	164
S82112	180
S82112XC	165
S82112XE	165
S82112XJ	165
S82112XN	165
S82112XR	165
S82113	180
S82113XC	165
S82113XE	165
S82113XJ	165
\$82113XN	165
002110AN	165
S82113XR	
S82114	180
	165
S82114XE	165
S82114XJ	165
S82114XN	165
	165
S82116	180
S82116XC	165
S82116XE	165
S82116XJ	165
S82116XN	165
S82116XR	165
S82200	182
S82200XC	166
S82200XC	
	Inn
	166
S82200XJ	166
S82200XN	166 166
S82200XN S82200XR	166 166 166
S82200XN	166 166
S82200XN S82200XR	166 166 166
S82200XN S82200XR S82250	166 166 166 179
S82200XN S82200XR S82250 S822XC S822XC S822XE	166 166 166 179 169 169
S82200XN S82200XR S82250 S822XC S822XE S822XE S822XJ	166 166 166 179 169 169 169
S82200XN S82200XR S82250 S822XC S822XE S822XL S822XJ S822XN	166 166 179 169 169 169 169
S82200XN S82200XR S82250 S822XC S822XE S822XI S822XN S822XR	166 166 179 169 169 169 169 169
S82200XN S82200XR S82250 S822XC S822XE S822XJ S822XN S822XR S828	166 166 179 169 169 169 169 169 191
S82200XN S82200XR S82250 S822XC S822XE S822XI S822XN S822XR S822XR S828 S829	166 166 179 169 169 169 169 169 169 191 175
S82200XN S82200XR S82250 S822XC S822XE S822XJ S822XN S822XR S822XR S828	166 166 179 169 169 169 169 169 169 191 175

S82SL	193
S82XC	169
S82XCSL	169
S82XE	169
S82XESL	169
S82XJ	169
S82XJSL	169
S82XN	169
S82XNSL	169
S82XR	169
S82XRSL	169
S830	198
\$83000-2C	194
S83000-3C	194
S83000-4C	194
S83000-6C	194
S83000F-2C	194
S83000F-3C	194
S83000F-4C	194
S83000F-6C	194
	173
S830XC	
S830XE	173
S830XJ	173
S830XN	173
S830XR	173
S831	201
S8310	192
S8310SL	193
S8311	191
S8311SL	193
S83120	199
S831203	193
S831203XC	169
S831203XE	169
S831203XJ	169
S831203XN	169
S831203XR	169
S83120XC	173
S83120XE	173
S83120XJ	173
S83120XN	173
S83120XR	173
S8313	191
S8313SL	193
S83141	130
S83142	157
S83143	127
S83145	163
\$83147	154
S83149	148
S83152	133
S83152-A	133
S83153	136
S83154	144
S83155	138
S83156	142
S83157	146
	191
S8316	
S8317	193
S8318	192
S8319	400
S832	192
S8320	192 193
30320	
S8321	193
	193 193
S8321 S8321XC	193 193 192 169
S8321 S8321XC S8321XE	193 193 192 169 169
S8321 S8321XC S8321XE S8321XJ	193 193 192 169 169 169
\$8321 \$8321XC \$8321XE \$8321XJ \$8321XJ \$8321XN	193 193 192 169 169 169 169
\$8321 \$8321XC \$8321XE \$8321XJ \$8321XJ \$8321XN \$8321XR	193 192 169 169 169 169 169
\$8321 \$8321XC \$8321XE \$8321XJ \$8321XJ \$8321XN \$8321XR \$8322	193 192 169 169 169 169 169 169 192
\$8321 \$8321XC \$8321XE \$8321XJ \$8321XJ \$8321XN \$8321XR \$8322 \$8323	193 192 169 169 169 169 169 169 192 192
\$8321 \$8321XC \$8321XE \$8321XJ \$8321XJ \$8321XR \$8322 \$8322 \$8323 \$8324	193 192 169 169 169 169 169 192 192 192
\$8321 \$8321XC \$8321XE \$8321XJ \$8321XJ \$8321XN \$8321XR \$8322 \$8323 \$8324	193 192 169 169 169 169 169 169 192 192

S832XE	169
S832XJ	169
S832XN	169
S832XR	169
S833	133
S833-A	133
S834	162
S837	154
S84	162
S84586SL	131
S84800	201
S84810	182
S84810SL	182
S84810XC	166
S84810XCSL	166
S84810XE	166
S84810XESL	166
S84810XJ	166
S84810XJSL	166
S84810XN	166
S84810XNSL	166
S84810XR	166
S84810XRSL	166
S84812	180
S84812SL	181
S84812XC	165
S84812XCSL	165
S84812XE	165
S84812XESL	165
S84812XJ	165
S84812XJSL	165
S84812XN	165
S84812XNSL	165
S84812XR	165
S84812XRSL	165
S84813	180
S84813XC	165
S84813XE	165
S84813XJ	165
S84813XN	165
S84813XR	165
S84814	181
S84814XC	165
S84814XE	165
S84814XJ	165
S84814XN	165
S84814XR	165
S84816	
S84816XC	165
S84816XE	165
S84816XJ	165
S84816XN	165
S84816XR	165
S84886SL	179
S84886XCSL	164
S84886XESL	164
S84886XJSL	
	164
S84886XNSL	164
S84886XRSL	164
S8508	151
S8529	151
S8545SL	151
S85700	181
S85700SL	181
S85700XC	165
S85700XCSL	166
	165
S85700XESL	166
S85700XJ	165
	166
S85700XN	
S85700XNSL	
S85700XNSL	
3037 UUAH	100

Steel

D (11)	
Profiles.	1045HD 211 1047HD 210
310	1048HD
100	104XC 216
104	104XE 216
105 220	104XJ 216
108	104XN 216
118219	104XR 216
128	1055HD 208 1089SLHD
130	108XC 216
137	108XE 216
138	108XJ 216
198	108XN 216
369 209	108XR 216
571 212	1101HD
610	1101XCHD
620	1101XJHD 216
916	1101XNHD
1006	1101XRHD 216
1027 210	1102HD 217
1028 213	1107HD 210
1029 211	1110HD
1200	1111HD211 1112HD211
1201	1113HD
1202	1114HD
5425	1114HD-A 208
03142HD 214	1115HD 209
1001HD 207	1116HD 209
1002HD209	1117HD 207
1004HD217	1118HD213 1119HD207
1005HD220 1006SL	1120HD
1007HD 209	1121HD217
1007SLHD 210	1122HD 218
1008HD 209	1123HD 218
1009HD 209	1123HDXC216
1009SLHD 210	1123HDXE 216 1123HDXJ
100SL 220 100XCSL	1123HDXN
100XESL	1123HDXR
100XJSL	115HD 218
100XNSL 216	118XC 216
100XRSL 216	118XE 216
1011HD	118XJ216 118XN
1020HD220 1021HD	118XR 216
1021HD 213	1200SL
1024HD213	1201SL 218
1025HD207	1202SL 218
1027SL 210	128XC 216
1029SL 211	128XE216 128XJ216
1031HD210 1031SLHD	128XN 216
10313LID 210	128XR 216
1032SLHD 211	130SL 217
1034HD 210	132HD 217
1035HD 211	132SLHD 217
1037HD	138SL215 139-A208
1037SLHD 207 1038HD 210	139SL 208
1038SLHD 210	139SL-A 208
1039HD211	1400SLHD 219
1039SLHD 211	1403HD 219
103HD 215	1405HD219
1040HD211	1405SLHD 219
1040SLHD 211	1406HD 219 1408HD 219
1041HD212 1041SLHD212	1411HD
1042HD	150HD219
1044HD 210	150SLHD 220

1045HD	211
1047HD	
1048HD	
104XC	
104XE	
104XJ	
104XN	
104XR	
1055HD	
1089SLHD	
108XC	
108XE	
108XJ	
108XN	
108XR	
1101HD	
1101XCHD	216
1101XEHD	
1101XJHD	
1101XNHD	
1101XRHD	
1102HD	
1107HD	
1110HD	
1111HD	
1112HD	
1113HD	
1114HD	208
1114HD-A	
1115HD	
1116HD	
1117HD	
1118HD	
1119HD	
1120HD	212
1121HD	
1122HD	
1123HD	
1123HDXC	
1123HDXE	
1123HDXJ	
1123HDXN	
1123HDXR	
115HD	
118XC	
118XE	
118XJ	
118XN	
118XR	
1200SL	
1201SL 1202SL	
1202SL	
128XE	
128XJ	
128XN	
128XR 130SL	
1303L	
132SLHD	
138SL	
1305∟ 139-A	
139SL 139SL-A	
1400SLHD	
1400SLHD	
1405HD	
1405SLHD	
14055LHD	
1408HD	213
	210
1411HD 150HD	219

S85700XRSL 1	66	S859
S8571 1		S859
S85710 1		S859
S85710SL1		S859
S85710XC 1		S859
S85710XCSL 1	66	S860
S85710XE1	65	S860
S85710XESL1	66	S860
S85710XJ1	65	S860
S85710XJSL1	66	S860
S85710XN 1	65	S860
S85710XNSL 1	66	S860
S85710XR 1	65	S860
S85710XRSL 1	66	S860
S85720 1	81	S860
S85720SL 1		S860
S85720XCSL 1	66	S860
S85720XESL1		S860
S85720XJSL1		S860
S85720XNSL 1		S860
S85720XRSL 1		S860
S8572SL1		S860
S85730 1		S860
S85730XC 1		S860
S85730XE1		S860
S85730XJ1		S860
S85730XN 1		S860
S85730XR 1		S860
S8574 1		S860
\$8579 1		S860
S8581 1		S860
S8583SL 1		S860
S85892 1		S860
S85892SL 1		S860
S85893 1		S860 S860
S85893SL 1 S85895 1		S860
S85895SL 1		S860
S85896 1		S860
S85896SL 1		S860
S85897 1		S860
S85898 1		S860
S85898SL 1		S860
S85900 1		S860
S85900SL 1		S860
S85901 1		S860
S85902 1	53	S860
S85902SL 1	54	S860
S85905 1	27	S860
S85906 1	41	S860
S85907 1	30	S867
S85908 1	44	S867
S85909 1	48	S868
S85910SL1	99	S868
S85910XCSL 1		S870
S85910XESL1	73	S870
S85910XJSL1		S870
S85910XNSL 1		S870
S85910XRSL 1		S870
S85911SL1		S870
S85912SL1		S870
S85914SL 1		S870
S85915SL 1		S872
S85915SL-A1		S873
S85916SL1		S873
S85917SL1		S875
S85918SL 1		S857
S85920SL 1 S85922SL 1		S857
S85922SL 1 S85924SL 1		S857
S85924SL 1 S85925SL 1		S857 S857
S85926SL 1		5857 S880
S009205L		5880

S85927SL..... 127

S85928SL 176	S880XC
S85930SL 154	S880XCSL
S85931SL 136	S880XE S880XESL
S85932SL 144 S85934SL 149	S880XESL S880XJ
S8600 201	S880XJSL
S8600XC 173	S880XN
S8600XE 173	S880XNSL
S8600XJ 173	S880XR
S8600XN 173 S8600XR 173	S880XRSL S881
S8601 199	S881SL
S8601SL 199	S881XC
S8601XCSL 173	S881XCSL
S8601XESL 173	S881XE
S8601XJSL 173 S8601XNSL 173	S881XESL S881XJ
S8601XRSL 173	S881XJSL
S8602 144	S881XN
S8602SL144	S881XNSL
S8604 133	S881XR
S8604-A 133 S8605 194	S881XRSL S882
S8605SL	S884
S8605XC 170	S884SL
S8605XE 170	S887
S8605XJ 170	S887-A
S8605XN 170 S8605XR 170	S887SL S887SL-A
S8606 194	S888
S8606SL 195	S888SL
S8606XC 170	S891
S8606XE 170	S891SL
S8606XJ 170 S8606XN 170	S892 S892SL
S8606XR 170	S893
S8607 194	S894
S8607SL 195	S894SL
S8607XC 170	S895
S8607XE 170 S8607XJ 170	S895SL S896
S8607XN 170	S896XC
S8607XR 170	S896XE
S8608 195	S896XJ
S8608XC 170	S896XN
S8608XE 170 S8608XJ 170	S896XR S897
S8608XN 170	S89701
S8608XR 170	S8971
S8609 138	S8972
S8675SL 194	S898
S867SL157 S8682175	S898SL S90
S8682SL	S902
S8704 195	S902SL
S8707 144	S90SL
S8708 199	S90XC
S8708XC 173 S8708XE 173	S90XE S90XJ
S8708XJ 173	S90XJ
S8708XN 173	S90XR
S8708XR 173	S91
S8721 149	S912
S8735 154	S916
S8736 139 S8752 193	S916SL S91-A
S85720XC 165	S91SL
S85720XE 165	S91SL-A
S85720XJ 165	S92
S85720XN 165	S925
S85720XR 165 S880 198	S926 S92SL
S880SL 199	S923L
	-

0XC	172	S92XE 169
OXCSL	173	S92XJ 169
0XE	172	S92XN 169
OXESL	173	S92XR 169
0XJ	172	S93 201
0XJSL		S930 130
OXN		S930SL 131
0XNSL		\$9320 199
0XR		S93203 193
0XRSL 1		S93203XC 169 S93203XE 169
1 1SL		S93203XE 169
1XC		S93203XJ
1XCSL		S93203XR 169
1XE		S9320XC 173
1XESL		S9320XE 173
1XJ	169	S9320XJ 173
1XJSL	169	S9320XN 173
1XN		S9320XR 173
1XNSL		S9341 130
1XR		S9342 157
1XRSL		\$9343 127
2		\$9345 163 \$9347 154
4 4SL		S9347 154 S9349 148
43L 7		S9352 133
7-A		S9352-A
7SL		S9353 136
7SL-A		S9354 144
8	130	S9355 138
8SL		S9356 141
1		S9357 146
1SL		S936 130
2 2SL		\$94 162 \$95
3		S950 130
4		S950SL 131
4SL		S95-A 133
5	136	S960 201
5SL		S962 141
6		S962SL142
6XC 6XE		S964 141 S964SL 142
6XJ		S966 141
6XN		S968 141
6XR		S97 153
7	201	S970 141
701		S971 176
71		S972 127
72		S973 136
8 901		S975 126
8SL		S975SL 127 S976 141
2		S976SL 142
2SL		S977 130
SL		S979 126
XC		S980 141
XE	172	S981 130
XJ		S982 143
XN		S983 148
XR		S985 141
2		S988 141
2 6		\$989 162 \$991 141
6SL		S992 199
-A		S994 162
SL		S995 141
SL-A		S997 127
		S998 146
5		S999 148
6 SL		SART 136 WLHRT 149
SL XC		WEIINI 149

283

Steel Continued

256HDXJ 216

256HDXN...... 216

256HDXR...... 216

260HD 215

262HD......218

262HDXC..... 216

262HDXE 216

262HDXJ 262HDXN	
262HDXN	216
262HDXR	216
263HD	218
263HDXC	
263HDXE	
263HDXJ	216
263HDXN	216
263HDXR	
263SLHD	218
263SLHDXC	216
263SLHDXE	216
263SLHDXJ	
263SLHDXN	216
263SLHDXR	216
289EHD	215
289ESLHD	215
289HD	219
289HDXC	216
289HDXE	
289HDXJ	216
289HDXN	216
289HDXR	216
294HD	
294HD-A	208
296HD	220
296HDXC	
296HDXE	216
296HDXJ	216
296HDXN	216
296HDXR	
296SLHD	
296SLHDXC	216
296SLHDXE	216
296SLHDXJ	216
296SLHDXN	
296SLHDXR	
3000-2C	218
3000-3C	218
3000-4C	219
3000-6C	
309HD	
JUBUD	
0.1001	
310SL	207
310SL 311HD	207
	207 207
311HD 311SLHD	207 207 207
311HD 311SLHD 347HD	207 207 207 209
311HD 311SLHD 347HD 369SL	207 207 207 209 209
311HD 311SLHD 347HD	207 207 207 209 209
311HD 311SLHD 347HD 369SL 371HD	207 207 207 209 209 209
311HD 311SLHD 347HD 369SL 371HD 371SLHD	207 207 207 209 209 209 209
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD	207 207 209 209 209 209 209 209
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD	207 207 209 209 209 209 209 209 209 209 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD	207 207 209 209 209 209 209 209 209 209 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD	207 207 209 209 209 209 209 209 209 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD	207 207 209 209 209 209 209 209 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430HD	207 207 209 209 209 209 209 209 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430HD 430SLHD	207 207 209 209 209 209 209 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430HD 430SLHD 450HD	207 207 209 209 209 209 209 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430HD 430SLHD	207 207 209 209 209 209 209 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL. 371HD. 371SLHD. 375HD 400HD 416SL. 426HD. 430HD. 430SLHD. 450HD 450SLHD	207 207 209 209 209 209 209 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430SLHD 430SLHD 450HD 453HD	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430HD 430SLHD 450HD 454HD	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430HD 430SLHD 450SLHD 453HD 454HD 4572SLHD	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430HD 430SLHD 450HD 450SLHD 453HD 453HD 4572SLHD 5425SL	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430HD 430SLHD 450SLHD 453HD 454HD 4572SLHD	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430HD 430SLHD 450HD 450SLHD 453HD 453HD 4572SLHD 5425SL	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430SLHD 430SLHD 450HD 450SLHD 452SL 544HD 542SSL 544HD 546SLHD	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 375HD 400HD 416SL 426HD 430SLHD 430SLHD 450HD 450SLHD 453HD 454HD 4572SLHD 5425SL 544HD 546SLHD 576HD	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 375HD 400HD 416SL 426HD 430HD 430HD 450HD 453HD 452SL 544D 542SSL 544HD 546SLHD 576HD	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 375HD 400HD 416SL 426HD 430HD 430SLHD 450HD 453HD 452SL 544HD 542SSL 544HD 576HD 576HD 576HD	207 207 209 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 369SL 371HD 371SLHD 371SLHD 371SLHD 375HD 400HD 400HD 416SL 426HD 430SLHD 450SLHD 450SLHD 453HD 454HD 542SL 544HD 546SLHD 578HD 582HD 584SLHD	207 207 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 375HD 400HD 416SL 426HD 430HD 430SLHD 450HD 453HD 452SL 544HD 542SSL 544HD 576HD 576HD 576HD	207 207 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 369SL 371HD 371SLHD 371SLHD 371SLHD 375HD 400HD 400HD 416SL 426HD 430SLHD 450SLHD 450SLHD 453HD 454HD 542SL 544HD 546SLHD 578HD 582HD 584SLHD	207 207 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 371SLHD 375HD 400HD 416SL 426HD 430HD 430SLHD 450HD 453HD 454HD 5425SL 544HD 576HD 578HD 582LD 584SLHD 588HD 6023HD	207 207 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 375HD 400HD 416SL 426HD 430SLHD 430SLHD 450HD 453HD 454HD 5425SL 544HD 576HD 576HD 578HD 578HD 578HD 582LD 584SLHD 588HD 6023HD 610SL	207 207 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371HD 371SLHD 375HD 400HD 416SL 426HD 430SLHD 430SLHD 450HD 450HD 453HD 454HD 5425SL 544HD 576HD 578HD 578HD 584SLHD 584SLHD 584SLHD 584SLHD 584SLHD 584BD 6023HD 610SL 613HD	207 207 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371SLHD 371SLHD 375HD 400HD 416SL 426HD 430SLHD 430SLHD 450SLHD 453HD 454HD 542SSL 544HD 546SLHD 576HD 578HD 582HD 584SLHD 588HD 6023HD 610SL 61SHD	207 207 209 209 209 213 213 213 213 213 213 213 213 213 213
311HD 311SLHD 347HD 369SL 371HD 371HD 371SLHD 375HD 400HD 416SL 426HD 430SLHD 430SLHD 450HD 450HD 453HD 454HD 5425SL 544HD 576HD 578HD 578HD 584SLHD 584SLHD 584SLHD 584SLHD 584SLHD 584BD 6023HD 610SL 613HD	207 207 209 209 209 213 213 213 213 213 213 213 213 213 213

6184SL 219
6185SL 219
6186SL 219
620SL
625HD 212
625SLHD 212
626SL 214
627HD 214
628HD 214
628SLHD 214
630HD 214
631HD 214
632HD 212
632SL
6720SLHD 218
6720HDXCSL
6720HDXESL 216
6720HDXJSL 216
6720HDXNSL 216
6720HDXRSL 216
704HD 219
707HD 211
708HD 220
708HDXC 216
708HDXE 216
708HDXJ 216
708HDXN
708HDXR
700HDAN
735HD 213
736HD 210
752HD 218
916SL 208
930HD 207
930SLHD 208
936HD 208
936SLHD 208
950HD
950SLHD 208
956SLHD 208
959HD 219
959HDXC
959HDXCSL 216
959HDXE 216
959HDXESL 216
959HDXJ 216
959HDXJSL 216
959HDXN 216
959HDXNSL 216
959HDXR216
959HDXRSL 216
959SLHD 220
961HD 218
961HDXC
961HDXE 216
961HDXJ 216
961HDXN 216
961HDXR216
962HD 207
963HD 215
964SLHD 213
965HD 208
965HD-A 208
965SLHD 208
965SLHD-A 208
966SLHD 214
967HD 213
968HD 209
969HD 220
970SLHD 220
971SLHD 209
975SLHD 208
977SLHD 213

978HD	220
980HD	
980HDXC	
980HDXE	
980HDXJ	
980HDXN	
980HDXR	
982HD	
982HDXC	
982HDXE	
982HDXJ	
982HDXN	
982HDXR	
984HD	
985HD	
988HD	
989HD	
991HD	
996HD	
996HD-A	
999HD	
AVRT	
AXRT	
BLHRT	
BSHRT	
BSRT	
CNHRT	
CNRT	
FWRT	
KNRT	
RSRT	
SART	
TS572SL	
WLHRT	212
Traditions	
800	000
000	
000	
808	223
810	223 226
810 818	223 226 225
810 818 828	223 226 225 223
810 818 828 829	223 226 225 223 222
810 818 828 829 896	223 226 225 223 222 222 225
810 818 828 829	223 226 225 223 222 225 225 222
810 818 828 829 896 8132 8145	223 226 225 223 222 225 225 222 224
810 818 828 829 896 8132 8145 8206	223 226 225 223 222 225 222 222 224 225
810 818 828 829 896 8132 8145 8206	223 226 225 222 222 225 222 224 225 223
810	223 226 225 222 225 222 224 225 224 225 223 223
810	223 226 225 222 222 225 222 224 225 223 223 223
810	223 226 225 222 225 222 224 225 223 223 223 223 223
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223 223 223
810 818 828 829 896 8132 8145 8206 8317 8321 8322 8322 8323 8324	223 226 225 223 222 225 222 224 223 223 223 223 223 223 224 225
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223 224 225 223
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223 224 225 223 224 225 223 225
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223 224 225 223 225 222
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223 224 225 223 225 222 222
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223 223 224 225 223 225 222 222 222
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223 224 225 222 222 222 222 222 222
810	223 226 225 222 222 222 224 225 223 223 223 223 223 223 223 225 222 222
810	223 226 225 222 222 222 224 225 223 223 223 223 223 223 223 225 222 222
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223 224 225 222 222 222 222 222 222 222 222
810	223 226 225 222 225 222 224 225 223 223 223 223 223 223 225 222 222
810	223 226 225 223 222 224 225 223 223 223 223 223 223 223 223 224 225 222 222 222 222 222 222 222 222
810	223 226 225 223 222 225 222 224 225 223 223 223 223 223 223 223 224 225 222 222 222 222 222 222 222 222
810	223 226 225 222 224 225 223 223 223 223 223 223 223 223 224 225 222 222 222 222 222 222 222 222
810	223 226 225 222 224 225 223 223 223 223 223 223 223 223 223
810	223 226 225 222 225 222 225 222 223 223 223 223
810	223 226 225 222 225 222 225 222 223 223 223 223
810	223 226 225 223 222 224 223 223 223 223 223 223 223
810	223 226 225 223 222 224 225 223 223 223 223 223 223 223 223 225 222 222

6184XNSL	221
6184XRSL	221
6185SL	
6185XCSL	221
6185XESL	
6185XJSL	221
6185XNSL	221
6185XRSL	221
6186SL	224
6186XCSL	221
6186XESL	221
6186XJSL	
6186XNSL	
6186XRSL	221
632SL	224
632XCSL	221
632XESL	221
632XJSL	221
632XNSL	221
632XRSL	221
818SL	225
818XC	221
818XCSL	222
818XE	
818XESL	
818XJ	
818XJSL	222
818XN	221
818XNSL	222
818XR	221
818XRSL	222
8206XC	
8206XE	221
8206XJ	221
8206XN	221
8206XR	
828SL	224
829SL	222
83000-2C	224
83000-3C	224
83000-4C	224
83000-6C	224
8321XC	221
8321XE	
8321XJ	
8321XN	221
	221
8614SL	
86185SL	224
86186SL	224
8708XC	221
8708XE	221
8708XJ	
8708XN	221
8708XR	
896XC	
896XE	
896XJ	
896XN	
896XR	
TS100	
TS102	
TS104	225
TS104XC	
TS104XE	
TS104XJ	
TS104XN	
TS104XR	
TS105	
TS108	
TS108XC	
TS108XE	
TS108XJ	221

TS108XN	221
TS108XR	
TS115	
TS118	
TS118XC	221
TS118XE	221
TS118XJ	221
TS118XN	
TS118XR	
TS1200	
TS1201	223
TS1202	223
TS1203	223
TS128	
TS128XC	221
TS128XE	221
TS128XJ	221
TS128XN	
TS128XR	
TS130	222
TS131	222
TS132	222
TS132SL	
TS137	
TS1405SL	224
TS1408	224
TS1411	224
TS150	
TS150SL	
TS151	223
TS151SL	224
TS153	225
TS154	
TS198	
TS206	225
TS206XC	221
TS206XE	221
TS206XJ	
TS206XN	
TS206XR	
TS210	
TS210SL	225
TS210XCSL	222
TS210XESL	222
TS210XJSL	
TS210X0SL	
TS210XRSL	222
TS214	226
TS236	223
TS237	223
TS243	
TS255	
TS256	
TS256XC	221
TS256XE	221
TS256XJ	
TS256XN	
TS256XR	
TS262	223
TS262XC	221
TS262XE	
TS262XJ	
TS262XN	
TS262XR	
TS263	223
TS263SL	224
TS263XC	
TS263XCSL	
TS263XE	
TS263XESL	
TS263XJ	221
TS263XJSL	221
TS263XN	

Firo

TS263XNSL	221
TS263XR	221
TS263XRSL	221
TS296	225
TS289	225
TS289XC	221
TS289XE	221
TS289XJ	221
TS289XN	221
TS289XR	221
TS290	226
TS291	225
TS296SL	225
TS296XC	222
TS296XCSL	222
TS296XE	222
TS296XESL	222
TS296XJ	222
TS296XJSL	222
TS296XN	222
TS296XNSL	222
TS296XR	222
TS296XRSL	222
TS3000-2C	224
TS3000-3C	224
TS3000-4C	224
TS3000-6C	224
TS704	224
TS708	225
TS708XC	221
TS708XE	221
TS708XJ	221
TS708XN	221
TS708XR	221
TS752	223

Fire	
Classic-Craft. Mahogany Collection CCMF060 CCMF701 CCMF890	228
Classic-Craft	
Rustic Collect	ion⊪
CCRF040	229
CCRF040F	229
CCRF200	229
CCRF200A	229
CCRF205	229
CCRF205A	229
CCRF8005	229
CCRF8005A	229
CCRF8040	229
CCRF8040F	229
CCRF8200	229
CCRF8200A	229
CCRF8205	229
CCRF8205A	229
CCRF8220	229
CCRF8220R	229
CCRF8222	229
CCRF8225	229
CCRF8225R	229
Classic-Craft	

CCF060	229
CCF810	229
CCF831	229
CCF91	229

Classic-Craft

Canvas Collection	
CCVF050	230
CCVF060	230
CCVF200	230
CCVF205	229
CCVF205A	229
CCVF220	230
CCVF400	229
CCVF455	230
CCVF455A	230
CCVF8060	
CCVF8205	229
CCVF8205A	229
CCVF8220	230
CCVF831	230

Fiber-Classic

Mahogany

Collection	
FMF100	230
FMF134	230
FMF205	230
FMF220	230
FMF31	230
FMF60	230
FMF600	230
FMF755	230
FMF8100	230
FMF860	230

Fiber-Classic. Oak Colloct

Oak Collection	
FCF100	230
FCF134	230
FCF160	230
FCF31	230
FCF755	230
FCF808	230
FCF809	230

Pul	Se®
-----	-----

FCF8100......230

FCF8160...... 230

FCF862...... 230

SSF100......231

SSF11......231

SSF160......231

SSF200..... 231

SSF205......231

SSF600......231

SSF8100......231

SSF8160..... 231

SSF8200...... 231

SSF8205......231

SSF8220..... 231

SSF831......231

SSF8600......231

SSF93......231

SSF960..... 231

1005HD 231

203HD 231

205HD 231

210HD 231

969HD 231

978HD 231

TS100......231

TS210......231

TS214......231

TS290......231

SE100..... 228

SE1005HD 228

SE210HD 228

SE514..... 228

SE969HD 228

SE978HD 228

Profiles...

Traditions

Steel Edge

Smooth-Star.

Ari	
S2AX	237
S2CL	
S2RS	
S2XC S2XE	
S2XJ	
S2XN	
S2XR	
S83AX S83CL	
S83RS	
S83XC	
S83XE	
S83XJ S83XN	
S83XR	
Línea	
S1CL	239
S1	
S1AV	
S1AX S1BL	
S1BS	
S1FW	238
S1L	
S1LAV S1LAX	
S1LBL	
S1LBS	
S1LCL	
S1LFW	
S1LRS S1LSA	
S1LSG	
S1LSN	
S1LSNA	
S1LTX S1LXC	
S1LXE	
S1LXJ	239
S1LXN	
S1LXR S1R	
S1RAV	
S1RAX	239
S1RBL	
S1RBS S1RCL	
S1RFW	
S1RRS	
S1RS	
S1RSA	
S1RSG S1RSN	
S1RSNA	
S1RTX	
S1RXC	
S1RXE S1RXJ	
S1RXN	
S1RXR	239
S1SA	
S1SG S1SN	
S1SNA	
S1XC	
S1XE	
S1XJ S1XN	
S1XN	
S81	

S81AX	230
S81BL	
S81BS	
S81CL	
S81L	
S81LAX	239
S81LBL	237
S81LBS	237
S81LCL	239
S81LRS	
S81LSA	
S81LSG	
S81LSNA	
S81LXC	
S81LXE	
S81LXJ	
S81LXN	
S81LXR	
S81R	239
S81RAX	239
S81RBL	237
S81RBS	237
S81RCL	239
S81RRS	239
S81RS	
S81RSA	
S81RSG	
S81RSNA	
S81RXC	
S81RXE	
S81RXJ	
S81RXN	
S81RXR	
S81SA	
S81SG	
S81SNA	
S81XC	
S81XE	
S81XJ	
S81XN	239
S81XR	
Echo	239
	239
S4AX	
S4AX S4Cl	240
S4CL	240 241
S4CL S4LAX	240 241
S4CL S4LAX S4LCL	240 241 240 241
S4CL	240 241 240 241 241
S4CL S4LAX S4LCL S4LXC S4LXE	240 241 240 241 241 241
S4CL	240 241 240 241 241 241 241 241
S4CL	240 241 240 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXE S4LXI S4LXJ S4LXJ S4LXN S4LXR	240 241 240 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXL	240 241 240 241 241 241 241 241 241 241 240
S4CL S4LAX S4LCL S4LXC S4LXC S4LXL S4LXR S4LXR S4RAX S4RCL	240 241 240 241 241 241 241 241 241 240 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXL S4LXR S4LXR S4RAX S4RXC	240 241 240 241 241 241 241 241 241 240 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXL S4LXR S4LXR S4RAX S4RCL	240 241 240 241 241 241 241 241 241 240 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXL S4LXL S4LXL S4LXL S4LXL S4LXR S4RAX S4RAX S4RXC S4RXL S4RXL	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXR S4LXN S4LXR S4RAX S4RXC S4RXC S4RXL S4RXL S4RXL S4RXL S4RXL	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXL S4LXL S4LXL S4LXL S4LXL S4LXR S4RAX S4RAX S4RXC S4RXL S4RXL	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXL S4RXR S4RXL S4RXL S4RXL S4RXL S4RXN S4RXR S4XC	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXR S4RAX S4RAX S4RXC S4RXC S4RXL S4RXL S4RXN S4RXN	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXL S4RXR S4RXL S4RXL S4RXL S4RXL S4RXN S4RXR S4XC	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LAX S4LCL S4LXC S4LXC S4LXL S4RXR S4RXL S4RXL S4RXL S4RXL S4RXL S4RXN S4RXR S4XC S4XE	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LAX S4LCL S4LXC S4LXC S4LXL S4LXJ S4LXJ S4LXN S4LXR S4RAX S4RAX S4RXC S4RXL S4RXL S4RXJ S4RXN S4RXR S4XXC S4XX S4XX S4XX	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LAX S4LCL S4LXC S4LXC S4LXL S4RXL S4RXC S4RXN S4RXN S4RXR S4XC S4XL S4XL S4XX S4XX S4XX	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LAX S4LCL S4LXC S4LXC S4LXL S4RX S4RXC S4RXL S4RXL S4RXN S4RXR S4XE S4XE S4XL S4XL S4XX S4XX S4XE S4XL S4XE S4XL S4XE S4XE S4XE S4XL S4XE S4XL S4XE S4XE S4XE S4XR S5AX	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXR S4LXR S4RAX S4RAX S4RXC S4RXC S4RXN S4RXN S4RXN S4RXR S4XZ S4XX S4XX S4XX S5AX S5CL S5LAX	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LAX S4LCL S4LXC S4LXC S4LXL S4RX S4RXC S4RXL S4RXL S4RXN S4RXR S4XE S4XE S4XL S4XL S4XX S4XX S4XE S4XL S4XE S4XL S4XE S4XE S4XE S4XL S4XE S4XL S4XE S4XE S4XE S4XR S5AX	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXR S4LXR S4RAX S4RAX S4RXC S4RXC S4RXN S4RXN S4RXN S4RXR S4XZ S4XX S4XX S4XX S5AX S5CL S5LAX	240 241 240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXR S4LXR S4RAX S4RAX S4RXC S4RXL S4RXL S4RX S4XN S4X S5AX S5CL S5LCL	240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXR S4LXR S4RXR S4RXC S4RXC S4RXN S4RXR S4RXR S4XC S4XX S4XX S5AX S5CL S5LXC	240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXE S4LXB S4LXR S4RXC S4RXC S4RXC S4RXR S4RXR S4RXR S4XA S4XX S5AX S5CL S5LXC	240 241 241 241 241 241 241 241 241 241 241
S4CL S4LAX S4LAX S4LCL S4LXC S4LXC S4LXC S4LXC S4LXC S4LXC S4LXL S4LXL S4LXL S4LXR S4RXR S4RXC S4RXL S4RXL S4RXL S4RXR S4RXR S4XC S4X S4X S4X S5AX S5LAX S5LXJ	240 241 241 241 241 241 241 241 241 241 241

2
C
>

S5RAX 240

S5RCL 242

S5RXC 242

S5RXE 242

S5RXJ......242

S5RXN 242

S5XC 242

S5XE.....242

S5XJ.....242

S5XN 242

S810AX 241

S810CL 242

S810LAX...... 241

S810LCL..... 242

S810LXC 242

S810LXE...... 242 S810LXJ..... 242 S810LXN 242 S810LXR 242 S810RAX 241 S810RCL 242 S810RXC 242 S810RXE 242 S810RXJ......242 S810RXN 242 S810RXR 242 S810XC 242 S810XE......242 S810XJ......242 S810XN 242 S810XR 242 S811AX 241 S811CL 242 S811LAX......241 S811LCL......242 S811LXC 242 S811LXE..... 242 S811LXJ..... 242 S811LXN 242 S811LXR 242 S811RAX 241 S811RCL 242 S811RXC 242 S811RXE 242 S811RXJ......242 S811RXN 242 S811RXR 242 S811XC 242 S811XE...... 242 S811XJ.....242 S811XN 242 S811XR 242 S84CL 241 S84LAX......240 S84LCL.....241 S84LXC 241 S84LXJ.....241 S84LXN 241 S84LXR 241 S84RAX 240 S84RCL 241 S84RXC 241

S84RXE 241

S84RXJ..... 241

S84RXN 241

S84RXR 241

S84XC 241

S84XE.....241

S84XJ..... 241

286

S84X S84X S85A

S84XN 241	S9LXR 242
S84XR 241	S9RAX 240
S85AX 240	S9RCL 242
S85CL 242	S9RXC 242
S85LAX 240	S9RXE 242
S85LCL 241	S9RXJ 242
S85LXC 241	S9RXN 242
S85LXE 241	S9RXR 242
S85LXJ241	S9XC 242
S85LXN 241	S9XE242
S85LXR 241	S9XJ242
S85RAX 240	S9XN 242
S85RCL 242	S9XR 242
S85RXC 242	Sidelites
S85RXE 242	S10AXSL
S85RXJ 242	S10CLSL
S85RXN 242	S10XCSL 244
S85RXR 242	S10XESL
S85XC 242	S10XJSL
S85XE 242	S10XJSL
S85XJ 242	S10XRSL
S85XN 242	S1651SL
S85XR 242	S4570SL
S86AX 240	S4AXSL
S86CL 242	
S86LAX 240	S4CLSL
S86LCL	S4XCSL
S86LXC 242	S4XESL
S86LXE242	S4XJSL
S86LXJ242	S4XNSL
S86LXN 242	S4XRSL 244
S86LXR 242	S572SL
S86RAX 240	S5AXSL 243
S86RCL 242	S5CLSL
S86RXC 242	S5XCSL 244
S86RXE 242	S5XESL
S86RXJ	S5XJSL
S86RXN	S5XNSL 244
S86RXR 242	S5XRSL 244
S86XC 242	S601SL
S86XE242	S601XCSL 243
S86XJ242	S601XESL
S86XN 242	S601XJSL
S86XR 242	S601XNSL 243
S8AX 240	S601XRSL 243
S8CL 242	S602SL
S8LAX 240	S604SL-A
S8LCL	S6127SL243
S8LXC 242	S6128SL
S8LXE242	S6130SL
S8LXJ242	S6134SL
S8LXN 242	S6135SL
S8LXR 242	S81086SL243
S8RAX 240	S81086XCSL 243
S8RCL 242	S81086XESL 243
S8RXC 242	S81086XJSL
S8RXE 242	S81086XNSL 243
S8RXJ 242	S81086XRSL 243
S8RXN 242	S810AXSL 243
S8RXR 242	S810CLSL
S8XC 242	S810XCSL
S8XE242	S810XESL
S8XJ242	S810XJSL
S8XN 242	S810XNSL 244
S8XR 242	S810XRSL
S9AX 240	S811AXSL 243
S9CL 242	S811CLSL
S9LAX 240	S811XCSL 244
S9LCL 242	S811XESL
S9LXC 242	S811XJSL
S9LXE 242	S811XNSL
S9LXJ 242	S811XRSL 244
S9LXN 242	

۹	242	S8165SL
x		S84586S
L		S84AXSL
C.	242	S84CLSL
-	~	S84XCSL
E J N	242	S84XESL
N	242	S84XJSL
R	242	S84XNSL
		S84XRSL
	242	S8572SL
	242	S85927S
	242	S85928S
		S85931S
lites		S85932S
XSL	2/2	S85933S
LSL	244	S85933S
CSL	211	S85AXSL S85CLSL
ESL	211	S85XCSL
JSL	211	S85XESL
NSL	211	S85XJSL
RSL	011	S85XNSL
1SL	243	S85XRSL
DSL		S86AXSL
SL		S86CLSL
SL		S86XCSL
SL		S86XESL
SL		S86XJSL
SL		S86XNSL
SL		S86XRSL
SL SL	040	S9AXSL .
SL	040	S9CLSL
SL SL	244	S9XCSL.
SL	244	S9XESL.
SL	244	S9XJSL.
SL	044	S9XNSL. S9XRSL.
SL		SAXROL .
SL	244	
SL	243	
KCSL	243	
KESL		
KJSL		
KNSL		
(RSL		
SL		
SL SL-A		
7SL		
BSL		
DSL		
4SL	243	
5SL	243	
B6SL	243	
B6XCSL	243	
B6XESL		
86XJSL		
B6XNSL		
86XRSL		
AXSL		
CLSL KCSL		
KESL		
KESL KJSL		
KNSL		
(RSL		
AXSL		
CLSL	-	
	244	
KCSL		
KESL	244 244	
KESL KJSL	244 244 244	
KESL	244 244 244 244	

8165SL 243
84586SL 243
84AXSL 243
84CLSL 244
84XCSL 244
84XESL 244
84XJSL 244
84XNSL 244
84XRSL 244
8572SL 243
85927SL 243
85928SL 243
85931SL 243
85932SL 243
85933SL 243
85933SL-A 243
85AXSL 243
85CLSL 244
85XCSL 244
85XESL 244
85XJSL 244
85XNSL 244
85XRSL 244
86AXSL 243
86CLSL 244
86XCSL 244
86XESL 244
86XJSL 244
86XNSL 244
86XRSL 244
9AXSL 243
9CLSL 244
9XCSL 244
9XESL 244
9XJSL 244
9XNSL 244
9XRSL 244





Top: Smooth-Star Door – S8200; Granite Glass, Sidelites – S81086XNSL Bottom: Smooth-Star, Concorde Glass, Door – S97, Sidelites – S416SL



Top: Fiber-Classic Mahogany Collection, Sedona Art Glass, Door – FCM604-A, Sidelites – FCM816SL-A, Transom – 19520T-A Bottom Left: Classic-Craft Mahogany Collection, Longford Glass, Door – CCM703, Sidelites – CCM3033SL, Transom – LFET Bottom Right: Classic-Craft Rustic Collection Door – CCR205; Low-E Glass, Sidelites – CCR3400SL



Top: Fiber-Classic Mahogany Collection, Blackstone Glass, Door – FCM765; Rainglass, Sidelites – FCM12101XRSL Middle Right: Fiber-Classic Oak Collection, Saratoga Glass, Door – 81956P Bottom Right: Classic-Craft Canvas Collection, Lucerna Glass, Doors – CCV22022, ©TheHouseDesigners.com













Top Left: Fiber-Classic Mahogany Collection, Maple Park Glass, Door – FCM609 Middle Left: Classic-Craft Mahogany Collection, Ashurst Glass, Door – CCM305, Sidelites – CCM3305SL, Transom – ASRT Bottom: Classic-Craft American Style Collection, Low-E Glass with SDLs, Door – CCA8220; Smooth-Star, Satin Etch Glass, Sidelites – S8601XESL



Top: Smooth-Star, Clear Glass with GBGs, Door – S82104 Middle Right: Pulse Ari, Chinchilla Glass with Scrolled Lite Frame, Door – S2XJ Bottom Right: Smooth-Star, Satin Etch Glass with SDLs, Door – S4813XE

Tools of the Trade

Check out these helpful resources for dealers, builders and remodelers.

Architectural Home Styles Guide

Get inspired to choose entry doors by design with our interactive guide to popular home styles. www.homestyles.thermatru.com.



National Home Valuation Study

A stylish new Therma-Tru entry door can increase your home's perceived value by 4.2% or \$18,750 on average.* Learn more and download promotional materials at **www.thermatru.com/curbappeal.**

PERSONAL PERSONAL Water to \$10,500 Water to \$10,500 A new Person bits with your and all one personal of the Anew Person bits with your and all one personal of the Anew Person bits with your and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and all one personal of the Anew Personal Office and All offi

Unlock the Opportunities

Learn about new products and the power of curb appeal, and enter for a chance to win prizes at www.unlocktheopportunities.com.

Promotion runs January 2–April 30, 2017.



DoorWays™ App

The power to create the perfect entrance is at your fingertips – it's easier than ever to design and visualize entrances at **www.thermatru.com/doorways.**



Consumers Digest Best Buy

Order free, ready-to-use promotional material to promote Classic-Craft and Fiber-Classic in your showroom at www.thermatru.com/ trade-professionals/consumersdigest.



*Based on a nationwide survey of consumers' estimates of perceived home value based on exterior appearance. Not based on actual home sales. Results may vary based on region and home style. Therma-Tru's "National Home Valuation Study" was commissioned by Therma-Tru in 2015 and conducted by TNS, an independent provider of internet-based research.

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc. Android and Google Play are trademarks of Google, Inc.



www.thermatru.com

1-800-THERMA-TRU (843-7628) 1750 Indian Wood Circle Maumee, OH 43537





-le

Cover: Classic-Craft Oak Collection, Arborwatch Glass, Door – CC1423, Sidelites – CC1423SL, Transom – ABRT Top: Smooth-Star, Low-E Glass with SDLs, Door – S4814, Sidelites – S4812SL

Bottom Left: Smooth-Star, Internal Blinds, Door – S8132 Bottom Right: Smooth-Star, Satin Etch Glass with SDLs, Door – S5710XE, Sidelite – S5710XESL, ©TheHouseDesigners.com

©2017 Therma-Tru Corp. All rights reserved. THERMA-TRU and the Therma-Tru Logo are trademarks of Therma-Tru Corp. Registered trademarks are registered in the U.S. and may be registered internationally. Therma-Tru Corp. is an operating company of Fortune Brands Home & Security, Inc. The Best Buy Seal and other licensed materials are registered certification marks and trademarks of Consumers Digest Communications, LLC, used under license. For award information, visit ConsumersDigest.com. ENERGY STAR is a government program that helps consumers protect the environment through superior energy efficiency and is a registered trademark of the U.S. Department of Energy and the U.S. Environmental Protection Agency. (E) Part #MAFL2017 HESB / JAN 2017