

Open to extraordinary...





Open to extraordinary...

Masonite is committed to delivering unsurpassed performance in interior and exterior doors and glass products. Our goal is to provide not just a door, but a total experience, giving you a complete line of products, services and support tools designed around your success.

We are the leading source for the latest trend insights and design ideas, delivering distinctive door styles that complement any home and personal taste. From the crisp, clean lines of our Heritage Series, to the traditional elegance of our Masonite Classics, Collection, we offer a breadth of interior doors to meet any design, performance and material you need, so you always have the right answer for your customers.

Every product we offer is the result of years of research, design, engineering and development that begins at the Masonite Innovation Center in Chicago, the largest facility of its kind in the industry. It is our dedication to a fully integrated design process that sets us apart from the competition and ensures every product we deliver lives up to our exacting standards for quality, consistency and craftsmanship.

YOUR TRUSTED PARTNER

Masonite is not just a trusted leader in interior doors; we are a powerful partner who helps you elevate the role a door plays in your projects—creating more inspiring customer experiences and stronger business results.

Interior Door Collections
Safe 'N Sound _®
Barn Doors
Masonite Expo _®
Masonite Select _™ 14
Masonite Classics

6P Prefinished
Commercial
Flush Series
Eco-Friendly Doors
Design and Size Options

masonite.com

Interior Door Collections

AT A GLANCE



Masonite. Open to extraordinary." Safe 'N Sound., Berkley., Cheyenne., Emerald., Hamel., Heritage Series.., Lincoln Park., Logan.., Melrose., Riverside., Saddlebrook., West End Collection. and Winslow. are trademarks of Masonite International Corporation. Doors made using patents 6,588,162 (US), 5,543,234 (US) and 2,151,989 (CA). Additional Patents Pending. Our continuing program of product improvement makes specification. design and product detail subject to change without notice. 12/17 PRINTED IN THE USA © 2017 by Masonite International Corporation Our dedication to superior craftsmanship allows us to deliver unsurpassed quality and value in interior doors. We offer a comprehensive selection of door styles-all crafted with exacting attention to detail.



Add a defining element to any space with familiar designs that offer timeless appeal.

Safe 'N Sound. THE NEW STANDARD SOLID CO DOORS

We are on a mission to put solid core doors in every home. Made of solid material all the way through, they feel more substantial and block sound more effectively. For minimal cost, solid core doors create a dramatic improvement in overall quality.

Solid core doors are

DURABLE,

able to withstand the dents and dings of normal wear. Solid core doors are SOUND REDUCING, blocking sound more efficiently than hollow doors.

Solid core doors are simply built better, a strength you can

FEEL the moment you open the door.

It's time for a better door experience. Make solid core doors the STANDARD.

Solid core doors are going to pay for themselves within the first year or two.



Even if people don't realize it, it's kind of a subconscious comfort... The solid core doors are worth it.

> Chris Miles Custom Homebuilder





For decades, we have been deeply invested in expanding our expertise in acoustics and have built doors for hospitals, schools, hotels and multifamily homes.

It is with this same confidence and expertise that we bring solid core to the residential space. Improve the overall value of the home for pennies on a mortgage payment

100%

of all consumers prefer solid core vs. hollow core when given the choice*

*Smith Dahmer Consumer Focus Group

Barn Doors



HARDWARE





Matte Black



Finish Options



Stainless Steel Matte Black

Top Of Door Strap Stainless Steel



- Barn door options from Masonite deliver trend-forward design solutions that are both stylish and functional. Choose from three easy-to-install track options to create flexible interior spaces packed with character.
- Barn doors available in Safe 'N Sound_{*} only.
 See page 4 for details.

ON TREND

masonite.com



5/21/2018





EXPO



- Classic shaker style meets modern engineering in this versatile collection.
- ▶ 10+" bottom rail satisfies ADA requirements.
- Available in Safe 'N Sound_{*}, see page 4 for details.

masonite.com

Heritage Series. / Lincoln Park



WEST END COLLECTION





- Embossed lines add a modern edge to any space.
- Available in Safe 'N Sound_{*}, see page 4 for details.

CLASSICS

M

masonite.com





http://online.fliphtml5.com/ihdm/bapk/#p=13



Molded Panel Doors

EXPO



11

CLASSICS

Masonite Select... / Cheyenne



- Feature lines define authentic architectural details.
- Available in Safe 'N Sound_{*}, see page 4 for details.

6P Prefinished

- > Durable topcoat ensures a long-lasting finish.
- > Available in textured finish with matching bifolds.



D

CLASSICS

Molded Panel Series 20	
6P Prefinished	
Commercial Doors	
Flush Series 24	

/ 2 Panel

SELECT


CLASSICS

Masonite Classics.... / 2 Panel Arch Top

TIMELESS


Commercial Doors HEAVY DUTY. DURABLE. LOW MAINTENANCE.


- ▶ Taller bottom rails and wider stiles for compatibility with commercial hardware.
- Satisfies ADA requirements.



EXPO











Flush Series / Primed Hardboard Gray



 A simple, flush design provides a clean, contemporary look.

masonite.com



TECHNICAL & SUPPORT INFORMATION ON GREEN

- This product contributes to satisfying the credits of the U.S. Green Building Council's LEED, Green Building Rating System, For current applicable LEED, standards, visit www.usgbc.org.
- Evaluations of Green Certifications are provided as a courtesy for Masonite customers. Further confirmation should be completed on a project basis by consulting the certification guidelines or contacting an association representative for verification.
- USGBC, and LEED, are registered trademarks of the U.S. Green Building Council.

DESIGN & SIZE OPTIONS

		PASSAGE 5 12" 14" 15" 16" 18" 20" 24" 26" 28" 30" 32" 34" 36" 42"														BIFOLDS										
	MOLDED PANEL SERIE	s 12"	14″	15″	16"	18″	_				30″	32"	34"	36"	42"	16″	18″	24"					48"	60"	72	
	2 PANEL ARCH-TO	•																								
	Smooth 80	"•	•	•	•	•	•	•	•	•	•	•	•	•			•	٠	•	•	•	•	•	•	•	
	Textured 80	"•	•	•	•	·	•	·	·	•	·	•	·	٠			•	·	•	•	•	·	•	·	•	
	Smooth 84	•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	•	
	Smooth 96		•	•	•	•	•	•	•	•	•	•	•	•			•	·	•	•	•	·	•	•		
	2 PANEL ROMAN SMOOT				-																		-			
	Smooth 80	"•	•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•		
	Smooth 84	"•	•	•	•	•	•	•	•	•	·	•	•	•			•	·	•	•	•	•	•	•		
	Smooth 96	"				•	•	•	•	•	•	•	•	•						•	•	•		•		
	2 PANE															5										
	Smooth 80	"•	•	•	•	·	•	·	•	•	·	•	·	•			•	·	•	·	•	·	•	·		
	Smooth 84		•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•		
	Smooth 96																									
_	3 PANE																								Ċ.	
	Textured 80																									
	Textured 80	· ·	1	1	1		•	÷.	1		· ·	Ľ.	•	1				•	· ·		1	· ·	1	· ·		
	4 PANE																									
	Smooth 80	"•	٠	•	·	•	٠	÷	·	•	·	٠	•	·			•	·	٠	•	•	•	•	·		
	Smooth 84		•	•	•	•	•	•	•	•	٠	•	•	•			•	•	•	•	•	•	•	•		
	Smooth 96		•		•	•				•	•			•			•	•			•		•	•		
_	6 PANE																								h	
	Smooth 80		•	•	•	•	•	•	•	•	•	•	•	•			•	•	•	•	•	•	•	•	Т	
88	Textured 80		•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	•	•	•	•		
	Smooth 84				•					•	•		•	•			•	•			•		•			
	Textured 84	"•	•	•	٠	•	٠	•	•	•	·	•	•	٠			٠	·	•	•	٠	•	٠	•		
	Smooth 96	•	•	•	٠	•	٠	•	•	•	٠	•	•	٠			•	٠	•	•	٠	٠	•	•		
	Textured 96	" ·	•	•	·	•*	٠	·	·	•	·	٠	•	٠			٠	·	٠	•	٠	٠	•	•		
	Prefinished 80" (all colors		•	•	•	•	•	٠	•	•	·	•	•	٠				٠	٠	•	٠	•	•	•	L	
	6 PANEL COMMERCIA																								f	
	- Commercial	"									•	•	•	•	•											
	10" Bottom																									
	Rail Smooth 84										•	•	•	•	•											
	2 PANEL ROMAN SMOOT	4																								
	Smooth 80	"																								
	_ Commercial																									
	10" Bottom Rail Smooth 84																									
	2 PANEL COMMERCIA																									
	_ Commercial Smooth 80	"																								
	10" Bottom																									
╘╍┵┙╽	Rail Smooth 84	"									•	•	·	·												

						PA	SSA	GE						BIFOLDS										
FLUSH SERIES	12″	14″	15″	16″	18"	20"	24″	26"	28"	30"	32"	34"	36″	18″	24"	28"	30"	32"	36"	48"	60″	72″		
80", 84" & 96" Heights																								
HARDBOARD																								
Primed	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
VENEER																								
Oak, Birch, Hardwood	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		

masonite.com

Eco-Friendly Engineered Doors

EMERALD, "GREEN" DOORS



LEED V4 Assessment For "	LEED V4 Assessment For "Green Association & Certification Cross Reference"														
LEED V3 CREDIT	LEED V4 CREDIT	SAFE &	SOUND EMERALD	HOLLO	W CORE EMERALD										
		Molded Panel	Flush Primed Hardboard	Molded Panel	Flush Primed Hardboard										
	Home														
MR 2.1 Certified Wood MR 2.2 Recycled Content	Environmentally preferable products														
	Low-emitting products	·		•	•										
	New Construction														
MR 4.1 & MR 4.2 Recycled Content MR 6.0 Rapidly Renewable MR 7.0 Certified Wood	Building product disclosure and optimization—sourcing of raw materials														
IEQ 4.4 NAUF	Low-emitting materials	•	•	•	•										
	Acoustic performance	·	·												


Note: Not all designs are available in Emerald, offering; contact Masonite for the complete product offering.

The above referenced certifications are based on the following versions: LEED NC-3.0 / LEED H-2008 / LEED V4-2015.

For technical specification information, visit www.masonite.com or contact us at 1-800-663-DOOR (3667).

Molded Panel Series





- Molded panel engineering delivers timeless designs.
- ▶ Available in Safe 'N Sound_®, see page 4 for details.

Design & Size Options

								D/	SSA	CE.									BI	FOL	DE					
		HERITAGE SERIES. LINCOLN PARK. (1 PANEL)	12"	14″	15″	16″	18″	20"	24"	26"	28″	30″	32″	34"	36"	18″	24"	28″	30"	32"	36"	48″	60″	72"		
		Commercial Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•		•		•		•	·	•	•		
		- 10" Bottom Rail Smooth 84"	•		•		•	•	•		•	•	•	•	•				•		•	·	•	•		
		Smooth 96"																								
		LOGAN., (2 PANELS)																								
		Commercial Smooth 80"	•	·	·	•	·	·	·	·	·	·	·	·	·		•		•		·	•	•	·		
	E r	[–] 10" Bottom Rail Smooth 84"	•	•	·	•	•	•	•	•	·	•	•	•	•		•		•		•	·	•	•		
		Smooth 96"	•		•			•		÷	•	•	•	•							•	·	•	•		
		WINSLOW. (3 PANELS)																								
	m -	Commercial Smooth 80"	•	•	·	•	•	•	•	•	·	•	•	·	·		•		•		•	·	·	·		
MASONITE EXPO.		Rail Smooth 84"	•		·			·	•		•	•		•	•		•		•		•	·	•	•		
ITE			PASSAGE															BIFOLDS								
SON		WEST END COLLECTION	12"	14"	15″	16″	18″	P/A 20"	24"	GE 26″	28″	30″	32"	34"	36"	18″	24″	28″	EII 30″	=OL 32"	DS 36″	48"	60″	72"		
MA		BERKLEY.**																								
		Smooth 80"	•*	•*	•*	•*	•*	•*	·	·	•	•	·	•	•		•		•		·					
		Smooth 84"	•*	•*	•*	•*	•*	•*						•					•							
		HAMEL																								
		Smooth 80"							•	•	•	•	·	•	•		·		•		•					
		Smooth 84"							·		•			•	•						•					
		MELROSE.**																								
		Smooth 80"	•*	•*	•*	•*	•*	•*	·	•	·	·	•	·	·	·	•		·		·					
		Smooth 84"	•*	•*	•*	•*	•*	•*	•	•	•	•	•	•	•	•	•		•		•					
			-			_		PA	SSA	GF						-	-	_	BI	FOL	DS					
			12″	14"	15″	16″	18″	20"	24"	26"	28″	30″	32″	34"	36"	18″	24"	28″	30"	32"	36"	48″	60″	72"		
		CHEYENNE.																								
		Smooth 80"	•	•	•	•	•	•	•	·	•	•	٠	•	•		•	·	·	·	·	·	•	•		
ي.		Smooth 96"													•											
ELECT		RIVERSIDE.																								
S I		Smooth 80"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
E		Smooth 84"	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
MASONITE		6-Panels Smooth 96"		•		•		•	•		•	•														
MA		SADDLEBROOK.																								
		Smooth 80"	•	·	•	•	•	•	•	·	•	•	•	•	•	·	•	•	·	•	•	•	•	•		
		Smooth 96"	•	•		•	•		•		•				•	•			•	•		•				
										_	-									-			-			

*Thinner outer style will not affect functionality.

Due to manufacturing processes, a 3/16" tolerance is acceptable on horizontal lines.

**Not for use with double doors.

Note: 48", 60" and 72" bifolds are achieved by doubled 24", 30" and 36" bifolds.

Molded Panel Series Notes: Please note that some sizes are only available as a result of being trimmed from a larger facing. The trimming process may result in a stile width that is too narrow to accommodate a standard bore. To machine a standard bore with a 2-3/8" backset on the lock hole and a 2-1/8" diameter bore, the outer stile measurements must be no less than 3-7/16" wide. Many facings have a lockrail that will accommodate a standard bore even when the stile width is too narrow. Please refer to Masonite Molded Door Facing Dimensional Specifications to verify the outer stile measurements or contact your Masonite Interior Door servicing plant. Textured refers to embossed wood-grain. Pre-finished white is available as textured only. Not all molded panel designs and sizes are available in all regions as stock products. Please check for special order availability.



MIC-17401 / 86920384

1-800-663-DOOR 9am to 5pm / Monday through Friday, EST masonite.com



In just a few clicks, browse thousands of door styles and glass options to create your dream door.