




FIR PRM 4107 w/ MDO panels



FULL LINE DOORS CATALOG

BEAUTY. STRENGTH. DURABILITY.



PRM 4184



FIR 4553

TABLE OF CONTENTS

BEAUTY. STRENGTH. DURABILITY.

Woodgrain Doors combines beauty, strength and durability in every door we offer. Our finely crafted doors connect your most cherished indoor and outdoor spaces. By combining the breadth of styles, designs and customizable options Woodgrain Doors offers with the superior craftsmanship of our products, you're sure to find a door to meet your functional needs while also enhancing the charm of your home.

Woodgrain Doors is one of the world's leading manufacturers and suppliers of hardwood and softwood stile and rail doors, and door components. Distributors, builders, remodelers, architects, designers and homeowners rely on Woodgrain products to build quality homes. Woodgrain is committed to innovation through continuous improvements in manufacturing, investment in design, excellence in craftsmanship and use of the highest quality raw materials to build doors that are as durable as they are beautiful.

OUR HISTORY

Woodgrain has manufactured millwork and building products for the residential and commercial construction markets since it was founded in 1954. In over 60 years in business, the company has expanded with millwork, distribution, doors and window divisions — making Woodgrain the preferred leader in the construction and home building industry.

Woodgrain Doors began in 1985 with the acquisition of Meridian Wood Products by our parent company, Woodgrain Millwork. Woodgrain Doors is headquartered in Nampa, Idaho and manufactures and distributes hundreds of thousands of doors annually.

OUR COMMITMENT

In our total commitment to the environment, Woodgrain promises to act as a responsible corporate citizen, optimizing our use of resources and producing products that have a positive impact on the environment and the health of people. The wood used by Woodgrain primarily originates from sustainable sources. Our manufacturing processes ensure over 99% of the wood fiber is used as a product. Woodgrain recycles every product possible and strives to operate in an environmentally conscious manner.

WOODGRAIN DOORS OVERVIEW

OUR HISTORY

OUR COMMITMENT

SELECTING THE RIGHT DOOR

3

3

4

OPTIONS

CHOOSE A DESIGN / TYPE

PERSONALIZE WITH OPTIONS

SPECIES

SIZES

GLASS

6-7

8-9

9

10-11

DOORS

INTERIOR

RAISED PANEL

FLAT PANEL

PLANK PANEL

BARN

LOUVER & CAFE

BIFOLD

DECORATIVE GLASS

UTILITY

TRADITIONAL & CONTEMPORARY FRENCH

SASH

DESIGN COLLECTION

PRIMED MDF

12-13

14-15

16-17

18-19

20-21

22-23

24

24

26-27

28-29

30-35

DOORS

FIRE DOORS

EXTERIOR

PLANK PANEL

RAISED PANEL

TRADITIONAL FRENCH

SASH

CRAFTSMAN

SIDELIGHTS

TRANSOMS

36

37

38-39

40-41

42-43

44-45

46-47

48-49

FINISHING

FITTING AND HANGING

STORING AND HANDLING

MAINTENANCE

WARRANTY

50-51

52

52

53

55

OPTIONS

QUALITY CRAFTSMANSHIP. SUPERIOR PERFORMANCE.

Woodgrain Doors’ exquisite collection offers a unique combination of beauty and durability. Built upon our superior, quality craftsmanship, we uphold the industry’s highest standard of authentic stile and rail construction. With thousands of door designs, styles and configurations to choose from, you’ll find the perfect door to complement your unique style.

SELECTING THE RIGHT DOOR


From traditional to contemporary styles, choose features such as panel, glass, size and species for your ideal door:

- DETERMINE YOUR SIZE
- CHOOSE A DOOR DESIGN AND TYPE
- PICK A SPECIES
- SELECT FROM THE PANEL OPTIONS
- UPGRADE WITH ADD-ONS

To learn more about Woodgrain Doors, visit woodgraindoors.com.

STILE AND RAIL DOOR CONSTRUCTION

Panel options for each category show an end view of the panels available.



CHOOSE A DOOR TYPE

BARN DOORS

Woodgrain Doors’ Barn Door Collection is the perfect fit for modern, contemporary, and rustic applications. Built upon our superior quality craftsmanship, each barn door features either a 3/4” plank panel design to highlight the definition and elegance of the v-groove or 3/8” shaker panel. The mulls in each layout are full thickness and engineered to meet flush with the stiles and rails to provide a unique combination of beauty, strength and durability. Barn Doors allow you the flexibility to enhance an entire room with a unique accent piece, while also adding more functionality to your space. From master suites to pantries, barn doors give you the flexibility to customize your space.

BIFOLD DOORS

Woodgrain’s bifold doors are crafted with state-of-the-art technology to ensure consistent precision assembly. Bifold doors are ideal for smaller spaces, including closets, laundry rooms and any area where space is at a premium. Bifold doors come with all the necessary hardware for installation.

CAFÉ DOORS

Woodgrain’s café doors admit light and ventilation, and provide minimal privacy. The café doors come as a pair and swings open – in and out – in both directions for easy flow.

CRAFTSMAN DOORS

Make a memorable first impression with a Woodgrain craftsman door. The collection of exterior doors is built with unsurpassed craftsmanship and extensive design and glass options offering natural warmth and beauty to your home. All craftsman doors are built with true divided lite construction (TDL) and Low E glass, meaning that each pane of glass is a unique piece of glass providing better protection and easier finishing.

DECORATIVE GLASS DOORS

Customize your home with Woodgrain’s interior decorative glass doors. Choose from geometric patterns in a variety of styles and finishes.

DESIGN COLLECTION PRIMED MDF DOORS

The Woodgrain design collection of medium density fiberboard (MDF) includes infinite options including personalized options with our auto-CAD technology. Available in fire-rated options. California 93120 CARB Compliant for Formaldehyde Phase 2.

FLAT PANEL DOORS

Woodgrain offers interior flat panel doors in a variety of wood species. Flat panel doors offer crisp lines and provide a versatile look that complements both modern and traditional interiors. Available in fire rated options.

LOUVER DOORS

Woodgrain’s louver doors provide a beautifully functioning door with a touch of subtle charm between passageways. Each door is designed to provide privacy and ventilation, and ideal for closets and other spaces that require maximum air circulation. Louver doors are a sensible choice for hallways, closets and storage rooms.

PLANK PANEL DOORS

Woodgrain offers interior and exterior plank panel doors in a variety of wood species. Plank panel doors offer added dimension to complement traditional and contemporary styles.

RAISED PANEL DOORS

Woodgrain offers interior and exterior raised panel doors in a variety of wood species. Raised panel doors offer added dimension to complement traditional and contemporary styles.

SASH DOORS

Woodgrain sash doors include an assortment of handcrafted doors to complement any décor. All sash doors are built with true divided lite construction (TDL), meaning that each pane of glass is a unique piece of glass providing better protection and easier finishing. A variety of interior and exterior designs with numerous light and panel configurations available.

SIDELIGHTS

Woodgrain glass doors also include a variety of sidelights to complement any door. Adding sidelights to either or both sides of your door will increase the impact of your door by inviting natural light into the home at entry or patio doorways. Sidelights are available in insulated or single glazed glass.

TRADITIONAL & CONTEMPORARY FRENCH DOORS

Woodgrain traditional french doors offer an assortment of handcrafted doors to complement any décor. All french glass doors are built with true divided lite construction (TDL), meaning that each pane of glass is a unique piece of glass providing better protection and easier finishing. A variety of interior and exterior design options are available.

TRANSOMS

Woodgrain glass doors include a variety of transoms to complement any door. Adding a transom above your door will extend the height of your door and allow natural light into the home at entry or patio doorways. Transoms are available in insulated or single glazed glass.

UTILITY DOORS

Customize your home with a utility door in Laundry, Pantry or Wine Cellar.

PERSONALIZE WITH OPTIONS

WOOD SPECIES GUIDE



CHY — Cherry

Cherry grows in the Eastern and Midwestern United States and comes in a range of colors including white, light red, deep red and reddish brown. Cherry has a fine, uniform straight grain and a smooth texture. Cherry accepts a variety of stains and finishes.




FIR — Douglas Fir

Douglas Fir is a large, generally vertical-grained tree that grows in abundance in the Pacific Northwest. Douglas Fir is characterized by exceptional natural strength, hardness and durability. The wood varies in color from yellowish tan to light, bright brown.



KAL — Knotty Alder

Knotty Alder grows in the Pacific Northwest and is a medium density hardwood with an even grain appearance. The wood is normally light brown with hues of red or peach. Its softer nature makes it easy to machine and receptive to a variety of stains and finishes.



KPN — Knotty Pine

Knotty Pine is abundant in America. The wood has a rich display of knots that reflects the randomness and beauty of nature. The wood tends to be a honey-toned or straw color while the knots are generally reddish-brown.



MHG — Mahogany

Mahogany is characterized by its natural strength, proven durability and a rich red color. Its straight grain is usually free of voids and pockets, making it a premium hardwood known for use in high-end furniture making. Khaya Mahogany is Woodgrain standard MHG door: range and mix of colors in door parts and components from light blonde to dark brown. For more uniform, consistent color in MHG door we have premium Sapele MHG as upgrade. *Khaya MHG standard, premium Sapele available on request



MPL — Maple

Maple grows in the Eastern United States, offers a very fine grain and a whitish color tinged with reddish brown.



OAK — Northern Red Oak

Hard and heavy, Oak grows mainly in the North Central United States. With a coarse texture and a straight, prominent grain, oak accepts a broad range of stains and finishes.



PON — Ponderosa Pine

Ponderosa Pine is one of America’s most abundant tree species. It has straight, uniform grain with minimal amounts of reddish-brown heartwood. The sapwood has wide growth bands, which are honey-toned or straw-colored.



POP — Poplar

Poplar grows in the Eastern United States. Colors of Poplar vary from brown to pale yellow to olive green. Over time, the green color will darken with exposure to sunlight and may turn brown. Poplar is a medium density hardwood, generally straight-grained with a fine, even texture.



PRM — Primed

Woodgrain’s multiple door configurations have a primed option to allow for a better paint finish and color match process for any project. Interior applications are produced with MDF veneer and panels for superior paintability. MDF Design Collection Router Carved doors are also available.



RAD — Radiata Pine

Radiata Pine is a plantation-grown wood from Chile, New Zealand and Australia. It has a distinctive grain pattern with a pale cream color. Radiata tends to be harder than other pine species and has fewer knots.



RHK — Rustic Hickory

This unique species will have many variations allowed in the wood for character. Mineral, sap, bird pecks, heartwood and knots are common. Color may vary from a dark brown to white. Rustic Hickory is often clear coated or stained lighter shades to showcase the natural beauty of the species.



WAL — Walnut

Walnut grows throughout the eastern United States. Its color ranges from a medium light to chocolate brown. Walnut is generally straight grained with a course texture. It is a dense wood and accepts a variety of stains and finishes.

SIZES

Our doors and bifolds come in a variety of standard sizes, ranging from:

- 6'8", 7'0" and 8'0" heights
- 0'10" to 6'0" widths
- 1-1/8", 1-3/8" and 1-3/4" thicknesses

While not all sizes and panel configurations are available in all options, Woodgrain Doors can accommodate many custom orders such as replacing a panel with glass.

All species shown are clear coated.

PERSONALIZE WITH OPTIONS CONT.

GLASS

Woodgrain Doors offers 24 glass options to further customize your door. Choose from either a Clear Single Glazed or Insulated Low E glass types. Clear Single Glazed is a single piece of tempered glass whereas Low E Insulated is coated and insulated, which allows it to reflect radiant heat, making it a more energy efficient option. Not all glass options are available in all styles or species.



#42 CLEAR



ARTIQUE



BAMBOO



HEAVY WATER




MIRROR



NARROW REED




BEVEL



CHARCOAL STICKS



CLEAR



OBSCURE




RAIN




SEEDY




COTSWOLD



CROSS REED




DELTA FROST



SYCAMORE



TAFFETA



RIBBED




DOUBLE GLUE CHIP



FROSTED (FRIT)



GLUE CHIP



WATER DROP



WHITE LAMINATED



V-GROOVE


Our glass meets the following standards: ANSI Z97.1 and 16CFR 1201 C II.


RAISED PANEL DOORS

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square, Arch and Eyebrow Tops
- Fire Rated (available on 1-3/4" only)

PANEL OPTIONS




 For fire rated door information see page 36



Traditional raised panel, arch top KAL 802 SRR
blended with contemporary style.

RAISED PANEL DOORS


							
20 PON, RAD, KPN, PRM ¹ , KAL, FIR, RHK, MHG, WAL	100 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY	102 PON, RAD, KPN, PRM ¹ , OAK,MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	103 PON, RAD, KPN, PRM ¹ , OAK,MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	103T PON, RAD, KPN, PRM ¹ , OAK,MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	106 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	107 PON, RAD, KPN, PRM ¹ ,OAK,MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	108 PON,RAD, KPN, PRM ¹ ,OAK,MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL
							
109 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	110 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	112 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	117 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	129 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	131 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	133 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	141 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL
							
149 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	158 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	802 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	803 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	804 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	806 PON, RAD, KPN, PRM ¹	820 PON, RAD, KPN, PRM ¹ , KAL, FIR, RHK, MHG, WAL	822 PON, RAD, KPN, PRM ¹
							
831 PON, RAD,KPN, PRM ¹ , OAK,MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	833 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	842 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL	849 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL, FIR, RHK, MHG, WAL				

¹ Specie is manufactured with MDF skins and panels.


SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- 3/8" Panel (1-3/4" PRM Shakers available in premium 5/8")
- Fire Rated (available on 1-3/4" only)


PANEL OPTIONS




SHAKER
(4000 SERIES)
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG, WAL




NANTUCKET
(FP SERIES)
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, FIR, RHK,
MHG, WAL



20FP 4020 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	102FP 4102 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	103FP 4103 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	103TFP 4103T PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	106FP 4106 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	107FP 4107 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4108 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4109 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL
---	--	--	--	--	--	--	--



4112 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4129 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4131 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4133 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4141 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4158 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4802 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4803 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL
--	--	--	--	--	--	--	--




4831 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4833 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL	4849 PON, RAD, KPN, PRM ¹ , OAK, MPL, POP, CHY, KAL ² , FIR, RHK, MHG, WAL
--	--	--

DRY ERASE WHITEBOARD & MAGNETIC CHALKBOARD
Woodgrain Doors offers Dry Erase Whiteboard and Magnetic Chalkboard in the designs below:



**20 FP
4020** **102 FP
4102**

¹ Specie is manufactured with MDF skins and panels.
² Specie only available in Shaker Sticking (4000 Series).



POP 4141, 4-panel shaker offers a sleek and versatile look to many decors.

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square and Arch Tops
- Taper Block Sticking
- Fire Rated (available on 1-3/4" only)

PANEL OPTIONS



11/16" SF PLK
PON, KPN, PRM



3/4" PLK
KAL




1-1/8" SRP
KAL



11/16" SF BVG
PON, KPN, PRM




3/4" BVG
KAL




1-1/8" SRB
KAL




An interior door, Knotty Alder 802 plank door will make a statement in any home setting.




20 PLK
KAL



102
PON, KPN, PRM¹,
KAL



802
PON, KPN, PRM¹,
KAL



820 PLK
KAL

¹ Specie is Primed Pine unless otherwise noted.

 For fire rated door information see page 36



SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 4'0" widths
- 1-3/8" and 1-3/4" thicknesses

AVAILABLE MOUNTING HARDWARE

- 72", 84", and 96" tracks
- Rated up to 200 lbs.
- Handle options and connector piece available

TOP MOUNT



Shown in Black Finish

HANGING MOUNT



Shown in Black Finish

Both mounts also available in Nickel Finish

PANEL OPTIONS



PLANK PANEL

180 PON, RAD, KPN, PRM, KAL, FIR, RHK	181 PON, RAD, KPN, PRM, KAL, FIR, RHK	182 PON, RAD, KPN, PRM, KAL, FIR, RHK	183 PON, RAD, KPN, PRM, KAL, FIR, RHK	184 PON, RAD, KPN, PRM, KAL, FIR, RHK	185 PON, RAD, KPN, PRM, KAL, FIR, RHK	186 PON, RAD, KPN, PRM, KAL, FIR, RHK

SHAKER PANEL

4180 PON, RAD, KPN, PRM, KAL, FIR, RHK	4181 PON, RAD, KPN, PRM, KAL, FIR, RHK	4182 PON, RAD, KPN, PRM, KAL, FIR, RHK	4183 PON, RAD, KPN, PRM, KAL, FIR, RHK	4184 PON, RAD, KPN, PRM, KAL, FIR, RHK	4185 PON, RAD, KPN, PRM, KAL, FIR, RHK	4186 PON, RAD, KPN, PRM, KAL, FIR, RHK

GLASS OPTIONS

380 TOP PON, RAD, KPN, PRM, KAL, FIR, RHK	380 BTM PON, RAD, KPN, PRM, KAL, FIR, RHK	381 MID PON, RAD, KPN, PRM, KAL, FIR, RHK	381 OUT PON, RAD, KPN, PRM, KAL, FIR, RHK	4380 PON, RAD, KPN, PRM, KAL, FIR, RHK	4381 PON, RAD, KPN, PRM, KAL, FIR, RHK




Barn doors shown in KAL 180


SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 1'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses


PANEL OPTIONS



STANDARD LOUVER



FALSE LOUVER



¹ Specie is manufactured with MDF skins and panels.



CAFÉ LOUVER




733 Café
RAD


SPECIFICATIONS

- 3'3" height
- 2'0" to 3'0" widths
- 1-1/8" thickness

PLANTATION LOUVER



PLANTATION FALSE LOUVER




SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 6'0" widths
- 1-3/8" and 1-1/8" thicknesses
- Square and Arch Tops


PREMIUM: 1-3/8" thickness;
2-1/4" stiles with full scale rails

GALLERY: 1-1/8" thickness;
1-3/16" stiles with reduced rails;
6/8 and 7/0 heights


PREMIUM PANEL OPTIONS




9/16" RP
PON, RAD, KPN,
PRM




3/8" Flat
PON, RAD, OAK,
MPL, POP, CHY,
KAL, FIR, RHK, MHG, WAL




9/16" DBH
PON, RAD, KPN,
PRM




3/4" Scoop BP
OAK, POP, CHY,
MPL




3/4" DBH
KAL, FIR, RHK, MHG,
WAL




1-3/16" VIP
PON, RAD, KPN,
FIR, RHK, MHG, WAL




11/16" SF PLK
PON, RAD, KPN




3/4" PLK
KAL




1-3/16" VIP PLK
PON, RAD, KPN,
FIR, RHK, MHG, WAL



11/16" SF BVG
PON, RAD, KPN




3/4" BVG
KAL




1-3/16" VIP BVG
PON, RAD, KPN,
FIR, RHK, MHG, WAL

GALLERY PANEL OPTIONS



9/16" RP
PON, RAD, KPN,
PRM



9/16" DBH
PON, RAD, KPN,
PRM

GALLERY SERIES

RAISED PANEL



G106
PON, RAD, PRM¹



G108
PON, RAD, PRM¹

LOUVER



G730
PON, RAD, PRM¹




G732
PON, RAD, PRM¹




PREMIUM SERIES


RAISED PANEL




100
PON, RAD, KPN,
PRM¹




103
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




106
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




107
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




108
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



109
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



802
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



822
PON, RAD, KPN,
PRM¹

PLANK PANEL




106
PON, KPN, KAL




802
PON, KPN, KAL


FLAT PANEL




20 FP
4020
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL²,
FIR, RHK, MHG,
WAL




103 FP
4103
PON, RAD, KPN,
PRM¹, OAK², MPL,
POP, CHY, KAL²,
FIR, RHK, MHG,
WAL



103T FP
4103T
PON, RAD, KPN,
PRM¹, OAK², MPL²,
POP², CHY², FIR,
RHK, MHG, WAL




106 FP
4106
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL²,
FIR, RHK, MHG,
WAL




107 FP
4107
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL²,
FIR, RHK, MHG,
WAL


LOUVER



730
PON, RAD, PRM¹,
OAK, MPL, POP




732
PON, RAD, PRM¹,
OAK, MPL, POP




733
PON, RAD, PRM¹


PLANTATION LOUVER



P 730*
RAD, PRM¹, OAK,
MPL, POP



P 732*
RAD, PRM¹, OAK,
MPL, POP



P 733*
RAD, PRM¹, OAK,
MPL, POP

* 2-1/4" wide slat

¹ Specie is manufactured with MDF skins and panels. ² Species only available in Shaker (400 Series).

DECORATIVE GLASS AND UTILITY DOORS


SPECIFICATIONS

- 6'8" , 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Clear V-Groove Single Glazed Glass
- Frosted Silk Screen Glass

8'0" DOOR



670
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



672
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



All Decorative Glass Doors
are available in 8'0" with
panel options in all species.

*Not all sizes are available in all options.



650
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



650 Laundry



652
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



652 Pantry



653
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



653 Wine Cellar



All Utility Doors are
available in 8'0" with panel
options in all species.



OAK 652 Pantry door




KAL 653 Wine Cellar door


SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 1'6" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square, Arch and Eyebrow Tops
- Single Glazed Glass
- See page 7 for Glass Options

STICKING OPTIONS




SHAKER
(4000 SERIES)
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG, WAL




NANTUCKET
(OVOLO SERIES)
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, FIR, RHK,
MHG, WAL







4517
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




4517A
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




603 / 4603
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




603W / 4603W
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




604 / 4604
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




604W / 4604W
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




605 / 4605
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




605W / 4605W
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




606W / 4606W
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




607W / 4607W
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




608 / 4608
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




609 / 4609
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




610 / 4610
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




620
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




622
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




624
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




625
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




626
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




627
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




628
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




630
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




633
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




634
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY




636
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




690
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




691
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, FIR,
RHK, MHG, WAL




692
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, FIR,
RHK, MHG, WAL




824
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




825
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




827
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




836
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




840
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL




845
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



846
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



847
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL





848
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

¹ Species only available in 1-3/8" thickness.

SPECIFICATIONS

- 6'8", 7'0" and 8'0" heights
- 2'0" to 3'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Square, Arch and Eyebrow Tops
- Single Glazed Glass

PANEL OPTIONS



511
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL

513
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL


514
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL

515
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL

516
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL

518
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL

519
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL



551
PON, RAD, KPN,
PRM, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

558
PON, RAD, KPN,
PRM, FIR, RHK,
MHG, WAL

559
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

560
PON, RAD, KPN,
PRM¹, OAK,
MPL, POP, CHY,
KAL, FIR, RHK,
MHG, WAL

561
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

562
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

563
PON, RAD, KPN,
PRM¹, FIR, RHK,
MHG, WAL

564
PON, RAD, KPN,
PRM¹, FIR, RHK,
MHG, WAL



567
PON, RAD, KPN,
PRM¹, FIR, RHK,
MHG, WAL

570
PON, RAD, KPN,
PRM¹, FIR, RHK,
MHG, WAL

571
PON, RAD, KPN,
PRM¹, FIR, RHK,
MHG, WAL

572
PON, RAD, KPN,
PRM¹, FIR, RHK,
MHG, WAL

573
PON, RAD, KPN,
PRM¹, FIR, RHK,
MHG, WAL

574
PON, RAD, KPN,
PRM¹, FIR, RHK,
MHG, WAL

581
PON, RAD, KPN,
PRM¹, FIR, RHK,
MHG, WAL

811
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL



812
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL

813
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL

814
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL

816
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL

818
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL

819
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL

844
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL

851
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL



859
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

860
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

861
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

862
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

863
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

864
PON, RAD, KPN,
PRM¹, OAK, MPL,
POP, CHY, KAL,
FIR, RHK, MHG,
WAL

¹ Specie is manufactured with MDF skins and panels.

PREMIUM ROUTER CARVED MDF DOORS

Woodgrain’s Design Collection MDF Doors are made of medium density fiberboard (MDF) and include both 1-3/8" and 1-3/4" doors available in panel, bifold and Fire-rated doors. Design Collection MDF doors offer infinite design options by combining cutting edge technology and quality craftsmanship. Not simply an MDF producer, Woodgrain uses its well-honed techniques from decades of wood door manufacturing to build a better door.

Design Collection MDF doors offer:

- Exceptionally smooth surface for excellent paint adhesion
- Unlimited design options, including most graphics and text
- Resists shrinkage, expansion or warping
- Environmentally friendly
- SureEdge design

Design Collection MDF doors with expanded polystyrene (EPS) core offer several advantages:


- 40% lighter than the standard 2'6" x 6'8" MDF door
- Easier to handle and hang
- Exerts less stress on the hinges
- Improve sound transmission properties
- Bifold doors available

 For fire rated door information see page 36




PROFILE AND PANEL OPTIONS

Mix and match any of our five profile options or two raised moulding options.



RAISED MOULDING




THE SUREEDGE ADVANTAGE

SureEdge solid wood edge band is a feature in each MDF door. Installed in each stile, the SureEdge system allows maximum screw holding power and ease of hinge mortising.




SPECIFICATIONS


- 6'8", 7'0" and 8'0" heights
- 1'6" to 4'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Fire Rated (available on 1-3/4" only)
- MDF Router Carved Doors




5012
PRM




5013
PRM




5014
PRM




5015
PRM




5016
PRM




5019
PRM




5020
PRM




5021
PRM




5022
PRM




5102
PRM




5144
PRM




5145
PRM




5146
PRM




5147
PRM




5150
PRM




5152
PRM




5153
PRM



5154
PRM



5155
PRM



5157
PRM



5103
PRM



5105
PRM



5106
PRM



5107
PRM



5108
PRM



5109
PRM



5114
PRM




5115
PRM




5117
PRM




5118
PRM




5158
PRM




5159
PRM




5161
PRM




5162
PRM




5166
PRM




5168
PRM




5170
PRM




5172
PRM




5173
PRM




5255
PRM




5121
PRM




5122
PRM




5123
PRM




5124
PRM




5125
PRM




5126
PRM




5127
PRM



5129
PRM



5130
PRM



5131
PRM



5256
PRM



5257
PRM



5502
PRM



5503
PRM



5506
PRM



5509
PRM



5512
PRM




5517
PRM




5520
PRM




5521
PRM




5132
PRM




5133
PRM




5135
PRM




5137
PRM




5138
PRM




5139
PRM




5140
PRM




5141
PRM




5142
PRM




5143
PRM




5529
PRM




5531
PRM




5548
PRM




5552
PRM




5553
PRM




5554
PRM




5555
PRM



5570
PRM




5702
PRM




5706
PRM

SPECIFICATIONS


- 6'8", 7'0" and 8'0" heights
- 1'6" to 4'0" widths
- 1-3/8" and 1-3/4" thicknesses
- Fire Rated (available on 1-3/4" only)
- MDF Router Carved Doors




5712
PRM




5720
PRM




5721
PRM




5726
PRM




5727
PRM




5728
PRM




5729
PRM




5730
PRM




5731
PRM




5732
PRM




5828
PRM




5829
PRM




5830
PRM




5831
PRM




5832
PRM




5833
PRM




5834
PRM




5835
PRM




5838
PRM




5839
PRM




5733
PRM




5734
PRM




5738
PRM




5743
PRM




5754
PRM




5755
PRM




5768
PRM




5769
PRM




5770
PRM




5772
PRM




5840
PRM




5843
PRM




5847
PRM




5848
PRM




5849
PRM




5851
PRM




5852
PRM




5853
PRM




5854
PRM




5855
PRM




5773
PRM




5774
PRM




5775
PRM




5776
PRM




5777
PRM




5778
PRM




5802
PRM




5803
PRM




5806
PRM




5808
PRM




5867
PRM




5868
PRM




5870
PRM




5872
PRM




5873
PRM




5874
PRM




5875
PRM




5876
PRM




5877
PRM




5878
PRM




5812
PRM




5818
PRM




5819
PRM




5820
PRM




5821
PRM




5822
PRM




5823
PRM




5824
PRM




5825
PRM




5826
PRM




5879
PRM




5920
PRM




5180
PRM




5181
PRM




5182
PRM




5183
PRM



5184
PRM



5185
PRM



5186
PRM



RHK 180 PLK

BEAUTY. STRENGTH. DURABILITY.



woodgrain doors



WAL 6838



PRM 4020

5/18