


# SAFETY DATA SHEET



Global Harmonized System

# SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Tallow Fatty Acid TRT11,TRT11E, TRT11D, TRT11T, TRT18, TRT20, TRT20S, TRT22, TRTFA001					[HMIS Classification] Health - 1 Flammability - 1 Physical Hazard - 0		
Product Use  This product is commonly used in the production of soaps, emulsifiers, lubricants, carriers, and soap surfactants.							
Manufacturer's Name Twin Rivers Technologies			Supplier's Name Twin Rivers Technologies				
Street Address 780 Washington Street			Street Address 780 Washington Street				
City Quincy		Province MA	City Quincy			Province MA	
Postal Code 02169	Emergency 617-41	Telephone 3-5339	Postal Code 02169	Emergency Telephone 617-413-5339		relephone .	
Date SDS Reviewed Sept 15,2017		SDS Prepared By Twin Rivers Technologies		Phone Number 617-472-9200			

# SECTION 2 — HAZARDS IDENTIFICATION

# GHS – not a controlled product under Global Harmonized Systems

• European Hazard Classification: This product is not classified as dangerous according to Directive

67/548/EEC.

· Emergency Overview: North America Non-Hazardous

· Potential Health Effects: Eye: Accidental exposure to the eyes will cause only a mild but transient

irritation.

Skin: No harmful effects expected with normal use. Heated product may cause

thermal burns if contacted.

Inhalation: Not applicable at ambient temperature. Ingestion: Incidental ingestion should not cause injury.

If product is heated, vaporization can occur. Eye, skin, and upper respiratory irritation may

occur.

· Physical/Chemical Hazards: None identified.

· Environmental Hazards: None identified.

# SECTION 3 — COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance/Preparation (mixture): Substance

Name CAS No. Wt/Wt % EC No. EC Symbols EC R-phrases
Fatty Acids, C14-18 and C16-18 unsaturated 67701-06-8 100 2669306 Not applicable

Occupational exposure limits, if applicable, are listed in Section 8.

LC/LD50 information is listed in Section 11.

## SECTION 4 — FIRST AID MEASURES

· Eye: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes.

Get medical attention.

· Skin: Wash skin with soap and water upon contact. Remove contaminated clothing. If irritation

develops, get medical attention. Wash clothing before reuse.

· Inhalation: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult,

give oxygen. Get medical attention immediately.

If swallowed, do not induce vomiting. Get medical attention. Never give anything by · Ingestion:

mouth to an unconscious person. If swallowed, do not induce vomiting. Get medical attention.

Never give anything by mouth to an unconscious person.

## SECTION 5 — FIRE FIGHTING MEASURES

• Extinguishing media: SMALL FIRES: Use CO2 or dry chemical.

LARGE FIRES: Use foam.

• Unsuitable extinguishing media: Do not use water as an extinguishing media.

• Flash Point and method: ~300° F (>149° C) ASTM D 92

• Explosive limits in air:

Upper: Not available Lower: Not available

• Auto-ignition temperature: Not available

MSensitivity to mechanical impact/static discharge: Not available

N Special Protective Equipment: Wear self-contained breathing apparatus and full protective clothing. • Other Fire Fighting Considerations: Cool containers with flooding quantities of water until well after fire is out.

Potential combustible dust if flaked or powdered. Dust generated from

flaked product will be combustible at sufficient concentration.

Does not decompose up to 400° F (204° C). Thermal decomposition or burning may • Exposure hazards:

produce carbon monoxide and/or carbon dioxide

# SECTION 6 — ACCIDENTAL RELEASE MEASURES

• Personal Precautions: An appropriate NIOSH/MSHA approved respirator should be used if a mist, vapor or dust is

generated. Wear suitable gloves and eye/face protection. Do not touch damaged containers

or spilled material unless wearing appropriate protective clothing.

• Environmental Precautions: Minimize contamination of drains, surface and ground waters.

Sweep or shovel solids. For liquid spills, neutralization is not required. • Procedures for Spill/Leak Clean-up:

> Contain spill. Absorb or cover with dry earth, sand or other noncombustible material and transfer to containers for disposal. Dispose as any grease or oily material in compliance with Federal, State, and/or Local requirements.

Refer to Section 8 for additional personal protection information.

Refer to Section 13 for disposal considerations.

## SECTION 7 — HANDLING AND STORAGE

• Handling: Handle in accordance with good hygiene and safety procedures. Avoid contact with eyes, skin, and

clothing. Wash thoroughly after handling.

Since empty containers contain product residue, follow all hazard warnings and precautions even after

container is emptied. Keep away from sources of ignition.

• Storage: Keep away from possible contact with incompatible substances.

Store in acid resistant vessels such as stainless steel, aluminum, or steel coated with resin lining

such as Lithcote LC-19 or Kanigen. Do not store near sources of ignition.

• Specific use(s): Follow bulk handling and storage procedures as noted above.

Refer to Section 6 for clean-up of spillages. Refer to Section 13 for disposal considerations.

## SECTION 8 — EXPOSURE CONTROL / PERSONAL PROTECTION

• General Precautions: Good industrial hygiene should be followed.

Avoid breathing (heated) vapors. Avoid eye and skin contact.

• Exposure Limit Values: Not established.

• Exposure Controls:

Engineering Controls: Ventilation: Local exhaust - preferred

Mechanical - may be necessary if working at elevated temperatures or in

enclosed areas.

Personal Protective Equipment:

Eye - Goggles or face shield with goggles, dependent upon potential exposure

Skin - Protective gloves: Rubber or plastic

Dependent upon degree of potential exposure, additional personal protective equipment

may be required, such as chemical boots and full protective clothing.

Inhalation - None required for ambient temperature, although an appropriate NIOSH/MSHA

approved air-purifying respirator should be used if a mist, vapor or dust is generated. A NIOSH/MSHA approved self-contained breathing apparatus or air-supplied respirator is

recommended if the concentration exceeds the capacity of cartridge respirator. WARNING: Air purifying respirators do not protect workers in oxygen-deficient

atmospheres.

Other Controls: Boots, eye wash fountain, safety shower, apron, protective clothing.

• Environmental Exposure Controls: Contact Twin Rivers Technologies Community information.

# SECTION 9 — PHYSICAL AND CHEMICAL PROPERTIES

General Information:

Physical State @ 72° F (22° C): Solid

Appearance: Musty, fatty, Water white to yellow

Odor: Musty, fatty
Odor Threshold: Not available

• Important health, safety and environmental information:

pH: 3 - 4

Boiling point/Boiling range: >464° F (240° C) @ 15 mm Hg Flash Point & Method: >356° F (>180° C) ASTM D 92

Flammability (solid, gas):

Explosive properties:

Oxidizing properties:

Not available

Not available

Vapor pressure: @  $212^{\circ} \text{ F} (100^{\circ} \text{ C}) < 0.75 \text{ mm Hg}$ 

Relative density:  $0.85 - 0.90 @ 75/25^{\circ} C$ 

Freezing point: Not available

Solubility:

Water solubility: Negligible @ 72° F (22° C)

Not available Fat solubility (solvent-oil to be specified): Partition coefficient: n-octanol/water: Not available Viscosity: Not available Vapor density: Not available Evaporation Rate (nBuOAc=1): Not available **Explosive Limits:** Not available Auto ignition temperature: Not available Coefficient of ester/oil distribution: Not available

# SECTION 10 — STABILITY AND REACTIVITY

• Stability: Stable under normal operational conditions.

• Conditions to Avoid: Not available

• Materials to Avoid: Strong oxidizing agents.

• Hazardous Decomposition Products: Does not decompose up to 400° F (204° C). Thermal decomposition

or

burning may produce carbon monoxide and/or carbon dioxide.

• Hazardous Polymerization: Will not occur.

## SECTION 11 — TOXICOLOGICAL INFORMATION

Effects of Acute Exposure: No harmful effects expected Effects of Chronic Exposure: No harmful effects expected

Irritancy of Product Mild irritation Skin sensitization Mild irritation Respiratory sensitization Mild irritation

Carcinogenicity-IARC None Carcinogenicity - ACGIH None Reproductive toxicity None Teratogenicity None Embrotoxicity None Mutagenicity None Name of synergistic products/effects None

Stearic Acid **Palmitic Acid** 

**IRRITATION DATA:** 

Eve. rabbit Not irritating Not irritating Not irritating\*\* Skin, rabbit Not irritating 500 mg/24H MOD\*

75 mg/3D-I MLD

75 mg/3D-I MLD Skin, human

Myristic acid **ACUTE TOXICITY: Palmitic Acid** Stearic Acid Oral, rat LD50 >10 gm/kg>10 gm/kg> 10 gm/kg

## SECTION 12 — ECOLOGICAL INFORMATION

Ecotoxicity:

Palmitic Acid Stearic Acid **Fishes** 

Goldfish (lethal dose) 11 mg/l (sodium salt) 14 mg/l (sodium salt) 150 mg/l (sodium salt) 125 mg/l (sodium salt) Red killifish 96h LD50

#### **Aquatic Invertebrates**

Daphnia magna: Palmitic and stearic acids; not acutely toxic to Daphnia Magna at concentrations within its aqueous solubility (water hardness of 215 & 54 mg/L CACO<sub>3</sub>).

Algae Palmitic Acid Stearic Acid Scenedesmus subspicatus EC50 Not available > 1016 mg/l> 1016 mg/lScenedesmus subspicatus NOEC Not available

#### **Biodegradation**

Sodium stearate: 89% in 28 days "Sealed Vessel Test" (Modified Sturm Test)

## SECTION 13 — DISPOSAL CONSIDERATIONS

DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE/PROVINCIAL AND LOCAL REGULATIONS. Do not dispose of via sinks, drains or into the immediate environment.

## SECTION 14 — TRANSPORT INFORMATION

U.S. DOT: Not regulated for transport

Not classified in RID/ADR - ADNR - IMDG - ICAO/IATA - DGR

## SECTION 15 — REGULATORY INFORMATION

**INVENTORY STATUS:** Listed on TSCA (USA), AICS (Australia), DSL (Canada), IECSC (China), EINECS (EU), KECI (Korea), New Zealand (Composite List of Single Component Substances to be considered for Transfer (April 2003)), PICCS (Philippines)

WGK water endangering class is based on the computation rule of VwVwS Annex 4 for mixtures.

#### SECTION 16 — OTHER INFORMATION

#### Canada

#### HAZARDOUS INGREDIENTS- WHMIS (Canadian Workplace Hazardous Materials Information System)

This product when tested as a whole is not a controlled substance within the meaning of the Hazardous Products Act. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

#### **EUROPE**

This product safety data sheet was prepared in compliance with Directive 2001/58/EC.

References: Fatty Acid Producers' Council Report, Acute Toxicity & Irritation Studies. January 23, 1974.

Fatty Acid Producers' Council Report, Corrosivity Study on a Series of Nine Materials. July 5, 1974.

References: RTECS ACCESSION NUMBER RT4550000 – Palmitic acid

\*RTECS ACCESSION NUMBER WI2800000 – Stearic acid RTECS ACCESSION NUMBER QH4375000 – Myristic acid

\*\*Acute toxicity and irritation studies on a series of fatty acids.

J. Am. Oil Chem. Soc., 56(1979), p. 760AK.

Verschueren. Handbook of environmental data on organic chemicals, 3rd ed. (1998).

The submission of the SDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal handling procedures. Data supplied are for use only in connection with occupational safety and health.

The information contained herein has been compiled from sources considered by Twin Rivers Technologies to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific product designated herein, and does not relate to use in combination with any other material of any other process. Twin Rivers Technologies assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the controlled product.

# This Safety Data Sheet complies with OSHA/EPA/EU Standards and Requirements

• CHEMTREC (24HR Emergency Telephone), call: 1-800-424-9300

• International CHEMTREC, call: 1-703-527-3887