


# **SAFETY DATA SHEET**

Global Harmonized System



## SECTION 1 — CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Identifier TRC1214 N	lid Cut Fatty A	[HMIS Classification] Health -2 Flammability - 1 Physical Hazard - 0						
Product Use The most common uses for surfactants.	or this product inclu	de being used for the	e production of soaps, emu	lsifiers, lubric	cants, carrie	ers, and soap		
Manufacturer's Name	Supplier's Name	Supplier's Name						
Twin Rivers Technologies				Twin Rivers Technologies				
Street Address			Street Address	Street Address				
780 Washington Street			780 Washington Stre	780 Washington Street				
City		Province	City	City				
,		MA	Quincy					
Postal Code	Emergency	Telephone	Postal Code	Emergency		nergency		
02169		3-5339	02169		Telephone 617-413-5339			
Date SDS Prepared		SDS Prepared By		Phone Nur	Phone Number			
Oct. 29, 2017		Twin Rivers Technologies		617-472	617-472-9200			

# 2. GHS HAZARDS IDENTIFICATION



**H319** Causes skin irritation



H318 Causes serious eye damage

**European Hazard Classification:** This product is classified as Xi – Irritant; R36 – Irritating to eyes, R41- Risk of serious eye damage

• Emergency Overview:



**DANGER: GHS05 - CORROSIVE** 

**CAUTION:** Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

• Potential Health Effects:

Eye: May cause severe or permanent damage

Skin: causes burns

Inhalation: May elicit pulmonary irritation if mist or vapors are formed.

May cause coughing or difficult breathing.

• Ingestion: Causes burns to mucous membranes

If product is heated, vaporization can occur. Eye, skin, and upper respiratory irritation may occur.

• Physical/Chemical Hazards: None identified

• Environmental Hazards: None identified.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation (mixture): Substance

Name	CAS No.	Wt/Wt %	EC No.	EC Symbols	EC R-phrases
Dodecanoic acid	143-07-7	65-75	2055821	Xi	R36, R41
Tetradecanoic acid	544-63-8	20-30	2088752	Not applicable	Not applicable

Occupational exposure limits, if applicable, are listed in Section 8. LC/LD50 information is listed in Section 11.

## SECTION 4 — FIRST AID MEASURES

Wash skin with soap and water upon contact. Remove contaminated clothing. If irritation develops, Skin Contact:

get medical attention. Wash clothing before reuse.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eye Contact:

Get medical attention.

Inhalation Avoid breathing dust. If inhaled, remove to fresh air. If not breathing, give artificial respiration. If

breathing is difficult, give oxygen. Get medical attention immediately.

Ingestion If swallowed, do not induce vomiting. Get medical attention. Never give anything by mouth to an

unconscious person.

## **SECTION 5 - FIRE FIGHTING MEASURES**

SMALL FIRES: Use CO2 or dry chemical. • Extinguishing media:

LARGE FIRES: Use foam.

• Unsuitable extinguishing media: Do not use water as an extinguishing media.

• Flash Point and method: 335° F (168° C) PMCC

• Explosive limits in air:

Upper: Not available Lower: Not available

• Auto-ignition temperature: Not available

• Sensitivity to mechanical impact/static discharge: Not available

• Special Protective Equipment: Wear self-contained breathing apparatus and full protective clothing. • Other Fire Fighting Considerations: Cool containers with flooding quantities of water until well after fire is out.

Potential combustible dust if flaked or powdered. Dust generated from

flaked product will be combustible at sufficient concentration.

Does not decompose up to 400° F (204° C). Thermal decomposition or burning may • Exposure hazards:

produce carbon monoxide and/or carbon dioxide.

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

• Personal Precautions: An appropriate NIOSH/MSHA approved respirator should be used if a mist, vapor or dust is

generated. Wear suitable gloves and eye/face protection.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

• Environmental Precautions: Minimize contamination of drains, surface and ground waters. Dike flow of spilled material using

soil or sandbags to minimize contamination of drains, surface and ground waters

• Procedures for Spill/Leak Clean-up: Sweep or shovel solids. For liquid spills, neutralization is not required.

Contain spill. Absorb or cover with dry earth, sand or other noncombustible material and transfer to containers for disposal. Dispose as any grease or oily material in compliance with Federal, State, and/or Local requirements.

Refer to Section 8 for additional personal protection information.

Refer to Section 13 for disposal considerations.

# **SECTION 7 - HANDLING AND STORAGE**

• Handling: Handle in accordance with good hygiene and safety procedures. Avoid contact with eyes, skin, and

clothing. Wash thoroughly after handling.

Since empty containers contain product residue, follow all hazard warnings and precautions even after container is emptied. Keep away from sources of ignition.

Keep away from possible contact with incompatible substances. • Storage:

Store in acid resistant vessels such as stainless steel, aluminum, or steel coated with resin lining

such as Lithcote LC-19 or Kanigen. Do not store near sources of ignition.

• Specific use(s): Follow bulk handling and storage procedures as noted above.

Refer to Section 6 for clean-up of spillages. Refer to Section 13 for disposal considerations.

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

• General Precautions: Good industrial hygiene should be followed.

Avoid breathing (heated) vapors. Avoid eye and skin contact.

• Exposure Limit Values: Not established.

• Exposure Controls:

**Engineering Controls:** Ventilation: Local exhaust - preferred

Mechanical - may be necessary if working at elevated temperatures or in enclosed

areas.

Personal Protective Equipment:

Eye - Goggles or face shield with goggles, dependent upon potential exposure

Skin - Protective gloves: Rubber or plastic

Dependent upon degree of potential exposure, additional personal protective equipment may be

required, such as chemical boots and full protective clothing.

Inhalation -None required for ambient temperature, although an appropriate NIOSH/MSHA approved air-

purifying respirator should be used if a mist, vapor or dust is generated. A NIOSH/MSHA approved self-contained breathing apparatus or air-supplied respirator is recommended if the concentration exceeds the capacity of cartridge respirator. WARNING: Air purifying respirators do not protect

workers in oxygen-deficient atmospheres.

Other Controls: Boots, eye wash fountain, safety shower, apron, protective clothing.

• Environmental Exposure Controls: Contact Twin Rivers Technologies Community information.

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

• General Information:

Physical State @ 72° F (22° C): Solid

Appearance: white to light yellow

Odor: Musty, fatty Odor Threshold: Not available

• Important health, safety and environmental information:

pH:

Boiling point/Boiling range: 570° F (299° C) @ 760 mm Hg (101.3kPa)

Flash Point & Method: 335° F (168° C) PMCC

Flammability (solid, gas): Not available Explosive properties: Not available Oxidising properties: Not available Vapor pressure: @ 72° F (22° C) < 1 mm HgRelative density: 0.87 @ 20/20° C 111° F (44° C)

Freezing point:

Solubility:

Water solubility: Negligible @ 72° F (22° Fat solubility (solvent-oil to be specified): Not available

Partition coefficient: n-octanol/water:

Viscosity:

Vapor density:

Evaporation Rate (nBuOAc=1):

Not available

Not available

**Explosive Limits:** 

Lower: Not available
Upper: Not available
Auto ignition temperature: Not available
Coefficient of water/oil distribution: Not available

## SECTION 10 - STABILITY AND REACTIVITY

• Stability: Stable under normal operational procedures.

• Conditions to Avoid: None identified.

• Materials to Avoid: Avoid strong oxidizing agents.

• Hazardous Decomposition Products: Does not decompose up to 400° F (204° C). Themal decomposition or burning may

produce carbon monoxide and/or carbon dioxide.

• Hazardous Polymerization: Will not occur.

#### SECTION 11 - TOXICOLOGICAL INFORMATION

#### **Dodecanoic acid:**

Irritation Data:

Eye, rabbit Corneal opacity, mild conjunctivitis, iritis – 72 h observation

Skin, rabbit 500 mg. Mild irritation effects

Acute Toxicity:

Oral, rat LD50 12 gm/kg

Decanoic acid Tetradecanoic acid

LD50 skin, rabbit > 5 gm/kg No available data LD50 oral, rat > 10 gm/kg > 10 gm/kg



**H319** Causes skin irritation



**H318** Causes serious eye damage

# SECTION 12 - ECOLOGICAL INFORMATION (Based on coconut fatty acid mixture)

 Bluegill sunfish
 96h LC50
 63.3 mg/l

 NOEC
 32 mg/l

 Oryzias latipes
 96h LC50
 8.6 mg/l

 Gammarus sp.
 48h EC50
 8.6 mg/l

 Nitzschia sp. 7
 2h EC50
 30000 mol/l

Microbial inhibition None at 10,000 mg/l

## **SECTION 13 - DISPOSAL CONSIDERATIONS**

DISPOSAL IS TO BE PERFORMED IN COMPLIANCE WITH ALL FEDERAL, STATE/PROVINCIAL AND LOCAL REGULATIONS. Do not dispose of via sinks, drains or into the immediate environment.

Contaminated packaging: Observe local regulations.

#### **SECTION 14 - TRANSPORT INFORMATION**

U.S. DOT: Not regulated for transport

Not classified in RID/ADR - ADNR - IMDG - ICAO/IATA - DGR

# SECTION 15 - ADDITIONAL REGULATORY INFORMATION

**INVENTORY STATUS:** TSCA (US), AICS (Australia), IECSC (China), EINECS (EU), KECI (Korea),

New Zealand (Composite List of Single Component Substances to be considered

for Transfer (April 2003)), Philippines

## EC LABELING AND CLASSIFICATION:

According to Directives 67/548/EEC and 1999/45/EC

Contains hexanoic and octanoic acids

- Symbol: Xi Irritant

- Risk phrase(s): R41 Risk of serious eye damage

R36 Irritating to eyes.

- Safety phrase(s): S36/37/39 Wear suitable protective clothing, gloves, eye/face protection

S25 Avoid contact with eyes

S26 In case of contact with eyes, rinse immediately with plenty of water

and seek medical advice.

#### Canada

## HAZARDOUS INGREDIENTS - WHMIS (Canadian Workplace Hazardous Materials Information System)

This product when tested as a whole is considered a controlled substance Class D, Division 2, Subdivision b (skin and eye irritant, toxic) within the meaning of the Hazardous Products Act.

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.

## **SECTION 16 - OTHER INFORMATION**

#### EUROPE

This product safety data sheet was prepared in compliance with 2001/58/EC.

R-phrase(s): R41 Risk of serious eye damage, R36 Irritating to eyes.

#### **USA LABELING:**

CAUTION: MAY CAUSE EYE IRRITATION

Avoid contact with eyes. Wash thoroughly after handling.

FIRST AID: In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical

attention.

References: RTECS ACCESSION NUMBER OE9800000 Lauric acid

Patty's Industrial Hygiene and Toxicology, 4th ed. Edited by George D. Clayton & Florence E. Clayton

BIBRA toxicity profile (1996) n-Decanoic acid.

RTECS ACCESSION NUMBER QH4375000 Myristic acid

Onitsuka et al. 1989. Chemosphere. 18:1621-1631.

Mann & Florence, 1987, Fuel, 66:404-407.

The submission of the MSDS may be required by law, but this is not an assertion that the substance is hazardous when used in accordance with proper safety practices and normal handling procedures. Data supplied are for use only in connection with occupational safety and health.

The information contained herein has been compiled from sources considered by Twin Rivers Technologies to be dependable and is accurate to the best of the Company's knowledge. The information relates to the specific product designated herein, and does not relate to use in combination with any other material of any other process. Twin Rivers Technologies assumes no responsibility for injury to the recipient or third persons, or for any damage to any property resulting from misuse of the controlled product

Safety Data Sheet is in compliance with OSHA/EPA/EU Standards and Requirements CHEMTREC (24HR Emergency Telephone), call: 1-800-424-9300 International CHEMTREC, call: 1-703-527-3887