



HOOK LATCH

REPLACEMENT REFERENCE GUIDE

Crosby®

CM



GUNNEBO
Industries




PEERLESS®
A KITO GROUP COMPANY

MAZZELLA®

MAZZELLACOMPANIES.COM

CONTENTS



1

CROSBY
REPLACEMENT LATCHES
PAGE 3

Crosby®

2

CM
REPLACEMENT LATCHES
PAGE 9

CM®

3

GUNNEBO
REPLACEMENT LATCHES
PAGE 19

 **GUNNEBO**
Industries

4

PEERLESS
REPLACEMENT LATCHES
PAGE 22

 **PEERLESS**
A KITO GROUP COMPANY

5

HOOKS
SELECTION GUIDE
PAGE 24



CROSBY

LATCH KIT TO HOOK

REFERENCE (1 OF 2)

Crosby®

S-4320



319N



320N



322N



1327



1339

NOTE: Does not fit older 319, 320, 322 hooks

SS-4055



319



320



322

NOTE: Does not fit newer "N" style hooks

PL HEAVY-DUTY



319



320



322

NOTE: Does not fit newer "N" style hooks

PL-N/O HEAVY-DUTY



PL-N



319N



320N

PL-O



319



320

CONTINUED ON NEXT PAGE ...

CROSBY

LATCH KIT TO HOOK

REFERENCE (2 OF 2)

Crosby®

S-4088



A-327



A-339

S-4316



S1316A
SHUR-LOC



S1317A
SHUR-LOC



S1318A
SHUR-LOC



S1326A
SHUR-LOC




S13326A
SHUR-LOC



CROSBY HOOK MARKINGS REFERENCE

Crosby®



Load Rated

Fatigue Rated



CROSBY REPLACEMENT LATCH KITS (1 OF 3)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	DIMENSIONS (INCHES)			FITS HOOK SERIES	HOOK ID CODE	CAPACITY (TONS)			WEIGHT (LBS)
		OVERALL LENGTH	OVERALL WIDTH	PIN DIA.			CARBON	ALLOY	BRONZE	
S-4320 LATCH KIT NOTE: Does not fit older 319, 320, 322 hooks   319N 320N   322N 1327  1339	1096325	1.44"	0.50"	0.15"	319N, 320N, 322N, 1327, 1339	D	.75	1	.5	0.03
	1096374	1.56"	0.54"	0.17"	319N, 320N, 322N, 1327, 1339	F	1	1.5	.6	0.04
	1096421	1.66"	0.63"	0.17"	319N, 320N, 322N, 1327, 1339	G	1.5	2	1	0.04
	1096468	1.91"	0.66"	0.17"	319N, 320N, 322N, 1327, 1339	H	2	3	1.4	0.06
	1096515	2.31"	0.83"	0.20"	319N, 320N, 322N, 1327, 1339	I	3	5	2	0.1
	1096562	2.88"	1.04"	0.20"	319N, 320N, 322N, 1327, 1339	J	5	7	3.5	0.15
	1096609	3.56"	1.25"	0.27"	319N, 320N, 322N, 1327, 1339	K	7.5	11	5	0.28
	1096657	3.81"	1.35"	0.33"	319N, 320N, 322N, 1327, 1339	L	10	15	6.5	0.33
	1096704	5.18"	1.66"	0.39"	319N, 320N, 322N, 1327, 1339	N	15	22	10	0.84
SS-4055 LATCH KIT NOTE: Does not fit newer "N" style hooks  319  320  322	1090027	1.44"	0.59"	0.16"	Older style 319, 320, 322	D	.75	1	.5	0.02
	1090045	1.60"	0.59"	0.16"	Older style 319, 320, 322	F	1	1.5	.6	0.02
	1090063	1.84"	0.82"	0.19"	Older style 319, 320, 322	G / H	1.5 - 2	2 - 3	1 - 1.4	0.03
	1090081	2.41"	1.00"	0.17"	Older style 319, 320, 322	I	3	4.5	2	0.06
	1090107	2.97"	1.21"	0.20"	Older style 319, 320, 322	J	5	7	3.5	0.11
	1090125	3.66"	1.50"	0.27"	Older style 319, 320, 322	K / L	7.5 - 10	11 - 15	5 - 6.5	0.17
	1090143	4.94"	1.90"	0.39"	Older style 319, 320, 322	N	15	22	10	0.39
	1090161	5.88"	2.56"	0.52"	Older style 319, 320, 322	O	20	30	—	0.63
	1090189	6.50"	3.84"	0.39"	Older style 319, 320, 322	P / S	25 - 30	37 - 45	—	1.12
	1090205	7.88"	4.12"	0.52"	Older style 319, 320, 322	T	40	60	—	1.77

CONTINUED ON NEXT PAGE ...

CROSBY REPLACEMENT LATCH KITS (2 OF 3)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	DIMENSIONS (INCHES)			FITS HOOK SERIES	HOOK ID CODE	CAPACITY (TONS)			WEIGHT (LBS)
		OVERALL LENGTH	OVERALL WIDTH	PIN DIA.			CARBON	ALLOY	BRONZE	
PL HEAVY-DUTY LATCH KIT NOTE: <i>Does not fit newer "N" style hooks</i>  319  320  322	1093711	2.57"	2.00"	–	Older style 319, 320, 322	I	3	4.5	–	0.54
	1093712	3.00"	2.22"	–	Older style 319, 320, 322	J	5	7	–	0.66
	1093713	3.63"	2.38"	–	Older style 319, 320, 322	K	7.5	11	–	1.00
	1093714	4.00"	3.38"	–	Older style 319, 320, 322	L	10	15	–	1.25
	1093715	5.31"	3.44"	–	Older style 319, 320, 322	N	15	22	–	2.96
	1093716	6.00"	4.25"	–	Older style 319, 320, 322	O	20	30	–	4.05
	1093717	7.00"	6.12"	–	Older style 319, 320, 322	P / S	25 - 30	37 - 45	–	8.63
	1093718	6.75"	6.38"	–	Older style 319, 320, 322	S	30	45	–	10.00
	1093719	8.00"	7.25"	–	Older style 319, 320, 322	T	40	60	–	14.30
	1093720	9.88"	8.88"	–	Older style 319, 320, 322	U	50	75	–	27.00
	1093721	10.88"	10.00"	–	Older style 319, 320, 322	W - X	–	100 - 150	–	33.25
	1093723	11.88"	11.25"	–	Older style 319, 320, 322	Y	–	200	–	45.00
	1093724	12.50"	13.00"	–	Older style 319, 320, 322	Z	–	300	–	55.00

PL-N/O HEAVY-DUTY LATCH KIT  319N PL-N  320N  319 PL-O  320	PL-N: 1092000 PL-O: 1091900	2.40"	3.44"	–	PL-N designed for 319N & 320N new style hooks PL-O designed for 319 & 320 old style hooks	I	3	4.5 / 5	–	0.80
	PL-N: 1092001 PL-O: 1091901	2.94"	3.83"	–	PL-N designed for 319N & 320N new style hooks PL-O designed for 319 & 320 old style hooks	J	5	7	–	1.30
	PL-N: 1092002 PL-O: 1091902	3.63"	4.38"	–	PL-N designed for 319N & 320N new style hooks PL-O designed for 319 & 320 old style hooks	K	7.5	11	–	2.00
	PL-N: 1092003 PL-O: 1091903	4.00"	4.50"	–	PL-N designed for 319N & 320N new style hooks PL-O designed for 319 & 320 old style hooks	L	10	15	–	2.80
	PL-N: 1092004 PL-O: 1091904	5.19"	5.13"	–	PL-N designed for 319N & 320N new style hooks PL-O designed for 319 & 320 old style hooks	N	15	22	–	4.90

CONTINUED ON NEXT PAGE ...

CROSBY

REPLACEMENT LATCH KITS (3 OF 3)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	FITS HOOK SERIES	DIMENSIONS (INCHES)			WEIGHT (LBS)
				OVERALL LENGTH	OVERALL WIDTH	PIN DIA.	
S-4088 LATCH KIT  A-327  A-339	1090250	9/32" (1/4")	A-327 & A-339 Grade 80 Sling Hooks	2.03"	0.94"	0.16"	0.06
	1090251	3/8"	A-327 & A-339 Grade 80 Sling Hooks	2.69"	1.25"	0.19"	0.14
	1090252	1/2"	A-327 & A-339 Grade 80 Sling Hooks	3.00"	1.25"	0.19"	0.15
	1090253	5/8"	A-327 & A-339 Grade 80 Sling Hooks	3.25"	1.25"	0.19"	0.15
	1090254	3/4"	A-327 & A-339 Grade 80 Sling Hooks	4.13"	1.88"	0.26"	0.15
	1090255	7/8"	A-327 & A-339 Grade 80 Sling Hooks	4.66"	2.00"	0.26"	0.15

S-4316 LATCH KIT  S1316A  S1317A  S1318A  S1326A  S13326A	6603010	7/32"	S1316A, S-1317A, S-1318A, S-1326A, S-13326A Grade 100 Shur-Loc Hooks	-	-	-	0.06
	6603011	9/32" (1/4") - 5/16"	S1316A, S-1317A, S-1318A, S-1326A, S-13326A Grade 100 Shur-Loc Hooks	-	-	-	0.11
	6603012	3/8"	S1316A, S-1317A, S-1318A, S-1326A, S-13326A Grade 100 Shur-Loc Hooks	-	-	-	0.17
	6603013	1/2"	S1316A, S-1317A, S-1318A, S-1326A, S-13326A Grade 100 Shur-Loc Hooks	-	-	-	0.34
	6603014	5/8"	S1316A, S-1317A, S-1318A, S-1326A, S-13326A Grade 100 Shur-Loc Hooks	-	-	-	0.5
	6603015	3/4"	S1316A, S-1317A, S-1318A, S-1326A, S-13326A Grade 100 Shur-Loc Hooks	-	-	-	0.57
	6603008	7/8"	S1316A, S-1317A, S-1318A, S-1326A, S-13326A Grade 100 Shur-Loc Hooks	-	-	-	0.75
	6603017	1"	S1316A, S-1317A, S-1318A, S-1326A, S-13326A Grade 100 Shur-Loc Hooks	-	-	-	2.00

CM REPLACEMENT LATCH KITS (1 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
HOIST HOOK REPLACEMENT LATCH KITS 	45661	–	–	0.50	M133
	595523	–	–	1	M134
WELD ON HOOK REPLACEMENT LATCH KITS 	4X4301	–	–	1.1	M4301
	4X4303	–	–	3.3	M4303
	4X4305	–	–	5.5	M4305
	4X4310	–	–	11	M4310
WELD ON HOOK (IMPORT) REPLACEMENT LATCH KITS 	4X48211	–	–	1.1	48211
	4X48212	–	–	3.3	48212
	4X48213	–	–	5.5	48213
	4X48214	–	–	8.82	48214
CLEVIS STYLE SLIP HOOK (ALLOY) REPLACEMENT LATCH KIT 	4X1304	–	–	–	M6905A
	4X1304	–	–	–	6905AWL
	4X1304	–	–	–	M6905AZ
	4X1304	–	–	–	6905AZL
	4X1305	–	–	–	M6906A
	4X1305	–	–	–	6906AWL
	4X1305	–	–	–	M6906AZ
	4X1305	–	–	–	6906AZL

CONTINUED ON NEXT PAGE ...

CM REPLACEMENT LATCH KITS (2 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
EYE SLIP HOOK (ALLOY) REPLACEMENT LATCH KITS 	4X404	–	–	–	M6304
	4X405	–	–	–	M6305
	4X406	–	–	–	M6306
	4X410	–	–	–	M6307
WINCH HOOK REPLACEMENT LATCH KITS 	75395	–	–	1.65	79241
SNAP HOOK REPLACEMENT LATCH KITS 	4X405	–	–	0.375t	495116
EYE SLING HOOK (GRADE 100) REPLACEMENT LATCH KITS 	595523	9/32"	100	2.15	558622
	595525	3/8"	100	4.4	558625
	595528	1/2"	100	7.5	558628
	595529	5/8"	100	11.3	558629
	595530	3/4"	100	17.65	558630

CONTINUED ON NEXT PAGE ...

CM REPLACEMENT LATCH KITS (3 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
CLEVLOK SLING HOOK (GRADE 100 - OLD) REPLACEMENT LATCH KITS 	4X658718	9/32"	100	2.15	658718
	4X658719	3/8"	100	4.4	658719
	4X658720	1/2"	100	7.5	658720
	4X658721	5/8"	100	11.3	658721
CLEVLOK SLING HOOK (GRADE 100 - NEW) REPLACEMENT LATCH KITS 	4X455322	9/32"	100	2.15	657718
	4X455325	3/8"	100	4.4	657719
	4X455328	1/2"	100	7.5	657720
	4X455329	5/8"	100	11.3	657721
	4X455330	3/4"	100	–	657722
CLEVLOK SLING HOOK (GRADE 80 - OLD) REPLACEMENT LATCH KITS 	595523	9/32"	80	1.75	658318
	595525	3/8"	80	3.55	658319
	595528	1/2"	80	6	658320
	595529	5/8"	80	9.05	658321
	595530	3/4"	80	14.15	658322
CLEVLOK SLING HOOK (GRADE 80 - NEW) REPLACEMENT LATCH KITS 	595523	9/32"	80	1.75	658318
	595525	3/8"	80	3.55	658319
	595528	1/2"	80	6	658320
	595529	5/8"	80	9.05	658321
	595530	3/4"	80	14.15	658322

CONTINUED ON NEXT PAGE ...

CM REPLACEMENT LATCH KITS (4 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
EYE SLING HOOK (GRADE 80) REPLACEMENT LATCH KITS 	595461	7/32"	80	1	558544
	595523	9/32"	80	1.75	558322
	595525	3/8"	80	3.55	558325
	595528	1/2"	80	6	558328
	595529	5/8"	80	9.05	558329
	595530	3/4"	80	14.15	558330
	595532	7/8"	80	17.1	558332
	595533	1"	80	23.85	558333
	595535	1-1/4"	80	36.15	558335

EYE RIGGING HOOKS (CARBON AND ALLOY) REPLACEMENT LATCH KITS 	4X1302	–	Carbon	0.75	M6402C
	4X1302	–	Carbon	0.75	M6402G
	4X1302	–	Alloy	1	M6402A
	4X1302	–	Carbon	1	M6502C
	4X1302	–	Alloy	1	M6502A
	4X1303	–	Carbon	1	M6403C
	4X1303	–	Carbon	1	M6403G
	4X1303	–	Alloy	1.5	M6403A
	4X1303	–	Carbon	1.5	M6503C
	4X1303	–	Alloy	1.5	M6503A
	4X1304	–	Carbon	1.5	M6404C
	4X1304	–	Carbon	1.5	M6404G
	4X1304	–	Alloy	2	M6404A

CONTINUED ON NEXT PAGE ...

CM REPLACEMENT LATCH KITS (5 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
EYE RIGGING HOOKS (CARBON AND ALLOY) REPLACEMENT LATCH KITS (CONTINUED) 	4X1304	–	Carbon	2	M6504C
	4X1304	–	Alloy	2	M6504A
	4X1305	–	Carbon	2	M6505C
	4X1305	–	Carbon	2	M6405G
	4X1305	–	Alloy	3	M6405A
	4X1305	–	Carbon	3	M6505C
	4X1305	–	Alloy	3	M6505A
	4X1307	–	Carbon	3	M6407C
	4X1307	–	Carbon	3	M6407G
	4X1307	–	Alloy	5	M6407A
	4X1307	–	Carbon	5	M6507C
	4X1307	–	Alloy	5	M6507A
	4X1309	–	Carbon	5	M6409C
	4X1309	–	Carbon	5	M6409G
	4X1309	–	Alloy	7	M6409A
	4X1309	–	Carbon	7	M6509C
	4X1309	–	Alloy	7	M6509A
	4X1311	–	Carbon	7.5	M6411C
	4X1311	–	Carbon	7.5	M6411G
	4X1311	–	Alloy	11	M6411A
	4X1311	–	Carbon	11	M6511C
	4X1311	–	Alloy	11	M6511A

CONTINUED ON NEXT PAGE ...

CM REPLACEMENT LATCH KITS (6 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
EYE RIGGING HOOKS (CARBON AND ALLOY) REPLACEMENT LATCH KITS (CONTINUED) 	4X1315	–	Carbon	10	M6415C
	4X1315	–	Carbon	10	M6415G
	4X1315	–	Alloy	15	M6415A
	4X1315	–	Carbon	15	M6515C
	4X1315	–	Alloy	15	M6515A
	4X1322	–	Carbon	15	M6422C
	4X1322	–	Carbon	15	M6422G
	4X1322	–	Alloy	22	M6422A
	4X1322	–	Carbon	22	M6522C
	4X1322	–	Alloy	22	M6522A
SWIVEL HOOKS (CARBON) REPLACEMENT LATCH KITS 	4X1302	–	–	0.750	M3502C
	4X1303	–	–	1	M3503C
	4X1304	–	–	1.5	M3504C
	4X1305	–	–	2	M3505C
	4X1307	–	–	3	M3507C
	4X1309	–	–	5	M3509C
	4X1315	–	–	10	M3515C
	4X1322	–	–	15	M3522C

CONTINUED ON NEXT PAGE ...

CM REPLACEMENT LATCH KITS (7 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
SWIVEL HOOKS (ALLOY) REPLACEMENT LATCH KITS 	4X1302	–	–	1	M3502A
	4X1303	–	–	1.5	M3503A
	4X1304	–	–	2	M3504A
	4X1305	–	–	3	M3505A
	4X1307	–	–	5	M3507A
	4X1309	–	–	7	M3509A
	4X1311	–	–	11	M3511A
	4X1315	–	–	15	M3515A
	4X1322	–	–	22	M3522A
SHANK HOOK (CARBON) REPLACEMENT LATCH KITS 	4X1302	–	Carbon	0.75	M1302C
	4X1303	–	Carbon	1	M1303C
	4X1304	–	Carbon	1.5	M1304C
	4X1305	–	Carbon	2	M1305C
	4X1307	–	Carbon	3	M1307C
	4X1309	–	Carbon	5	M1309C
SHANK HOOK (ALLOY) REPLACEMENT LATCH KITS 	4X1302	–	Alloy	1	M1302A
	4X1303	–	Alloy	1.5	M1303A
	4X1304	–	Alloy	2	M1304A
	4X1305	–	Alloy	3	M1305A
	4X1307	–	Alloy	5	M1307A
	4X1309	–	Alloy	7	M1309A
	4X1311	–	Alloy	11	M1011A

CONTINUED ON NEXT PAGE ...

CM REPLACEMENT LATCH KITS (8 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
RIGGING HOOK (GRADE 100) REPLACEMENT LATCH KITS 	4X1302	7/32"	100	1.35	M7502A
	4X1303	9/32"	100	2.15	M7503A
	4X1304	5/16"	100	2.85	M7504A
	4X1305	3/8"	100	4.4	M7505A
	4X1307	1/2"	100	7.5	M7507A
	4X1309	5/8"	100	11	M7509A
CLEVLOK LODELOK (GRADE 100 - OLD STYLE) REPLACEMENT LATCH KITS 	656005	9/32"	100	–	616005
	656010	3/8"	100	–	616010
	656015	1/2"	100	–	616015
	656020	5/8"	100	–	616020
EYE LODELOK (GRADE 100 - OLD STYLE) REPLACEMENT LATCH KITS 	656005	9/32"	100	–	626005
	656010	3/8"	100	–	626010
	656015	1/2"	100	–	626015
	656020	5/8"	100	–	626020
SWIVEL LODELOK (GRADE 100 - OLD STYLE) REPLACEMENT LATCH KITS 	656005	9/32"	100	–	676005
	656010	3/8"	100	–	676010
	656015	1/2"	100	–	676015
	656020	5/8"	100	–	676020

CONTINUED ON NEXT PAGE ...

CM REPLACEMENT LATCH KITS (9 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
HAMMERLOK LODELOK (GRADE 100 - OLD STYLE) REPLACEMENT LATCH KITS 	656005	9/32"	100	–	666005
	656010	3/8"	100	–	666010
	656015	1/2"	100	–	666015
	656020	5/8"	100	–	666020
WEBLOK LODELOK (GRADE 100 - OLD STYLE) REPLACEMENT LATCH KITS 	656005	9/32"	100	–	646005
	656010	3/8"	100	–	646010
	656015	1/2"	100	–	646015
	656020	5/8"	100	–	646020
CLEVLOK STYLE LODELOK (GRADE 100) REPLACEMENT LATCH KITS 	656005	9/32"	100	–	M616005
	656010	3/8"	100	–	M616010
	656015	1/2"	100	–	M616015
	656020	5/8"	100	–	M616020
EYE LODELOK WEBLOK (GRADE 100) REPLACEMENT LATCH KITS 	656005	9/32"	100	–	M626005
	656010	3/8"	100	–	M626010
	656015	1/2"	100	–	M626015
	656020	5/8"	100	–	M626020

CONTINUED ON NEXT PAGE ...

CM REPLACEMENT LATCH KITS (10 OF 10)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER (INCHES)	GRADE	CAPACITY (TONS)	FITS HOOK SERIES
BUSHING SWIVEL LODELOK (GRADE 100) REPLACEMENT LATCH KITS 	656005	9/32"	100	–	M676005
	656010	3/8"	100	–	M676010
	656015	1/2"	100	–	M676015
	656020	5/8"	100	–	M676020
BEARING SWIVEL LODELOK (GRADE 100) REPLACEMENT LATCH KITS 	656005	9/32"	100	–	M696005
	656010	3/8"	100	–	M696010
	656015	1/2"	100	–	M696015
	656020	5/8"	100	–	M696020

GUNNEBO REPLACEMENT LATCH KITS (1 OF 3)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER		GRADE	FITS HOOK SERIES
		INCHES	MM		
RD EKN 	Z100447	9/32" (1/4") - 5/16"	-	-	EKN, EGKN, ESKN, New-Style KLN / KLNK, RH
EKN 	Z100450	3/8"	-	-	EKN, EGKN, ESKN, New-Style KLN / KLNK, RH
EGKN 	Z100449	1/2"	-	-	EKN, EGKN, ESKN, New-Style KLN / KLNK, RH
ESKN 	Z100217	5/8"	-	-	EKN, EGKN, ESKN, New-Style KLN / KLNK, RH
KLN 	Z100453	3/4"	-	-	EKN, EGKN, ESKN, New-Style KLN / KLNK, RH
RH					
RD SKN SLING HOOK LATCH KITS 	545951	9/32"	-	-	RD SKN, OKN-7/8-8
RD SKN 	545952	3/8"	-	-	RD SKN, OKN-10-8
OKN	545953	1/2"	-	-	RD SKN, OKN-13-8
	545954	5/8"	-	-	RD SKN, OKN-16-8
	545955	3/4"	-	-	RD SKN, OKN-18/20-8

CONTINUED ON NEXT PAGE ...

GUNNEBO REPLACEMENT LATCH KITS (2 OF 3)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER		GRADE	FITS HOOK SERIES
		INCHES	MM		
RD BK SELF-LOCKING HOOK LATCH KITS  BK  BKL  BKLK  BKH  BKG  BKT	590140	100	7/32"	6 mm	BK-6-10, BKL-6-10, BKLK-6-10, BKH-6-10
	590142	100	9/32"	7 mm	BKG-7-10
	590142	100	5/16"	7/8 mm	BKL-7/8-10, BKL-7/8-10, BKLK-7/8-10, BKH-7/8-10
	590142	100	5/16"	8 mm	BKG-8-10
	590144	100	3/8"	10 mm	BK-10-10, BKG-10-10, BKL-10-10, BKLK-10-10
	590145	100	1/2"	13 mm	BK-13-10, BKG-13-10, BKL-13-10, BKLK-13-10
	590146	100	5/8"	16 mm	BK-16-10, BKG-16-10, BKL-16-10, BKLK-16-10
	590147	100	3/4"	20 mm	BK-18/20-10, BKG-20-10, BKL-18/20-10, BKLK-18/20-10
	590140	80	7/32"	6 mm	BK-6-8, BKL-6-8, BKLK-6-8, BKH-6-8, BKT-6-8
	N/A	80	9/32"	7 mm	N/A
	590142	80	5/16"	7/8 mm	BK-7/8-8, BKG-7/8-8, BKL-7/8-8, BKLK-7/8-8, BKH-7/8-8, BKT-7/8-8
	N/A	80	5/16"	8 mm	N/A
	590144	80	3/8"	10 mm	BK-10-8, BKG-10-8, BKL-10-8, BKLK-10-8, BKT-10-8, BKB-10-8
	590145	80	1/2"	13 mm	BK-13-8, BKG-13-8, BKL-13-8, BKLK-13-8, BKT-13-8
	590146	80	5/8"	16 mm	BK-16-8, BKG-16-8, BKL-16-8, BKLK-16-8, BKT-16-8
	590147	80	3/4"	20 mm	BK-18/20-8, BKG-10/20-8, BKL-18/20-8, BKLK-18/20-8
	589373	80	7/8"	22 mm	BK-22-8
	589374	80	1"	26 mm	BK-26-8
	589375	80	1-1/8"	28 mm	BK-28-8

CONTINUED ON NEXT PAGE ...

GUNNEBO REPLACEMENT LATCH KITS (3 OF 3)



GUNNEBO
Industries

REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER		GRADE	FITS HOOK SERIES
		INCHES	MM		
RD BK SELF-LOCKING HOOK LATCH KITS (CONTINUED)  BK  BKH  BKL  BKG  BKLK  BKT	590146	100	5/8"	16 mm	BK-16-10, BKG-16-10, BKL-16-10, BKLK-16-10
	590147	100	3/4"	20 mm	BK-18/20-10, BKG-20-10, BKL-18/20-10, BKLK-18/20-10
	590140	80	7/32"	6 mm	BK-6-8, BKL-6-8, BKLK-6-8, BKH-6-8, BKT-6-8
	N/A	80	9/32"	7 mm	N/A
	590142	80	5/16"	7/8 mm	BK-7/8-8, BKG-7/8-8, BKL-7/8-8, BKLK-7/8-8, BKH-7/8-8, BKT-7/8-8
	N/A	80	5/16"	8 mm	N/A
	590144	80	3/8"	10 mm	BK-10-8, BKG-10-8, BKL-10-8, BKLK-10-8, BKT-10-8, BKB-10-8
	590145	80	1/2"	13 mm	BK-13-8, BKG-13-8, BKL-13-8, BKLK-13-8, BKT-13-8
	590146	80	5/8"	16 mm	BK-16-8, BKG-16-8, BKL-16-8, BKLK-16-8, BKT-16-8
	590147	80	3/4"	20 mm	BK-18/20-8, BKG-10/20-8, BKL-18/20-8, BKLK-18/20-8
	589373	80	7/8"	22 mm	BK-22-8
	589374	80	1"	26 mm	BK-26-8
	589375	80	1-1/8"	28 mm	BK-28-8
RD GBK / OBK / LBK / LKBL GRIP LATCH TRIGGER SET  GBK  OBK  LBK  LKBL	511898	7/32"	–	–	RD OBK, GBK-6-8
	511811	9/32"	–	–	RD OBK, GBK-7/8-8
	511811	5/16"	–	–	RD OBK, GBK-7/8-8
	511821	3/8"	–	–	RD OBK, GBK-10-8
	511831	1/2"	–	–	RD OBK, GBK-13-8
	511841	5/8"	–	–	RD OBK, GBK-16-8
	589732	3/4"	–	–	RD OBK, GBK-18/20-8
	589366	7/8"	–	–	RD OBK, GBK-22-8

PEERLESS REPLACEMENT LATCH KITS (1 OF 2)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER		GRADE	WORKING LOAD LIMIT (TONS)	FITS HOOK SERIES
		INCHES	MM			
V10 SLING HOOK LATCH KITS  EYE  CLEVIS	8410077	7/32"	6 mm	100	1.35	8417100, 8418100
	8410177	9/32 - 5/16"	7 - 8 mm	100	2.85	8417200, 8418200
	8410277	3/8"	10 mm	100	4.4	8417400, 8418400
	8410377	1/2"	13 mm	100	7.5	8417600, 8418600
	8410477	5/8"	16 mm	100	11.3	8417700, 8418700
	8410577	3/4"	20 mm	100	17.65	8417800, 8418800
	8410677	7/8"	22 mm	100	21.35	8417900, 8418900
V10 SELF-LOCKING HOOK LATCH KITS  EYE  CLEVIS  SWIVEL	8490199	7/32"	6 mm	–	1.35	8491100, 8498100, 8497100, 8499100
	8490299	9/32 - 5/16"	7 - 8 mm	–	2.85	8491200, 8498200, 8497200, 8499200
	8490399	3/8"	10 mm	–	4.4	8491400, 8498400, 8497400, 8499400
	8490499	1/2"	13 mm	–	7.5	8491600, 8498600, 8497600, 8499600
	8490599	5/8"	16 mm	–	11.3	8491700, 8498800, 8497700, 8499700

CONTINUED ON NEXT PAGE ...

PEERLESS REPLACEMENT LATCH KITS (2 OF 2)



REPLACEMENT LATCH KIT	MANUFACTURER PART #	CHAIN DIAMETER		GRADE	WORKING LOAD LIMIT (TONS)	FITS HOOK SERIES
		INCHES	MM			
ACCOLOY KUPLEX LATCH ASSEMBLIES  EYE  CLEVIS	599900402	9/32"	7 mm	–	2.15	592353080, 598850080
	599900403	3/8"	10 mm	–	4.4	592353081, 598850081
	599900404	1/2"	13 mm	–	7.5	592353082, 598850082
	599900405	5/8"	16 mm	–	11.3	592353083, 598850083
	599900406	3/4"	20 mm	–	14.15	592303084, 598800084
	599900407	7/8"	22 mm	–	17.1	592303085, 598800085
	599900408	1"	26 mm	–	23.85	592303086, 599800086
	599900410	1-1/4"	32 mm	–	36.15	592303088

HOOKS SELECTION GUIDE (1 OF 2)

CONNECTION TYPES



EYE HOOKS

On an eye hook, a chain or fittings are welded for a permanent connection to the sling. With an eye hook, you get far more flexibility in terms of movement and ergonomics to position the hook and attach it to the load. However, an eye hook is a permanent solution—if the throat of the hook becomes stretched, cracked, or bent during use, the whole sling would have to be failed out upon inspection and removed from service.



CLEVIS HOOKS

A clevis fastener is a fastener system consisting of a clevis and clevis pin. The clevis is a U-shaped piece that has holes at the end of prongs to accept the clevis pin. The clevis pin is similar to a bolt, but is only partially threaded or unthreaded with a cross-hole for a split pin. The clevis is a mechanical connection used to fasten the hook to a bracket or chain.



SWIVEL HOOKS

There are two types of swivel hooks and the user should be aware of the type of swivel hook that they're using prior to lifting a load into the air:

- **Positioning Swivel Hook** – This type of hook swivels to allow the rigger to properly align the hook during connection to the load.
- **True Swivel Hook with Bearing** – This type of swivel hook has a bearing inside that allows the hook to rotate freely under load.



SLING HOOKS WITH SELF-CLOSING LATCH KITS

All hook manufacturers make products with or without latches. Some hooks are compatible with self-closing latch kits so that a latch can be added at the time of the sale or post-sale. The one disadvantage of a hook with a self-closing latch is that they can have a shorter life span than a positive latching hook. One thing to consider when buying a hook with a latch kit is to understand if it's an imported or domestically-made product. It may be more difficult to find replacement parts on imported products.



POSITIVE LATCHING HOOKS

A positive latching hook is a hook with a latch that is a more robust and engineered component of the hook. The advantage of a positive latching hook is that it's nearly impossible to break the latch on these hooks and once it closes, it can't open again until the load is released from the hook. These types of hooks are close to standard on chain slings because they're more robust and can handle heavier-duty environments and lifts where chain is the preferred sling medium.

HOOKS SELECTION GUIDE (2 OF 2)




SORTING HOOKS

Sorting hooks, also known as “lay out hooks” or “shake out hooks,” are used to sort or lay out products like flat plate, pipes, or other tube-shaped objects. They’re used in multi-leg sling assemblies for applications where the object or item will engage to the full depth of the throat of the hook. Sorting hooks must be used at a 30° to 45° angle to get full engagement—**if the load is not fully engaged with the throat opening, significant reduction to the Working Load Limit of the hook can occur.**



FOUNDRY HOOKS

Foundry hooks are typically used on chain slings and are designed with a wide deep throat to fit trunnions and handles on molds or castings for foundry work. Foundry hooks are most commonly designed to be used without a latch, because they’re often used in high-heat applications where there is a clear danger for a human to reach up to connect or remove the load from the hook.



J-HOOKS

J-Hooks are most often used in industrial and manufacturing applications. They have a low-profile and slimmer design than traditional sling hooks, which allows them to be used with chains, hoists, and slings to efficiently move materials in applications where a sling hook, grab hook, or foundry hook would not be suitable. J-Hooks are often used with eye bolts or an engineered lifting point on a load. A low-profile tip and throat can fit in much easier than a larger sling hook or foundry hook for a positive connection to the load.



GRAB HOOKS

Grab Hooks are designed with a special narrow throat used to “grab” and shorten or hold a length of chain used in overhead lifting applications. The throat engages the chain between the links for quick non-slip handling. There are two types of grab hooks:

- **Standard grab hook** – When shortening a sling leg using a standard grab hook, you need to reduce the Working Load Limit by 20%.
- **Cradle grab hook** – The belly of a cradle grab hook is casted like a hammock for a piece of chain to lay in.



DRUM / BARREL HOOKS

Barrel Hooks are used for lifting barrels or drums. They have a wide end point that goes under the lip of a barrel or drum and are used in conjunction with a multi-leg sling assembly. Typically used in conjunction with a pair of slings and are designed to be utilized at 30-45° angles.



PLAN EVERY LIFT. DO YOU NEED LIFTING AND RIGGING TRAINING?

CALL 800-362-4601 OR GO TO MAZZELLACOMPANIES.COM TO SCHEDULE YOUR TRAINING TODAY!

MAZZELLA®

MAZZELLACOMPANIES.COM