

2020 Price List Florida /Gulf Skylight Program Residential Skylights and Sun Tunnel[®] Skylights

Effective March 2, 2020

All retail prices are not valid in Alaska, Hawaii, or Mexico due to additional freight cost



The No Leak Skylight™

Welcome To Your **VELUX Florida/Gulf Skylight Program**

There's no place quite like the Florida/Gulf Coast. From hurricanes to sunny days, this coastal region can be the ultimate challenge for any skylight. But not VELUX skylights! Designed, crafted, and tested to withstand the elements, the products that make up the VELUX Florida/Gulf Skylight Program are the best natural daylighting options for your home.

What makes VELUX Skylights shine?

- LoĒ³-340 Sun Protection Glass is designed to block heat gain and control glare from the powerful Florida/Gulf sun.
 - · Available in: tempered for in-reach applications, laminated for out-of-reach applications per building code, and impact-rated for hurricane zones.
 - · Laminated and Impact glass feature NEAT coating to keep the exterior cleaner for longer.
- Curb-mounted (FCM) and self-flashed (OPF) installation options
- Compatible factory-installed solar blinds for added light control
- Most models are available as part of our Quick Ship Program (delivers in 2-4 days) and all popular sizes are stocked by the majority of roofing supply houses

VELUX has a dedicated customer satisfaction team just for the Florida Gulf Region: Call 1-877-888-3589 / Email floridagulfsales@velux.com

How to order your VELUX product

Fax

Contact the Dedicated Florida Gulf VELUX team

Call

877-888-3589 **Hours of Operation** Monday - Friday 7:30 a.m. - 8:00 p.m. (ET) Saturday

9:00 a.m. - 5:00 p.m. (ET)



Plan for Delivery Time

Please note: large orders may be subject to additional lead times.

- In-stock at regional warehouses. Allow S business days for shipment and delive
- Trans-shipped from central warehous Allow 7 10 business days for shipme Т

Order Code Examples



Sample Ordering Code without blinds

QPF Product



Sample Ordering Code with blinds

QPF Product

Table of Contents

Skylights	
Self Flashed - QPF	4
Fixed - Curb - FCM	6
Curb-Mounted - VCS	8
Go Solar	10

Rigid Flex Access

1-864-943-2631

Hours of Operation

24 hours a day 7 days a week



floridagulfsales@velux.com **Hours of Operation**

24 hours a day 7 days a week

ow 2-4 ery.	F	Greenwood, SC and Sparks, NV regions ship in 2-4 business days. All other areas allow 7 - 10 business days.
use. Ient.	Ν	Not stocked; Manufactured on demand. Allow approximately 32 business days for shipment.



Sun Tunnels

	12
	12
ories	14

Self-Flashed QPF



Self-Flashed Skylight with Sun Protection Glass

10° - 60° 2:12 - 20:12

QPF roof pitch



White

In-stock blinds ship directly with your skylights. Please allow 2-4 business days for delivery. Other stock colors available with extra lead time.





SIZE		
Description	2222	2230
Outside Flashing W" x H"	29 ⁵ / ₈ x 29 ⁵ / ₈	29 ⁵ /8 x 37 ⁵ /8
Rough Opening/ Finished Frame W" x H"	22 ¹ / ₂ x 22 ¹ / ₂	22 ¹ / ₂ x 30 ¹ / ₂

BASE MODEL

Description	2222	2230	2246	3030	3046	4646
Tempered LoĒ ³ -340 Sun Protection Glass Code 2015 Delivery S	\$188	\$222	\$236	\$234	\$286	\$359

OPTIONAL MODELS*

Laminated LoĒ ³ -340 Sun Protection Glass	Laminated LoĒ ³ - Sun Protection I
BASE MODEL - ANY SIZE	BASE MODEL - AN
+ \$50	+ \$100
Code 2014 Delivery S/T	Code 2016 Delive

*Lead time and size availability may vary from base model. Prices apply only to standard units. Additional cost may be applied for made-on-demand or custom size units. Contact VELUX Customer service for more information.

Order Code Example

2222 QPF size product

+ \$275 7



through the skylight.

¹Visit veluxusa.com/go-solar.



2246	3030	3046	4646
29 ⁵/8 x	37 ⁵/8 x	37 ⁵/8 x	53 ⁵/₃ x
53 ⁵/8	37 ⁵/8	53 ⁵/8	53 ⁵/ଃ
22 ¹ / ₂ x	30 ¹ / ₂ x	30 ½ x	46 ½ x
46 ¹ / ₂	30 ¹ / ₂	46 ½	46 ½



2015		CS00
code	+	blind

Add a pre-installed solar blind to any QPF model for \$275 and homeowners are eligible for a Federal Solar Tax Credit on product and

Add a pre-installed solar blind Harness the power of the sun and control the amount of daylight entering



Receive a VELUX ACTIVE with NETATMO Gateway + App. Control blinds from any smartphone manually and enable energy efficient automatic operation.

.....

Curb-Mounted FCM





SIZE						
Description	2222	2230	2246	3030	3046	4646
Inside Curb W" x H"	22 ¹ / ₂ x 22 ¹ / ₂	22 ¹ / ₂ x 30 ¹ / ₂	22 ¹ / ₂ x 46 ¹ / ₂	30 ¹ / ₂ x 30 ¹ / ₂	30 ¹ / ₂ x 46 ¹ / ₂	46 ¹ / ₂ x 46 ¹ / ₂
Outside Curb W" x H"	25 ½ x 25 ½	25 ½ x 33 ½	25 ½ x 49 ½	33 ¹ / ₂ x 33 ¹ / ₂	33 ½ x 49 ½	49 ¹ / ₂ x 49 ¹ / ₂
Maximum Skylight Clearance W" x H"	26 ⁵ / ₈ x 26 ⁵ / ₈	26 ⁵/8 x 34 ⁵/8	26 ⁵⁄/8 x 50 ⁵⁄/8	34 ⁵/ଃ x 34 ⁵/ଃ	34 ⁵⁄ଃ x 50 ⁵⁄ଃ	50 ⁵⁄₃ x 50 ⁵⁄₃

For additional skylight sizes and glass types, please see our full 2020 Residential Catalog.

BASE MODEL

Description	2222	2230	2246	3030	3046	4646
Tempered LoĒ³-340 Sun Protection Glass Code 0015 Delivery S	\$143	\$173	\$200	\$214	\$299	\$331

OPTIONAL MODELS*

Laminated Lodz-340 Sun Protection Glass	Laminated LoĒ ³ -340 Sun Protection Impact Rated HVHZ
BASE MODEL - ANY SIZE	BASE MODEL - ANY SIZE
+ \$50	+ \$100
Code 0014 Delivery S/T	Code 0016 Delivery S

*Lead time and size availability may vary from base model. Not applicable for custom FCM pricing.

Order Code Example

2222 size

FCM product

and installation.¹

FLASHING - VELUX flashing required for the No Leak Warranty. All flashing comes with adhesive underlayment.

Choose flashing by the first two numbers of your product size. Example: 30 46 choose from the 30 column

G(

Step - roof pitch 10° - 60° Asphalt Shingles, Wood Shakes, or Slate Under ³/₄ maximum thickness Code ECL | Delivery S

High Profile - roof pitch 14 $^{\circ}$ - 60 $^{\circ}$ Tile - Over 3/4 inch thickness Code ECW | Delivery S

Order code example - ECL or ECW + Size = ECL - 3046

¹Visit veluxusa.com/go-solar.

Glass



+	0015	т	CS00	
Ŧ	code	Ŧ	blind	

Add a pre-installed solar blind to any FCM model for \$350 and homeowners are eligible for a Federal Solar Tax Credit on product

Add a pre-installed solar blind Harness the power of the sun and control the amount of daylight entering through the skylight.



Receive a VELUX ACTIVE with NETATMO Gateway + App. Control blinds from any smartphone manually and enable energy efficient automatic operation.

14	22	30	34	46
\$90	\$90	\$102	\$102	\$106
\$171	\$181	\$217	\$217	\$238

Skylight Accessories









Venetia	n - Manual
7001	
White	

Solar-Powered In-Stock Blinds - \$400 any size

Skylight & Blind (type/model)	Room-Darkening, Double-Pleated	Light-Filtering, Single-Pleated	Venetian
QPF	FSCC	FSLC	
FCM* - accessory tray needed + \$129 to blind price	FSCC	FSLC	N/A

Manual In-Stock Blinds - \$200 any size

Skylight & Blind (type/model)	Room-Darkening, Double-Pleated	Light-Filtering, Single-Pleated	Venetian
QPF	FHCC	FHLC	PAC**
FCM* - accessory tray needed + \$129 to blind price	FHCC	FHLC	PAC**

*1430 and 1446 not available ** Available while supplies last

Special Order Blind Options - ships separately from skylight



Room-Darkening, Double-Pleated								
*		<u> </u>	×	*	*	*		
1049	1159	1156	1051	1162	1160	1161		
Golden Beige	Brown	Blue	Raspberry	Cherise	Yellow	Orange		





Solar-Powered Special Order Blinds - \$475 any size

Skylight & Blind (type/model)	Room-Darkening, Double-Pleated	Light-Filtering, Single-Pleated	Blackout, Flat Fabric
QPF	FSCC	FSLC	DSC
FCM - accessory tray needed + \$129 to blind price	FSCC	FSLC	DSC

Manual Special Order Blinds - \$275 any size

B			
Skylight & Blind (type/model)	Room-Darkening, Double-Pleated	Light-Filtering, Single-Pleated	Venetian
QPF	FHCC	FHLC	PAD/Special size
FCM - accessory tray needed + \$129 to blind price	FHCC	FHLC	PAD/Special size

*Subject To Longer Lead Time Up To 8 Weeks

How to find the model and size code on your skylight	FS	5000
--	----	------



Size

	FSCC		C06		1045
Order Code Example	blind model	+	skylight size	+	color code





Now More Than Ever

It's time to Go Solar.

No one feels the power of the sun quite like the Florida and Gulf Coast Region. And when you harness that power to control your skylights, you can save on more than just your utility bill!

Go Solar by installing VELUX's solar-powered skylights or blinds, and you'll automatically qualify for a federal solar tax credit based on the entire cost of your project - including installation! In other words, if you choose the greener option now, you'll get back a little extra green at tax time.

Just ask your installer to Go Solar so you can save big!

Visit veluxusa.com/go-solar for more information.



Estimated price/savings

Example of the VELUX Go Solar Option Skylight:



QPF Fixed Skylight only

QPF REPLACEMENT Skylig

(\$736	Final Cost
+	\$500	Replacement Installation
	\$236	QPF Self-Flashed Skylight

QPF NEW Skylight

\langle	\$1,736	Final Cost
+	\$1500	New Installation
	\$236	QPF Self-Flashed Skylig

*Based on tax credit eligibility. For more information visit veluxusa.com/go-solar. ¹ VELUX ACTIVE Gateway not included with the Go Solar option for the VELUX Solar Powered "Fresh Air" Skylight. 2 Represents average of all fixed skylight sizes. Actual installation costs will vary from these estimates based on common variables in roof construction and shaft construction. Local delivery costs and applicable sales tax not considered for these estimates. These numbers are provided as estimates only.

XUS-20415-0120 ©2020 VELUX Group, VELUX®, VELUX logo are registered trademarks



Eligible for



QPF Fixed Skylight + factory installed solar blind + VELUX ACTIVE with NETATMO Gateway + App¹

_	1.1	
1	пт	
1	II L	

Go Solar **REPLACEMENT** Skylight

/	\$749	Final Cost ²
-	\$262	Federal Tax Credit*
+	\$500	Replacement Installation
	FREE	VELUX ACTIVE Gateway + App
	\$511	QPF Self-Flashed Skylight & Blind

	Go So	lar N	IEW Skylight
ht	\$5	511	QPF Self-Flashed Skylight & Blind
	FR	EE	VELUX ACTIVE Gateway + App
	+ \$1	500	New Installation
	- \$5	22	Federal Tax Credit*
	\$]	L,489	Final Cost ²

Sun Tunnel Skylight

10", 14" & 22"







MODEL - TGF One piece Low-profile metal flashing - Flexible



MODEL - TMR Pitched one-piece metal flashing - Rigid



MODEL - TMF Pitched one-piece metal flashing - Flexible



MODEL - TLR Low-profile flat glass - Rigid



Curb metal flashing - Rigid



10" Sun Tunnel®

Tunnel length with kit



Rigid kits include 2 elbows & 24" extension Tunnel type Maximum recommended installation length Acrylic Dome Shingle/shake roof Code 0000 | Delivery S Impact Dome Shingle/shake roof Code 1000 | Delivery T Acrylic Dome Plastic and metal flashing - shingle/shake roof Code 0000 | Delivery S

10

14" Sun Tunnel [®]
Description
Tunnel length with kit Rigid kits include 2 elbows & 24" extension
Tunnel type
Maximum recommended installation length
Dome/Flashing
Flat Glass Shingle/shake roof Code 2000 Delivery S
Acrylic Dome Shingle/shake roof Code 0000 Delivery S
Impact Dome Shingle/shake roof Code 1000 Delivery T
22" Sun Tunnel®*

ZZ Sun Tunne

Tunnel length with kit Rigid kits include 2 elbows & 24" extension Subtract approximately 6" for flashing

Tunnel type

Maximum recommended installation length

Acrylic Dome Shingle Code 0000 | Delivery S

Impact Dome

Shinale Code 1000 | Delivery T

Acrylic Dome Shingle - ships in multiple boxes Code S0000 | Delivery F

*Standard ceiling ring on all 22" models

TGR 010	TSR 010	TMR 010
48"	48"	48"
Rigid	Rigid	Rigid
20′	20′	20′
TGR 010	TSR 010	TMR 010
\$250	N/A	\$250
\$270	N/A	\$270
N/A	\$183	N/A

TGR 014	TMR 014	TLR 014	TCR 014	TMF 014	TGF 014
48"	48"	48″	48″	8′	8'
Rigid	Rigid	Rigid	Rigid	Flexible	Flexible
30′	30′	30′	30′	8′	8′
TGR 014	TMR 014	TLR 014	TCR 014	TMF 014	TGF 014
N/A	N/A	\$493	N/A	N/A	N/A
\$350	\$350	N/A	\$398	\$318	\$318
\$370	\$370	N/A	\$418	\$338	\$338

TGF 022	TGR 022
8′	48"
Flexible	Rigid
12′	40′
TGF 022	TGR 022
\$427	N/A
 \$427 \$454	N/A N/A



Save Big*

Add a Solar Night Light to the purchase of a rigid Sun Tunnel® and your homeowners become eligible for a Federal Solar Tax Credit on the entire purchase, including installation!

Order Code	TMR	010	0000	SL
Example	Product	size	code	light

*For more information visit: veluxusa.com/go-solar Only available for Rigid Residential Sun Tunnel®

Accessories

Sun Tunnel

Lighting

Solar Night Light Provides low level light available for rigid tunnel onl		Fee ht	gible for deral Tax Credit*
Model	Price	Delivery	
ZTZ 213	\$31	S	*For more information visit: veluxusa.com/go-solar

Daylight Controller

Motorized variable positioning daylight control device

Model	10″	14″	Delivery
ZTP	N/A	\$259	F

Power Supply Power supply for control devices

	11	1
P	3	15
(=		L
10	4	-

Model Price Delivery ZZZ 233 \$142 F

Universal Electric Light Kit

Designed to let your Sun Tunnel® be a source of light at night and also during the day



Model	10″	14″	22″	Delivery
ZTL 114	\$52	\$52	N/A	S
ZTL 122	N/A	N/A	\$58	S

Diffusion	Enhancer -	6" band
	10 I	<i>("</i>

Highly reflective obscure 6" band designed to diffuse direct sunlight

Model	10″	14″	Delivery
ZTZ 209	\$54	\$56	S

Tunnel

Rotation	Coupler		
	iick tunnel o ing around uired		
Madal	10//	7 411	Dellasses

Model	10″	14″	Delivery
ZTZ 211	\$39	\$42	S

Elbows

Can be used at bottom, middle, or top of your installation - can form a 90 degree bend using multiple elbows with rotating couplers

Model	10″	14″	22″	Delivery
ZTE 0000	\$50	\$69	\$106	S

Rigid Tunnel				
24" reflective tunnel available in bulk qua				
Model	10″	14″	22″	Delivery
ZTR 2' - 1 unit	\$40	\$56	\$84	S
ZTR 4'- 2 units	\$77	\$107	\$158	S

ZTR 6'- 3 units	\$104	\$143	\$212	S
ZTR 12'- 6 units	\$184	\$258	\$318	s
ZTR 24'- 12 units	\$329	\$467	\$604	S

Suspension Wire Kit

12-gauge wire and fastener set to secure longer tunnel sections



Model Price Delivery ZTZ 203 \$24 F



The second second	

1	1	1	1	
	11			

 1	1	>	
11			

	1		
eliverv			

2		
e.		

Designed for protecting flashing components and ceiling opening from condensation

10"

\$78

Model	10″	14″	22″	Delivery
ZTY	\$50	\$50	\$50	т

Performance Enhancing

14″

\$51

N/A

22″

N/A

\$62

22″

\$93

Delivery

S

S

Delivery

F

Designed to increase energy efficiency;

includes a thermal plate and a diffusing disc

10"

\$40

N/A

Designed to meet fire prevention requirements of building codes - not available for TSR 10"

14″

\$85

Energy Kit

Model

Model

ZZZ 192

Vapor Barrier

ZTC 0051US

ZTC 0041US

Exterior Fire Band

Decorative Diffuser Film

Simple way to enhance your fifth wall and ensure that your diffuser matches the décor and feel of the room.

Model	Description	10″	14″	Delivery
Micro Fresnel ZTB 4004US		\$16	\$26	S
Triple Wave ZTB 4005US		\$16	\$26	S
Brushed Metal ZTB 4006US		\$16	\$26	S
Prismatic ZTB 4007US		\$16	\$26	S
Bubbles ZTB 4008US	- 11	\$16	\$26	S
Natural light ZTB 4009US		\$16	\$26	S

Flashing

Curb-Mounted Flashing - Tile

Install on tile roofing material over 3/4" thickness for roof pitch 14-60° Only for TCR

Model	10″	14″	Delivery
ECW	N/A	\$182	S



Sun Tunnel[®] Flashing - Tile

Water-tight flashing without the use of sealants Only for TMR and TMF

Model	10″	14″	Delivery
ZTM 0000 50	\$143	\$157	F



VELUX America LLC 450 Old Brickyard Road P0 Box 5001 Greenwood, SC 29648-5001 Tel 1-877-888-3589 Fax 1-864-943-2631 floridagulfsales@velux.com veluxusa.com/floridaskylights

Bringing light to life

Non-dealer disclaimer

List prices shown do not include shipping and handling cost, delivery cost by your local VELUX Dealer or applicable sales tax. Final unit pricing can be 10–15%+ higher depending on your location, services provided and final delivery of the skylight to the job site. Many of the skylights do not include flashings or blinds. These can be purchased separately.

All VELUX skylights, roof windows, Sun Tunnel Skylights, flashing kits and blinds must be purchased through a qualified VELUX dealer. Please see the "Where To Buy" section of veluxusa.com website for a list of VELUX dealers near you.

NOTICE: ALL GLASS MAY BE SUBJECT TO UNEXPECTED AND SPONTANEOUS BREAKAGE in rare circumstances due to imperfections in the glass that are undetectable during the manufacturing and inspection process by the manufacturer of the glass and VELUX.

VELUX offers the choice of laminated or tempered glass skylights. Impact glass and comfortplus glass are all types of laminated glass. Comfort glass is a type of tempered glass. Laminated glass is a combination of two or more glass sheets with one or more interlayers of plastic (PVB) or resin. In case of breakage, the interlayer is designed to hold the fragments together. Tempered glass does not contain an interlayer to hold the fragments together. Instead, tempered glass is designed to break into small, pebble-like pieces. When tempered glass breaks, pieces of glass come loose and may strike an individual.

CONSULT LOCAL REGULATIONS AND/OR BUILDING MATERIAL CONSULTANTS TO DETERMINE WHICH TYPE OF GLASS IS RIGHT FOR YOU OR IF LAMINATED GLASS IS REQUIRED IN YOUR APPLICATION.



The VELUX Group creates better living environments with daylight and fresh air through the roof. The VELUX product program contains a wide range of roof windows and skylights, along with solutions for flat roofs. The Group also supplies many types of decoration and sun screening, roller shutters, installation products, products for remote control for installation in roofs. The VELUX Group, which has manufacturing companies in 1L countries and sales companies in just under 40 countries, represents one of the strongest brands in the global building materials sector and its products are sold in most parts of the world. The VELUX Group has about 10,000 employees and is owned by VKR Holding A/S, a limited company wholly owned by foundations and family. For more details, visit velux.com.

V-4603-0120 • ©2019 VELUX Group • VELUX», VELUX logo are registered trademarks • VELUX Sun Tunnel® is a trademark of VELUX Group HGTV, HGTV Smart Home, HGTV Smart Home Giveaway and their associated logos are trademarks of Scripps Networks, LLC. Used with permission all rights reserved.