

Mill/Convertor	Media Name	Media Catalogue/Profile	Finish	Basis Weight	GSM	Brightness	Opacity	Caliper	Recycled %	Speed	MICR	Specialty
American Eagle	Eagle Inkjet Ultra	American_Eagle_InkJet_Ultra_100_50lb_TIC250_PK2M2.icc	Treated	50# Text	75	92	91	3.1	100% PCW	-	No	-
American Eagle	Eagle Inkjet Ultra	AE_Eagle_InkJet_Ultra_100_60lb_90gsm_TIC250_PK2M2.icc	Treated	60# Text	90	92	92	3.6	100% PCW	-	No	-
American Eagle	Eagle Inkjet Ultra	AE_Eagle_InkJet_Ultra_100_70lb_105gsm_TIC250_PK2M2	Treated	70# Text	104	92	92	4.3	100% PCW	-	No	-
American Eagle	Eagle Inkjet 100% PCW	AE_Eagle_InkJet_100_60lb_90gsm_TIC300_V1_PK2M2	Treated	60# Text	90	92	92	3.6	100% PCW	-	No	-
American Eagle	Eagle Inkjet 100% PCW	American_Eagle_Inkjet_100_70lb_TIC300_V1_PK2M2.icc	Treated	70# Text	104	92	92	4.3	100% PCW	-	No	-
American Eagle	Eagle Inkjet 100% PCW	AE_Eagle_InkJet_100_80lb_120gsm_TIC300_V1_PK2M2	Treated	80# Text	120	92	95	4.9	100% PCW	-	No	-
American Eagle	Eagle Inkjet 100% PCW	American_Eagle_IJ_100_7pt_TIC300_V1_PK2M2	Treated	7 point	155	92	98	7.6	100% PCW	-	No	-
American Eagle	Color 100% PCW Cream	AE_Eagle_Color_100_Cream_50lb_TIC280_V1_PK2M2	Uncoated	20# Bond	75	-	-	3	100% PCW	-	No	-
American Eagle	Color 100% PCW Ivory	American_Eagle_Ivory_50lb_TIC300_V1_PK2M2	Uncoated	20# Bond	75	-	-	4	100% PCW	-	No	-
Appvion	DocuCheck Basic MOCR	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	24# Bond	90	-	-	-	up to 50% PCW on request	-	-	-
Appvion	DocuCheck Ghost Inkjet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	60# Text	90	-	-	-	up to 50% PCW on request	-	-	Security
Appvion	DocuCheck Watermark Inkjet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	60# Text	90	-	-	-	up to 50% PCW on request	-	-	Security
Appvion	Triumph Coated Ultra Brite Matte	Appvion_Ultra_Brite_Matte_9pt_TIC300_V1_PK2M2	Inkjet Coated	9 point	190	96	-	9.5	-	-	No	-
Appvion	Triumph Universal Inkjet	Appvion_Triumph_Univ_Inkjet_20lb_TIC250_PK2M2	Treated	20# Bond	75	92	91	3.8	-	-	Yes	-
Appvion	Triumph Universal Inkjet	Appvion_Triumph_Univ_Inkjet_28lb_TIC300_PK2M2	Treated	28# Bond	105	92	95	5.1	-	-	Yes	-
Best Forms	ID Card	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	100# Text	147	96	97	-	-	-	No	ID Card
Boise	Boise Digital Standard	Boise_Digital_Standard_60lb_90gsm_TIC280_V1_PK2M2	Treated	60# Text	90	92	91	4.6	-	-	Yes	-
Boise	Boise Opaque Smooth	Boise_Opaque_Smooth_60lb_90gsm_TIC280_V1_PK2M2	Uncoated	60# Text	90	96	94	4.7	-	-	Yes	-
Boise	Digital Elite	Boise_Digital_Elite_Treated_24lb_90gsm_TIC300_V1_PK2M2.icc	Inkjet Treated	24# Bond	90	97	94	-	-	-	Yes	-
Boise	Digital Elite UT	Boise_Digital_Elite_UT_Untreated_24lb_90gsm_TIC300_V1_PK2M2.icc	Uncoated	24# Bond	90	97	94	-	-	-	Yes	-
Cascades	Envirojet100	Cascades_Envirojet100_50lb_TAC220_V1_PK2M2	Uncoated	50# Text	75	92	96	4.1	100% PCW	-	Yes	-
Cascades	Security Wove Fibre	Cascade_Security_Wove_Fibre_24lb_TAC240_V1_PK2M2	Uncoated	24# Bond	90	83	90	4.5	-	-	Yes	-
Catalyst	ElectraStar	Catalyst_ElectraStar_80_42.5lb_TIC250_PK2M2	Uncoated	42.5# Text	63	80	95.5	3.8	-	-	No	-
Cham	Promoprint P	Cham_Promoprint_P_90gsm_TAC240_V1_PK2M2	Coated	60# Text	90	-	-	-	-	-	-	-
Crown Van Gelder	LetsGo Bright Silk Optimized	CVG_LetsGo_Bright_Silk_Optimized_115gsm_TIC300_V1_PK2M2	Treated	78# Text	115	-	-	-	-	-	No	-
Crown Van Gelder	LetsGo Bright Silk Optimized	CVG_LetsGo_Bright_Silk_Optimized_178gsm_TIC300_V1_PK2M2	Inkjet Treated	120# Text	178	-	-	-	-	-	No	-
Crown Van Gelder	LetsGo Matte	CVG_LetsGo_Matte_60lb_90gsm_TIC300_V1_PK2M2	Matte Inkjet Coated	60# Text	90	-	-	-	-	-	No	-
Crown Van Gelder	LetsGo Matte	Default_Treated_TAC200_V2.0.1_34010400.icm	Matte Inkjet Coated	80# Text	115	-	-	-	-	-	-	-
Crown Van Gelder	LetsGo Silk	CVG_LetsGo_Silk_60lb_90gsm_TIC280_PK2M2	Treated	60# Text	90	-	-	-	-	-	No	-
Crown Van Gelder	LetsGo Silk XF	CVG_LetsGo_Silk_XF_70gsm_TIC280_PK2M2	Treated	47# Text	70	-	-	-	-	-	No	-
Crown Van Gelder	LetsGo Universal	CVG_LetsGo_Universal_90gsm_24lb_TIC300_V1_PK2M2	Treated	24# Bond	90	-	-	-	-	-	-	-
Domtar	Amazon Digital White Vellum	Domtar_Amazon_Dig_Wht_Vellum_55lb_TIC300_V1_PK2M2	Parchment	55# Text	81	-	-	-	-	-	No	-
Domtar	EarthChoice Tradebook Vellum	Domtar_Earthchoise_Tradebook_Vellum_50lb_TAC240_V1_PK2M2	Uncoated	50# Text	75	84	92	-	up to 30% PCW on request	-	No	-
Domtar	Euroshade	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	24# Bond	90	96	-	4.6	-	-	-	-
Domtar	ExpressJet	Domtar_ExpressJet_20lb_TIC200_V1_PK2M2	Inkjet Treated	20# Bond	75	94	89	4	-	-	Yes	-
Domtar	ExpressJet	Domtar_ExpressJet_24lb_TIC300_V1_PK2M2.icc	Inkjet Treated	24# Bond	90	94	93	4.6	-	-	Yes	-
Domtar	Husky Opaque	Domtar_Husky_Opaque_60lb_TAC220_V1_PK2M2	Uncoated	60# Text	90	94	93	-	-	-	Yes	-
Domtar	Husky Opaque Offset Smooth	Domtar_Husky_Opaque_Offset_Sm_50lb_V1_TIC120_PK2M2	Uncoated	50# Text	75	94	91	-	-	-	Yes	-
Domtar	Label Stock with ExpressJet as face sheet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	24# Bond	89	94	93	-	-	-	No	Labels
Domtar	Laser Forms Bond	Domtar_LaserForms_24lb_90gsm_TIC300_V1_PK2M2	Uncoated	24# Bond	90	92	93	4.6	-	-	Yes	-
Domtar	Lynx Digital	Domtar_Lynx_Digital_Text_60lb_TIC250_V1_PK2M2	Uncoated	60# Text	90	96	95	4.6	-	-	Yes	-
Domtar	Lynxjet	Domtar_Lynxjet_60lb_TIC275_V1_PK2M2	Inkjet Treated	60# Text	90	96	94.5	4.3	-	-	Yes	-
Domtar	Lynxjet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	7 point	125	96	97	7.4	-	-	No	-
Domtar	Lynxjet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	9 point	147	96	97	9.3	-	-	No	-
Domtar	MW MICR	Domtar_MW_MICR_CS_S_NS_24lb_90gsm_TIC280_V1_PK2M2	Uncoated	24# Bond	90	-	-	-	-	-	Yes	-

Domtar	PlatinumJet	Domtar_PlatinumJet_40lb_59gsm_TIC220_V1_PK2M2	Inkjet Treated	40# Text	59	-	-	-	-	-	No	-
Domtar	Postal Advantage	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	18# Bond	68	92	84.5	3.65	-	-	-	-
Domtar	Scripture Opaque	Domtar_Scripture_Opaque_23lb_TIC250_PK2M2	Uncoated	23# Text	34	-	-	-	-	-	-	-
Domtar	TitaniumJet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	27# Text	40	90	85	-	-	-	-	-
Domtar	TitaniumJet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	35# Text	52	90	87	-	-	-	-	-
Domtar	TitaniumJet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	40# Text	59	90	90	-	-	-	-	-
Domtar	VividJet	Domtar_VividJet_20lb_75gsm_TIC300_V1_PK2M2	Inkjet Treated	20# Bond	75	96	93	3.8	-	-	Yes	-
Domtar	VividJet	Domtar_Vividjet_23lb_TAC240_V1_PK2M2	Inkjet Treated	24# Bond	89	96	94.5	4.3	-	-	Yes	-
Domtar	VividJet	Domtar_VividJet_9pt_147gsm_TIC300_V1_PK2M2	Inkjet Treated	9 point	147	96	97	9.3	-	-	No	-
Drewsen	Proninkjet Professional	Drewsen_Proninkjet_Profession_7pt_TIC300_V1_PK2M2	Inkjet Treated	7 point	168	-	-	-	-	-	No	-
Drewsen	Proninkjet Professional	Drewsen_Proninkjet_Profession_9pt_TIC300_V1_PK2M2	Inkjet Treated	9 point	220	-	-	-	-	-	No	-
Evergreen	Skyland Inkjet Plus	Evergreen_Skyland_Inkjet_Plus_Treated_60lb_Text_TIC300_V1_PK2M2	Inkjet Treated	60# Text	90	92	92	4.5	-	-	-	-
Finch Paper	Opaque Smooth Bright White	Finch_Opaque_Smooth_60lb_90gsm_TIC250_V1_PK2M2	Uncoated	60# Text	90	96	95	4.3	up to 10% PCW on request	-	Yes	-
Finch Paper	MailStream XP92	Finch_MailStream_XP92_20lb_75gsm_TIC300_V1_PK2M2	Inkjet Treated	50# Text	75	92	92	4	up to 30% PCW on request	-	Yes	-
Finch Paper	MailStream XP92	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	60# Text	91	92	93	4.7	up to 30% PCW on request	-	-	-
Finch Paper	MailStream XP96	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	24# Bond	90	96	93	4.7	up to 30% PCW on request	-	-	-
Finch Paper	MailStream XP96	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	28# Bond	105	92	94	5.5	up to 30% PCW on request	-	-	-
Finch Paper	Offset	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	50#Text	75	-	-	-	-	-	-	-
Finch Paper	Opaque Wove	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	40# Text	60	96	89	3.2	up to 10% PCW on request	-	-	-
Finch Paper	SmartBook Jet Silk	Finch_SmartBook_Jet_Silk_45lb_TIC280_V1_PK2M2	Treated	45# Text	67	86	92.5	2.7	10% and 30% PCW on request	-	No	-
Finch Paper	SmartBook Jet Text	Finch_SmartBook_Jet_Text_60lb_TIC280_V1_PK2M2	Uncoated	60# Text	90	92	93	4.5	10% and 30% PCW on request	-	No	-
Flambeau River	Torchglow Inkjet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	50# Text	75	94	94	3.6	available on request	-	-	-
Flambeau River	Torchglow Inkjet	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	60# Text	90	94	95	4.2	available on request	-	-	-
Georgia Pacific	Spectrum Inkjet with ColorPro	GP_Spectrum_WIJ_ColorPro_92Bright_20lb_TAC220_V1_PK2M2	Treated	20# Bond	75	92	87	4	-	-	Yes	-
Georgia Pacific	Spectrum Inkjet with ColorPro	GP_Spectrum_WIJ_ColorPro_24lb_TIC300_V1_PK2M2	Inkjet Treated	24# Bond	90	92	90	4.6	-	-	Yes	-
Georgia Pacific	Spectrum MOCR Laser Bond MICR	GP_Spectrum_Laser_MOCR_24lb_TIC280_V1_PK2M2	Uncoated	24# Bond	90	-	-	-	-	-	Yes	-
Info Seal	Pressure Seal Double Postcards	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	60# Cover	162	-	-	-	-	-	-	Pressure Seal
Info Seal	Pressure Seal Z-fold forms	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	70# Text	105	-	-	-	-	-	-	Pressure Seal
International Paper	Accent Opaque	IP_Accent_Opaque_ColorPro_50lb_75gsm_TIC250_V1_PK2M2	Treated	50# Text	75	97	92	3.9	-	-	Yes	-
International Paper	Accent Opaque Smooth	IP_Accent_Opaque_SM_40lb_59gsm_TIC250_V1_PK2M2	Uncoated	40# Text	59	-	-	-	-	-	Yes	-
International Paper	Accent Opaque Smooth	IP_Accent_Opaque_SMT_60lb_90gsm_TIC300_V1_PK2M2	Uncoated	60# Text	90	97	94	4.6	-	-	Yes	-
International Paper	Accent Opaque Smooth	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	70# Text	104	97	95	5.3	-	-	-	-
International Paper	Accent Opaque Smooth	IP_Accent_Opaque_Smooth_80lb_118gsm_TIC300_V1_PK2M2	Uncoated	80# Text	118	97	92	6.1	-	-	Yes	-
International Paper	Accent Opaque Smooth with ImageLok	IP_Accent_Opaque_w_ImageLok_60lb_TAC250_V1_PK2M2icc.icc	Inkjet Treated	60# Text	90	97	94	4.6	-	-	Yes	-
International Paper	Accent Opaque Smooth with ImageLok	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	70# Text	104	97	95	5.3	-	-	-	-
International Paper	Accent Opaque Smooth with ImageLok	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	80# Text	118	97	92	6.1	-	-	-	-
International Paper	Accent Opaque Super Smooth with ImageLok	IP_Accent_SS_ImagLok_60lb_TIC400_V1_PK2M2	Inkjet Treated	60# Text	90	97	94	4.6	-	-	Yes	-
International Paper	Accent Opaque Super Smooth with ImageLok	IP_AccentOpaque_SuperSmooth_ImageLok_70lb_TAC280_v1_Pk2M2	Inkjet Treated	70# Text	104	97	95	5.3	-	-	Yes	-
International Paper	Accent Opaque Super Smooth with ImageLok	IP_Accent_SuperSmooth_ImagLok_80lb_118gsm_TIC300_V1_PK2M2	Inkjet Treated	80# Text	118	97	92	6.1	-	-	Yes	-
International Paper	Accent Opaque Super Smooth with ImageLok	IP_Acct_SSMH_ImageLok_214gsm_9pt_TIC300_V1_PK2M2	Inkjet Treated	9 point	214	97	99	10.9	-	-	No	-
International Paper	Springhill Index	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	90# Index	163	92	97	7.6	-	-	No	-
International Paper	Springhill Index	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	110# Index	199	92	98	9.5	-	-	No	-
International Paper	Williamsburg Smooth	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	50# Text	74	94	90	3.6	-	-	-	-
International Paper	Williamsburg Smooth with Imagelok	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	60# Text	89	94	92	4.5	-	-	-	-
Kruger	Newsprint	Kruger_Offset_Newsprnt_48.8g_30lb_TIC250_PK2M2	Uncoated	33# Text	49	57	95	-	10% PCW on request	-	No	-
Mitsubishi	DL1284	Mitsubishi_DL1284_80lb_Text_118gsm_TIC300_V1_PK2M2	Coated	80# Text	118	-	-	-	-	-	No	-

Mitsubishi	DL1984	Mitsubishi_DL1984_180GSM_TAC300_V1_PK2M2	Matte Inkjet Coated	9 point	180	152	95	9.4	-	-	No	-
Mitsubishi	DL9084	Mitsubishi_DL9084_600dpi_TAC300_PK2M2_V1.1.0_34010500	Matte Inkjet Coated	24# Bond	90	152	91	4.3	-	-	Yes	-
Mohawk	Everyday Digital	Mohawk_Everyday_Digital_60lb_90gsm_TIC280_V1_PK2M2	Uncoated	60# Text	90	98	-	3.9	-	-	Yes	-
Mohawk	Navajo Smooth	Mohawk_Navajo_Smooth_90lb_243gsm_TIC300_V1_PK2M2	Uncoated	90# Cover	243	98	-	9.5	-	-	No	-
Mohawk	Superfine Eggshell	Mohawk_Superfine_Egg_100lb_148gsm_TIC300_V1_PK2M2	Uncoated	100# Text	148	-	-	-	-	-	No	-
Mohawk	Superfine Ultra White Smooth	Mohawk_SuperFine_UltraWhite_IJ_60lb_TIC300_V1_PK2M2.icc	Uncoated	24# Bond	90	98	92.5	4	-	-	Yes	-
Mohawk	Via Smooth	Mohawk_Via_Smooth_65lb_176gsm_TIC300_V1_PK2M2	Uncoated	65# Cover	176	-	-	-	-	-	No	-
Mondi	DNS CF	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	80# Text	120	112	-	-	-	-	No	-
Mondi	DNS NF	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	70# Text	100	112	-	-	-	-	-	-
Mondi	DNS HSI CF	Mondi_DNS_HighspeedInkjet_CF_70gsm_TAC280_V1_PK2M2	Treated	45# Text	70	112	90.5	3.1	-	-	No	-
Mondi	DNS HSI NF	Mondi_DNS_HS_NF_Bond_16lb_TAC200_PK2M2	Treated	16# Bond	60	112	-	-	-	-	No	-
Mondi	DNS Premium	Mondi_DNS_Premium_60lb_90gsm_TIC300_V1_PK2M2	Treated	60# Text	90	112	-	-	-	-	Yes	-
Mondi	NeuJet Matte	Default_Treated_TAC200_V2.0.1_34010400.icm	Matte Inkjet Coated	60# Text	90	-	-	-	-	-	-	-
Mondi	NeuJet Matte	Default_Treated_TAC200_V2.0.1_34010400.icm	Matte Inkjet Coated	70# Text	105	-	-	-	-	-	-	-
Mondi	NeuJet Silk	Mondi_NeuJet_Silk_45lb_70gsm_TIC250_V1_PK2M2	Silk	45# Text	70	-	-	-	-	-	No	-
Mondi	NeuJet Silk	Mondi_NeuJet_Silk_90gsm_TAC250_v2_PK2M2	Inkjet Treated	60# Text	90	-	-	-	-	-	-	-
Mondi	NeuJet Silk	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	70# Text	105	-	-	-	-	-	-	-
Mondi	NeuJet Silk	Mondi_Nuejet_Silk_9pt_240gsm_TAC220	Inkjet Treated	9 point	240	-	-	-	-	-	No	-
The Navigator Company	Premium InkJet	Navigator_Premium_InkJet_50lb_75gsm_TIC280_V1_PK2M2	Inkjet Treated	50# Text	75	-	-	-	-	-	Yes	-
The Navigator Company	Premium InkJet	Navigator_Premium_InkJet_60lb_90gsm_TIC300_V1_PK2M2	Inkjet Treated	60# Text	90	-	-	-	-	-	Yes	-
Norpac	Norbrite Book Cream	Norpac_Book_Cream_45lb_66gsm_TIC280_V1_PK2M2.icc	Uncoated	45# Text	66	-	93	5	available on request	-	No	-
Norpac	Norbrite 92 Max	Norpac_Norbrite_92_Max_50lb_74gsm_TIC280_V1_PK2M2.icc	Uncoated	50# Text	74	92	95	4.5	-	-	-	-
Norpac	ORCA Engineering Bond	NORPAC_ORCA_EngineeringBond_60lb_TIC280_PK2M2	Uncoated	20# Bond	75	92	89	4	-	-	-	-
Pixelle Specialty Solutions	1864 Tradebook Natural	GF_Pixelle_1864_Tradebook_Natural_50lb_Text_75gsm_TIC280_PK2M2	Uncoated	50# Text	75	74	92	3.9	-	-	-	-
Pixelle Specialty Solutions	Basic	Glatfelter_Pixelle_Basic_50lb_75gsm_TIC300_PK2M2	Uncoated	50# Text	75	92	91	4	-	-	Yes	-
Pixelle Specialty Solutions	Basic	PSS_Pixelle_Basic_75gsm_20lb_TIC250_PK2M2	Uncoated	20# Bond	75	92	90	4	-	-	Yes	-
Pixelle Specialty Solutions	Basic	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	24# Bond	90	92	93	4.6	-	-	-	-
Pixelle Specialty Solutions	Bond HiBrite	Glatfelter_Pixelle_Bond_HiBrite_61lb_TAC240_V1_PK2M2	Inkjet Treated	61# Text	90	96	94	4.6	-	-	Yes	-
Pixelle Specialty Solutions	Book Basic	Glatfelter_Pixelle_Book_Basic_24lb_600dpi_TIC300_V1_PK2M2	Uncoated	60# Text	90	-	-	-	-	-	Yes	-
Pixelle Specialty Solutions	Book Eggshell	Glatfelter_Pixelle_Bk_Eggshel_Wh_60lb_TIC400_V1_PK2M2	Inkjet Treated	60# Text	90	92	94	4.8	-	-	Yes	-
Pixelle Specialty Solutions	Book EP	Glatfelter_PixelleBookEP_50lb_TAC220_V1_PK2M2	Uncoated	50# Text	75	92	92	3.9	-	-	-	-
Pixelle Specialty Solutions	Book EP Eggshell	Glatfelter_PixelleBookEP_Eggshell_50lb_TAC220_V1_PK2M2	Uncoated	50# Text	75	74	92	3.9	-	-	-	-
Pixelle Specialty Solutions	Defensa Premium (Security Printing)	Glatfelter_Defensa_Premium_IJ_24lb_TIC300_V1_PK2M2	Inkjet Treated	24# Bond	90	-	-	4.6	-	-	Yes	Security
Pixelle Specialty Solutions	Enhanced	Glatfelter_Pixelle_Enhanced_20lb_600DPI_TAC260_PK2M2_V1.1.0_34010500	Inkjet Treated	50# Text	75	92	91	4	-	-	Yes	-
Pixelle Specialty Solutions	Enhanced	Glatfelter_Pixelle_Enhanced_24lb_600DPI_TAC300_PK2M2_V1.1.0_34010500	Inkjet Treated	60# Text	90	92	94	4.6	-	-	Yes	-
Pixelle Specialty Solutions	Enhanced	PSS_Pixelle_Enhanced_28lb_104gsm_TIC300_PK2M2	Inkjet Treated	70# Text	104	96	95	5	-	-	Yes	-
Pixelle Specialty Solutions	Enhanced	PSS_Pixelle_Enhanced_100lb_White_TIC300_PK2M2	Treated	100# Text	148	-	-	-	-	-	No	-
Pixelle Specialty Solutions	Extra	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	61# Text	90	96	94	4.4	-	-	-	-
Pixelle Specialty Solutions	Extra	Default_Treated_TAC200_V2.0.1_34010400.icm	Inkjet Treated	70# Text	105	96	96	5.1	-	-	-	-
Pixelle Specialty Solutions	Select	PSS_Pixelle_Select_125lb_185gsm_TIC280_PK2M2.icc	Silk	7 point	181	96	99	9.2	-	-	-	-
Pixelle Specialty Solutions	Spring Forge SM	Glatfelter_SpringForge_SM_Egg_White_50lb_TIC300_PK2M2	Uncoated	50# Text	75	92	90	3.7	-	-	-	-
Pixelle Specialty Solutions	Superior Matte	PSS_Pixelle_Superior_Matte_65lb_DT_TAC150_V1_PK2M2	Matte Inkjet Coated	65# Text	96	96	96	4.8	-	-	-	-
Pixelle Specialty Solutions	Superior Matte	Glatfelter_Pixelle_Superior_DuoMatte_80lb_TAC280_V1_PK2M2	Matte Inkjet Coated	80# Text	120	96	98	5.9	-	-	-	-
Pixelle Specialty Solutions	Superior Matte	Glatfelter_Pixelle_Superior_Matte_127lb_TIC300_V1_PK2M2	Matte Inkjet Coated	9 point	188	96	99	9.2	-	-	No	-
Pixelle Specialty Solutions	Transform Laser MOCR	Glatfelter_Transform_Laser_MOCR_24lb_TIC200_V1_PK2M2	Uncoated	24# Bond	90	92	89	4.6	available on request	-	Yes	-
Pixelle Specialty Solutions	Transform Laser MOCR	PSS_Pix_Transform_Laser_MOCR_28lb_104gsm_TIC300_PK2M2	Uncoated	28# Bond	104	92	91	5.4	available on request	-	Yes	-

PrintRight	Inkjet Premium	Australian_Paper_PrintRight_InkJet_90gsm_TIC250_PK2M2	Treated	60# Text	90	94	93	4.3	-	-	-	-
Resolute	Alternative Book	Resolute_Alternative_Book_45lb_TIC250_V1_PK2M2	Uncoated	45# Text	67	92	79	4.5	-	-	No	-
Resolute	Alternative Book Cream	Resolute_Alter_Book_Cream_45lb_TIC250_V1_PK2M2	Uncoated	45# Text	67	74	92	4.5	-	-	No	-
Resolute	Alternative Offset	Resolute_Alternative_Offset_35lb_52gsm_TIC250_V1_Pk2M2	Uncoated	35# Text	52	79	89	3.5	-	-	No	-
Resolute	Alternative Opaque	Resolute_Alternative_Opaque_27lb_TIC300_PK2M2	Uncoated	27# Text	40	79	82	2.7	-	-	No	-
Resolute	Connect	Resolute_Connect_50lb_74gsm_TIC280_PK2M2	Uncoated	50# Text	74	92	91	3.7	-	-	-	-
Resolute	Connect	Resolute_Connect_60lb_89gsm_TIC280_PK2M2	Uncoated	60# Text	89	92	93	4.4	-	-	-	-
Resolute	Connect Smooth	Resolute_Connect_Sm_50lb_74gsm_TIC200_PK2M2	Uncoated	50# Text	74	92	90	3.3	-	-	-	-
Resolute	Ecopaque	Resolute_Ecopaque_45lb_67gsm_TIC250_PK2M2	Uncoated	45# Text	67	88	93	4	-	-	No	-
Resolute	Ecopaque	Resolute_Ecopaque_50lb_74gsm_TIC280_PK2M2	Uncoated	50# Text	74	88	94	4.5	-	-	-	-
Resolute	Equal Offset	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	35# Text	52	83	89	3	-	-	No	-
Resolute	News	Resolute_News_30lb-48gsm_TIC250_V1_PK2M2	Uncoated	30# Text	48	-	-	-	-	-	No	-
Resolute	SCA (SuperCalendered)	Resolute_SCA_Offset_40lb_TIC250_V1_PK2M2	Uncoated	40# Text	59	68	90	-	-	-	No	-
Rolland	EnviroJet	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	24# Bond	90	92	96	4.1	100% PCW	-	-	-
Rolland	Opaque True White	Default_Uncoated_TAC160_V2.0.1_34010400.icm	Uncoated	40# Text	59	96	89	2.8	30% PCW	-	-	-
Twin Rivers	Border Brite Smooth	Twin_Rivers_Border_Brite_Smooth_24lb_TIC200_V1_PK2M2	Uncoated	24# Bond	89	85	-	-	-	-	-	-
Twin Rivers	Frontier Digital	TwinRivers_Frontier_35lb_52gsm_TIC250_V1_PK2M2	Uncoated	30# Text	44	80	84	2.3	-	-	No	-
Twin Rivers	Offset	TwinRivers_Offset_92_40lb_59gsm_TIC280_PK2M2	Uncoated	40# Text	59	92	88	2.8	-	-	No	-
Twin Rivers	Pharmopaque	TwinRivers_Pharmo_40lb_59gsm_TIC280_V1_PK2M2	Uncoated	40# Text	59	81	-	-	-	-	No	-
White Birch	News Smooth	White_Birch_News_Smooth_27.6lb_TIC300_V1_PK2M2	Uncoated	27.6# Text	45	56-62	80-88	2.9-3.7	-	-	No	-