



Test Report

No.T31920230138TY

Date: MAY 22, 2019

Page 1 of 30

SAFARI LTD
5960 MIAMI LAKES DRIVE, MIAMI LAKES, FLORIDA 33014, USA

The following samples were submitted and identified by/on behalf of the client as:

Collection	Item #	Item Name
INCREDIBLE CREATURES	265829	Duckling
INCREDIBLE CREATURES	100070	Frogfish
INCREDIBLE CREATURES	100118	Groundhog
INCREDIBLE CREATURES	250229	Flying Squirrel
INCREDIBLE CREATURES	251029	Bald Eagle
INCREDIBLE CREATURES	257429	Coral Snake
INCREDIBLE CREATURES	257629	Amazon Tree Boa
INCREDIBLE CREATURES	258629	Tortoise
INCREDIBLE CREATURES	259629	Alligator With Babies
INCREDIBLE CREATURES	260329	Cobra
INCREDIBLE CREATURES	260429	Sea Turtle
INCREDIBLE CREATURES	260729	Tortoise
INCREDIBLE CREATURES	260829	Tortoise Baby
INCREDIBLE CREATURES	261029	Veiled Chameleon Baby
INCREDIBLE CREATURES	261129	Hedgehog
INCREDIBLE CREATURES	261529	Moray Eel
INCREDIBLE CREATURES	261729	Galapagos Sally Lightfoot Crab
INCREDIBLE CREATURES	261829	Clown Anemonefish
INCREDIBLE CREATURES	262129	Eastern Cottontail Rabbit Baby
INCREDIBLE CREATURES	262629	Saltwater Crocodile
INCREDIBLE CREATURES	262829	Armadillo
INCREDIBLE CREATURES	263129	Bearded Dragon
INCREDIBLE CREATURES	263229	Panda Baby
INCREDIBLE CREATURES	263429	Eastern Screech Owl
INCREDIBLE CREATURES	263529	Flying Fish
INCREDIBLE CREATURES	263629	Goldfish
INCREDIBLE CREATURES	265429	Piglet
INCREDIBLE CREATURES	265629	Largemouth Bass
INCREDIBLE CREATURES	267429	Kemps Ridley Sea Turtle Baby
INCREDIBLE CREATURES	267529	Hermit Crab
INCREDIBLE CREATURES	267829	Veiled Chameleon
INCREDIBLE CREATURES	267929	Hammerhead Shark Baby
INCREDIBLE CREATURES	268129	Sea Turtle Baby
INCREDIBLE CREATURES	268729	American Bullfrog
INCREDIBLE CREATURES	269329	Eastern Diamondback Rattlesnake
INCREDIBLE CREATURES	269529	Red-Eared Slider Turtle
INCREDIBLE CREATURES	269729	Blue Crab

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

SGS Hong Kong Limited Laboratory: 1/F, 3/F, 4/F & 5/F, On Wui Centre, 25 Lok Yip Road, On Lok Tsuen, Fanling, New Territories, Hong Kong www.sgs.com
Office: Units 303 & 305, 3/F, Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong t (852) 2334 4481 f (852) 2764 3126 e mktg.hk@sgs.com

Member of the SGS Group (SGS SA)





Test Report

No.T31920230138TY

Date: MAY 22, 2019

Page 2 of 30

Country of Origin : CHINA
Labeled Age Grading : 18M+
Requested Age Grading : NOT STATED
Age Group Assessed As Per Age Guideline : 18M+
Sample Receiving Date : 1ST SUBMISSION ON APR 04, 2019
2ND SUBMISSION ON MAY 14, 2019
Testing Period : APR 04, 2019 TO MAY 22, 2019

Test Requested	Conclusion
EN 71-1:2014+A1:2018 – Safety of toys – Part 1: Mechanical and Physical Properties	PASS
Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to Informative Annex A.26 and A.33 of the European standard on Safety of toys EN 71-1:2014+A1:2018 and the Directive 2009/48/EC-Safety of toys	SEE RESULT
EN 71-2:2011+A1:2014 – Safety of toys – Part 2: Flammability	PASS
EN 71-3:2013 + A3:2018 – Migration of certain elements (All conclusive testing)	PASS
European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Cadmium content	PASS
European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Organostannic compounds	PASS
European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendment (EU) 2018/2005 – Phthalates content	PASS
European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Polycyclic Aromatic Hydrocarbons (PAHs) Content	PASS
As requested by client, SVHC screening is performed according to: One hundred and ninety-seven (197) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before January 15, 2019 regarding Regulation (EC) No 1907/2006 concerning the REACH.	PASS

***** FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) *****

Signed for and on behalf of
SGS Hong Kong Ltd.

Cheng Yui Hei, Jeff
Technical Manager

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Report

No.T31920230138TY

Date: MAY 22, 2019

Page 3 of 30

RESULTS:

EN 71-1:2014+A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

AS SPECIFIED IN EN 71-1:2014+A1:2018 – SAFETY OF TOYS – PART 1: MECHANICAL AND PHYSICAL PROPERTIES

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4	General requirements	
4.1	Material cleanliness	<u>Pass</u>
4.7	Edges	<u>Pass</u>
4.8	Points and metallic wires	<u>Pass</u>
5	Toys intended for children under 36 months	<u>Pass</u>
5.1	General requirements:	
5.1a	Small part requirement on toys & removable Components (Test method 8.2)	<u>Pass</u>
5.1b	Torque test (Test method 8.3)	<u>Pass</u>
	Tension test (Test method 8.4)	<u>Pass</u>
	Drop test (Test method 8.5)	<u>Pass</u>
	Impact test (Test method 8.7)	<u>Pass</u>
	Sharp edge (Test method 8.11)	<u>Pass</u>
	Sharp point (Test method 8.12)	<u>Pass</u>
6	Packaging	<u>Pass</u>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

LABELING REQUIREMENT (WASHING/CLEANING INSTRUCTION, CE MARK, IMPORTER / MANUFACTURER NAME AND ADDRESS, PRODUCT IDENTIFICATION) ACCORDING TO INFORMATIVE ANNEX A.26 AND A.33 OF THE EUROPEAN STANDARD ON SAFETY OF TOYS EN 71-1:2014+A1:2018 AND THE DIRECTIVE 2009/48/EC – SAFETY OF TOYS

Summary table:

	Observation Result	Location
Washing/Cleaning instruction	Not Applicable	--
CE mark	Present	Toy / Packaging
Importer's Name & Address	Present	Packaging
Manufacturer's Name & Address	Absent. See note 3	--
Product ID	Present	Packaging

Note:

1. According to Directive 2009/48/EC, a toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned. According to the GUIDANCE DOCUMENT ON THE APPLICATION OF DIRECTIVE 2009/48/EC ON THE SAFETY OF TOYS, manufacturer shall not label "surface washing" on textile toys which, under the TSD, need to be soak washable.
2. CE marking should be visible from outside the packaging and its height must be at least 5mm.
3. Manufacturer's and Importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.
4. Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.

EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

AS SPECIFIED IN EN 71-2:2011+A1:2014 – SAFETY OF TOYS – PART 2: FLAMMABILITY

Clauses relevant to the item:

<u>Clause</u>	<u>Description</u>	<u>Result</u>
4.1	General requirements	<u>Pass</u>

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

EN 71-3:2013 + A3:2018 – Migration of certain elements

Category III: Scraped-off toy material

Method: With reference to EN 71-3:2013 + A3:2018. Analysis of general elements was performed by ICP-OES. Chromium (III) was obtained by calculation, chromium (VI) was analyzed by IC-UV/VIS and organic tin was analyzed by GC-MS.

Test Item(s)	Result(s)				MDL	Permissible Limit
	1	2	3	4		
Specimen No.					--	--
Mass of trace amount (mg)	30.5	28.7	59.7	26.6	--	--
Soluble Aluminium (Al) (mg/kg)	ND	213	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
	5	6	7	8		
Specimen No.					--	--
Mass of trace amount (mg)	30.0	66.0	30.9	81.2	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
	9	10	11	12		
Specimen No.					--	--
Mass of trace amount (mg)	41.2	30.5	28.7	59.7	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	13	14	15	16	--	--
Mass of trace amount (mg)	26.6	30.0	66.0	30.9	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	17	18	19	20	--	--
Mass of trace amount (mg)	81.2	41.2	44.9	84.5	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
	21	22	23	24		
Specimen No.					--	--
Mass of trace amount (mg)	27.0	54.8	47.4	66.0	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
	25	26	27	28		
Specimen No.					--	--
Mass of trace amount (mg)	82.9	33.7	45.6	57.6	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	29	30	31	32	--	--
Mass of trace amount (mg)	53.0	75.8	43.4	27.3	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	33	34	35	36	--	--
Mass of trace amount (mg)	48.0	82.4	84.0	81.0	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	37	38	39	40	--	--
Mass of trace amount (mg)	59.7	83.6	66.4	54.0	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	41	42	43	44	--	--
Mass of trace amount (mg)	32.2	51.9	28.7	71.0	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	0.5	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	9.6	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	0.41	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	45	46	47	48	--	--
Mass of trace amount (mg)	66.4	32.7	47.6	68.8	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	49	50	51	52	--	--
Mass of trace amount (mg)	79.2	33.0	63.5	72.9	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	53	54	55	56	--	--
Mass of trace amount (mg)	40.5	52.4	67.0	42.9	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	57	58	59	60	--	--
Mass of trace amount (mg)	63.8	60.1	62.1	83.5	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
	61	62	63	64		
Specimen No.					--	--
Mass of trace amount (mg)	41.7	34.3	85.3	61.4	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
	65	66	67	68		
Specimen No.					--	--
Mass of trace amount (mg)	62.2	44.9	38.0	83.0	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	69	70	71	72	--	--
Mass of trace amount (mg)	85.8	84.0	51.0	53.4	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	314	152	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
Specimen No.	73	74	75	76	--	--
Mass of trace amount (mg)	85.4	81.7	42.7	41.3	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
	77	78	79	80		
Specimen No.					--	--
Mass of trace amount (mg)	40.1	39.0	57.8	70.9	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)				MDL	Permissible Limit
	81	82	83	84		
Specimen No.					--	--
Mass of trace amount (mg)	79.6	56.4	66.8	70.3	--	--
Soluble Aluminium (Al) (mg/kg)	137	ND	166	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)				MDL	Permissible Limit
	85	86	87	88		
Specimen No.					--	--
Mass of trace amount (mg)	43.6	41.8	46.4	63.0	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	ND	ND	50	46000

Test Item(s)	Result(s)		MDL	Permissible Limit
	89	90 – 101		
Specimen No.			--	--
Mass of trace amount (mg)	28.8	--	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	ND	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	50	46000

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Result(s)		MDL	Permissible Limit
	102	103 – 119		
Specimen No.	102	103 – 119	--	--
Mass of trace amount (mg)	--	--	--	--
Soluble Aluminium (Al) (mg/kg)	ND	ND	50	70000
Soluble Antimony (Sb) (mg/kg)	ND	ND	10	560
Soluble Arsenic (As) (mg/kg)	ND	ND	10	47
Soluble Barium (Ba) (mg/kg)	ND	ND	50	18750
Soluble Boron (B) (mg/kg)	ND	ND	50	15000
Soluble Cadmium (Cd) (mg/kg)	ND	ND	5	17
Soluble Chromium (Cr) (mg/kg)	ND	ND	0.15	--
Soluble Chromium (III) (Cr (III)) (mg/kg)	ND	ND	1	460
Soluble Chromium (VI) (Cr (VI)) (mg/kg)	ND	ND	0.12	0.2
Soluble Cobalt (Co) (mg/kg)	ND	ND	10	130
Soluble Copper (Cu) (mg/kg)	ND	ND	50	7700
Soluble Lead (Pb) (mg/kg)	ND	ND	2.3	23
Soluble Manganese (Mn) (mg/kg)	ND	ND	50	15000
Soluble Mercury (Hg) (mg/kg)	ND	ND	10	94
Soluble Nickel (Ni) (mg/kg)	ND	ND	10	930
Soluble Selenium (Se) (mg/kg)	ND	ND	10	460
Soluble Strontium (Sr) (mg/kg)	ND	ND	50	56000
Soluble Tin (Sn) (mg/kg)	6.1	ND	3.0	180000
Soluble Organic Tin -- (mg/kg)	ND	ND	--	12
Soluble Zinc (Zn) (mg/kg)	ND	ND	50	46000

Test Item(s)	Soluble Organic Tin Result(s) (mg/kg)					MDL (mg/kg)
	1 – 40	41	42 – 101	102	103 – 119	
Methyl tin (MeT)	ND	0.41	ND	ND	ND	0.45
Di-n-propyl tin (DProT)	ND	ND	ND	ND	ND	0.45
Butyl tin (BuT)	ND	ND	ND	ND	ND	0.3
Dibutyl tin (DBT)	ND	ND	ND	ND	ND	0.3
Tributyl tin (TBT)	ND	ND	ND	ND	ND	0.3
n-Octyl tin (MOT)	ND	ND	ND	ND	ND	0.3
Tetrabutyl tin (TeBT)	ND	ND	ND	ND	ND	0.3
Diphenyl tin (DPhT)	ND	ND	ND	ND	ND	0.3
Di-n-octyl tin (DOT)	ND	ND	ND	ND	ND	0.3
Triphenyl tin (TPhT)	ND	ND	ND	ND	ND	0.3

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

1. Lt. Orange coating (A)
2. right black coating (A, B, E, G, H, I, K, L, M, N, P, Q, S, T, U, V, W, X, Z, AA, AB, AC, AD, AE, AF, AG, AH, AI, AJ, AK, AM, AN)
3. Beige coating (A)
4. Lt. Black coating (A, Q, AK)
5. White coating (A, C, H, J, K, L, M, N, O, P, Q, S, T, U, V, AE, AG, AH, AI, AM)
6. Dull black coating (A, E)
7. Pale orange coating (A)
8. Pale creamy yellow coating (B)
9. Yellowish-orange coating (B)
10. Black coating (B, C, D, E, F, H, I, J, L, M, O, X, AA, AC, AF, AI, AJ, AN, AO, AP)
11. Bright pale-yellow coating (C)
12. Green coating (C)
13. Neon green coating (C)
14. Dull tan flesh coating (D)
15. Pale beige coating (E)
16. Creamy orange coating (E)
17. Creamy beige coating (F, AO, AP)
18. Dk. Beige coating (G)
19. Dk. Yellowish-green coating (G)
20. Lt. Ocean blue coating (G)
21. Dull yellowish-green coating (G)
22. Ocean blue coating (G)
23. Dull orange coating (H)
24. Orange coating (H)
25. Dk. Orange coating (I)
26. Flesh-pink coating (I, M)
27. Deep red coating (J)
28. Bright orange coating (J)
29. Pale yellow coating (K)
30. Yolk orange coating (K)
31. Pinkish-orange coating (K)
32. Bright reddish-brown coating (L)
33. Caramel brown coating (L)
34. Lt. Pink coating (L, AO)
35. Dk. Brown coating (M, AP)
36. Milk tea brown coating (M)
37. Dull white coating (M)
38. Bright pale orange coating (N)
39. Pale flesh-pink coating (N)
40. Lt. Chocolate brown coating (N)
41. Dk. Grey coating (O, W)
42. Shiny ocean blue coating (O)
43. Pale grey coating (O)
44. Dull reddish-brown coating (P)
45. Dull brown coating (P)
46. Lt. Creamy orange coating (Q, R)
47. Deep orange coating (Q)
48. Dk. Creamy orange coating (Q)
49. Red coating (R)
50. Butter yellow coating (R)
51. Lt. Blue coating (R)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

52. Ivory coating (T)
53. Flesh-pink coating (U)
54. Flesh coating (U, AP)
55. Bright brownish-orange coating (V)
56. Blackish-brown coating (W, AO)
57. Lt. Blackish-brown coating (W)
58. Dk. Yellow coating (W)
59. Rock brown coating (X)
60. Cream coating (Y)
61. Pale lt. Brown coating (Y, Z)
62. Off-white coating (Z)
63. Lt. Brownish orange coating (Z)
64. Shiny dull pink coating (AA)
65. Dull green coating (AA)
66. Yellowish-green coating (AB)
67. Creamy white coating (AC)
68. Pale lt. Pink coating (AE)
69. Pale black coating (AE)
70. Corn yellow coating (AF)
71. Dull olive-green coating (AF)
72. Olive green coating (AF)
73. Pale flesh coating (AG)
74. Blackish-green coating (AG)
75. Deep beige coating (AH)
76. Deep brown coating (AH, AP)
77. Tan coating (AJ)
78. Dull beige coating (AJ)
79. Dull brown coating (AJ)
80. Dull deep green coating (AK)
81. Dull muddy brown coating (AK)
82. Muddy brown coating (AK)
83. Dk. Blue coating (AM)
84. Sky blue coating (AM)
85. Bright green coating (AM)
86. Pale muddy brown coating (AM)
87. Dull flesh pink coating (AM)
88. Rose pink coating (AM)
89. Bright red coating (AM)
90. Black soft plastic (A, I, J, AJ)
91. Lt. Chocolate soft plastic (B)
92. Lt. Green soft plastic (C, AB, AN)
93. Pale grey soft plastic (D, O)
94. Dull brown soft plastic (E, W)
95. Creamy yellow soft plastic (E)
96. Orange soft plastic (F, S)
97. Off-white soft plastic (G)
98. White soft plastic (H, AA, AC, AE, AP)
99. Pale yellow soft plastic (K, L)
100. Pale brown soft plastic (M)
101. Pale flesh soft plastic (N)
102. Transparent soft plastic (O, W)
103. Pale beige soft plastic (P)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Specimen Description:

- 104. Lt. Red soft plastic (Q)
- 105. Red soft plastic (R)
- 106. Chocolate soft plastic (T)
- 107. Brown soft plastic (U)
- 108. Lt. Flesh soft plastic (V)
- 109. Butter yellow soft plastic (V)
- 110. Yellow soft plastic (X)
- 111. Dk. Olive green soft plastic (Y, Z)
- 112. Lt. Pink soft plastic (AD)
- 113. Deep yellow soft plastic (AF)
- 114. Olive green soft plastic (AG)
- 115. Dk. Yellow soft plastic (AH)
- 116. Grey soft plastic (AI)
- 117. Dull olive green soft plastic (AK)
- 118. Deep green soft plastic (AM)
- 119. Grayish-brown soft plastic (AP)

- Note:
- mg/kg = milligram per kilogram
 - mg = milligram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - 1% = 10000 mg/kg = 10000 ppm
 - As received, test portion of Grey coating (A, D, G, J, K, L, N, Q, S, T, U, V, W, X, AB, AD, AE, AF, AG, AH, AK), Golden coating (B, C, S), Greyish-black coating (B), Reddish-brown coating (C, AM), Brown coating (C), Emerald green coating (C), Pale lt. orange coating (C), Pale red coating (E), Yellow coating (E), Chocolate brown coating (E, G), Lt. yellow coating (F), Lt. brown coating (F), Dull brown coating (F), Dull grey coating (H, M, R, U, AA), Lt. beige coating (I), Lt. creamy yellow coating (L), Dk. pink coating (M), Dk. chocolate brown coating (M), Silvery coating (O), Dull purplish-red coating (P), Bright pink coating (P), Greyish-brown coating (P), Dull coral pink coating (P), Brownish-orange coating (R), Purple coating (R), Dull purple coating (R), Pearl white coating (S, AA), Dull pink coating (T), Pale brown coating (U), Woody brown coating (V), Lt. flesh coating (V), Lt. grey coating (X), Bright brown coating (X), Lt. green coating (Y), Deep reddish-brown coating (Y), Pale greenish-grey coating (Y), Dull reddish-pink coating (Y), Deep yellow coating (Y), Fresh green coating (Y), Shape orange coating (AA, AB, AG), Bright turquoise coating (AB, AM), Dk. flesh coating (AB), Truck brown coating (AC), Pale pink coating (AD, AH), Bright coral pink coating (AE), Pale lt. grey coating (AE), Pale green coating (AF), Dk. red coating (AF), Dk. green coating (AF), Bright grey coating (AH), Lt. ivory coating (AH), Blue coating (AI), Pale lt. yellow coating (AJ), Pale white coating (AK), , Navy coating (AM), Deep green coating (AM), Walnut brown coating (AM) and Lemon yellow coating (AM) is(are) less than 10 mg, therefore such component(s) was(were) not tested for migration of certain elements, as specified in EN71-3:2013 + A3:2018.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

European Regulation (EC) No. 1907/2006 (REACH), Annex XVII and its Amendments – Cadmium Content

Method: With reference to EN1122: 2001 method B / IEC 62321-5:2013

Analysis was performed by Inductively Coupled Plasma Optical Emission Spectrometer (ICP-OES) / Atomic Absorption Spectrometer (AAS)

For Plastic

Test Item(s)	Cadmium (Cd)
Permissible Limit (mg/kg)	100
Specimen Description	Result(s) (mg/kg)
1. Black soft plastic (A, I, J, AJ) + Lt. Chocolate soft plastic (B) + Lt. Green soft plastic (C, AB, AN)	ND
2. Pale grey soft plastic (D, O) + Dull brown soft plastic (E, W) + Creamy yellow soft plastic (E)	ND
3. Orange soft plastic (F, S) + Off-white soft plastic (G) + White soft plastic (H, AA, AC, AE, AO)	ND
4. Pale yellow soft plastic (K, L) + Pale brown soft plastic (M) + Pale flesh soft plastic (N)	ND
5. Transparent soft plastic (O, W) + Pale beige soft plastic (P) + Lt. Red soft plastic (Q)	ND
6. Red soft plastic (R) + Chocolate soft plastic (T) + Brown soft plastic (U)	ND
7. Lt. Flesh soft plastic (V) + Butter yellow soft plastic (V) + Yellow soft plastic (X)	ND
8. Dk. Olive green soft plastic (Y, Z) + Lt. Pink soft plastic (AD) + Deep yellow soft plastic (AF)	ND
9. Olive green soft plastic (AG) + Dk. Yellow soft plastic (AH) + Grey soft plastic (AI)	ND
10. Dull olive green soft plastic (AK)	ND
11. Grayish-brown soft plastic (AP) + Deep green soft plastic (AM)	ND

For Paint on Painted Article

Test Item(s)	Cadmium (Cd)
Permissible Limit (mg/kg)	1000
Specimen Description	Result(s) (mg/kg)
1. Multi-color coating (A) + Multi-color coating (B) + Multi-color coating (C)	ND
2. Multi-color coating (D) + Multi-color coating (E) + Multi-color coating (F)	ND
3. Multi-color coating (G) + Multi-color coating (H) + Multi-color coating (I)	ND
4. Multi-color coating (J) + Multi-color coating (K) + Multi-color coating (L)	ND
5. Multi-color coating (M) + Multi-color coating (N) + Multi-color coating (O)	ND
6. Multi-color coating (P) + Multi-color coating (Q) + Multi-color coating (R)	ND
7. Multi-color coating (S) + Multi-color coating (T) + Multi-color coating (U)	ND
8. Multi-color coating (V) + Multi-color coating (W) + Multi-color coating (W)	ND
9. Multi-color coating (Y) + Multi-color coating (Z) + Multi-color coating (AA)	ND
10. Multi-color coating (AB) + Multi-color coating (AC) w/ Multi-color coating (AD) + Multi-color coating (AE)	ND
11. Multi-color coating (AF) + Multi-color coating (AG) + Multi-color coating (AH)	ND
12. Multi-color coating (AI) + Multi-color coating (AJ) + Multi-color coating (AK)	ND
13. Multi-color coating (AM) + Multi-color coating (AN)	ND
14. Multi-color coating (AO) + Multi-color coating (AP)	ND

- Note:
- Permissible and Reference Limit specified by Commission Regulation (EU) No 494/2011 & Commission Regulation (EU) No 2016/217 amending Annex XVII of REACH Regulation (EC) No 1907/2006 (previously restricted under entry 23 of Regulation (EC) No 552/2009 and directive 91/338/EC).
 - mg/kg = milligram per kilogram
 - ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit = 5 mg/kg
 - 1% = 10000 mg/kg = 10000 ppm
 - The result(s) is (are) calculated using the minimum specimen weight for composite test.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Organostannic compounds

Method: With reference to ISO 17353: 2004

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Test Item(s)	Result(s) (%)	MDL (%)	Permissible Limit (%)
Specimen No.	1 – 25		
Dibutyltin (DBT) (as Tin)	ND	0.010	0.1
Tri-substituted Organostannic Compounds (as Tin)	ND	0.010	0.1

Specimen Description:

1. Multi-color coating (A) + Multi-color coating (B) + Multi-color coating (C)
2. Multi-color coating (D) + Multi-color coating (E) + Multi-color coating (F)
3. Multi-color coating (G) + Multi-color coating (H) + Multi-color coating (I)
4. Multi-color coating (J) + Multi-color coating (K) + Multi-color coating (L)
5. Multi-color coating (M) + Multi-color coating (N) + Multi-color coating (O)
6. Multi-color coating (P) + Multi-color coating (Q) + Multi-color coating (R)
7. Multi-color coating (S) + Multi-color coating (T) + Multi-color coating (U)
8. Multi-color coating (V) + Multi-color coating (W) + Multi-color coating (W)
9. Multi-color coating (Y) + Multi-color coating (Z) + Multi-color coating (AA)
10. Multi-color coating (AB) + Multi-color coating (AC) w/ Multi-color coating (AD) + Multi-color coating (AE)
11. Multi-color coating (AF) + Multi-color coating (AG) + Multi-color coating (AH)
12. Multi-color coating (AI) + Multi-color coating (AJ) + Multi-color coating (AK)
13. Multi-color coating (AM) + Multi-color coating (AN)
14. Multi-color coating (AO) + Multi-color coating (AP)
15. Black soft plastic (A, I, J, AJ) + Lt. Chocolate soft plastic (B) + Lt. Green soft plastic (C, AB, AN)
16. Pale grey soft plastic (D, O) + Dull brown soft plastic (E, W) + Creamy yellow soft plastic (E)
17. Orange soft plastic (F, S) + Off-white soft plastic (G) + White soft plastic (H, AA, AC, AE, AO)
18. Pale yellow soft plastic (K, L) + Pale brown soft plastic (M) + Pale flesh soft plastic (N)
19. Transparent soft plastic (O, W) + Pale beige soft plastic (P) + Lt. Red soft plastic (Q)
20. Red soft plastic (R) + Chocolate soft plastic (T) + Brown soft plastic (U)
21. Lt. Flesh soft plastic (V) + Butter yellow soft plastic (V) + Yellow soft plastic (X)
22. Dk. Olive green soft plastic (Y, Z) + Lt. Pink soft plastic (AD) + Deep yellow soft plastic (AF)
23. Olive green soft plastic (AG) + Dk. Yellow soft plastic (AH) + Grey soft plastic (AI)
24. Dull olive green soft plastic (AK)
25. Grayish-brown soft plastic (AP) + Deep green soft plastic (AM)

- Note:
- % = percentage by weight
 - MDL = Method Detection Limit
 - ND = Not Detected (lower than MDL)
 - NA = Not Applicable
 - Tri-substituted Organostannic compounds are represented by Tributyltin (TBT) compounds, Triphenyltin (TPhT) compounds, Tripropyltin (TPT) compounds, Tricyclohexyltin (TCyT) compounds and Tri-n-octyltin (TOT) compounds
 - The result(s) is (are) calculated using the total specimen weight for composite test.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

European Regulation (EC) No. 1907/2006 (REACH) Annex XVII and its amendments – Phthalate content

Method: With reference to CPSC-CH-C1001-09.3

Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

Materials can be placed in the mouth

Test Item(s)	CAS No.	Result (s) (%)	MDL (%)	Permissible Limit (%)
Specimen No.	--	1 – 15		
Dibutyl Phthalate (DBP)	84-74-2	ND	0.003	0.1
Benzylbutyl Phthalate (BBP)	85-68-7	ND	0.003	0.1
Di-(2-ethyl hexyl) phthalate (DEHP) / Dioctyl Phthalate (DOP)	117-81-7	ND	0.003	0.1
Diisononyl Phthalate (DINP)	28553-12-0 68515-48-0	ND	0.010	--
Di-n-octyl Phthalate (DNOP)	117-84-0	ND	0.003	--
Diisodecyl Phthalate (DIDP)	26761-40-0 68515-49-1	ND	0.010	--
Diisobutyl phthalate (DIBP)	84-69-5	ND	0.003	0.1
Total (DBP+BBP+DEHP+DIBP)		ND	--	0.1
Total (DINP+DNOP+DIDP)		ND	--	0.1

Specimen Description:

- Black soft plastic (A) w/ multi-color coating (A) + Lt. Chocolate soft plastic (B) w/ multi-color coating (B) + Lt. Green soft plastic (C) w/ multi-color coating (C)
- Pale grey soft plastic (D) w/ multi-color coating (D) + Dull brown soft plastic (E) w/ multi-color coating (E) + Creamy yellow soft plastic (E) w/ multi-color coating (E)
- Orange soft plastic (F) w/ multi-color coating (F) + Off-white soft plastic (G) w/ multi-color coating (G) + White soft plastic (H) w/ multi-color coating (H)
- Black soft plastic (I) w/ multi-color coating (I) + Black soft plastic (J) w/ multi-color coating (J) + Pale yellow soft plastic (K) w/ multi-color coating (K)
- Pale yellow soft plastic (L) w/ multi-color coating (L) + Pale brown soft plastic (M) w/ multi-color coating (M) + Pale flesh soft plastic (N) w/ multi-color coating (N)
- Transparent soft plastic (O, W) w/ multi-color coating (O, W) + Pale grey soft plastic (O) w/ multi-color coating (O) + Pale beige soft plastic (P) w/ multi-color coating (P)
- Lt. Red soft plastic (Q) w/ multi-color coating (Q) + Red soft plastic (R) w/ multi-color coating (R) + Orange soft plastic (S) w/ multi-color coating (S)
- Chocolate soft plastic (T) w/ multi-color coating (T) + Brown soft plastic (U) w/ multi-color coating (U) + Lt. Flesh soft plastic (V) w/ multi-color coating (V)
- Butter yellow soft plastic (V) w/ multi-color coating (V) + Dull brown soft plastic (W) w/ multi-color coating (W) + Yellow soft plastic (X) w/ multi-color coating (X)
- Dk. Olive green soft plastic (Y) w/ multi-color coating (Y) + Dk. Olive green soft plastic (Z) w/ multi-color coating (Z) + White soft plastic (AA) w/ multi-color coating (AA)
- Lt. Green soft plastic (AB) w/ multi-color coating (AB) + White soft plastic (AC) w/ multi-color coating (AC) + Lt. Pink soft plastic (AD) w/ multi-color coating (AD)
- White soft plastic (AE) w/ multi-color coating (AE) + Deep yellow soft plastic (AF) w/ multi-color coating (AF) + Olive green soft plastic (AG) w/ multi-color coating (AG)
- Dk. Yellow soft plastic (AH) w/ multi-color coating (AH) + Grey soft plastic (AI) w/ multi-color coating (AI) + Black soft plastic (AJ) w/ multi-color coating (AJ)
- Dull olive green soft plastic (AK) w/ multi-color coating (AK) + Deep green soft plastic (AM) w/ multi-color coating (AM)
- Lt. Green soft plastic (AN) w/ multi-color coating (AN) + White soft plastic (AO) w/ multi-color coating (AO) + Grayish-brown soft plastic (AP) w/ multi-color coating (AP)

- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - % = percentage by weight
 - Results shown as ND are ignored in the sum calculation
 - The result(s) is (are) calculated using the total specimen weight for composite test

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

European Regulation (EC) No. 1907/2006 (REACH), Annex XVII and its Amendments – PAHs Content

Method: With reference to AfPS GS 2014:01 PAK method.
 Analysis was performed by Gas Chromatography Mass Spectrometer (GC-MS)

For Toy or childcare product

Test Item(s) Specimen No.	CAS No.	Result(s) (mg/kg) 1 – 15	MDL (mg/kg)	Limit* (mg/kg)
1. Benz[a]anthracene	56-55-3	ND	0.1	0.5
2. Chrysene	218-01-9	ND	0.1	0.5
3. Benzo[b]fluoranthene	205-99-2	ND	0.1	0.5
4. Benzo[k]fluoranthene	207-08-9	ND	0.1	0.5
5. Benzo[j]fluoranthene	205-82-3	ND	0.1	0.5
6. Benzo[a]pyrene	50-32-8	ND	0.1	0.5
7. Benzo[e]pyrene	192-97-2	ND	0.1	0.5
8. Dibenz[a,h]anthracene	53-70-3	ND	0.1	0.5

Specimen Description:

- Black soft plastic (A) w/ multi-color coating (A) + Lt. Chocolate soft plastic (B) w/ multi-color coating (B) + Lt. Green soft plastic (C) w/ multi-color coating (C)
- Pale grey soft plastic (D) w/ multi-color coating (D) + Dull brown soft plastic (E) w/ multi-color coating (E) + Creamy yellow soft plastic (E) w/ multi-color coating (E)
- Orange soft plastic (F) w/ multi-color coating (F) + Off-white soft plastic (G) w/ multi-color coating (G) + White soft plastic (H) w/ multi-color coating (H)
- Black soft plastic (I) w/ multi-color coating (I) + Black soft plastic (J) w/ multi-color coating (J) + Pale yellow soft plastic (K) w/ multi-color coating (K)
- Pale yellow soft plastic (L) w/ multi-color coating (L) + Pale brown soft plastic (M) w/ multi-color coating (M) + Pale flesh soft plastic (N) w/ multi-color coating (N)
- Transparent soft plastic (O, W) w/ multi-color coating (O, W) + Pale grey soft plastic (O) w/ multi-color coating (O) + Pale beige soft plastic (P) w/ multi-color coating (P)
- Lt. Red soft plastic (Q) w/ multi-color coating (Q) + Red soft plastic (R) w/ multi-color coating (R) + Orange soft plastic (S) w/ multi-color coating (S)
- Chocolate soft plastic (T) w/ multi-color coating (T) + Brown soft plastic (U) w/ multi-color coating (U) + Lt. Flesh soft plastic (V) w/ multi-color coating (V)
- Butter yellow soft plastic (V) w/ multi-color coating (V) + Dull brown soft plastic (W) w/ multi-color coating (W) + Yellow soft plastic (X) w/ multi-color coating (W)
- Dk. Olive green soft plastic (Y) w/ multi-color coating (Y) + Dk. Olive green soft plastic (Z) w/ multi-color coating (Z) + White soft plastic (AA) w/ multi-color coating (AA)
- Lt. Green soft plastic (AB) w/ multi-color coating (AB) + White soft plastic (AC) w/ multi-color coating (AC) + Lt. Pink soft plastic (AD) w/ multi-color coating (AD)
- White soft plastic (AE) w/ multi-color coating (AE) + Deep yellow soft plastic (AF) w/ multi-color coating (AF) + Olive green soft plastic (AG) w/ multi-color coating (AG)
- Dk. Yellow soft plastic (AH) w/ multi-color coating (AH) + Grey soft plastic (AI) w/ multi-color coating (AI) + Black soft plastic (AJ) w/ multi-color coating (AJ)
- Dull olive green soft plastic (AK) w/ multi-color coating (AK) + Deep green soft plastic (AM) w/ multi-color coating (AM)
- Lt. Green soft plastic (AN) w/ multi-color coating (AN) + White soft plastic (AO) w/ multi-color coating (AO) + Grayish-brown soft plastic (AP) w/ multi-color coating (AP)

- Note:
- ND = Not Detected (lower than MDL)
 - MDL = Method Detection Limit
 - mg/kg = milligram per kilogram
 - * The limit is specified by Commission Regulation (EU) No 1272/2013 amending Annex XVII to Regulation (EC) No 1907/2006 effective after 27 December 2015.
 - The result(s) is (are) calculated using the total specimen weight for composite test

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

As requested by client, SVHC screening is performed according to: One hundred and ninety-seven (197) substances in the Candidate List of Substances of Very High Concern (SVHC) for authorization published by European Chemicals Agency (ECHA) on and before Jan 15, 2019 regarding Regulation (EC) No 1907/2006 concerning the REACH.

Summary :

According to the specified scope and analytical techniques, concentrations of tested SVHC are $\leq 0.1\%$ (w/w) in the submitted sample.	PASS
---	------

Remark :

- The chemical analysis of specified SVHC is performed by means of currently available analytical techniques against the following SVHC related documents published by ECHA:
 - <https://echa.europa.eu/web/guest/candidate-list-table> (Candidate list)
 The lists are under evaluation by ECHA and may subject to change in the future.
- In accordance with Regulation (EC) No 1907/2006, any EU producer or importer of articles shall notify ECHA, in accordance with paragraph 4 of Article 7, if a substance meets the criteria in Article 57 and is identified in accordance with Article 59(1) of the Regulation, if (a) the substance in the Candidate List is present in those articles in quantities totaling over one tonne per producer or importer per year; and (b) the substance in the Candidate List is present in those articles above a concentration of 0.1% weight by weight (w/w).
- Article 33 of Regulation (EC) No 1907/2006 requires supplier of an article containing a substance meeting the criteria in Article 57 and identified in accordance with Article 59(1) in a concentration above 0.1% weight by weight (w/w) shall provide the recipient of the article with sufficient information, available to the supplier, to allow safe use of the article including, as a minimum, the name of that substance in the Candidate List.
- If a SVHC is found over the reporting limit, client is suggested to identify the component which contains the SVHC and the exact concentration of the SVHC by requesting further quantitative analysis from the laboratory.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Sample:

Sample Description:

Group No.	Component No.	Component Description
A	1.	White soft plastic w/ Multi-colored coating (H: clown fish, AA: base, AC: panda, AE: pot-bellied pig)
A	2.	Black soft plastic w/ Multi-colored coating (A: alligator I: cobra, J: coral snake, AJ Tortoise)
A	3.	Pale grey soft plastic w/ Multi-colored coating (D: armadillo O: flying fish)
A	4.	Deep green soft plastic w/ Multi-colored coating (AM: veil chameleon)
A	5.	Lt. green soft plastic w/ Multi-colored coating (AN: veil chameleon C: bull frog, AB: moray eel)
A	6.	Lt. chocolate soft plastic w/ Multi-colored coating (B: boa snake)
A	7.	Orange soft plastic w/ Multi-colored coating (F: bearded dragon S: goldfish)
A	8.	Off-white soft plastic w/ Multi-colored coating (G: blue crab)
A	9.	Transparent soft plastic w/ black coating (O: flying fish W: honey bee)
B	10.	Yellow soft plastic w/ Multi-colored coating (X: horned lizard)
B	11.	Dk. Olive green soft plastic w/ Multi-colored coating (Y: sea turtle Z: sea turtle baby)
B	12.	Lt. pink soft plastic w/ Multi-colored coating (AD: piglet)
B	13.	Deep yellow soft plastic w/ Multi-colored coating (AF: slider turtle)
B	14.	Olive green soft plastic w/ Multi-colored coating (AG: salt water crocodile)
B	15.	Dk. yellow soft plastic w/ Multi-colored coating (AH: sea turtle)
B	16.	Grey soft plastic w/ Multi-colored coating (AI: sea turtle baby)
B	17.	Pale yellow soft plastic w/ Multi-colored coating (K: duck L: chipmunk)
B	18.	Pale brown soft plastic w/ Multi-colored coating (M: cottontail rabbit)
B	19.	Lt. red soft plastic w/ Multi-colored coating (Q: frogfish)
C	20.	Red soft plastic w/ Multi-colored coating (R: red rock crab)
C	21.	Chocolate soft plastic w/ Multi-colored coating (T: hammerhead shark)
C	22.	Brown soft plastic w/ Multi-colored coating (U: hedgehog)
C	23.	Butter yellow soft plastic w/ Multi-colored coating (V: hermit crab)
C	24.	Dull brown soft plastic w/ Multi-colored coating (E: bald eagle W: honey bee)
C	25.	Pale flesh soft plastic w/ Multi-colored coating (N: owl)
C	26.	Pale beige soft plastic w/ Multi-colored coating (P: squirrel)
C	27.	Dull olive green soft plastic w/ Multi-colored coating (AK: tortoise)
D	28.	Silvery metal (I: wire in snake)

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Method:

SGS In-House method - Analyzed by ICP-OES, GC-MS, UV-VIS, HPLC-DAD, HPLC-MS and colorimetric method

Test Result (per test group):

No.	Substance Name	CAS No./ EC No.	RL (%)	Concentration (%)	
				A	B
-	All tested SVHC	-	-	ND	ND

No.	Substance Name	CAS No./ EC No.	RL (%)	Concentration (%)	
				C	D
-	All tested SVHC	-	-	ND	ND







Notes :

1. RL = Reporting Limit. All RL are based on homogenous material
 ND = Not detected (lower than RL), ND is denoted on the SVHC substance.
 NA^ = The submitted sample was found to contain significant amount of specific element(s) of SVHC. Upon further test verification and also information provided from client, the possibility that the element(s) content originate from SVHC is very unlikely, even though their presence cannot be exclude entirely. It may be assumed that the detected element(s) have a non-SVHC source.
2. The table above only shows detected SVHC, and SVHC that below RL are not reported. Please refer to Appendix for the full list of tested SVHC.
3. Test result that shown as per test group is the actual concentration from laboratory testing. The test result is calculated by minimum sample weight. Confirmation testing is recommended as to understand the exact content of SVHC in each individual component.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Sample Photo:

Sample Picture (As received)	
Pic.1	Pic.2
	
Pic.3	Pic.4
	
Pic.5	Pic.6
	


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.