

TYLÓHELO

SAUNAS MAKING
YOU BETTER



SAUNAS MAKING YOU BETTER

People all over the world have always enjoyed heat in different ways, using everything from saunas and steam rooms to banyas and hammams to feel better, look better and to spend time relaxing with loved ones. The modern sauna of today merges a lot of these traditions, bringing all the benefits of heat and steam into your home - so you can enjoy them daily.

Contents

About TyloHelo	4
For wellness	6
SAUNA ROOMS	8
Harmony sauna rooms	10
Plan your Harmony	12
Layout	14
Modular size	16
Panels	18
Interior	20
Glass and doorhandle	22
Soffit	23
Impression sauna rooms	24
DIY, customise your sauna room	26
Interior Classic	28
Interior Classic slim	30
Glass fronts and corners	33
Sauna doors	34
Taika panels	36
PROFESSIONAL ROOMS	38
Customised professional room	40
Professional electric heaters	42
Tylarium	44
STEAM ROOMS	46
Steam room models	48
Steam columns	56
Steam doors	57
Steam room accessories	58
INFRARED ROOMS	60
Infrared models	62
Infrared panels	64
HEATERS	66
TYLÖ sauna heaters	68
Steam generators	78
HELO sauna heaters	84
Steam generators	96
Control panels	102
Wood burning heaters Kastor	106
Kastor and Helo Wood burning heaters	109
ACCESSORIES	116

ABOUT TYLÖHELO

TYLÖHELO

We are living and breathing sauna, steam and infrared passion. We develop, manufacture and market high-quality sauna and steam products worldwide for a global market. The built in sense of pride and genuine feel that signifies our sauna and steam products can't be replicated. And it might just be a contributing factor to our century-old success story.

HOW PASSION CREATED A WORLD LEADER

We always strive to create class-leading products. Steeped in a tradition of sensible and durable solutions, our Nordic heritage constitutes the foundation behind the development of traditional sauna experiences.



WELLNESS BEFORE IT BECAME FASHIONABLE

Our traditional sauna products, heaters, sauna rooms, technology and accessories are all tried and tested by the world. A testament to the popularity of our take on wellness, is that we have been an established player in our market since 1919. TylöHelo products create sauna experiences in 90 countries across the world. And even though we are based in Sweden and Finland, the majority of our take on wellness is exported.

TECHNOLOGY, QUALITY AND SAFETY

Our offering is a complete range of products and accessories to ensure a perfect wellness experience. Our saunas and steam rooms will always function seamlessly with our proprietary technology. Rooms, heaters, control panels, steam generators and accessories are all created by us. This is why we can provide generous warranties with all our products for residential use. The built-in longevity of our products ensure a long lasting return on investment as well as a smaller environmental foot-print. Our smart solutions means both thoughtful and energy-saving functions. Our designs are conceived to be easy on the eye, but also provide ease of use and a safe environment to all users.



A CENTURY OF ENVIRONMENTAL CONCERNS

Being who we are, we have always preferred to keep things close to home. Our products have always been developed by ourselves and by true sauna enthusiasts, with science becoming increasingly important over the last one hundred years. Our manufacturing processes are completely clean. There are no harmful emissions from any stage of the production process. The timber we use comes from responsibly managed forests in Scandinavia, the Baltic states and North America. None of our timber is sourced from the world's precious rainforests. All plastic components are manufactured from environmentally certified raw materials, with waste and scrap material kept to a minimum. We work steadily to change our business

practices and share what we've learned. But we realise that what we have done is not enough. We seek not only to do less harm, but more good. We do it by providing feel-good moments and wellness experiences in the most energy efficient way.

GLOBAL CUSTOMER SUPPORT

We always work hard to get things right, create products and manuals and instructions that are comprehensive and easy to follow. But every now and then, questions arise. To counter act any hold-up during installation or how to operate our products, our support team is global and always there to assist through trained and competent local TylöHelo dealers. They will assist you to answer your questions clearly and efficiently to ensure quick problem-solving.

FOR WELLNESS, HEALTH AND HAPPINESS

REGULAR SAUNA BATHING CAN PROTECT THE HEART

Regular sauna bathing can reduce the risk of heart attacks by as much as 63%, according to a Finnish study. For 20 years, the the Finnish research team monitored 2,000 middle-aged men. During this period, it became clear that those who sauna bathed regularly had a significantly lower risk of suffering from cardiovascular diseases of various kinds.

Laukkanen, T, et al. "Association Between Sauna Bathing and Fatal Cardiovascular and All-Cause Mortality Events" JAMA Intern Med. 2015;175(4):542-548. doi:10.1001/jamainternmed.2014.8187
Published online February 23, 2015.



CAN BUILD MUSCLE MASS

When your body is subjected to heat, it prompts a number of beneficial changes in your body. Among these adaptive changes are increased plasma volume and blood flow to your heart and muscles. This leads to both an increase in athletic endurance and increased muscle mass, due to greater levels of heat-shock proteins and growth hormone.

CAN HELP BURN CALORIES

Exercise is key for a healthy lifestyle, but new research shows that sometimes it's time to relax. Findings show that it is actually possible to burn the same amount of calories by spending time in a hot bath, as you do running. The same should go for the sauna, considering that the explaining factor in these results is the raising of the core body temperature.

Passive heating can never replace physical activity, but these results indicate that heat can be used as a complement to exercise in a healthy lifestyle.

The acute and chronic effects of hot water immersion on inflammation and metabolism in sedentary, overweight adults, 2018. Sven Hoekstra, under the guidance of Dr Christof Leicht and Dr Lettie Bishop, of the School of Sport, Exercise and Health Sciences (SSEHS).



BEAUTIFUL SKIN AND GLOW

Collagen is the protein that gives our tissues and organs strength and elasticity. The heat in sauna enhances collagen production, thereby strengthening and rejuvenating the complexion. The heat also leads to a dramatic increase in blood circulation. This in turn gives your skin a fresh appearance with at natural, healthy glow.

CAN HELP REDUCE MILD SYMPTOMS OF DEPRESSION

Research has found that regular sauna bathing actually has measurable positive effects on serotonin levels in our blood. Serotonin is the "happiness hormone" and it affects our mood and behaviour. Low levels of serotonin causes symptoms of depression.

Article in Colorado Arts and Sciences about Christopher Lowry, University of Colorado.



INFRARED WARMTH

Infrared sauna can have beneficial effects on several kinds of chronic pain like arthritis, back problems, sore muscles or joints and fibromyalgia. It can also raise the amount of serotonin, the "feel good-hormone", in our blood. Infrared saunas are commonly used for the 'detoxification' associated with deep sweating.





*GIVE YOUR HOME SOME
EXTRA WARMTH*



SAUNA ROOMS

The name TylöHelo is the result of merging two venerable and reputable brands in the sauna, steam and wellness sector. Both brands are known to bring top notch products, each in their own way. Tylö through innovation, technology and outmost attention to detail. Helo by their century old traditions in state of the art craftsmanship and beautiful traditional sauna designs. Together, we have been in the business of making you feel better for over 170 years.



MODULAR SAUNA ROOM

HARMONY

TylöHelo's modular Harmony sauna room is the solution for those who want a quick and easy route to sauna enjoyment. Your sauna is delivered as prefabricated components that are easy to assemble. It is all set up for installation of electrical systems and the ventilation systems are ready to go. The end result is an attractive and seamlessly constructed sauna where all nails, screws and joints are covered.



LOTS OF SAUNA FOR YOUR MONEY, CUSTOMISED STANDARD

Buying a sauna from TylöHelo is simple. Our Harmony sauna rooms can easily be customised to suit your individual requirements with regard to size and position. It's up to you to decide what type of wood you want for the walls and interior fittings, as well as how much glass surface you want for your sauna room. Then you add the sauna heater that best suits your needs, and finally a control panel. All designs are available in any room configuration on offer. You may also choose to design any room in the Harmony range with either vertical or horizontal panelling.

DAY 1 – DELIVERY & CONSTRUCTION
Prefabricated components delivered as a flat-pack kit



DAY 2 – READY FOR TAKING A SAUNA!



Ventilation ready. Prepared for electrical wiring. Contact electrician for installing heater. Ready for a sauna bath.



SAUNA HEATER
Contact your electrician



VENTILATION
Ready

**ALL SET FOR
INSTALLATION
OF UTILITIES
ON DELIVERY**

PLAN YOUR HARMONY

It's not hard to build a Harmony sauna. It can be made in a day or two. The thing that takes the longest time is to choose all the different elements like panels, benches and glass. The easiest way is to take it step by step in the right order.



1 - LAYOUT

Choose between square, corner, glass front, glass corner and round corner.

2 - PANEL

Horizontal or vertical paneling available in four different types of wood: Spruce, Aspen, Thermo-Aspen or Hemlock. Or two kinds of solid log: Spruce or Fir.

3 - INTERIOR

Choose between Classic, Classic slim, wide benches made of Alder or Aspen. Then select a closed style with skirting panel or an open style without skirting panel. The skirting can have either soft or straight bench front.

4 - GLASS

You can choose between clear glass, tinted glass or frosted glass.

5 - DOOR HANDLE

Choose between horizontal and vertical orientation or go for the design handle.

6 - SOFFIT

Soffits come with built-in lighting.

7 - HEATER

Here it is important to know the size of the sauna. See the compare tool at the web site or use the table in this catalogue.

LAYOUT

You can fit your Harmony into almost any space thanks to all the variations and sizes. The height is always 2,073 meters and the smallest measurement is 1,2 x 1,2 meters. Then you can make it as big as you want, also for professional use like spas and swimming halls.



CORNER
Aspen



CORNER WITH GLAZED SECTION
Spruce



SQUARE
Thermo Aspen



SQUARE WITH GLAZED SECTION, FRONT Thermo Aspen



SQUARE WITH GLAZED SECTION, SIDE Aspen



SQUARE WITH GLAZED SECTION, FRONT & SIDE Spruce



GLASS FRONT
Thermo Aspen



GLASS CORNER
Aspen



SQUARE WITH ROUND GLASS CORNER Aspen

More information about Harmony can be found at tyloheho.com

MODULAR SIZE FOR ALL SPACES


Prefabricated saunas from TylöHelo are bundled with smart solutions for fast and easy assembly. You can build it yourself, customise and adapt to your personal taste. The foundation is always there, shaped by our extensive knowledge. Craftsmanship, solid materials and attention to detail stand at the core of this convenient sauna solution for modern homes and lifestyles.

SEE MORE
DESIGNS AND
MEASUREMENTS AT
tylohelo.com
OR AT YOUR
DEALER


Corner

Replaceable sections


 Glass section vent



HARMONY CORNER
1415X1415/C



HARMONY CORNER
1925X1925/C




HARMONY CORNER
2435X2435/C


Square

Replaceable sections


 Glass section vent
 Glass section



HARMONY SQ
1160X1160




HARMONY SQ
1925X1925




HARMONY SQ
2435X2435


Glass front



HARMONY GF
1670X1160




HARMONY GF
2180X1925
*Third bench with bench support needs to be ordered as special.




HARMONY GF
2435X2180
*Third bench with bench support needs to be ordered as special.


Round corner



HARMONY GC ROUND
1925X1415




HARMONY GC ROUND
1925X1925




HARMONY GC ROUND
2690X1925


Glass corner



HARMONY GC LEFT
1670X1670






HARMONY GC LEFT
1925X1925



HARMONY GC LEFT
2435X2180

FIND THE RIGHT WALL PANELS FOR YOUR HARMONY

TylöHelo's sauna panels come in a variety of different designs. They are all made of grade "A" wood and match the Harmony interior designs perfectly.



SPRUCE

Size: 12 x 85 mm



ASPEN

Size: 15 x 85 mm



THERMO ASPEN

Size: 12 x 85 mm



HEMLOCK

Size: 12 x 85 mm



PREMIUM LOG FIR

Size: 58 x 100 mm



PREMIUM LOG SPRUCE

Size: 58 x 100 mm

STANDARD SAUNA WALL PANELS

With our selection of different high-quality wooden wall panels for your new Harmony sauna, you will be able to match the rest of your space and personal taste. There are a number of different selections of woods to choose from, and our craftsmen assemble each wall section with skilled precision, in order to always ensure top quality. Chose between panels put up vertically (see image 2) or horizontally (see image 1).

LOG WOOD WALL PANELS

Make your own customised Log Sauna with solid logs available in two versions, vertical in Spruce or in blocks with either Spruce or Fir as a premium option (see image 3).

FOR MORE
INFORMATION,
CONTACT YOUR
TYLÖHELO
DEALER

SELECT STYLING FOR YOUR INTERIOR

Harmony interiors are available in a number of different designs and are made to match the style of your Harmony. Your sauna room can be designed to custom standards by choosing from several types of wood and designs.



CLASSIC

The Classic range of solid Aspen, Alderwood or Thermo Alder sauna interior is available in pre-cut measurements or may be cut to individual preferences. The range includes benches and back rests with available skirting and siding for a complete and finished look.



CLASSIC SLIM

Classic Slim sauna interiors in Aspen, Alderwood or Thermo Alder are available in pre-cut measurements but may be cut to individual requirements for custom builds. The range includes benches and back rests with available skirting and siding for a complete and finished look.



CLASSIC WIDE

The Classic Wide range of American Tulip, Aspen, Alder or Thermo Alderwood. The sauna interior is available in custom measurements as flex interior. The range includes benches and back rests.

PANORAMA INTERIOR

The Panorama range of sauna benches with the overlapping design are made of Aspen, Alder and Thermo Alder and are available in custom measurements as flex interior.


MORE
INFORMATION
CAN BE
FOUND AT
tylohelo.com

CHOOSE GLASS AND DOORHANDLE

Either if it is a door glass, glass section or a glass front, the glass is always manufactured to withstand the considerable temperature differences between the outside and inside of the sauna without warping or becoming deformed.

Glass

Glass is one of the vital parts when you are building your sauna. Whether you want clear glass to get a feeling of openness, bronze glass to feel more warm, or frosted glass in order to shut out the world and relax.



CLEAR GLASS

Dimension: 8 mm tempered safety glass



BRONZE GLASS

Dimension: 8 mm tempered safety glass



FROSTED GLASS

Dimension: 8 mm tempered safety glass

5 Select door handle

Choose between horizontal and vertical orientation or go for the design handle.



HORIZONTAL



VERTICAL



DESIGN HANDLE

SELECT WITH OR WITHOUT SOFFIT

If you want a soffit for your Harmony they are easy to assemble. The roof trim that comes with the room is mounted on the outside of the soffit and has LED down light included.



WITH SOFFIT



WITHOUT SOFFIT

7

Choose your sauna heater

Pick the right heater to fit your needs. Read more on page 66.



READY SAUNA ROOM

IMPRESSION

The multi-disciplinary Impression is a sauna solution that easily integrates into existing bathrooms and provides a home spa experience in spite of its compact dimensions. The impression line of saunas is available in black or white frames and six different sizes. The walls, doors and glass may be positioned in a number of different configurations. Three models can even work as a steam bath or a shower.

To see the Impression Steam go to page 52.
To see the Impression Twin go to page 54.




**IMPRESSION
WILL FIT
ALMOST
ANYWHERE**



EXCLUSIVE ALL-IN-ONE INSTRUMENT

All Impression sauna rooms are supplied with an exclusive hygrometer/thermometer with built-in LED lighting. Style and functionality in one – as well as atmospheric lighting.




COMPLETE WITH TWO SAUNA BENCHES

The sauna cubicle comes complete with two sauna benches at different levels and also with backrest and lightning.


INGENIOUS COMPACT DESIGN

Our Swedish designers set themselves the task of combining practical functions with an elegant setting where you can relax and pamper yourself in style. However, the Impression sauna also stands out by virtue of its ingenious compact design and its small dimensions. Here you can see an example of a common configuration for a TylöHelo sauna.




IMPRESSION SAUNA i1309

White: Item no. 9607 4815
Black: Item no. 9607 4817




IMPRESSION SAUNA i1313

White: Item no. 9607 4820
Black: Item no. 9607 4822




IMPRESSION SAUNA i1713

White: Item no. 9607 4825
Black: Item no. 9607 4827




IMPRESSION SAUNA i1115/C

White: Item no. 9607 4800
Black: Item no. 9607 4802



IMPRESSION SAUNA i1515/C

White: Item no. 9607 4805
Black: Item no. 9607 4807



IMPRESSION SAUNA i1915/C

White: Item no. 9607 4810
Black: Item no. 9607 4812

DIY, CUSTOMISE YOUR SAUNA ROOM

Either if you are renovating your old sauna or building a new completely from scratch is indeed a satisfying experience that means the design can be uniquely yours. TylöHelo can provide a wide range of products to help you with your this.

1

Choose sauna panels

TylöHelo's sauna panels are available in seven different designs, all made of grade A wood. The panels make a perfect match for TylöHelo's solid benches. All our sauna panels have the STS profile and measure 12 x 95 x 2400 mm, except for the PRO panel which is slightly thicker. The cedar panel has an STP profile of 11 x 92 mm.



PANEL STS 240 SPRUCE

Size: 12 x 95 mm
Dimension: 85 mm
Pack of 10
Item no. 9490 1280



PANEL STP 240 CEDAR

Size: 11 x 92 mm
Dimension: 86 mm
Pack of 10
Item no. 9490 0965



AMERICAN TULIPWOOD

Size: 18 x 170 mm
Dimension: 86 mm
Pack of 4
Item no. 9490 1390



HEMLOCK

Size: 12 x 95 mm
Dimension: 86 mm
Pack of 10
Item no. 9490 1386



Sauna panel STS profile
Size 12 x 95 x 2400 mm



Sauna panel STP profile
Size 11 x 92 x 2400 mm



PANEL STS 240 ASPEN/TH

Heat-treated aspen panel
(knot-free).
Size: 12 x 95 mm
Dimension: 85 mm
Pack of 10
Item no. 9490 1025



PANEL STS 240 ASPEN

Knot-free aspen panel
Size: 12 x 95 mm
Dimension: 85 mm
Pack of 10
Item no. 9490 1380



PANEL PRO STP 240 ASPEN

Knot-free aspen panel
Size: 15 x 95 mm
Dimension: 85 mm. Pack of 10.
Ideal for public facilities.
Item no. 9490 1312


2

Select sauna interior style



CLASSIC

The Classic range of solid Aspen, Alderwood or Thermo-Alder sauna interior is available in pre-cut measurements or may be cut to individual preferences. The range includes benches and back rests with available skirting and siding for a complete and finished look.



CLASSIC SLIM

Classic Slim sauna interiors in Aspen, Alderwood or Thermo-Alder are available in pre-cut measurements but may be cut to individual requirements for custom builds. The range includes benches and back rests with available skirting and siding for a complete and finished look.

3

Add optional extras and accessories



FLOOR GRATING

Made of Aspen. The floor decking feels smooth and pleasant beneath your bare feet and adds a sense of luxury and comfort.

FLOOR DECKING 70x90x31 ASPEN Item no. 9005 9006

FLOOR DECKING 61x85x31 ASPEN Item no. 9005 9015



ARMREST FOR CLASSIC SLIM AND CLASSIC

For settings where the ends of sauna benches are not fixed against a wall or other support.

CLASSIC/SLIM ASPEN 598 HIGH Item no. 9039 4500

CLASSIC/SLIM ASPEN 598 LOW Item no. 9039 4502

CLASSIC/SLIM ASPEN 446 HIGH Item no. 9039 4504

CLASSIC/SLIM ASPEN 446 LOW Item no. 9039 4506

CLASSIC/SLIM ALDER 598 HIGH Item no. 9039 4520

CLASSIC/SLIM ALDER 598 LOW Item no. 9039 4522

CLASSIC/SLIM ALDER 446 HIGH Item no. 9039 4524

CLASSIC/SLIM ALDER 446 LOW Item no. 9039 4526



SIDE PANELS FOR CLASSIC SLIM

For settings where the ends of sauna benches are not fixed against a wall or other support.

CLASSIC/SLIM ASPEN 598 HIGH Item no. 9039 4508

CLASSIC/SLIM ASPEN 598 LOW Item no. 9039 4510

CLASSIC/SLIM ASPEN 446 HIGH Item no. 9039 4512

CLASSIC/SLIM ASPEN 446 LOW Item no. 9039 4514

CLASSIC/SLIM ALDER 598 HIGH Item no. 9039 4528

CLASSIC/SLIM ALDER 598 LOW Item no. 9039 4530

CLASSIC/SLIM ALDER 446 HIGH Item no. 9039 4532

CLASSIC/SLIM ALDER 446 LOW Item no. 9039 4534

INTERIOR CLASSIC

The Classic Aspen and Alder benches clearly display quality craftsmanship.

AVAILABLE IN THE FOLLOWING:

Model: Classic.

Wood: Aspen and Alder

Design: standard.

Assembly: components are ready for assembly and can be cut to length if needed.

Finish: joined together using solidly glued dowels, with no visible screws.

Components: bench in two different depths, 446 and 598 mm. Backrest and skirting panels.

Add: wooden decking and bench support.



Bucket is no longer in our assortment.

1. BACKREST ASPEN

	Size in mm	Item no.
Backrest Classic	899	9039 3400
Backrest Classic	1154	9039 3402
Backrest Classic	1410	9039 3404
Backrest Classic	1665	9039 3406
Backrest Classic	1921	9039 3408
Backrest Classic	2177	9039 3410
Backrest Classic	2432	9039 3412

2. BENCHES* ASPEN

	Size in mm	Item no.
Bench Classic	446 x 1009	9023 4900
Bench Classic	446 x 1264	9023 4901
Bench Classic	446 x 1520	9023 4902
Bench Classic	446 x 1775	9023 4903
Bench Classic	446 x 2031	9023 4904
Bench Classic	446 x 2287	9023 4905
Bench Classic	446 x 2542	9023 4906
Bench Classic	598 x 1009	9023 4907
Bench Classic	598 x 1264	9023 4908
Bench Classic	598 x 1520	9023 4909
Bench Classic	598 x 1775	9023 4910
Bench Classic	598 x 2031	9023 4911
Bench Classic	598 x 2287	9023 4912
Bench Classic	598 x 2542	9023 4913

*The benches can be cut 7 cm or more on each side. TylöHelo recommends the deep bench if space allows.

3. SKIRTING PANELS ASPEN

	Size in mm	Item no.
Skirting panel Classic	1009	9039 4600
Skirting panel Classic	1264	9039 4602
Skirting panel Classic	1520	9039 4604
Skirting panel Classic	1775	9039 4606
Skirting panel Classic	2031	9039 4608
Skirting panel Classic	2287	9039 4610
Skirting panel Classic	2542	9039 4612

1. BACKREST ALDER

	Size in mm	Item no.
Backrest Classic	899	9039 3440
Backrest Classic	1154	9039 3442
Backrest Classic	1410	9039 3444
Backrest Classic	1665	9039 3446
Backrest Classic	1921	9039 3448
Backrest Classic	2177	9039 3450
Backrest Classic	2432	9039 3452



2. BENCHES* ALDER

	Size in mm	Item no.
Bench Classic	446 x 1009	9023 4940
Bench Classic	446 x 1264	9023 4941
Bench Classic	446 x 1520	9023 4942
Bench Classic	446x1775	9023 4943
Bench Classic	446 x 2031	9023 4944
Bench Classic	446 x 2287	9023 4945
Bench Classic	446 x 2542	9023 4946
Bench Classic	598 x 1009	9023 4947
Bench Classic	598 x 1264	9023 4948
Bench Classic	598 x 1520	9023 4949
Bench Classic	598 x 1775	9023 4950
Bench Classic	598 x 2031	9023 4951
Bench Classic	598 x 2287	9023 4952
Bench Classic	598 x 2542	9023 4953

*The benches can be cut 7 cm or more on each side. TylöHelo recommends the deep bench if space allows.

3. SKIRTING PANELS ALDER

	Size in mm	Item no.
Skirting panel Classic	1009	9039 4640
Skirting panel Classic	1264	9039 4642
Skirting panel Classic	1520	9039 4644
Skirting panel Classic	1775	9039 4646
Skirting panel Classic	2031	9039 4648
Skirting panel Classic	2287	9039 4650
Skirting panel Classic	2542	9039 4652

INTERIOR CLASSIC SLIM

The Classic Slim benches are sturdily crafted from solid Aspen or Alder without visible screws. It is also possible to order legs for free-standing benches.

1 - BACKREST

The prefabricated backrests made of Aspen or Alder are comfortably contoured and also serve to screen off the light fittings, creating a gentle, indirect glow in the sauna. Can be cut to the correct length. This illustration shows an Alder backrest.

2 - SAUNA BENCHES

Prefabricated sauna benches made of solid Aspen and Alder. The benches have a stable design with solidly glued dowels, without visible screws. Can be cut to the correct length. This illustration shows Alder benches.

3 - SKIRTING PANELS

Prefabricated skirting panels screen off the gaps between the benches. Made of the finest Aspen and Alder. Can be cut to the correct length. This illustration shows Alder skirting panels.

1. BACKREST ASPEN

	Size in mm	Item no.
Backrest Classic Slim	899	9039 3420
Backrest Classic Slim	1154	9039 3422
Backrest Classic Slim	1410	9039 3424
Backrest Classic Slim	1665	9039 3426
Backrest Classic Slim	1921	9039 3428
Backrest Classic Slim	2177	9039 3430
Backrest Classic Slim	2432	9039 3432

2. BENCHES* ASPEN

	Size in mm	Item no.
Bench Classic Slim	446 x 1009 x 160	9023 4920
Bench Classic Slim	446 x1264 x 160	9023 4921
Bench Classic Slim	446 x 1520 x 160	9023 4922
Bench Classic Slim	446 x 1775 x 160	9023 4923
Bench Classic Slim	446 x 2031 x 160	9023 4924
Bench Classic Slim	446 x 2287 x 160	9023 4925
Bench Classic Slim	446 x 2542 x 160	9023 4926
Bench Classic Slim	598 x 1009 x 160	9023 4927
Bench Classic Slim	598 x 1264 x 160	9023 4928
Bench Classic Slim	598 x 1520 x 160	9023 4929
Bench Classic Slim	598 x 1775 x 160	9023 4930
Bench Classic Slim	598 x 2031 x 160	9023 4931
Bench Classic Slim	598 x 2287 x 160	9023 4932
Bench Classic Slim	598 x 2542 x 160	9023 4933

*The benches can be cut 7 cm or more on each side. TyLöHelo recommends the deep bench if space allows.

3. SKIRTING PANELS ASPEN

	Size in mm	Item no.
Skirting panel Classic Slim	1009	9039 4620
Skirting panel Classic Slim	1264	9039 4622
Skirting panel Classic Slim	1520	9039 4624
Skirting panel Classic Slim	1775	9039 4626
Skirting panel Classic Slim	2031	9039 4628
Skirting panel Classic Slim	2287	9039 4630
Skirting panel Classic Slim	2542	9039 4632

AVAILABLE IN THE FOLLOWING:

Model: Classic Slim.

Wood: Aspen and Alder.

Design: standard.

Assembly: components are ready for assembly and can be cut to length if needed.

Finish: joined together using solidly glued dowels, with no visible screws.

Components: bench in two different depths, 446 and 598 mm. Backrest and skirting panels.

Add: wooden decking, side panels, armrest and bench support.



INTERIOR CLASSIC SLIM (CONT.)

1. BACKREST ALDER

	Size in mm	Item no.
Backrest Classic Slim	899	9039 3460
Backrest Classic Slim	1154	9039 3462
Backrest Classic Slim	1410	9039 3464
Backrest Classic Slim	1665	9039 3466
Backrest Classic Slim	1921	9039 3468
Backrest Classic Slim	2177	9039 3470
Backrest Classic Slim	2432	9039 3472

3. SKIRTING PANELS ALDER

	Size in mm	Item no.
Skirting panel Classic Slim	1009	9039 4660
Skirting panel Classic Slim	1264	9039 4662
Skirting panel Classic Slim	1520	9039 4664
Skirting panel Classic Slim	1775	9039 4666
Skirting panel Classic Slim	2031	9039 4668
Skirting panel Classic Slim	2287	9039 4670
Skirting panel Classic Slim	2542	9039 4672

2. BENCHES* ALDER

	Size in mm DxWxH	Item no.
Bench Classic Slim	446 x 1009 x 160	9023 4960
Bench Classic Slim	446 x 1264 x 160	9023 4961
Bench Classic Slim	446 x 1520 x 160	9023 4962
Bench Classic Slim	446 x 1775 x 160	9023 4963
Bench Classic Slim	446 x 2031 x 160	9023 4964
Bench Classic Slim	446 x 2287 x 160	9023 4965
Bench Classic Slim	446 x 2542 x 160	9023 4966
Bench Classic Slim	598 x 1009 x 160	9023 4967
Bench Classic Slim	598 x 1264 x 160	9023 4968
Bench Classic Slim	598 x 1520 x 160	9023 4969
Bench Classic Slim	598 x 1775 x 160	9023 4970
Bench Classic Slim	598 x 2031 x 160	9023 4971
Bench Classic Slim	598 x 2287 x 160	9023 4972
Bench Classic Slim	598 x 2542 x 160	9023 4973

*The benches can be cut 7 cm or more on each side.
TylöHelo recommends the deep bench if space allows.

GLASS FRONTS AND CORNERS

Here we offer a number of glass fronts and corners to allow you to create your own stylish and spacious sauna.


Saunas can be constructed in a variety of sizes and configurations using the prefabricated glazed sections made of durable safety glass. The end result is always the distinctive contemporary design for which TylöHelo is known. Clear glass, aspen wood frame and aluminium floor frame. Wood strip package and floor frame for the rest of the sauna can be purchased separately.

GLASS CORNERS

- 1 - Glass corner A - 840 mm Aspen Item no. 9511 3890
 - 2 - Glass corner A - 1095 mm Aspen Item no. 9511 3894
 - 3 - Glass corner B - 840 mm Aspen Item no. 9511 3892
 - 4 - Glass corner B - 1095 mm Aspen Item no. 9511 3896
- DGL Plus Aspen door is needed (Item no. 9511 3150)

GLASS FRONTS

- 5 - Glass front C - 429 mm Aspen Item no. 9511 3880
 - 6 - Glass front C - 512 mm Aspen Item no. 9511 3882
 - 7 - Glass front C - 685 mm Aspen Item no. 9511 3884
 - 8 - Glass front C - 940 mm Aspen Item no. 9511 3886
 - 9 - Glass front C - 1196 mm Aspen Item no. 9511 3888
- DGL Plus Aspen door is needed (Item no. 9511 3150)



SAUNA DOORS



Our top-quality doors are specially manufactured to withstand the considerable temperature differences between the outside and inside of the sauna without warping or becoming deformed. Would you like a sauna door with different dimensions or made from different materials? Contact a TylöHelo dealer for a quote.

1 - SAUNA DOOR DGL

An exclusive no-threshold sauna door with door leaf of tempered 8 mm safety glass. The frame has a magnetic strip closure and the door has sturdy aluminium hinges with a decorative stainless steel housing.

BRONZE GLASS

6 x 19 590 x 1890 mm Item no. 9511 3160 Spruce
7 x 19 690 x 1890 mm Item no. 9511 3170 Spruce
7 x 19 690 x 1890 mm Item no. 9103 1700 Aspen
7 x 20 690 x 1990 mm Item no. 9103 1720 Aspen
7 x 21 690 x 2090 mm Item no. 9103 1740 Aspen
8 x 19 790 x 1890 mm Item no. 9103 1710 Aspen
8 x 20 790 x 1990 mm Item no. 9103 1730 Aspen
8 x 21 790 x 2090 mm Item no. 9103 1750 Aspen
9 x 19 890 x 1890 mm Item no. 9103 1900 Aspen
9 x 20 890 x 1990 mm Item no. 9103 1904 Aspen
9 x 21 890 x 2090 mm Item no. 9103 1908 Aspen

CLEAR GLASS

6 x 19 590 x 1890 mm Item no. 9511 3162 Spruce
7 x 19 690 x 1890 mm Item no. 9511 3175 Spruce
7 x 19 690 x 1890 mm Item no. 9103 1705 Aspen
7 x 20 690 x 1990 mm Item no. 9103 1725 Aspen
7 x 21 690 x 2090 mm Item no. 9103 1745 Aspen
8 x 19 790 x 1890 mm Item no. 9103 1715 Aspen
8 x 20 790 x 1990 mm Item no. 9103 1735 Aspen
8 x 21 790 x 2090 mm Item no. 9103 1755 Aspen
9 x 19 890 x 1890 mm Item no. 9103 1902 Aspen
9 x 20 890 x 1990 mm Item no. 9103 1906 Aspen
9 x 21 890 x 2090 mm Item no. 9103 1910 Aspen

2 - SAUNA DOOR DGB

Robust sauna doors in tempered 8 mm safety glass. The finger-jointed stand-ard frame (92 mm) is made in Pine.

BRONZE GLASS

7 x 19 690 x 1890 mm Item no. 9103 1500
7 x 20 690 x 1990 mm Item no. 9103 1520
7 x 21 690 x 2090 mm Item no. 9103 1540
8 x 19 790 x 1890 mm Item no. 9103 1510
8 x 20 790 x 1990 mm Item no. 9103 1530
8 x 21 790 x 2090 mm Item no. 9103 1550
9 x 19 890 x 1890 mm Item no. 9103 1916
9 x 20 890 x 1990 mm Item no. 9103 1920
9 x 21 890 x 2090 mm Item no. 9103 1924

CLEAR GLASS

7 x 19 690 x 1890 mm Item no. 9103 1505
7 x 20 690 x 1990 mm Item no. 9103 1525
7 x 21 690 x 2090 mm Item no. 9103 1545
8 x 19 790 x 1890 mm Item no. 9103 1515
8 x 20 790 x 1990 mm Item no. 9103 1535
8 x 21 790 x 2090 mm Item no. 9103 1555
9 x 19 890 x 1890 mm Item no. 9103 1918
9 x 20 890 x 1990 mm Item no. 9103 1922
9 x 21 890 x 2090 mm Item no. 9103 1926

3 - SAUNA DOOR ALU LINE

Aluminium glass door strips and handle on inside made of Alder. Outer frame dimensions 1870 x 778 mm.

BRONZE GLASS

Item no. 9103 2055

CLEAR GLASS

Item no. 9103 2060

4 - DGB/DGL WITH FOUR HINGES

Both DGB and DGL doors are available with four sturdy hinges, providing a very stable structure. The doors have no threshold and also allow disabled access thanks to their generous width.

DGL CLEAR GLASS

10 x 19 990 x 1890 mm Item no. 9103 1930 Aspen
10 x 20 990 x 1990 mm Item no. 9103 1934 Aspen
10 x 21 990 x 2090 mm Item no. 9103 1938 Aspen

DGL BRONZE GLASS

10 x 19 990 x 1890 mm Item no. 9103 1928 Aspen
10 x 20 990 x 1990 mm Item no. 9103 1932 Aspen
10 x 21 990 x 2090 mm Item no. 9103 1936 Aspen

DGB CLEAR GLASS

10 x 19 990 x 1890 mm Item no. 9103 1946 Pine
10 x 20 990 x 1990 mm Item no. 9103 1950 Pine
10 x 21 990 x 2090 mm Item no. 9103 1954 Pine

DGB BRONZE GLASS

10 x 19 990 x 1890 mm Item no. 9103 1944 Pine
10 x 20 990 x 1990 mm Item no. 9103 1948 Pine
10 x 21 990 x 2090 mm Item no. 9103 1952 Pine

FINAL TOUCH, DRESS YOUR SAUNA

Taika panels are available in three different forms; horizontal, brick and square and can be had in a number of wood finishes.



BLACK



WHITE



GREY



UNTREATED

Panels and cladding

TAIKA PANEL, CERTIFIED BIRCH PLYWOOD

	Size in mm	Item no.
Black	12 x 196 x 1800 (6 rm/m²)	0038606
Black	12 x 196 x 2100 (6 rm/m²)	0038605
Black	12 x 196 x 2400 (6 rm/m²)	0038603
Black	12 x 196 x 3050 (6 rm/m²)	0038608
White	12 x 196 x 1800 (6 rm/m²)	0038620
White	12 x 196 x 2100 (6 rm/m²)	0038621
White	12 x 196 x 2400 (6 rm/m²)	0038622
White	12 x 196 x 3050 (6 rm/m²)	0038623
Grey	12 x 196 x 1800 (6 rm/m²)	0038660
Grey	12 x 196 x 2100 (6 rm/m²)	0038661
Grey	12 x 196 x 2400 (6 rm/m²)	0038662
Untreated	12 x 196 x 3050 (6 rm/m²)	0038663
Untreated	12 x 196 x 1800 (6 rm/m²)	0038630
Untreated	12 x 196 x 2100 (6 rm/m²)	0038631
Untreated	12 x 196 x 2400 (6 rm/m²)	0038632
Untreated	12 x 196 x 3050 (6 rm/m²)	0038633

TAIKA BRICK, CERTIFIED BIRCH PLYWOOD Tongued and grooved on all sides

	Size in mm	Item no.
Black	12 x 196 x 616 (0,11m²/kpl)	0038604
Black	12 x 376 x 616 (0,22m²/kpl)	0038607
White	12 x 196 x 616 (0,11m²/kpl)	0038625
White	12 x 376 x 616 (0,22m²/kpl)	0038626
Grey	12 x 196 x 616 (0,11m²/kpl)	0038665
Grey	12 x 376 x 616 (0,22m²/kpl)	0038666
Untreated	12 x 196 x 616 (0,11m²/kpl)	0038635
Untreated	12 x 376 x 616 (0,22m²/kpl)	0038636


TAIKA SQUARE, CERTIFIED BIRCH PLYWOOD Tongued and grooved on all sides

	Size in mm	Item no.
Black	12 x 376 x 376 (0,13m²/kpl)	0038609
White	12 x 376 x 376 (0,13m²/kpl)	0038627
Grey	12 x 376 x 376 (0,13m²/kpl)	0038637
Untreated	12 x 376 x 376 (0,13m²/kpl)	0038667

The interior is no longer in our assortment.



PEOPLE HAVE ALWAYS
ENJOYED HEAT



PROFESSIONAL ROOMS

Spas, hotels, gym, swimming halls and other public saunas have to be of a high quality when used many long days a week. It also has to look inviting for the guests no matter if it is readymade or customised for special requests.



CUSTOM

However smart and beautifully designed, a standard solution doesn't always satisfy the inner most sauna dreams. Perhaps you have an "impossible" space in a facility that you would like to turn into a fully functional sauna? Or that the existing sauna room is looking a little tired. Regardless of your reason, TyLöHelo customised solutions will help convert your dreams into reality.

We have a vast selection of both finished designs that allow you to create your ideal space. To put the final touches on the room there is an abundant range of matching accessories to choose from. Our experience and knowledge make us a reliable partner in conceiving your new wellness sanctuary. Our sauna professionals are always ready to help you or your architect in creating a dream sauna room.

Are you longing for a vacation, but hesitant to being away from your home sauna? We've got you covered! Here is a guide to a whole bunch of fun and completely unique saunas, for you to experience on your next holiday.

THE WORLD'S LARGEST PUBLIC SAUNA

The world's largest sauna is located on a remote beach in the Arctic Circle. The giant sauna fits more than a hundred people, so if you're the social kind of sauna bather, this one's definitely for you. We've written more about this impressive sauna, that actually features sauna heaters from our very own brand Kastor.

THE HOCKEY SAUNA

You know how cold you can get during an ice hockey game? The Finns have come up with the perfect solution: a Hockey Sauna! Imagine being able to watch your favourite team score, wrapped in nothing but a towel and with a cold beer at hand. In Finland (where else), it's now possible.

THE SALT SAUNA

This unique sauna in Den Bosch, The Netherlands, has walls made up entirely of Himalayan salt. Salty saunas have a lot of health benefits and can help give relief from many respiratory ailments. The salt gives a wonderful scent and even taste to the steam, and has been used for medical purposes since ancient times.

THE ICE SAUNA

It might sound hard to believe, but this ice sauna in northern Sweden is almost as steamy and hot as any regular sauna. Ice is a powerful insulator, and this sauna is built almost from large chunks of ice. The moist heat of the ice sauna is said to be a very unique experience, and the beautiful location on a lake allows you to cool off with a dip in the water through a hole cut in the ice.



PROFESSIONAL ELECTRIC SAUNA HEATERS

Shaped by real life use

Professionally managed environments like saunas in hotels, clubs, swimming baths and sporting facilities prioritize reliability and low energy consumption. Thanks to a tried-and-tested construction, intelligently conceived functions and top quality materials, our Sense Commercial heaters are more than a match for tough use and demanding conditions. The Sense Commercial heaters are equipped with features for smart, efficient and practical use in commercial situations.

STAND-BY MODE

Senses user frequency and automatically adjusts power output accordingly.

WIFI-BASED CONTROL PANEL 'ELITE'

Control multiple sauna or steam rooms from a single point of access, such as a front desk, or mobile device.

SENSE COMMERCIAL

- 1 6.6 kW - For sauna volume 4–8 m³
8 kW - For sauna volume 6–12 m³
10.7 kW - For sauna volume 10–18 m³
16 kW - For sauna volume 15–35 m³
20 kW - For sauna volume 22–43 m³
- 2 Offers a classic dry sauna in public settings.
- 3 Add control panel Elite together with relay box Commercial / Commercial Lite.



Intelli.air



Thermosafe



Standby



SAGA ELECTRO

- 1 16 kW - for sauna volume 16-30 m³.
20 kW - for sauna volume 20-40 m³.
24 kW - for sauna volume 24-50 m³.
- 2 Offers smooth, radiant heat with a generous amount of sauna stones and the open design.
- 3 Suitable with WE 50 + Trend or Premium control panel.



LAAVA*/SKLE

- 1 9 kW - for sauna volume 8-13 m³.
10.5 kW - for sauna volume 9-15 m³.
12 kW - for sauna volume 10-18 m³.
15 kW - for sauna volume 14-24 m³.
- 2 **LAAVA** with BWT offers both hot and dry or gentle and moist sauna. **SKLE** and **LAAVA** without BWT offer a classic sauna.
- 3 Suitable with WE 40 + Trend or Premium control panel.

* Laava available also with BWT.

MAGMA*/SKLA

- 1 18 kW - for sauna volume 18-30 m³.
21 kW - for sauna volume 24-36 m³.
26 kW - for sauna volume 30-46 m³.
- 2 **MAGMA** with BWT offers both hot and dry or gentle and moist sauna. **SKLA** and **MAGMA** without BWT offer a classic sauna.
- 3 Suitable with WE 50 + Trend or Premium control panel.

* Magma available also with BWT.

TYLARIUM – FOR PROFESSIONAL USE

Combining the Steam Commercial generator, Sense Commercial sauna heater with steam distributor, and the Elite control panel makes a Soft Sauna experience possible in public and commercial spaces as well. Representing a new way of enjoying heat and humidity, Soft Sauna is a modern take on the traditional sauna.

With lower temperatures and plenty of steam, Soft Sauna will give your customers a spa experience to remember and return to. Adding aromatic essential oils to the steam will provide a scented sauna session that is even more relaxing.

Selma Spa in Sunne, Sweden

CALCULATE HOW MUCH YOU CAN SAVE WITH OUR STANDBY TOOL ON tylohelo.com

Elite control panel

Control and monitor your sauna from the office or reception using nothing but local WiFi, a mobile device and TylöHelo's app. The app was specially developed to optimize your sauna experience and is compatible with iOS, Android and desktop PCs.





Steam Commercial generator



Sense Commercial sauna heater with steam distributor



Elite control panel with Relay Box Commercial and Tylarium Elite Kit*

* Temperature/humidity sensor, 4 meter sensor cable, 3 meter Sync cable

Tylarium

Sauna volume m³	Sauna heater kW	Relay box	Steam generator kW	Control panel	Required	Optional
10-18	Sense Commercial 10	Commercial Lite	Steam Commercial 9	Elite	Tylarium Elite Kit Item no. 71016000	Steam outlet
15-35	Sense Commercial 16	Commercial	Steam Commercial 9	Elite	Tylarium Elite Kit Item no. 71016000	Steam outlet
22-43	Sense Commercial 20	Commercial	Steam Commercial 12	Elite	Tylarium Elite Kit Item no. 71016000	Steam outlet

Elite control panel

- Set temperature and humidity
- Can create multiple user profiles
- Control sauna/steam via local WiFi and app
- Set different schedules for different week days
- Set specific profiles for specific times or dates
- Instant fault notification





*STEAM BATH IS A COMPLETELY
RELAXING EXPERIENCE*



STEAM ROOMS

Enjoy the soothing and invigorating properties of a steam bath. The warm and enveloping mist, serenity and solitude is a perfect way to relax and let a stressful day dissipate. New technology and smart control units allow you to optimize the steam bath settings to suit your specific preferences. Just step in, close the door to the outside and let the rich billowing steam embrace you.



STEAM ROOM

PANACEA

The Panacea steam bath soothes both body and soul. The hot steam envelops the body, releasing tension and easing muscle aches, while a variety of light and sound settings provide relaxing additions to the mind.

Panacea is available in 6 different standard sizes and comes with a dramatic back-lit wall. Choose between various glass tints and opaque options.

**STOOL CORIAN 66**

Ergonomic and easily portable stool.
Size: 660 x 310 x 450 mm (LxDxH).
Item no. 9607 5060

STOOL CORIAN 35

Size: 350 x 320 x 420 mm (LxDxH).
Item no. 9607 5065

**CORIAN BENCH**

Hardwearing and hygienic bench for larger steam rooms.

BENCH 1545

Size: 1545 x 600 x 450 mm (LxDxH).
Item no. 9607 5050

BENCH 1945

Size: 1945 x 600 x 450 mm (LxDxH).
Item no. 9607 5052

BENCH 2345

Size: 2345 x 600 x 450 mm (LxDxH).
Item no. 9607 5054

**EXCELLENT BENCH**

A more standard alternative in aluminium.

BENCH 1545


Size: 1545 x 610 x 460 mm (LxDxH).
Item no. 9607 5044

BENCH 1945


Size: 1945 x 610 x 460 mm (LxDxH).
Item no. 9607 5046

BENCH 2345


Size: 2345 x 610 x 460 mm (LxDxH).
Item no. 9607 5048

**PANACEA 1309 TX/T**


Size: 1325 x 925 x 2090 mm
Item no. 9607 5028

**PANACEA 1709 TX/T**


Size: 1725 x 925 x 2090 mm
Item no. 9607 5030

**PANACEA 1709**


Size: 1725 x 925 x 2090 mm
Item no. 9607 5026

**PANACEA 1709 TX**


Size: 1725 x 925 x 2090 mm
Item no. 9607 5034

**PANACEA 1309 T**


Size: 1325 x 925 x 2090 mm
Item no. 9607 5020

**PANACEA 1709 T**


Size: 1725 x 925 x 2090 mm
Item no. 9607 5022

**PANACEA 1717 1B**


Size: 1725 x 1725 x 2090 mm
Item no. 9607 5070

**PANACEA 2117 2B**


Size: 2125 x 1725 x 2090 mm
Item no. 9607 5076

**PANACEA 2117 1B**

Size: 2125 x 1725 x 2090 mm
Item no. 9607 5074

**PANACEA 2521 2B**

Size: 2525 x 2125 x 2090 mm
Item no. 9607 5080

**PANACEA 2525 2B**


Size: 2525 x 2525 x 2090 mm
Item no. 9607 5084

1717, 2117 and **2525** can be delivered with a handicap-friendly door (930 mm opening).
1309, 1709 is available with steam column or steam outlet and also with floor tray as option.




STEAM ROOM
ELYSÉE

TylöHelo Elysée is the perfect complement to public bathing facilities in hotels, spas and corporate hospitality suites. Or why not a luxurious addition to your home? The organic shapes of the Elysée steam room interiors will certainly help you relax in the best possible way.



SEAMLESS STEAM BATH EXPERIENCE
Elysée is made of high-tech, vacuum-formed, special-grade white plastic for a sturdy, steamtight construction. Supplied in ready-to-assemble wall and ceiling sections with integral seating and a recessed downlight above each seat. The door is made of tinted, tempered safety glass with a sturdy white lacquered frame and aluminium handles. Transformer for lighting, air outlet vent and all assembly hardware included. Glass wall sections and service walls are available in widths 398, 588 and 778 mm.





STEAM ROOM

IMPRESSION

TylöHelo's steam showers are perfect in the modern bathroom and embody a distinct Scandinavian design. It's a revolution in home spa and spa suite, compact enough to fit into even a small bathroom. They provide flexible solutions that are easily adapted to an existing layout. The steam bath is a gentler experience. The atmospheric humidity inside reaches 100%, yet the temperature is only 40-50 °C, inviting you to relax a little longer.



MAXIMUM FREEDOM IN A SMALL SPACE

Impression is available in three different sizes. The corner model measures just 1125 x 1125 mm and comes with a bench. The middle sized model is 1325 x 925 mm and is delivered with a single bench. The largest one has twin benches and measures 1725 x 925 mm.

A FLEXIBLE SYSTEM


The walls can be reversed and assembled in a variety of ways to suit your bathroom layout. The steam generator is operated using the touch control panel on the steam shower column. The lacquered aluminium profiles conform to a registered design that ensures maximum versatility within the unique TylöHelo system, without any screws or visible fittings. The sleek lines of the design are a joy to behold – and simplicity itself to clean.

HIGH-QUALITY MATERIALS

TylöHelo's steam bath with shower in the Impression range is now available with a floor tray. The structure is made entirely of cast marble, an extremely stable material with a surface finish that ensures good water run-off.

SMART, ADAPTABLE SOLUTIONS

TylöHelo's floor tray for the Impression series has adjustable feet and an integral water trap. The tray entails an additional height of 100 mm, producing a total external height of 2200 mm for an Impression mounted on a tray. The tray is also supplied with a cup for waste water that is mounted on the steam head. The cup protects the tray and guarantees its function.



IMPRESSION I110/C


Exterior height 2090 mm. Size: 1125 x 1125 mm
Includes a ceiling shower. Accommodates one person at a time.

White profiles Item no. 9607 4930

Black profiles Item no. 9607 4932

White profiles with floor tray Item no. 9607 4931

Black profiles with floor tray Item no. 9607 4933



IMPRESSION I130


Exterior height 2090 mm. Size: 1325 x 925 mm

White profiles Item no. 9607 4950

Black profiles Item no. 9607 4952

White profiles with floor tray Item no. 9607 4951

Black profiles with floor tray Item no. 9607 4953



IMPRESSION I170

Exterior height 2090 mm. Size: 1725 x 925 mm

White profiles Item no. 9607 4960

Black profiles Item no. 9607 4962

White profiles with floor tray Item no. 9607 4961


Black profiles with floor tray Item no. 9607 4963




STEAM ROOM

IMPRESSIO TWIN


Combined sauna and steam shower offering unique relaxation options. The design and materials exude a palpable feeling of luxury. The perfect way to relax after a workout session is to combine a sauna and steam shower. Impression Twin really gives you the best of both worlds. Walls, glass sections and doors can be assembled in a variety of ways to suit your bathroom layout. All interior fittings – except for the sauna heater – can be placed where you wish.


TWIN 130/1309


White Item no. 9607 4840
Black Item no. 9607 4841


TWIN 130/1313


White Item no. 9607 4842
Black Item no. 9607 4843


TWIN 130/1713


White Item no. 9607 4844
Black Item no. 9607 4845


TWIN 130/1313/W


White Item no. 9607 4854
Black Item no. 9607 4855


TWIN 130/1713/W


White Item no. 9607 4856
Black Item no. 9607 4857


TWIN 130/1309/W


White Item no. 9607 4852
Black Item no. 9607 4853


TWIN 130 SQ /1309

White Item no. 9607 4846
Black Item no. 9607 4847


TWIN 130 SQ /1313

White Item no. 9607 4848
Black Item no. 9607 4849


TWIN 130 SQ /1713

White Item no. 9607 4850
Black Item no. 9607 4851

Exterior height 2090 mm. All rooms can be reversed.

Black glass Glass/Door
White plastic Wood

STEAM COLUMN TX

CONVERT A STANDARD SHOWER INTO A STEAM ROOM



1 - STEAM COLUMN TX202/G

TylöHelo's steam column TX202/G is a truly flexible solution developed especially to convert a standard shower space into a steam room. The actual steam column can easily be combined with suitable glass sections and a steam door to achieve a fully bespoke solution. The steam column is easily operated with the control panel from the h-series on the outside and is fitted on the inside with a steam head and hand-held shower. The steam column is also available as a pure steam column with no shower, called T202/G.

STEAM COLUMN TX 202/G

Item no. 8900 8160

STEAM COLUMN T202/G (without shower)


Item no. 8900 8170

2 - STEAM COLUMN TX202/W

The TX202/W is a wall-mounted steam column that offers both steam and shower options. The steam column makes it possible to convert a niche into a complete steam room with glass sections and steam doors. The column includes both a hand-held and a main sprinkler head, as well as a steam head. The main sprinkler head can be attached vertically, from 2180 mm to 1960 mm, as well as horizontally. The minimum installation size is 2140 mm. The column is also equipped with storage shelves.

Item no. 8900 8140

You can achieve your desired width by combining a steam column and steam door with your choice of glass sections.



1 - GLASS SECTION 778/2020

BRONZE Size 778 x 2020 mm.

Item no. 9091 4060

2 - GLASS SECTION 588/2020

BRONZE Size 588 x 2020 mm.

Item no. 9091 4050

3 - GLASS SECTION 398/2020

BRONZE Size 398 x 2020 mm.

Item no. 9091 4040

4 - STEAM COLUMN TX202/G

5 - STEAM DOOR 60 G 2020

BRONZE Size: 778 x 2020 mm

Item no. 9091 4000

STEAM DOORS

Our top-quality doors are specially manufactured to withstand the considerable temperature differences between the outside and inside of the sauna without warping or becoming deformed. If you want a steam door with different dimensions or made from different materials, request a quote.



1 - STEAM DOOR 101 G Tempered, tinted safety glass door specially adapted for wheelchair access with an extra wide opening and flat sill. Outer frame dimensions: 1870 x 1010 x 60 mm, width of opening: 900 mm.

RIGHT-HINGE DOOR WITH TINTED GLASS AND ALUMINIUM FRAME

Item no. 9091 2025

LEFT-HINGE DOOR WITH TINTED GLASS AND ALUMINIUM FRAME

Item no. 9091 2030

RIGHT-HINGE DOOR WITH TINTED GLASS AND WHITE ALUMINIUM FRAME

Item no. 9091 2027

LEFT-HINGE DOOR WITH TINTED GLASS AND WHITE ALUMINIUM FRAME

Item no. 9091 2032

2 - STEAM DOOR 60 G Tempered safety glass door. Opening 670 mm.

TINTED GLASS WITH ALUMINIUM FRAME

1870 x 778 x 60 mm

Item no. 9091 2000

TINTED GLASS WITH WHITE ALUMINIUM FRAME

1870 x 778 x 60 mm

Item no. 9091 2003

TINTED GLASS WITH ALUMINIUM FRAME

2020 x 778 x 60 mm

Item no. 9091 4000

TINTED GLASS WITH WHITE ALUMINIUM FRAME 2020 x 778 x 60 mm
Item no. 9091 4005

TINTED GLASS WITH ALUMINIUM FRAME 2100 x 778 x 60 mm
Item no. 9091 2040

CLEAR GLASS WITH ALUMINIUM FRAME 1870 x 778 x 60 mm
Item no. 9091 2001

CLEAR GLASS WITH WHITE ALUMINIUM FRAME 1870 x 778 x 60 mm
Item no. 9091 2005

CLEAR GLASS LEFT, NO DOOR THRESHOLD, ALUMINIUM FRAME 2020 x 778 x 60 mm
Item no. 9091 4070

CLEAR GLASS RIGHT, NO DOOR THRESHOLD, ALUMINIUM FRAME 2020 x 778 x 60 mm
Item no. 9091 4075

3 - STEAM DOOR 50 G Narrow door in tempered clear glass with concealed hinges.

Outer frame dimensions: 1855 x 635 x 43 mm, width of opening: 550 mm.

Item no. 9091 1010

4 - STEAM DOOR Tempered safety glass door. Available with either tinted glass or clear glass. The new steam door G60 has no threshold, a

major advantage in facilities requiring disabled access, and is fitted with four hinges to complement the designs of the other doors in the DGL and DGB ranges.

TINTED GLASS

9 x 19 right Item no. 9091 2250

9 x 20 right Item no. 9091 2254

9 x 21 right Item no. 9091 2258

10 x 19 right Item no. 9091 2262

10 x 20 right Item no. 9091 2266

10 x 21 right Item no. 9091 2270

9 x 19 left Item no. 9091 2274

9 x 20 left Item no. 9091 2278

9 x 21 left Item no. 9091 2282

10 x 19 left Item no. 9091 2286

10 x 20 left Item no. 9091 2290

10 x 21 left Item no. 9091 2294

CLEAR GLASS

9 x 19 right Item no. 9091 2252

9 x 20 right Item no. 9091 2256

9 x 21 right Item no. 9091 2260

10 x 19 right Item no. 9091 2264

10 x 20 right Item no. 9091 2268

10 x 21 left Item no. 9091 2272

9 x 19 left Item no. 9091 2276

9 x 20 left Item no. 9091 2280

9 x 21 left Item no. 9091 2284

10 x 19 left Item no. 9091 2288

10 x 20 left Item no. 9091 2292

10 x 21 left Item no. 9091 2296

MAKE YOUR STEAM EXPERIENCE COMPLETE

Your TylöHelo steam room is not a steam room without our efficient steam generators. Smart versions for both home and commercial use are available. Both are made with sensible technology for mindful use of water and electricity.

The steam delivery happens quickly and quietly through specifically developed steam nozzles. Have your steam room always ready to go at a moments notice through the convenience of stand-by mode.

For extra dimensions of luxury, convenience and comfort we can furnish a variety of add-ons to your steam generator, such as automated cleaning kit, de-scaling equipment and fragrance pumps, to name but a few.

TOTAL CONTROL WITH ELITE AND PREMIUM

Control and monitor your steam room from a distance using nothing but local WiFi, a mobile device and TylöHelo's app. The app is especially developed to optimise your steam experience and is compatible with iOS, Android and desktop PCs.



It's all about water

IT'S NOT JUST STEAM

Our new steam generators set a new industry standard with their innovative solutions based on decades of experience.

WE MAKE SURE EVERYTHING OPERATES SMOOTHLY

To ensure proper steam generation, it is important to analyse the water in your area. The quality of the water has a major bearing on both the function and service life of your steam generator.

Contact your local TylöHelo dealer to determine the water quality before ordering your steam generator system. Sometimes your local water company may be able to provide the information you need.



ACCESSORIES ON THESE PAGES

Other page:

- Tylö Commercial Steam generator
- Helo Steam Pro generator
- Helo Premium control panel
- TylöHelo Elite control panel
- TylöHelo fragrance pump
- TylöHelo Bahia steam outlet


**FOR THE FULL
PRODUCT RANGE
VISIT**
tylohelo.com

This page:
-Water softener Premier compact
-Auto-clean kit





*RELAX AND DETOX IN A
RELAXING INFRARED ROOM*



INFRARED ROOMS

Experience the deep-penetrating heat that infrared heat therapy rooms and panels can provide. The infrared waves reach deeper into your tissues, relieving aching muscles of pain and stiffness. With rapid heat-up time, your infrared room is energy efficient and ready-to-go at the blink of an eye.



INFRARED ROOMS

The gentle warmth of infrared heat therapy rooms loosens muscle knots and relieves back pain. For active people the infrared treatment releases muscle tension and helps to prevent injuries and regenerate faster from training. And best of all: infrared relaxation is also possible when time is short. Refresh in just a few minutes infrared bath, enliven and give you strength for the rest of your day. An Infrared cabin is easy to assemble and no tools are needed thanks to the easy hook-and-pin panel assembly system. You can also plug it in yourself without an electrician.



SUN S PALACE 4-person.
1513 x 1513 x 1938 (mm) (WxDxH) Item no. 0035037



WHY INFRARED BATHING?

- Body-friendly. Infrared bathing is a safe and comfortable way to detoxify, and relieve aches pains and stress.
- Time-friendly. There's no waiting for an infrared sauna to heat up, so you can easily enjoy its benefits anytime.
- Planet-friendly. Even with daily use, Infrared technology uses as little or less electricity than many other common household appliances.
- Family-friendly. Infrared saunas are safe and easy to use for kids and adults alike.

**COME OUT
FEELING
STRONGER,
HEALTHIER AND
IN BETTER
BALANCE**



SUN S SAIN 1-person.
913 x 913 x 1938 (mm) (WxDxH)
Item no. 0035031



SUN S COTTAGE 2-person.
1213 x 1013 x 1938 (mm) (WxDxH)
Item no. 0035032



SUN S PAVILLON 3-person.
1633 x 1078 x 1938 (mm) (WxDxH)
Item no. 0035033



SUN S BELLEVUE 3-person.
1813 x 1078 x 1938 (mm) (WxDxH)
Item no. 0035034



SUN S RESIDENCE 4-person.
1813 x 1438 x 1938 (mm) (WxDxH)
Item no. 0035035



SUN S CHATEAU 3-person.
1301 x 1301 x 1938 (mm) (WxDxH)
Item no. 0035036

More information at tylohelo.com

COMBINE YOUR SAUNA ROOM WITH EXTRA INFRARED PANELS

Complement your sauna experience with infrared panels. The health benefits of infrared panels will complement your traditional sauna and give you more options.



IR OR SAUNA? IR AND SAUNA!

You can choose to take a traditional sauna bath, or enjoy the beneficial warmth of infrared panels, or use both at the same time. The heat source is covered by wood backrests and fabric with the panels installed vertically. In new saunas, the heaters are installed straight into the walls but infrared heaters can be retrofitted as well.

LOWEST EMR AND EF RADIATION

Our infrared panels keep exposure to EMR and EF radiation levels at a minimum, even lower levels of EMR and EF than sanctioned by Sweden's radiation standards, which are the most stringent in the world.

FULL-BODY HEAT

The exclusive EvenHeat™ system emits waves of infrared heat from its large heating panels to evenly warm your entire body. EvenHeat™ ensures that there are no "cold spots" due to non-uniform distribution of heat. Just plug it in and you're ready to relax and detox in the comfort of your own home.



OUR IR PANEL

The black IR panels are covered in a thin fabric to provide a comfortable touch (see image 2). The different formats of the panels are all mounted vertically and match the surrounding sauna interior perfectly. We also have panels in grey or black glass with wooden frames (see image 1 with grey sauna wax).



*PLEASURABLE WARMTH
FOR EVERYONE*



ELECTRIC AND WOOD BURNING HEATERS

Our sauna heaters are made to the highest standards for durability and longevity. We at TylöHelo are avid sauna bathers and make sure that our products are made for perfect sauna experiences. The engineering that goes into our heaters provides excellent heating performance and maximum efficiency. This gives you the possibility to enjoy a relaxing and hot sauna in just 25 minutes.

ELECTRIC TYLÖ SAUNA HEATERS



Faster heat distribution and heater longevity through Tylö patented air chambers.



Unique protective coating, never too hot to touch.



Less energy consumed and faster reaction time to heat sauna or steam room.

Our sauna heaters are made to the highest standards for durability and longevity. We at TylöHelo are avid sauna bathers and make sure that our products are made for perfect sauna experiences. The engineering that goes into our heaters provides excellent heating performance and maximum efficiency.

ELEGANT DETAILS

All Tylö heaters are carefully designed to deliver the ultimate sauna experience. The angled grill ensures optimal hot air distribution. The built-in water reservoir gives you a steamier option.

FAST HEATING THAT SAVES ENERGY

Tylö heaters all heat your sauna room up to twice as fast as any other heater. The unique dynamic air chambers of Tylö provide enhanced hot air distribution and the patented divided output feature enables energy savings of up to 30%.

SAFETY - A HIGH PRIORITY

Overheating cut-offs, thermostats and temperature sensors are vital components that are selected with meticulous care to ensure maximum safety. Tylö's Thermosafe™ is an integral part of the Sense range of heaters that uses this unique protective coating guarding against accidental burns.



Suitable for domestic use.



Suitable for commercial use.



Tylö's unique system of air chambers direct the air flow up through the heater, allowing for increase and efficient heating and directs out up and out from the unit.



Thermosafe™ is an integral part of the Sense range of heaters that uses this unique protective coating guarding against accidental burns.



The heating elements are manufactured in a closely monitored process to ensure reliable performance and long life.



EFFECTIVE WATER SPRINKLING

Tylö heaters' deep, centrally-located stone compartment ensures high steam output from water used.

MADE IN SWEDEN

Tylö manufactures its sauna heaters completely in-house. The heating elements are manufactured in a closely monitored process to ensure reliable performance and long life.

The choice of materials reflect Tylö's high quality standards. Thanks to in-house production and meticulous quality control you can rest assured that a Tylö heater is a reliable purchase.

PRODUCT TESTING AND CERTIFICATIONS

All Tylö heaters are being tested throughout the entire manufacturing process. It is very important for us that our products have all the necessary certifications in the operating country for customer peace-of-mind.

CHOOSING THE RIGHT TYLÖ HEATER TO SUIT YOUR SAUNA

Reach the perfect sauna experience and the greatest energy efficiency combined by considering the physical properties of your sauna room.
Follow the three easy steps below.



FIND OUT THE SIZE AND VOLUME OF YOUR SAUNA ROOM

Use the chart on the opposite page to give you an indication of heater choices and ideal power output for your sauna.



DETERMINE WHAT TYPE OF SAUNA THERAPY YOU PREFER

Different heaters provide different sensations.
For example traditional or Soft Sauna.





CHOOSE THE WAY YOU LIKE TO CONTROL YOUR SAUNA

Use an in-room control panel, remote, digital or analogue.

VISIT
tylohelo.com
FOR MORE
INFORMATION

The sauna room efficiency chart

These guides help you choose the appropriate heater for maximum efficiency and usability.



PROFESSIONAL

Size of sauna room for professional use with corresponding heater output effect in kilowatts (kW)*

Heater model	4–8 m³	6–12 m³	10–18 m³	15–35 m³	22–43 m³
Sense Commercial 6	6.6				
Sense Commercial 8		8.0			
Sense Commercial 10			10.7		
Sense Commercial 16				16.0	
Sense Commercial 20					20.0

* Note: if your sauna room's walls have tiles, stones or glass add 1 m³ to your sauna room's volume for every m² of 'heavy material'.

ELECTRIC TYLÖ SAUNA HEATERS

Tylö electric sauna heaters are one of the keys to enjoying your home spa – exquisitely enveloped in gentle steam and aromatic fragrances or relaxing in traditional dry sauna heat.

SOFT SAUNA THE MULTIDISCIPLINED SAUNA

The Soft Sauna experience has been developed with families and togetherness in mind. Soft Sauna versatility means outstanding possibilities for individually tuned sauna experiences.

SET YOUR TEMPERATURE, YOUR MOISTURE, YOUR EXPERIENCE


Soft Sauna picks up where traditional saunas leave off. You may prefer a hot, dry and quick sauna, your family might like to linger in mild temperatures, enjoying gentle

steam and aromatic fragrances. Soft Sauna gives you the resources of a professional spa from one sauna heater solution.

SOFT SAUNA WITH SENSE COMBI HEATER – THE SOFT SAUNA HEATER

Sense Combi is one of our most versatile heaters and one that perfects the sauna experience for the whole family without losing the possibility for an individually tuned Soft Sauna experience.

DIFFERENT BATHING FORMS



Intelli.air



Thermosafe



Standby

- HOME SPA CAPABILITIES
- LOW ENERGY CONSUMPTION:
- MODERN STYLING
- INNOVATIVE FEATURES
- WIDE RANGE IN POWER OUTPUT

Sense Combi with
Soft Sauna module
for added steam
generation and
sauna versatility.

SOFT SAUNA. LOWER TEMP, HIGHER HUMIDITY

Stay longer in the sauna. Lower the temperature and immerse yourself in warm steam. Keep the room temperature at a mild 45–65 °C and increase humidity to 30–65% to create that perfect soft sauna climate. This sauna therapy is perfect for families and friends.

SENSE COMBI ELITE

Gives a quicker heat up time and lets you set the exact percentage of humidity for full control. Local Wifi connectivity for maximum advantage and comfort is included.

SENSE COMBI PURE

Comes with the standard digital touch control panel for ease of use and convenience. Let's you set temperature and time.



SENSE COMBI ELITE/PURE

- 1 6.6 kW - for sauna volume 4–8 m³
8 kW - for sauna volume 6–12 m³
10.5 kW - sauna volume 10–18 m³
- 2 Offers both dry, wet and steam sauna (Soft Sauna).
- 3 Choose either control panel Elite or Pure for your Combi heater. The control panel is included in the price.



SENSE SPORT COMBI 4

A sized optimized combi heater with integrated easy to use control panel.



SENSE SPORT COMBI 4

- 1 4.5 kW - for sauna volume 2–4 m³
- 2 Offers both dry, wet and steam sauna (Soft Sauna).
- 3 Has a built-in control panel.



Suitable for domestic use.



Suitable for commercial use.



SENSE SPORT 2/4

- 1 2.2 kW - for sauna volume 2–2,5 m³
4.5 kW - for sauna volume 2–4 m³
- 2 Offers a classic dry sauna.
- 3 Has a built-in control panel.



SENSE SPORT

- 1 6.6 kW - for sauna volume 4–8 m³
8 kW - for sauna volume 6–12 m³
- 2 Offers a classic dry sauna.
- 3 Control panel with thermostat and mechanical timer integrated into the base of the heater.



SENSE ELITE/PURE

- 1 6.6 kW - for sauna volume 4–8 m³
8 kW - for sauna volume 6–12 m³
10.5 kW - for sauna volume 10–18 m³
- 2 Offers a classic dry sauna.
- 3 Choose either control panel Elite or Pure to your Sense heater. The control panel is included in the price.



SENSE COMMERCIAL

- 1 6.6 kW - For sauna volume 4–8 m³
8 kW - For sauna volume 6–12 m³
10.7 kW - For sauna volume 10–18 m³
16 kW - For sauna volume 15–35 m³
20 kW - For sauna volume 22–43 m³
- 2 Offers a classic dry sauna in public settings.
- 3 Add control panel Elite together with relay box Commercial / Commercial Lite.



reddot design award



The design and inherent qualities of the Expression sauna heater have no compromises. Its design has won much acclaim and has received the international Red Dot Design Award. However, it is not just the outside of this product that attracts attention.

AVAILABLE IN COLOURS

- Black
- Champagne
- Copper
- Black Thermosafe

EXPRESSION

- 1 10 kW - For sauna volume 10–18 m³.
- 2 Offers a classic dry sauna.
- 3 Add control panel Elite or Pure with Relay Box Commercial Lite.



EXPRESSION COMBI

- 1 10 kW - For sauna volume 10–18 m³.
- 2 Offers both dry, wet and steam sauna (Soft Sauna).
- 3 H2 control panel and relay box RB45 are included in the price.



BUYING GUIDES - TYLÖ

Home electric sauna heaters

Model	Item no.	Output kW	Sauna volume m³	Min. distance to side wall (mm)	Min. ceiling height (mm)		Suitable control panel	Weight heater + rocks (kg)	Hight	Width	Depth	Installation
Sense Sport 2/4	62202020	2.2–4,5	2–4	20	1900		Built-in	9,3+7	480	348	214	Wall mounted
Sense Sport Combi 4	62202060	4,5	2–4	20	1900		Built-in	13,4+7	490	348	274	Wall mounted
Sense Sport 6	61001018	6.6	4–8	110	1900		Built-in	17+20	559	431	375	Wall mounted or floor standning*
Sense Sport 8	61001012	8	6–12	110	1900		Built-in	17+20	559	431	375	Wall mounted or floor standning*
Sense Pure 6	61001031	6.6	4–8	110	1900		Pure included	17+20	559	431	375	Wall mounted or floor standning*
Sense Pure 8	61001033	8	6–12	110	1900		Pure included	17+20	559	431	375	Wall mounted or floor standning*
Sense Pure 10	61001110	10.5	10–18	110	1900		Pure included	17+20	559	431	375	Wall mounted or floor standning*
Sense Elite 6	61001034	6.6	4–8	110	1900		Elite included	17+20	559	431	375	Wall mounted or floor standning*
Sense Elite 8	61001035	8	6–12	110	1900		Elite included	17+20	559	431	375	Wall mounted or floor standning*
Sense Elite 10	61001112	10.5	10–18	110	1900		Elite included	17+20	559	431	375	Wall mounted or floor standning*
Sense Combi Pure 6	61001080	6.6	4–8	110	1900		Pure included	23+20	559	431	375	Wall mounted or floor standning*
Sense Combi Pure 8	61001082	8	6–12	110	1900		Pure included	23+20	559	431	375	Wall mounted or floor standning*
Sense Combi Pure 10	61001086	10.5	10–18	110	1900		Pure included	23+20	559	431	375	Wall mounted or floor standning
Sense Combi Elite 6	61001036	6.6	4–8	110	1900		Elite included	23+20	559	431	375	Wall mounted or floor standning*
Sense Combi Elite 8	61001038	8	6–12	110	1900		Elite included	23+20	559	431	375	Wall mounted or floor standning*
Sense Combi Elite 10	61001084	10.5	10–18	110	1900		Elite included	23+20	559	431	375	Wall mounted or floor standning*
Expression 10 Black	61001000	10	10–18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	200	Floor standning*
Expression 10 Champagne	61001003	10	10–18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	200	Floor standning*
Expression 10 Copper	61001006	10	10–18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	200	Floor standning*
Expression 10 Black Thermosafe	61001120	10	10–18	200	1900		Pure or Elite with relay box Commercial Lite	29+12	730	500	200	Floor standning*
Expression Combi 10 Black	62001010	10	10–18	200	1900		H2 and relay box 45 included	30+12	730	500	200	Floor standning*
Expression Combi 10 Champagne	62001013	10	10–18	200	1900		H2 and relay box 45 included	30+12	730	500	200	Floor standning*
Expression Combi 10 Copper	62001016	10	10–18	200	1900		H2 and relay box 45 included	30+12	730	500	200	Floor standning*
Expression Combi Black Thermosafe	62001018	10	10–18	200	1900		H2 and relay box 45 included	30+12	730	500	200	Floor standning*

Professional electric sauna heaters

Sense Commercial 6	61001025	6.6	4–8	110	1900		Pure or Elite with relay box Commercial Lite	16+20	559	431	375	Wall mounted or floor standning*
Sense Commercial 8	61001027	8	6–12	110	1900		Pure or Elite with relay box Commercial Lite	16.5+20	559	431	375	Wall mounted or floor standning*
Sense Commercial 10	61001090	10.7	10–18	150	1900		Pure or Elite with relay box Commercial Lite	32+25	650	650	400	Wall mounted
Sense Commercial 16	61001092	16	15–35	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	400	Wall mounted
Sense Commercial 16 3x230V	61001100	16	15–35	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	400	Wall mounted
Sense Commercial 20	61001094	20	22–43	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	400	Wall mounted
Sense Commercial 20 3x230V	61001102	20	22–43	150	2100		Pure or Elite with relay box Commercial	32+25	650	650	400	Wall mounted

*Feet for floor standing are bought separated.

Buying guide - Heater accessories

Read more on page 83.



STEAM GENERATORS

High performance steam generation is key for superior steam bath therapy. Our steam generators are made for comfort and convenience all the way. Regardless of application, we ensure smooth steam delivery and a minimum of maintenance.



Speed heat

Greater energy efficiency through faster warm-up times.



Standby

Less energy consumed and faster reaction time to heat sauna or steam room.



Wi-Fi

Wifi connectivity for comfort, control and convenience.

QUALITY

For over 30 years we have been manufacturing steam generators at our factory in Sweden and have taken great pride in producing top quality products. Smart technical solutions form the basis for sustainable products and are a key contributing factor to our industry leading position.

COMMUNICATION

Our control panels allow you to control and monitor up to three steam generators from the same location. You can also set it up on your computer or mobile device.

INTELLIGENCE

Two-way communication between the control panel and the steam generator provide a handy real-time overview of all functions.

SUSTAINABILITY

Quality control, smart technology and a strong focus on water and energy consumption, we have designed Tylö's steam generators for minimal impact on our environment. The stand-by mode option and our "divided output" function can reduce energy consumption by up to 30%.

LESS MAINTENANCE

A Tylö steam generator will run for many years with no interruption and a minimum of maintenance. They come with an automatic emptying function set according to the water quality in your area.

HIGH LEVEL OF COMFORT

Whether our steam generators are installed in a home or public setting, they are designed to offer top-quality enjoyment comfort and safety without interruption. The convenient Multi-Steam function ensures uninterrupted operation in heavily-utilised facilities.



It's all about water

IT'S NOT JUST STEAM

Our new steam generators set a new industry standard with their innovative solutions based on decades of experience.

WE MAKE SURE EVERYTHING OPERATES SMOOTHLY

To ensure proper steam generation, it is important to analyse the water in your area. The quality of the water has a major bearing on both the function and service life of your steam generator.

Contact your local TylöHelo dealer to determine the water quality before ordering your steam generator system. Sometimes your local water company may be able to provide the information you need.

SMARTER STEAM GENERATION

Leave the challenges of everyday life behind and enjoy the perfect end to your day in a relaxing steam bath. TylöHelo has a strong tradition of providing steam generators for public and private use. Our latest series is fitted with a state-of-the-art control unit to ensure precise operation. Control the steam, lights, timer and other features at the simple touch of a button. Add fragrances and relax. Indulge yourself and all your senses.



- STEAM COMMERCIAL & HOME**
- AUTOMATIC EMPTY
 - AUTOMATIC FLUSH
 - ENERGY SAVING FEATURE
 - REPLACEABLE HEATING ELEMENTS
 - LIMESCALE REPELLENT ELECTRODES
 - LEVEL DETECTION OUTSIDE THE WATER TANK
 - AUTOMATIC SHUT-OFF IF WATER LEVEL LOW
 - ELECTRONIC TEMPERATURE LIMITER
 - STAND-BY
 - FRAGRANCE PUMP CONTROL (STEAM COMMERCIAL)
 - FAN CONTROL



TOTAL CONTROL WITH ELITE
Control and monitor your steam room from a distance using nothing but local WiFi, a mobile device and TylöHelo's app. The app is especially developed to optimise your steam experience and is compatible with iOS, Android and desktop PCs.



STEAM COMMERCIAL

Our Steam Commercial steam generator is equipped with a large water tank and is designed to easily connect to our Multi-Steam function – an effective way to avoid stoppages in frequently used systems.



STEAM HOME

Our latest compact and effective steam generator for home environments. It offers new and improved features such as stand-by, an aromatherapy option and improved protection against stoppages.



FINAL TOUCHES TO YOUR STEAM

MORE STEAM, FASTER STEAM, BETTER STEAM
Improve your steam bath experience by adding a little extra TylöHelo something to it. Our long standing experience as true steam experts and enthusiasts, we provide a whole host of options for added comfort, convenience and practicality.

PROFESSIONAL STEAM AT HOME
A steam bath is a soothing and relaxing experience. Don't let anything get between your steam and yourself. Automate as much as possible to minimize cleaning, scheduling, maintenance and care. Just sit back, relax and get on with your day.

ACCESSORIES ON THIS PAGE

- Water softener Premier Compact
- Steam distributor Commercial for Tylarium
- TylöHelo Bahia steam outlet
- TylöHelo Fragrance pump
- Fragrance collection
- Light unit

**FOR THE FULL
PRODUCT RANGE
VISIT**
tylohelo.com

Soft Sauna & steam generators

Soft Sauna

Sauna volume m³	Sauna heater kW	Relay box	Steam generator kW	Control panel	Required	Optional
10–18	Steam Commercial 10	Commercial Lite	Steam Commercial 9	Elite	Soft Sauna Elite Kit Item no. 71016000	Steam outlet
15–35	Steam Commercial 16	Commercial	Steam Commercial 9	Elite	Soft Sauna Elite Kit Item no. 71016000	Steam outlet
22–43	Steam Commercial 20	Commercial	Steam Commercial 12	Elite	Soft Sauna Elite Kit Item no. 71016000	Steam outlet












Steam generators

Model	Item no.	Output (kW)	Steam room's min./max. volume (m³)				Steam production (kg/h)	Size in mm (LxWxH)	Suitable control panel
			Light wall made of glass, plastic, Elysée Excellent room, etc.		Heavy wall made of tiles, concrete, stone, etc.				
			With ventilation	Without ventilation	With ventilation	Without ventilation			
Steam Home	66210120	3 6 9	– 3–8 6–16	max. 3 4–15 13–24	– 2–5 4–10	max. 2 2.5–8 7–16	3.5 8 12	480 x 350 x 159	Elite or Pure
Steam Commercial	66210010 66210015 66210020	9 12 15	6–16 14–22 18–25	13–24 22–30 28–38	4–10 8–15 10–19	7–16 14–20 18–25	12 16 20	585 x 415 x 230	Elite or Pure
2 x 9 2 x 12 2 x 15	Steam Commercial	18 24 30	20–30 28–40 36–50	28–40 38–50 56–76	13–20 18–30 32–42	18–30 28–40 42–57	24 32 40		Elite or Pure
3 x 9 3 x 12 3 x 15	Steam Commercial	27 36 45	38–45 43–60 54–75	46–60 58–70 84–114	28–40 38–50 47–63	38–52 48–60 60–75	36 48 60		Elite or Pure
VA 6	66202020	6	3–8	4–15	2–5	2.5–8	8	570 x 224 x 485	CC50 or H1
VA 9-K	66203021	9	6–16	13–24	4–10	7–16	12	570 x 224 x 485	
VA 12	66204020	12	14–22	22–30	8–15	14–20	16	570 x 224 x 485	
VA 18	66205020	18	20–30	28–40	13–20	18–30	24	615 x 445 x 485	
VA 24	66206020	24	28–40	38–50	18–30	28–40	32	615 x 445 x 485	
VA 3x9**		27	38–45	46–60	28–40	38–52	36	570 x 224 x 485	
VA 3x12**		36	43–60	58–70	38–50	48–60	48	570 x 224 x 485	
VB 2/4/6*	66201830	2.2 4.5 6.6	– max. 4 3–8	max. 2.5 max. 5.5 4–15	– max. 2.5 2–5	max. 1.5 max. 3.3 2.5–8	3 5.5 8	445 x 130 x 415	CC50 or H1

* 2.2/4.5/6.6 kW convertible for single, two or three phase connection. ** Only one control panel is required for connection.

Heater accessories

Heater accessories

	Model	Item no.	Features
	External switch	90908047	On/off switch to control the sauna from locations other than where the control panel is installed.
	Door contact	90908035	Prevents unintentional start-up of the sauna by remote control if the sauna door is open.
	Elite recessed frame	90001056	Specially designed to work with Elite control panel. The control panel and mounting frame are fully integrated into the wall, regardless of whether they are located outside or inside the sauna room.
	Steam distributor Commercial	90029263	Steam outlet for Tylarium. The Tylö Steam distributor Commercial improves the distribution of steam in your sauna room. Specially designed for Sense Commercial heaters 10–20 kW.
	Steam outlet Bahia Home	90029254	High-efficient and low-noise steam outlet for smaller steam rooms. Made of high-gloss plastic and tempered safety glass panels with a protective coating. Size: 280 x 180 mm (BxH).
	Steam outlet Bahia Pro	90029252	Made of tempered safety glass with an exclusive Corian front panel, highly suitable for large steam rooms. Extremely quiet in operation. Size: 500 x 300 mm (WxH).
	Legs for Sense 6/8/10	90001060	Legs for all Sense sauna heaters 6.6–10.5 kW. Color black.
	Legs for Sense Combi 6/8/10	90001061	Legs for all Sense Combi sauna heaters 6.6–10.5 kW. Color black.
	Sauna stones, Mini Compact, 7 kg	90141005	Natural stones of black diabase that tolerate rapid heating and cooling. Suitable for our Sense Sport heaters.
	Sauna stones, 14 kg	90141000	Natural stones of black diabase that withstand rapid heating and cooling. One carton (approx. 14 kg) is sufficient for our Expression heaters. Sense Commercial 10–20 heaters requires two cartons.
	Sauna stones, 20 kg	90141050	Natural stones of black diabase that withstand rapid heating and cooling. One carton (20 kg) is sufficient for Sense heaters 6.6–10.5 kW and Sense Combi heaters 6.6–10.5 kW.

ELECTRIC HELO SAUNA HEATERS



Finnish sauna traditions, ingenuity and design

Helo sauna heaters are steeped in tradition. The Finnish sauna is a vital part of every day, a chance for families and friends to gather and unwind. A Helo sauna heater elevates the daily sauna experience by adding beautiful design and ingenuity to the heater's functionality. Helo has spearheaded the multi-layered sauna experience through its smart BWT technology, which allows for a multitude of sensations from one single sauna heater. Select hot, dry, warm, humid, or any combination that you prefer. Add to that the possibility to infuse the space with soothing aromas or minerals. All you really need to do is use the BWT container. Add or subtract water. Lean back. Relax.

BWT READY

HELO SAUNA HEATERS FOR HOME AND COMMERCIAL USE

To make it easier for you to determine what sauna heater might be the right one for you, we have marked them with two different icons to quickly allow you to see what type of application it is best suited for.



Suitable for domestic use.



Suitable for commercial use.

HELO IS SYNONYMOUS TO SAUNA VARIETY

We take your sauna pleasure seriously. Therefore we have developed BWT technology, a revolutionary solution to suit different sauna tastes and preferences. One single sauna heater provides several varieties of soothing sauna styles. Indulge in a multi-layered sauna experience, alone or with friends and family.

Gentle Sauna: 50–60°C temperature

Add water to BWT container, set to 50–60°C

- Gentle sauna
- Enveloping steam
- Longer sessions
- Can be used as bio-aroma or salt sauna.

Flexi-Sauna: 60–80°C temperature

Fill BWT water container and set to 60–80°C

- More humidity
- Lower temperature
- A gentle sauna experience
- Can be used as bio-aroma or salt sauna.

Hot & Dry Sauna: 80–100°C temperature

Use BWT without water and set to 80–100°C

- High temperature
- Low humidity
- Intense sauna sensation.

HELO SAUNA SENSIBILITY

ECONOMY – Less wear and longer life protects your investment. The generally lower levels of heat used in a BWT-ready sauna from Helo means less stress on the sauna room and hardware. Your sauna room will last longer and the simple engineering of BWT keeps technical maintenance to a minimum.

ECOLOGY – Faster warm-up time, same sauna sensation, but with a much lower energy consumption and less CO₂ emissions. With a BWT-ready sauna solution which utilizes the physical properties of steam, you get the full sensation of heat in less time.



CHOOSING THE RIGHT HELO HEATER TO SUIT YOUR SAUNA

Reach the perfect sauna experience and the greatest energy efficiency combined by considering the physical properties of your sauna room. Follow the three easy steps below.



FIND OUT THE SIZE AND VOLUME OF YOUR SAUNA ROOM

Use the chart on the opposite page to give you an indication of heater choices and ideal power output for your sauna.



DETERMINE WHAT TYPE OF SAUNA THERAPY YOU PREFER

Different heaters provide different sensations.



CHOOSE THE WAY YOU LIKE TO CONTROL YOUR SAUNA

Use an in-room control panel, remote, digital or analogue.

VISIT
tylohelo.com
FOR MORE
INFORMATION

The sauna room efficiency chart

These guides help you choose the appropriate heater for maximum efficiency and usability.

HOME

Size of sauna room 2 - 18 m³, with corresponding heater output effect in kilowatts (kW)*

Model	2 m³	3 m³	4 m³	5 m³	6 m³	7 m³	8 m³	9 m³	10 m³	11 m³	12 m³	13 m³	14 m³	15 m³	16 m³	17 m³	18 m³
Piccolo	3.0	3.0	3.0														
Cup		4.5	4.5	4.5 6.0	4.5 6.0	6.0	6.0 8.0	6.0 8.0 9.0	8.0 9.0	8.0 9.0	8.0 9.0	8.0 9.0	9.0				
Vienna		4.5	4.5	4.5 6.0	4.5 6.0	6.0	6.0 8.0	6.0 8.0	8.0	8.0	8.0						
Havanna		4.5	4.5	4.5 6.0	4.5 6.0	6.0	6.0 8.0	6.0 8.0 9.0	8.0 9.0	8.0 9.0	8.0 9.0	9.0					
Fonda				6.0	6.0	6.0	6.0 8.0	6.0 8.0	8.0	8.0	8.0						
Ring Wall II			4.5	4.5 6.0	4.5 6.0	6.0	6.0 8.0	6.0 8.0	8.0	8.0	8.0	8.0					
Roxx				6.0	6.0	6.0	6.0	6.0 9.0	6.0 9.0	9.0	9.0	9.0					
Ringo Black				6.0	6.0	6.0	6.0 8.0	6.0 8.0	8.0	8.0	8.0	8.0					
Rocher				6.8	6.8	6.8	6.8	6.8 10.5	10.5	10.5	10.5	10.5	10.5	10.5			
Himalaya				6.8	6.8	6.8	6.8	6.8 10.5	10.5	10.5	10.5	10.5	10.5	10.5			
Rondo				4.5	4.5	4.5 6.5	4.5 6.5	6.5	6.5 9.6	6.5 9.6	6.5 9.6	6.5 9.6	9.6	9.6	9.6	9.6	9.6
Pikkutonttu		4.5	4.5	4.5 6.5	4.5 6.5	6.5	6.5	6.5 9.0	6.5 9.0	9.0	9.0	9.0	9.0				
Saunatonttu			3.5	3.5 4.8	3.5 4.8	3.5 4.8 6.4	3.5 4.8 6.4	4.8 6.4 8.0	4.8 6.4 8.0	4.8 6.4 8.0	6.4 8.0	6.4 8.0	6.4 8.0	8.0	8.0	8.0	
Octa							9.0	9.0 10.5	9.0 10.5 12.0	9.0 10.5 12.0	9.0 10.5 12.0	9.0 10.5 12.0	10.5 12.0 15.0	10.5 12.0 15.0	12.0 15.0	12.0 15.0	12.0 15.0
Saga Electro															16.0	16.0	16.0

* Note: if your sauna room's walls have tiles and/or stones or glass surface add 1.5 m³ to your sauna room's volume for every square meter of these materials.

PROFESSIONAL

Size of sauna room 8-50 m³, with corresponding heater output effect in kilowatts (kW)*

Model: Laava/SKLE, Octa, Magma/SKLA, Saga Electro.

* Note: if your sauna room's walls have tiles and/or stones or glass surface add 1.5 m³ to your sauna room's volume for every square meter of these materials.

ELECTRIC HELO SAUNA HEATERS



Suitable for domestic use.



Suitable for commercial use.

AVAILABLE
IN COLOURS

- Black
- Grey
- Blue

OUR
SMALLEST
HEATER.

CUP

- 1 4.5 kW - for sauna volume 3-6 m³.
6 kW - for sauna volume 5-9 m³.
8 kW - for sauna volume 8-13 m³.
9 kW - for sauna volume 9-14 m³.
- 2 Offers a classic dry sauna.
- 3 Built-in or separate control unit.



VIENNA

- 1 4.5 kW - for sauna volume 3-6 m³.
6 kW - for sauna volume 5-9 m³.
8 kW - for sauna volume 8-12 m³.
- 2 Offers a classic dry sauna.
- 3 Built-in or separate control unit.



PICCOLO

- 1 3 kW - for sauna volume 2-4 m³.
- 2 Offers both hot and dry or gentle and moist sauna via the BWT container.
- 3 Control unit Trend included.



BWT READY



ROXX

- 1 6 kW - for sauna volume 5-10 m³.
9 kW - for sauna volume 9-13 m³.
- 2 Offers both hot and dry or gentle and moist sauna via the BWT container.
- 3 Choose either control unit Trend or Premium.
- 4 Control unit included.



BWT READY



RING WALL II

- 1 4.5 kW - for sauna volume 4-6 m³.
6 kW - for sauna volume 5-9 m³.
8 kW - for sauna volume 8-13 m³.
- 2 Offers soft pleasant sauna experience.
- 3 Built-in control unit.



FONDA

- 1 6 kW - for sauna volume 5-9 m³.
8 kW - for sauna volume 8-12 m³.
- 2 Offers both hot and dry or gentle and moist sauna via the BWT container.
- 3 Either with built-in control unit or external Trend control unit.
- 4 Control unit included.



BWT READY

ELECTRIC HELO SAUNA HEATERS (CONT.)

**HAVANNA**

- 1 4.5 kW - for sauna volume 3-6 m³.
6 kW - for sauna volume 5-9 m³.
8 kW - for sauna volume 8-12 m³.
9 kW - for sauna volume 9-13 m³.
- 2 Offers both hot and dry or gentle and moist sauna via the BWT container.
- 3 Built-in or separate control unit.

**SAGA ELECTRO**

- 1 16 kW - for sauna volume 16-30 m³.
20 kW - for sauna volume 20-40 m³.
24 kW - for sauna volume 24-50 m³.
- 2 Offers smooth, radiant heat with a generous amount of sauna stones and the open design.
- 3 Suitable with WE 50 + Trend or Premium control panel.

**OCTA**

- 1 9 kW - for sauna volume 8-13 m³.
10.5 kW - for sauna volume 9-15 m³.
12 kW - for sauna volume 10-18 m³.
15 kW - for sauna volume 14-24 m³.
- 2 Classic sauna.
- 3 Suitable with WE 40 + Trend or Premium control panel.

**RINGO BLACK**

- 1 6 kW - for sauna volume 5-9 m³.
8 kW - for sauna volume 8-13 m³.
- 2 Offers both hot and dry or gentle and moist sauna via the BWT container.
- 3 Built-in control unit.

**ROCHER**

- 1 6.8 kW - for sauna volume 5-9 m³.
10.5 kW - for sauna volume 9-15 m³.
- 2 Offers soft, drop-like steam and enjoyable sauna atmosphere with generous amount of stones.
- 3 Control unit Trend/Premium included.

**HIMALAYA**

- 1 6.8 kW - for sauna volume 5-9 m³.
10.5 kW - for sauna volume 9-15 m³.
- 2 Offers both hot and dry or gentle and moist sauna via the BWT container and generous amount of stones.
- 3 Control unit Trend/Premium is included.

**LAAVA*/SKLE**

- 1 9 kW - for sauna volume 8-13 m³.
10.5 kW - for sauna volume 9-15 m³.
12 kW - for sauna volume 10-18 m³.
15 kW - for sauna volume 14-24 m³.
- 2 **LAAVA** with BWT offers both hot and dry or gentle and moist sauna. **SKLE** and **LAAVA** without BWT offer a classic sauna.
- 3 Suitable with WE 40 + Trend or Premium control panel.



* Laava available also with BWT.

**MAGMA*/SKLA**

- 1 18 kW - for sauna volume 18-30 m³.
21 kW - for sauna volume 24-36 m³.
26 kW - for sauna volume 30-46 m³.
- 2 **MAGMA** with BWT offers both hot and dry or gentle and moist sauna. **SKLA** and **MAGMA** without BWT offer a classic sauna.
- 3 Suitable with WE 50 + Trend or Premium control panel.



* Magma available also with BWT.

**PIKKUTONTTU**

- 1 4.5 kW - for sauna volume 3-6 m³.
6.5 kW - for sauna volume 5-10 m³.
9 kW - for sauna volume 9-14 m³.
- 2 Offers soft, rich and moist steam with insulated body.
- 3 Control unit Trend included.

**RONDO**

- 1 4.5 kW - for sauna volume 5-8 m³.
6.5 kW - for sauna volume 7-13 m³.
9.6 kW - for sauna volume 10-18 m³.
- 2 Offers a gentle humid and steamy sauna experience without pre-heating thanks to its super-insulated body.
- 3 Control unit RA 19 included.

**SAUNATONTTU**

- 1 3.4 kW - for sauna volume 4-8 m³.
4.8 kW - for sauna volume 5-11 m³.
6.4 kW - for sauna volume 7-14 m³.
8.0 kW - for sauna volume 9-17 m³.
- 2 Offers a gentle humid and steamy sauna experience without pre-heating thanks to its super-insulated body.
- 3 Control unit included.



BUYING GUIDES - HELO

Electric sauna heaters							Safety distance				Available colours	Suitable control panel	Installation
Product	Item no.	Output (kW)	Sauna volume (m³)	Weight heater + rocks (kg)	Size (WxHxD)		Side (mm)	Front (mm)	Ceiling (mm)	Floor (mm)			
Cup 45 STJ	004706	4.5	3–6	10,5 + 15	410x580x280		50	80	1200	120	graphite	Built-in, mech. Timer & Thermo	Wall mounted
Cup 60 STJ	004707	6.0	5–9	11,5 + 23	410x580x280		70	100	1250	120	graphite	Built-in, mech. Timer & Thermo	Wall mounted
Cup 60 STJ	003822	7.0	6–9	11,5 + 24	411x580x280		70	100	1250	120	chrome	Built-in, mech. Timer & Thermo	Wall mounted
Cup 80 STJ	004708	8.0	8–13	12 + 23	410x580x300		100	150	1250	120	graphite	Built-in, mech. Timer & Thermo	Wall mounted
Cup 90 STJ	004709	9.0	9–14	12,5 + 23	410x580x300		100	200	1250	120	graphite	Built-in, mech. Timer & Thermo	Wall mounted
Cup 90 STJ	003824	9.0	9–14	12,5 + 23	410x580x300		100	200	1250	120	chrome	Built-in, mech. Timer & Thermo	Wall mounted
Cup 45 D	004701	4.5	3–6	10,2 + 15	410x580x280		50	80	1200	120	graphite	WE-40 + Trend / Premium	Wall mounted
Cup 60 D	004702	6.0	5–9	10,7 + 23	410x580x280		70	100	1250	120	graphite	WE-40 + Trend / Premium	Wall mounted
Cup 80 D	004703	8.0	8–13	11,5 + 23	410x580x300		100	150	1250	120	graphite	WE-40 + Trend / Premium	Wall mounted
Cup 90 D	004704	9.0	9–14	11,7 + 23	410x580x300		100	200	1250	120	graphite	WE-40 + Trend / Premium	Wall mounted
Fonda 60 STJ BWT	005894	6.0	5–9	15 + 20	450x650x340		50	50	1150	100	graphite	Built-in, mech. Timer & Thermo	Wall mounted
Fonda 80 STJ BWT	005895	8.0	8–12	16 + 20	450x650x340		50	50	1150	100	graphite	Built-in, mech. Timer & Thermo	Wall mounted
Fonda 60 TREND BWT	001862	6.0	5–9	15 + 20	450x650x340		50	50	1150	100	graphite	Trend included	Wall mounted
Fonda 80 TREND BWT	001863	8.0	8–12	15,5 + 20	450x650x340		50	50	1150	100	graphite	Trend included	Wall mounted
Vienna 45 STS	000500	4.5	3–6	11,5 + 12	410x615x280		40	60	1200	110	blue	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 60 STS	000501	6.0	5–9	12 + 20	410x615x280		60	80	1200	110	blue	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 80 STS	000502	8.0	8–12	12,5 + 20	410x615x280		80	100	1200	110	blue	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 45 STS	000505	4.5	3–6	11,5 + 12	410x615x280		40	60	1200	110	grey	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 60 STS	000506	6.0	5–9	12 + 20	410x615x280		60	80	1200	110	grey	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 80 STS	000507	8.0	8–12	12,5 + 20	410x615x280		80	100	1200	110	grey	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 45 STS	000508	4.5	3–6	11,5 + 12	410x615x280		40	60	1200	110	black	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 60 STS	000509	6.0	5–9	12 + 20	410x615x280		60	80	1200	110	black	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 80 STS	000510	8.0	8–12	12,5 + 20	410x615x280		80	100	1200	110	black	Built-in, mech. Timer & Thermo	Wall mounted
Vienna 45 D	000512	4.5	3–6	11 + 12	410x615x280		40	60	1200	110	blue	WE-40 + Trend / Premium	Wall mounted
Vienna 60 D	000513	6.0	5–9	11 + 20	410x615x280		60	80	1200	110	blue	WE-40 + Trend / Premium	Wall mounted
Vienna 80 D	000514	8.0	8–12	11 + 20	410x615x280		80	100	1200	110	blue	WE-40 + Trend / Premium	Wall mounted
Vienna 45 D	000516	4.5	3–6	11 + 12	410x615x280		40	60	1200	110	grey	WE-40 + Trend / Premium	Wall mounted
Vienna 60 D	000517	6.0	5–9	11 + 20	410x615x280		60	80	1200	110	grey	WE-40 + Trend / Premium	Wall mounted
Vienna 80 D	000518	8.0	8–12	11 + 20	410x615x280		80	100	1200	110	grey	WE-40 + Trend / Premium	Wall mounted
Vienna 45 D	000520	4.5	3–6	11 + 12	410x615x280		40	60	1200	110	black	WE-40 + Trend / Premium	Wall mounted
Vienna 60 D	000521	6.0	5–9	11 + 20	410x615x280		60	80	1200	110	black	WE-40 + Trend / Premium	Wall mounted
Vienna 80 D	000522	8.0	8–12	11,5 + 20	410x615x280		80	100	1200	110	black	WE-40 + Trend / Premium	Wall mounted
Havanna 60 STS BWT	005844	6.0	5–9	14,9 + 20–35	475x580x300		45	100	1100	120	black	Built-in, mech. Timer & Thermo	Wall mounted + Floor standing
Havanna 80 STS BWT	005845	8.0	8–12	15,56 + 20–35	475x580x300		75	130	1100	150	black	Built-in, mech. Timer & Thermo	Wall mounted + Floor standing
Havanna 90 STS BWT	005846	9.0	9–13	15,56 + 20–35	475x580x300		80	150	1100	150	black	Built-in, mech. Timer & Thermo	Wall mounted + Floor standing
Havanna 60 D BWT	005847	6.0	5–9	14 + 20–35	475x580x300		45	100	1100	120	black	WE-40 + Trend / Premium	Wall mounted + Floor standing
Havanna 80 D BWT	005848	8.0	8–12	15 + 20–35	475x580x300		75	130	1100	150	black	WE-40 + Trend / Premium	Wall mounted + Floor standing
Havanna 90 D BWT	005849	9.0	9–13	15 + 20–35	475x580x300		80	150	1100	150	black	WE-40 + Trend / Premium	Wall mounted + Floor standing
Ring Wall II 45 STJ	002886	4.5	4–6	11,2 + 37	445x550x350		50	50	1200	120	chrome	Built-in, mech. Timer & Thermo	Wall mounted
Ring Wall II 60 STJ	002887	6.0	5–9	11,6 + 37	445x550x350		70	70	1250	120	chrome	Built-in, mech. Timer & Thermo	Wall mounted
Ring Wall II 80 STJ	002888	8.0	8–13	12 + 37	445x550x350		100	100	1250	120	chrome	Built-in, mech. Timer & Thermo	Wall mounted
Roxx 60 TREND BWT	002935	6.0	5–10	22 + 38	490x830x280		100	300	1070	0	graphite	Trend included	Floor standing
Roxx 60 PREMIUM BWT	002875	6.0	5–10	22 + 38	490x830x280		100	350	1070	0	graphite	Premium included	Floor standing
Roxx 90 TREND BWT	002936	9.0	9–13	22 + 38	490x830x280		100	300	1070	0	graphite	Trend included	Floor standing
Roxx 90 PREMIUM BWT	002876	9.0	9–13	22 + 38	490x830x280		100	350	1070	0	graphite	Premium included	Floor standing
Ringo Black 60 STJ BWT	005862	6.0	5–9	10,5 + 70	365x750x365		100	100	1150	0	black	Built-in, mech. Timer & Thermo	Floor standing
Ringo Black 80 STJ BWT	005863	8.0	8–13	11 + 70	365x750x365		100	100	1150	0	black	Built-in, mech. Timer & Thermo	Floor standing
ROCHER 70 TREND	002735	6.8	5–9	21 + 100	425x1130x425		60	60	770	0	brushed steel	Trend included	Floor standing
ROCHER 70 PREMIUM	002730	6.8	5–9	21 + 100	425x1130x425		60	60	770	0	brushed steel	Premium included	Floor standing
ROCHER 105 TREND	002736	10,5	9–15	22 + 100	425x1130x425		60	60	770	0	brushed steel	Trend included	Floor standing
ROCHER 105 PREMIUM	002731	10.5	9–15	22 + 100	425x1130x425		60	60	770	0	brushed steel	Premium included	Floor standing

Electric Helo sauna heaters cont.

Electric sauna heaters							Safety distance				Available colours	Suitable control panel	Installation
Product	Item no.	Power (kW)	Sauna size (m³)	Weight heater + rocks (kg)	Size (WxHxD)		Side (mm)	Front (mm)	Ceiling (mm)	Floor (mm)			
HIMALAYA 70 TREND BWT	001930	6.8	5–9	11+ +100	330x1030x330		60	60	880	0	black	Trend included	Floor standing
HIMALAYA 70 PREMIUM BWT	001900	6.8	5–9	11 + 100	330x1030x330		60	60	880	0	black	Premium included	Floor standing
HIMALAYA 70 TREND BWT	001932	6.8	5–9	11 + 100	330x1030x330		60	60	880	0	brushed steel	Trend included	Floor standing
HIMALAYA 70 PREMIUM BWT	001905	6.8	5–9	11 + 100	330x1030x330		60	60	880	0	brushed steel	Premium included	Floor standing
HIMALAYA 105 TREND BWT	001931	10,5	9–15	13 + 100	330x1030x330		60	60	880	0	black	Trend included	Floor standing
HIMALAYA 105 PREMIUM BWT	001902	10,5	9–15	13 + 100	330x1030x330		60	60	880	0	black	Premium included	Floor standing
HIMALAYA 105 TREND BWT	001933	10,5	9–15	13 + 100	330x1030x330		60	60	880	0	brushed steel	Trend included	Floor standing
HIMALAYA 105 PREMIUM BWT	001907	10,5	9–15	13 + 100	330x1030x330		60	60	880	0	brushed steel	Premium included	Floor standing
Rondo 45	002906	4.5	5–8	43 + 90	500x860x500		10	10	1040	0	graphite	Control panel RA19 included	Floor standing
Rondo 65	002907	6.5	7–13	43 + 90	500x860x500		10	10	1040	0	graphite	Control panel RA19 included	Floor standing
Rondo 96	002908	9.6	10–18	44 + 90	500x860x500		10	10	1040	0	graphite	Control panel RA19 included	Floor standing
Pikkutonnttu 4 TREND	002811	4.5	3–6	29 + 80	460x990x460		40	40	900	0	black	Trend included	Floor standing
Pikkutonnttu 6 TREND	002812	6.5	5–10	29,2 + 80	460x990x460		150	150	900	0	black	Trend included	Floor standing
Pikkutonnttu 9 TREND	002813	9.0	9–14	29,8 + 80	460x990x460		150	150	900	0	black	Trend included	Floor standing
Saunatonnttu 3	002702	3.4	3–8	48 + 100	500x1090x500		30	30	800	0	black	Control panel included	Floor standing
Saunatonnttu 4	002700	4.8	5–11	49 + 100	500x1090x500		30	30	800	0	black	Control panel included	Floor standing
Saunatonnttu 6	002701	6.0	7–14	49 + 100	500x1090x500		30	30	800	0	black	Control panel included	Floor standing
Saunatonnttu 8	002706	8.0	9–17	49 + 100	500x1090x500		30	30	800	0	black	Control panel included	Floor standing
Laava 901	000915	9.0	8–13	30 + 60	540x715x500		80	80	1200	0	black	WE-40 + Trend / Premium	Floor standing
Laava 1051	000916	10.5	9–15	30 + 60	540x715x500		80	80	1200	0	black	WE-40 + Trend / Premium	Floor standing
Laava 1201	000917	12.0	10–18	30 + 60	540x715x500		120	120	1400	0	black	WE-40 + Trend / Premium	Floor standing
Laava 1501	000918	15.0	14–24	31 + 60	540x715x500		120	120	1400	0	black	WE-40 + Trend / Premium	Floor standing
Laava 1051 BWT	005880	12.0	9–15	34 + 35	540x715x500		80	50	1200	0	black	WE-40 + Trend / Premium	Floor standing
Laava 1201 BWT	005881	15.0	10–18	34 + 35	540x715x500		120	120	1400	0	black	WE-40 + Trend / Premium	Floor standing
Laava 1501 BWT	005882	15.0	14–24	35 + 35	540x715x500		120	120	1400	0	black	WE-40 + Trend / Premium	Floor standing
Magma 181	000911	18.0	18–30	48,2 + 80	900x715x520		140	160	1400	0	black	WE-50 + Trend / Premium	Floor standing
Magma 210	000912	21.0	24–36	49,2 + 80	900x715x520		140	160	1400	0	black	WE-50 + Trend / Premium	Floor standing
Magma 260	000913	26.0	30–46	50,6 + 80	900x715x520		140	160	1500	0	black	WE-50 + Trend / Premium	Floor standing
Magma 262	000914	26.0	30–46	50,6 + 80	900x715x520		140	160	1500	0	black	WE-50 + Trend / Premium	Floor standing
Magma 181 BWT	005883	18.0	18–30	52,2 + 120	900x715x520		140	160	1400	0	black	WE-50 + Trend / Premium	Floor standing
Magma 210 BWT	005884	21.0	24–36	52,2 + 120	900x715x520		140	160	1400	0	black	WE-50 + Trend / Premium	Floor standing
Magma 260 BWT	005885	26.0	30–46	54,6 + 120	900x715x520		140	160	1500	0	black	WE-50 + Trend / Premium	Floor standing
Octa 901	000611	9.0	8–13	35 + 60	560x760x560		25	25	1150	0	chrome	WE-40 + Trend / Premium	Floor standing
Octa 1051	000612	10.5	9–15	35 + 60	560x760x560		25	25	1150	0	chrome	WE-40 + Trend / Premium	Floor standing
Octa 1201	000613	12.0	10–18	36 + 60	560x760x560		65	65	1350	0	chrome	WE-40 + Trend / Premium	Floor standing
Octa 1501	000614	15.0	14–24	37 + 60	560x760x560		65	65	1350	0	chrome	WE-40 + Trend / Premium	Floor standing
SKLE 901	000901	9.0	8–13	27 + 60	510x700x475		80	80	1200	0	chrome	WE-40 + Trend / Premium	Floor standing
SKLE 1051	000902	10.5	9–15	28 + 60	510x700x475		80	80	1200	0	chrome	WE-40 + Trend / Premium	Floor standing
SKLE 1201	000903	12.0	10–18	29 + 60	510x700x475		120	120	1400	0	chrome	WE-40 + Trend / Premium	Floor standing
SKLE 1501	000904	15.0	14–24	30 + 60	510x700x475		120	120	1400	0	chrome	WE-40 + Trend / Premium	Floor standing
SKLE 1051	000832	10.5	9–15	28 + 60	510x700x475		80	80	1200	0	chrome	WE-40 + Trend / Premium	Floor standing
SKLE 1201	000833	12.0	10–18	29 + 60	510x700x475		120	120	1400	0	chrome	WE-40 + Trend / Premium	Floor standing
SKLE 1501	000834	15.0	14–24	28 + 60	510x700x475		120	120	1400	0	chrome	WE-40 + Trend / Premium	Floor standing
SKLA 181	000905	18.0	18–30	45,6 + 80	880x700x510		140	160	1400	0	chrome	WE-50 + Trend / Premium	Floor standing
SKLA 210	000906	21.0	24–36	46,6 + 80	880x700x510		140	160	1400	0	chrome	WE-50 + Trend / Premium	Floor standing
SKLA 260	000907	26.0	30–45	47,6 + 80	880x700x510		140	160	1500	0	chrome	WE-50 + Trend / Premium	Floor standing
SKLA 262	000910	26.0	30–46	48,4 + 80	880x700x510		140	160	1500	0	chrome	WE-50 + Trend / Premium	Floor standing
Saga E 160 D	001822	16.0	16–30	42 + 200	605x850x605		100	100	1250	0	black	WE-50 + Trend / Premium	Floor standing
Saga E 200 D	001823	20.0	20–40	42 + 200	605x850x605		100	100	1250	0	black	WE-50 + Trend / Premium	Floor standing
Saga E 240 D	001824	24.0	24–50	43,2 + 200	605x850x605		150	150	1250	0	black	WE-50 + Trend / Premium	Floor standing
Saga E 160 D	001825	16.0	16–30	42,1 + 200	605x850x605		100	100	1250	0	black	WE-50 + Trend / Premium	Floor standing
Saga E 200 D	001826	20.0	20–40	43,1 + 200	605x850x605		100	100	1250	0	black	WE-50 + Trend / Premium	Floor standing
Piccolo 30 TREND BWT	008615	3.0	2–4	8 + 20	Ø 230, H 850		60	60	1050	60	black	Trend included	Wall-mounted

STEAM GENERATORS



Helo Steam PRO

The new Helo Steam Pro generator automatically prevents overheating and dry running, should there be an interruption to the water supply. The generator saves time on maintenance and down time thanks to its automated filling function. For added convenience flushing and emptying functions are available, as well as the possibility to run several units through serial connection.



HELO STEAM PRO

Available sizes: 9.5/12/14/16 kW

Features:

- Standby Function
- Automatic flush, Safety flush
- Two aux outputs for fragrance/salt
- Ganging with RJ connectors (1+2units)
- Resettable highlimit switch
- New drain valve

Available Add-on:

- Push button for activation from Standby

Helo Steam

The Helo Steam generator for private use is based on the newest available technology. It sets a whole new level for user interface and reliability. It comes equipped with two auxiliary compartments for salt/fragrances for added comfort. It is also possible to order it with optional drain valve and automatic flush functionality.



HELO STEAM

Available sizes: 3.4/4.7/6/7.7 kW

Features:

- Two aux outputs for fragrance/salt
- Resettable highlimit switch

Available Add-on:

- New drain valve
- Automatic flush

DIGITAL CONTROL UNITS FOR COMFORT AND CONVENIENCE

Experience a next level steam bath. Combine our new and efficient steam generators with one of our digital control units. Not only can you enjoy the luxury and comfort of your own steam bath. You can plan ahead and schedule your steam sessions to be an integral and natural part of your everyday routine.









BUYING GUIDES - STEAM GENERATORS

Steam Generators						min/max volume steam room (m³)						
						Thin wall of glass or plastic		Heavy wall of tile, concreat or stone				
Product	Item no.	Power (kW)	Steam production (kg/h)	Size (WxHxD)		with ventilation	without ventilation	with ventilation	without ventilation	Available colours	Suitable control panel	Installation
Helo Steam	002100	3.4	5	636 x 380 x 164		2–6 m³	2–7 m³	2–4 m³	2–5 m³	black	Trend or Premium	Behind wall
Helo Steam	002101	4.7	6	636 x 380 x 164		3–7 m³	3–8 m³	2–5 m³	2–6 m³	black	Trend or Premium	Behind wall
Helo Steam	002102	6	8	636 x 380 x 164		4–9 m³	4–13 m³	3–6 m³	3–7 m³	black	Trend or Premium	Behind wall
Helo Steam	002103	7.7	10	636 x 380 x 164		6–11 m³	6–15 m³	4–8 m³	5–9 m³	black	Trend or Premium	Behind wall
Helo Steam Pro	002104	9.5	13	636 x 380 x 164		9–13 m³	9–17 m³	6–9 m³	7–11 m³	black	Trend or Premium	Behind wall
Helo Steam Pro	002105	12	16	636 x 380 x 164		11–18 m³	12–24 m³	8–12 m³	9–16 m³	black	Trend or Premium	Behind wall
Helo Steam Pro	002106	14	19	636 x 380 x 164		14–22 m³	18–30 m³	10–14 m³	11–17 m³	black	Trend or Premium	Behind wall
Helo Steam Pro	002107	16	21	636 x 380 x 164		17–25 m³	23–35 m³	12–16 m³	12–18 m³	black	Trend or Premium	Behind wall

Control panels & relay boxes

Control panels

	Model	Item no.	For sauna or steam?	Suiting sauna heater	Relay unit needed	Suiting steam generator
	Premium	001016	Both	Roxx, Rocher, Himalaya, SKLE, Laava, SKLA, Magma, Octa, Saga electro	SKLE/Laava – WE-40, SKLA/Magma – WE-50, Octa – WE-40, Saga electro – WE-50	Helo Steam, Helo Steam PRO
	Trend	001014	Both	Piccolo, Roxx, Rocher, Himalaya, Pikkutonttu, SKLE, Laava, SKLA, Magma, Octa, Saga electro	SKLE/Laava – WE-40, SKLA/Magma – WE-50, Octa – WE-40, Saga electro – WE-50	Helo Steam, Helo Steam PRO
	Elite	72005030	Both	Roxx, Rocher, Himalaya, SKLE, Laava, SKLA, Magma, Octa, Saga electro	SKLE/Laava – WE-40, SKLA/Magma – WE-50, Octa – WE-40, Saga electro – WE-50	Helo Steam, Helo Steam PRO
	Pure	72001420	Both	Piccolo, Roxx, Rocher, Himalaya, Pikkutonttu, SKLE, Laava, SKLA, Magma, Octa, Saga electro	SKLE/Laava – WE-40, SKLA/Magma – WE-50, Octa – WE-40, Saga electro – WE-50	Helo Steam, Helo Steam PRO

Relay boxes for sauna heaters

Model	Item no.	Size WxHxD mm
WE-40	001352	390x130x320
WE-50	001353	390x130x320
WE-50-1	001350	390x130x320

Heater accessories

Heater accessosies

Item	Item no.	Features	Technical information
Collar	0038437	Collar for heater integration, suitable for Rocher and Himalaya	Glass Ø 610 mm x 8 mm
Collar	0038430	Collar for heater integration, suitable for Rocher and Himalaya	Chrome steel Ø 600mm
Collar	0038431	Collar for heater integration, suitable for Rocher and Himalaya	Black, Ø 600 mm
Collar	0038438	Collar for heater integration, suitable for Himalaya	Black glass, 600 x 600 x 8 mm
Guard rail	002712	Guard rail for Pikkutonttu	Stainless steel
Guard rail	002711	Guard rail for Saunatonnttu	Stainless steel
Feet set	004330	Feet set for Havanna heater	black
Sauna stones	0043020	Sauna rocks for wall-mounted heaters, 20kg	
Sauna stones	0043022	Sauna rocks for floor standing heaters, 20kg	
Rock cassette	000994	Sauna rock cassette for Laava BWT	5 pcs
Rock cassette	000993	Sauna rock cassette for Laava without BWT	7 pcs
Rock cassette	000995	Sauna rock cassette for Magma without BWT	13 pcs
Rock cassette	000996	Sauna rock cassette for Magma BWT	11 pcs
Ceramic Kerkes rocks	4301527	For rock cassettes, Laava BWT	15kg 35mm disks, 10 pcs per rock cassette and 10kg tetra rocks to cover rock cassette
Ceramic Kerkes rocks	4301526	For rock cassettes, Laava without BWT	25kg 35mm disks, 10 pcs per rock cassette and 10kg tetra rocks to cover rock cassette
Ceramic Kerkes rocks	4301529	For rock cassettes, Magma BWT	50kg 35mm disks, 14 pcs per rock cassette and 20kg tetra rocks to cover rock cassette
Ceramic Kerkes rocks	4301528	For rock cassettes, Magma without BWT	55kg 35mm disks, 14 pcs per rock cassette and 20kg tetra rocks to cover rock cassette

CONTROL PANELS

Elite

EFFORTLESS BATHING

The new control panel Elite from TylöHelo is packed with advanced features, thanks to its internal processor and operating system. In addition to highly personalized settings, the Elite can be individually programmed according to your own schedule.

Add features such as auxiliary fans, fragrance pumps or lights – the Elite control panel handles it all with clear and concise precision. The 4.5-inch touch screen delivers real-time status on every aspect of your sauna and steam bath. Naturally, it includes steam and temperature settings and local WiFi app-connectivity.

A CONTROL PANEL FOR MOBILE DEVICES AND COMPUTERS


The user interface, developed for mobile devices and personal computers, perfectly emulates that of the steam room's or sauna's control panel. Through sensible engineering, the outcome is highly usable functionality, allowing bathers to log on to the control panel through the app over their local WiFi network and control their sauna and steam bath.

On both the control panel itself and via the app it is possible to create and save several different user profiles and favourite settings, and set different schedules. In commercial settings, it is possible to manage multiple units from one point of access, and set unique profiles for different locations.



FLAT SURFACE

If you prefer the Elite control panel to be recessed in the wall you can add the Elite back box for easy in-wall mounting. Item no. 9000 1056



- Set temperature and humidity
- Can create multiple user profiles
- Control sauna/steam via local WiFi and app
- Set different schedules for different week days
- Set specific profiles for specific times or dates
- Instant fault notification



Wi-Fi



Desktop PC



Android/iOS

Pure

INTUITIVE DESIGN AND FEATURES








The elegant, compact design of TylöHelo's Pure control panel makes it the go-to choice for those who value functionality and simplicity.

The thin black control lets you set the lighting, temperature and sauna time easily with only a few touches. Of course, choosing the start time up to ten hours in advance means you can step into a wonderfully hot sauna or steam as soon as you get home (Door contact needs to be added).



Control panels & relay boxes

Control panels for sauna and steam

	Model	Item no.	Size WxHxD mm	Features		For sauna or steam?	Suitable sauna heater	Relay box required?	Suitable steam generator
	Pure	72001420	85x127x12	Thermostat controlled touch control panel, for installation inside or outside the sauna or steam room.		Both	Sense Pure - included	No	Steam Home
							Sense Combi Pure - included	No	
							Expression	Yes, relay box Commercial Lite	
							Sense Commercial 6–10 kW	Yes, relay box Commercial Lite	
							Sense Commercial 16–20 kW	Yes, relay box Commercial	
	Elite	72005030	85x127x12	The multi-disciplinary control panel is packed with advanced features, thanks to its internal processor and operating system. Naturally it includes energy saving functions and WiFi/App connectivity.		Both	Sense Elite - included	No	Steam Home
							Sense Combi Elite - included	No	Steam Commercial
							Expression	Yes, relay box Commercial Lite	
							Sense Commercial 6–10 kW	Yes, relay box Commercial Lite	
							Sense Commercial 16–20 kW	Yes, relay box Commercial	
	H1	72001020	80x140x19	H1 is equipped with touch-control and shows temperature and time in operating mode. Can be set for start within a 24-hour period and has a running time between 0–23 hours. Also equipped with a switch for lighting, 12h/24 format and multiple languages. Compatible with Tylo’s older heaters Sense Plus, Sense SK (via RB30/60) and SDK/SD (via RB30/60).		Both	Combi Compact 4 - included	No	VA
							Expression	Yes, relay box RB30	VB
							Sense Commercial 6–10 kW	Yes, relay box RB30	
							Sense Commercial 16–20 kW	Yes, relay box RB60	
	H2	72001100	80x140x19	Same functions as the H1. But with the H2 control panel, you can even preset the start program for one week in advance complete with repetitions, do trouble-shooting and control the atmospheric humidity in the sauna room. Compatible with Tylo’s older heater Sense Combi.		Sauna	Expression Combi - included	Yes, relay box RB45 - included	
	CC50	71214005	130x190x27	Has a display for time and temperature, switch for lighting and security code function. Programmable for 1, 3, 12 and 24 hours or continuous operation. 0–10 hour preset. Compatible with Tylo’s older heaters Sense Plus, Sense SK (via RB30/60) and SDK/SD (via RB30/60).		Both	Expression	Yes, relay box RB30	VA
							Sense Commercial 6–10 kW	Yes, relay box RB30	VB
							Sense Commercial 16–20 kW	Yes, relay box RB60	
	TS 30-6	70202038	195x225x89	Thermostatically-controlled panel for Sense Commercial heaters. For wall-mounted installation outside the sauna (max. distance 1.8 m). Equipped with timer for 6-hour operating time. Compatible with Tylo’s older heaters Sense SK, SDK 10 and SD 16.		Sauna	Expression	No	
							Sense Commercial 6–16 kW	No	
	TS 30-12	70212020	195x225x89	Thermostatically-controlled panel for Sense Commercial heaters. For wall-mounted installation outside the sauna (max. distance 1.8 m). Equipped with timer for 12-hour operating time. Compatible with Tylo’s older heaters Sense SK, SDK 10 and SD 16.		Sauna	Expression	No	
							Sense Commercial 6–16 kW	No	

Relay boxes for sauna heaters

Model	Item no.	Size WxHxD mm
Relay box Commercial Lite	71016014	482x293x75
Relay box Commercial	71016012	482x293x75
Relay box RB30	71016006	260x310x75
Relay box RB45	71016008	307x258x71
Relay box RB60	71016007	305x350x125
Relaybox WE 14	71016010	345x300x125

WOOD BURNING KASTOR HEATERS



There is something very special about a wood burning sauna. Here at TylöHelo, we appreciate saunas in all their various forms and offer wood burning stoves from Kastor, renowned for its world-class quality products. Our wood burning sauna heaters are designed with optimum quality in mind. Not just in terms of physical construction, but also for optimum function. Thanks to skilful engineering we have succeeded in combining modern aesthetics, functionality and a clean burn.

Pleasure and principles

Harnessing fire for practical use is the basis of our existence. With time we have invented ever more efficient methods to get more out of fire. Once they are finished, they are dressed in an elegant and polished exterior, ensuring its viewer is not left cold either.

**EVERY KASTOR
WOOD BURNING
STOVE COMES WITH
A TWO-YEAR
WARRANTY**



Suitable for domestic use.

TECHNICAL HIGHLIGHTS

1. The flue can be connected from the top or from the back.
2. The combustion is clean and the energy efficiency ratio as high as 70%. As the flue gas temperature is kept below 600°C, you can choose a Kastor heat class T600 modular chimney for safe and easy installation.
3. The door window, made of ceramic glass, is capable of withstanding 800°C.
4. Sturdy doors.
5. High grade steel used throughout.
6. Outer mantle made of stainless zinc-aluminium alloy.
7. Adjustable legs.



WOOD BURNING HEATERS

The operating efficiency of our wood burning heaters is unrivalled, and the temperatures of the emitted flue gases are low. The efficient combustion is based on the skilled use of heat-retaining materials, optimisation of the sauna stones container, and above all our efficient double combustion technology. Your heater will heat up quickly, economically and in an environmentally friendly manner.



KASTOR SAGA

The Kastor Saga takes wood burning saunas to new heights with 130 to 180 kg of exposed stone providing soothing heat and steam. The surface of the stones makes the stove a delightful focal point.



CHIMNEY BASKET

The Saga stove's chimney basket can hold 40 kg of stones. Measurements: 330 x 600 x 330 mm



HELO R20

The Helo R20 wood burning heater, suitable for 8–20 m³ sauna rooms, is available without or with a water tank on the front, left or right hand sides of the heater.



KASTOR KARHU

With its depth, air control system and reinforced door, the Karhu is a safe and strong sauna stove. The Karhu VO has a water tank on the right, and the Karhu VV has a water tank on the left (as viewed from the front).





BUYING GUIDES

- WOOD BURNING HEATERS

Wood burning heaters, flue opening Ø 115 mm

Product	Art.no	Sauna size (m³)	Weight heater + rocks (kg)	Size (WxHxD)		Safety distance				Available colours	Installation
						Side (mm)	Front (mm)	Ceiling (mm)	Back (mm)		
Helo R20	289075	8–20	45 + 40	435x730x475		300	500	1300	300 ***	dark grey	Floor standing
Helo R20 ES	289078	8–20	55 + 40	435x730x680		300	500	1300	300 ***	dark grey	Floor standing
Helo R20 VO	289076	8–20	50 + 40	590x730x475		300/150 *	500	1300	300 ***	dark grey	Floor standing
Helo R20 VV	289077	8–20	50 + 40	590x730x475		300/150 *	500	1300	300***	dark grey	Floor standing
Saga 22	289089	12–22	93 + 130	600x825x585		250	500	1400	250 ***	dark grey	Floor standing
Saga 22 T**	289097	12–22	115 + 130	600x825x585		250	500	1400	250 ***	dark grey	Floor standing
Saga 30	289090	20–30	109 + 180	675x930x585		250	500	1400	250 ***	dark grey	Floor standing
Saga 30 T**	289098	20–30	140 + 180	675x930x585		250	500	1400	250 ***	dark grey	Floor standing
Karhu Pata 60	089650	–	41	410x775x570		500	500	1000	500***	dark grey	Floor standing
Karhu 22	289083	12–22	61 + 30	450x785x485		300	500	1240	300 ***	dark grey	Floor standing
Karhu 22 VO	289084	12–22	67 + 30	620x785x485		300/150 *	500	1240	300 ***	dark grey	Floor standing
Karhu 22 VV	289085	12–22	67 + 30	620x785x485		300/150 *	500	1240	300 ***	dark grey	Floor standing
Karhu 22 T**	289094	12–22	95 + 30	450x785x485		300	500	1240	50 ***	dark grey	Floor standing
Karhu 30	289086	20–30	84 + 40	490x915x485		300	500	1240	300 ***	dark grey	Floor standing
Karhu 30 VO	289087	20–30	90 + 40	660x915x485		300/150 *	500	1240	300 ***	dark grey	Floor standing
Karhu 30 VV	289088	20–30	90 + 40	660x915x485		300/150 *	500	1240	300 ***	dark grey	Floor standing
Karhu 30 T**	289095	20–30	120 + 40	490x915x485		300	500	1240	50 ***	dark grey	Floor standing
Karhu 40	289091	30–40	125 + 55	580x925x585		300	500	1300	300 ***	dark grey	Floor standing
Karhu 40 VO	289092	30–40	131 + 55	740x925x585		300/150*	500	1300	300 ***	dark grey	Floor standing
Karhu 40 VV	289093	30–40	131 + 55	740x925x585		300/150*	500	1300	300 ***	dark grey	Floor standing
Karhu 40 T**	289096	30–40	160 + 55	580x925x585		300	500	1300	50 ***	dark grey	Floor standing
Front frame for T models	091002									chrome	
Front frame for T models	098128									black	

* Side of water tank.
** The heater does not include the front frame.
*** Do not place on flammable material without a protective base.



Woodburning

Item	Item no.	Features	Technical information
Adapter	096119	Reversal adapter for chimney heater (114/127.5mm)	
Chimney set	100015	Chimney set, H=1500 mm, Ø130mm. Total height: 2500 mm. Stainless steel.	Includes: Uninsulated extension pipe of 1000 mm, insulated part 1500 mm, starting piece, supporting flat ceiling plate (for pitches of the roof 0 - 30°), insulation cylinder, roof seal, finishing piece, rain cap. Insulated part can be lengthened with the extensions pipes up till 5 meters.
Chimney set	100010	Chimney set, H=1500mm, Ø115 mm. Total height: 2500 mm. Stainless steel	Includes: Uninsulated extension pipe of 1000 mm, insulated part 1500 mm, starting piece, supporting flat ceiling plate (for pitches of the roof 0 - 30°), insulation cylinder, roof seal, finishing piece, rain cap. Insulated part can be lengthened with the extensions pipes up till 5 meters.
Insulated extension pipe	100016	Insulated extension pipe 500mm. Ø130mm. Stainless steel.	
Insulated extension pipe	100017	Insulated extension pipe 1000mm. Ø130mm. Stainless steel.	
Uninsulated extension pipe	100141	Uninsulated extension pipe 500mm. Ø130mm. Stainless steel.	
Uninsulated extension pipe	100140	Uninsulated extension pipe 1000mm. Ø130mm. Stainless steel.	
Insulated extension pipe	100011	Insulated extension pipe 500mm. Ø115mm. Stainless steel.	
Insulated extension pipe	100012	Insulated extension pipe 1000mm. Ø115mm. Stainless steel.	
Uninsulated extension pipe	100112	Uninsulated extension pipe 500mm. Ø115mm. Stainless steel.	
Uninsulated extension pipe	100111	Uninsulated extension pipe 1000mm. Ø115mm. Stainless steel.	
Uninsulated angle tube	100143	Uninsulated angle tube 45°, Ø130mm. Stainless steel.	

Woodburning cont.

Item	Item no.	Features	Technical information
Sauna rocks	0043022	Sauna rocks for floor standing heaters, 20kg	
Angle tube	100114	Uninsulated angle tube 45°, Ø115mm. Stainless steel.	
Angle tube	100115	Uninsulated angle tube 90°, Ø115mm. Stainless steel.	
Damper	100144	Damper for Chimney set Ø130 mm. Stainless steel.	
Damper	100116	Damper for Chimney set Ø115mm. Stainless steel.	
Covering plate	100146	Covering plate for angle tubes Ø130 mm/45°.	
Covering plate	100145	Covering plate for angle tubes Ø130 mm/90°.	
Ceiling seal	100137	Ceiling seal (extra protection against humidity)	
Chimney heater	100135	Stainless steel, 22 litres, effective lenght 640 mm, uninsulated, for Ø115mm pipe	
Safety wall	289079	For HELO R20 heater, 540 x 565 x 760 (WxDxH)	
Safety wall	289080	For HELO R20/V heater, 695 x 565 x 760 (WxDxH)	
Safety wall	289081	For HELO R20/ES heater, 540 x 770 x 760 (WxDxH)	
Safety wall	289101	For KARHU 22 heater, 565 x 595 x 830 (WxDxH)	
Safety wall	289099	For KARHU 22/V heater, 730 x 595 x 830 (WxDxH)	
Safety wall	289049	For KARHU 30 heater, 610 x 595 x 970 (WxDxH)	
Safety wall	289100	For KARHU 30/V heater, 770 x 595 x 970 (WxDxH)	
Safety wall	289050	For KARHU 40 heater, 690 x 685 x 970 (WxDxH)	
Safety wall	289102	For KARHU 40/V heater, 850 x 685 x 970 (WxDxH)	
Saga Chimney Cage	289041	Saga Chimney Cage, W330 x H600 x D330 mm, holds 40kg rocks	
Safety plate	289051	For Saga 22/30 and Karhu 40/PATA 60 heaters. 607 x 607 x 70 (WxDxH).	
Safety plate	091004	For HELO R20 and Karhu 22/30 heaters. 607 x 607 x 70 (WxDxH).	
Nokipois	091100	Nokipois cleaner for glass hatches in heaters and fireplaces, 500ml	



*WHY NOT GIVE YOUR WHOLE
BATHROOM A SPA MAKEOVER!*



ACCESSORIES

Our sauna accessories are designed to work together with and match your sauna or steam room from TylöHelo. We give you scope to adapt both your sauna and steam room to suit your individual requirements with the products on offer. You will find a large number of sauna and steam accessories to make your experience complete.

SAUNA ACCESSORIES



HEATER GUARD
6–8 V Wall-mounted heater guard
6.6–8 kW. Item no. 9000 1002
10–20 V Wall-mounted heater guard
10.7–20 kW. Item no. 9000 1012
6–8 H Corner-mounted heater guard.
6.6-8 kW. Item no. 9000 1003
10–20 H Corner-mounted heater guard
10.7-20 kW. Item no. 9000 1013



STRIP PACKAGE
Contains three strips of light aspen, measuring 12 x 43 x 2400 mm.
Suitable as a door lining, internal or external ceiling strip, etc.
Item no. 9103 1575



THRESHOLD
Suitable for DGB and DGL doors with door widths 7 and 8.
Size: 30 x 92 mm.
DGL/DGB width 7 Spruce Item no. 9103 1560
DGL width 7 Aspen Item no. 9103 1561
Broad DGB width 8 Spruce Item no. 9103 1565
DGL width 8 Aspen Item no. 9103 1566



VENTILATION HATCH B
Fits over the air outlet inside the sauna to regulate air flow.
Size: 14 x 37.5 cm.
Aspen Item no. 9018 1036



VENTILATION GRILLE B
Size: 14 x 22 cm.
Aspen Item no. 9018 1040

SAUNA OIL 1L
For treating benches and other wood surfaces in the sauna.
Covers approx. 6 m².
Item no. 9002 2050



FIXED HEADREST
Headrest made of narrow wooden slats. 37.5 x 27 x 8 cm.
Alder Item no. 9008 1016
Aspen Item no. 9008 1014



ADJUSTABLE SAUNA HEADREST
Height adjustable. 42.5 x 37.5 x 7 cm.
Alder Item no. 9008 1012
Aspen Item no. 9008 1010



LEGS FOR SENSE
Legs for all Sense sauna heaters.
Color black.
Sense 6/8/10 Item no. 9000 1060
Sense Combi 6/8/10 Item no. 9000 1061



STEAM DISTRIBUTOR COMMERCIAL
The Tylö Steam Distributor Commercial improves the distribution of steam in your sauna room. Specially designed for the sauna heater Sense Commercial 10-20 kW. Item no. 9002 9263



Add a fragrance to your sauna to stimulate your senses. Peppermint and citrus pick your moods up, eucalyptus is refreshing and helps against colds, lavender has a relaxing effect.



CONCENTRATED FRAGRANCES
For earlier models of Tylö Sauna Fresh and Stream Fresh. 250 ml/bottle.
Eukalyptus Item no. 9002 4060
Peppermint Item no. 9002 4064
Lavender Item no. 9002 4062
Citrus Item no. 9002 4066

HELO CASSETTES & CERAMIC SAUNA STONES
Ceramic stones for commercial use are made of clay that can be heated up to 1300 °C.

Helo Sauna rock cassette for Laava BWT, 5 pcs
Item no. 000994
Helo Sauna rock cassette for Laava without BWT, 7 pcs
Item no. 000993
Helo Sauna rock cassette for Magma BWT, 11 pcs
Item no. 000995
Helo Sauna rock cassette for Magma without BWT, 13 pcs
Item no. 000996
Helo Ceramic Kerkes rocks for rock cassettes, Laava without BWT
Item no. 004301526
Helo Ceramic Kerkes rocks for rock cassettes, Laava BWT
Item no. 004301527
Helo Ceramic Kerkes rocks for rock cassettes, Magma without BWT
Item no. 004301528
Helo Ceramic Kerkes rocks for rock cassettes, Magma BWT
Item no. 004301529



ESSENTIAL OILS
100% essential oils. Release invigorating scents in your sauna. 10 ml/bottle
Eukalyptus Item no. 9002 4080
Peppermint Item no. 9002 4084
Lavender Item no. 9002 4082
Citrus Item no. 9002 4086
FRAGRANCE COLLECTION, 4-PACK 10 ml/bottle.
Item no. 9002 4100



ESSENTIAL OILS
Concentrate of natural fragrances specially produced for our Tylö Fresh fragrance dispenser for saunas and steam baths. 250 ml/bottle.
Eukalyptus Item no. 9002 4040
Peppermint Item no. 9002 4044
Lavender Item no. 9002 4042
Citrus Item no. 9002 4046



SALT
Salt from Himalaya functions as an air cleaner in your sauna. Just place some salt rocks on the grill or lid of your BWT heater, or put the smaller salt granules in the tank. It gives you a fresh and healthy atmosphere that is especially good for your skin and your airways.
Himalayan Pink Salt Granules 1 kg Item no. 3817478
Himalayan Pink Salt Rocks 1 kg Item no. 3817479



TYLÖ SAUNA STONES
Natural stones of black diabase that tolerate rapid heating and cooling.

Tylö Sauna stones Mini Compact 7 kg
Suitable for our Sense Sport heaters.
Item no. 9014 1005
Tylö Sauna stones 20 kg
This is a suitable volume for our heaters Sense 6.6-10.5 kW and Sense Combi 6.6-10.5 kW.
Item no. 9014 1050
Tylö Sauna stones 14 kg One carton (approx. 14 kg) is sufficient for our Expression heaters. Sense Commercial 10-20 heaters requires two cartons.
Item no. 9014 1000

HELO SAUNA STONES
"Olivine dolerite" is a hard stone material which is formed uneven so air pockets can be created between the stones.
Helo Sauna stones 20 kg. Under 100 mm. Wall mounted. Item no. 0043020
Helo Sauna stones 20 kg. Larger than 100 mm. For floor mounted and commercial heaters. Item no. 0043022

PREMIUM DARK Aluminium and dark wood.



DARK
GIFT
PACKAGE

DARK GIFT PACKAGE
Contains ladle, bucket, fragrance, hygro/thermo.
Item no. 9015 2900

DARK ACCESSORIES

- Hygrometer/Thermometer Item no. 9015 2780
- Hygrometer Item no. 9015 2778
- Thermometer Item no. 9015 2776
- Hourglass Item no. 9015 2782
- Towel rack Item no. 9015 2784
- Bucket Item no. 9015 2772
- Ladle Item no. 9015 2774



PREMIUM PRO

These are products to chose if you have a professional sauna or just want really high quality products that lasts.



PRO ACCESSORIES
Stainless steel accessories.
Bucket pro Item no. 9004 1060
Hygrometer/Thermometer pro Item no. 9004 1062



SHOWER BARREL
10-litre shower barrel with automatic water refill for a refreshing cool-down after your sauna.
Height with chain: 630 mm.
Item no. 9002 9050

PREMIUM BLONDE Aluminium and light wood.



BLONDE
GIFT
PACKAGE

BLONDE GIFT PACKAGE
Contains ladle, bucket, fragrance, hygro/thermo.
Item no. 9015 2896

BLONDE ACCESSORIES

- Hygrometer/Thermometer Item no. 9015 2047
- Hygrometer Item no. 9015 2037
- Thermometer Item no. 9015 2027
- Hourglass Item no. 9015 2052
- Towel rack Item no. 9015 2072
- Bucket Item no. 9015 2004
- Ladle Item no. 9015 2014



CLASSIC Light wood.



CLASSIC ACCESSORIES
Bucket Item no. 9004 1022
Ladle Item no. 9012 1022
Hygrometer/Thermometer Item no. 9015 2813
Thermometer Item no. 9015 2823



CLASSIC
GIFT
PACKAGE

CLASSIC GIFT PACKAGE
Contains classic bucket, ladle, hygrometer/thermometer and sauna fragrance.
Item no. 9015 2898



LOUDSPEAKERS
Steam and heat-resistant design.

Speaker A For installation under the lower bench.
Installation size: diameter 117 mm, depth 60 mm. Item no. 9080 2000

Speaker B For surface mounting.
Size 230 x 145 mm, depth 165 mm. Item no. 9080 3002



TRANSFORMER LED 0-20W
200-240 V ~/12 V. Max. load 20 W. NB: The transformer must always be installed outside the sauna. Suitable for E90, E28 and LED light strip. LED transformer dimmable on the secondary side.

Item no. 9090 1030



TRANSFORMER LED 3-6W
230V~/9-18V. Max. load 6 W. NB: The transformer must always be installed outside the sauna. Suitable for Tylö LED downlights. IP class 21.

Item no. 9090 1022



TRANSFORMER LED 0-4W
240V~/0.5-10.5V. Max. load 4 W. NB: The transformer must always be installed outside the sauna. Suitable for Tylö LED downlights. IP class 65.

Item no. 9090 1026

TRANSFORMER LED 6-18W
LED TRANSFORMER 230V~/18-52V. Max. load 18 W. Dimmable. NB: The transformer must always be installed outside the sauna. Suitable for Tylö LED downlights. IP class 21.

Item no. 9090 1024



RGB LIGHTING
Ready-made package containing LED strip RGB 2 x 1.91 m, transformer and remote control.

Item no. 9001 1360

EXTERNAL SWITCH 3V
On/off switch to control the sauna from locations other than where the control panel is installed. Fits H1, H2, H1 PRO.

Item no. 9090 8047

EXTERNAL SWITCH 12V
On/off switch to control the sauna from locations other than where the control panel is installed. Fits Elite and Pure.

Item no. 9090 8048

DOOR CONTACT
Prevents unintentional start-up of the sauna by remote control if the sauna door is open.


Item no. 9090 8035

DOWNLIGHT LED 0.66W SAUNA 6ST
Downlight in brushed steel, incl. transformer, that creates a warm glow. (2700K).

Item no. 9001 1099

LED DOWNLIGHTS
Downlight Item no. 9001 1096

Downlight with Halogen LED adapter Item no. 9001 1098



RUBEN SKY LED
The included control gives you a choice of seven pre-installed programmes or the option of creating your own programme with as many as 20 colour changes. Cable connections, 180 mm mounting sleeves and electronic equipment are included. Can also be synchronised with lighting behind the backrest.

Ruben Sky 20 Number: 20.
11.6 W output. Item no. 9001 1072

Ruben Sky 30 Number: 30.
17.4 W output. Item no. 9001 1074

Ruben Sky 40 Number: 40.
23.2 W output. Item no. 9001 1076

Ruben Sky 60 Number: 60.
34.8 W output. Item no. 9001 1078



SAUNA LED LIGHTING
Includes lighting strips and transformer. Can be installed either inside or outside the sauna (not in the ceiling). Warm-white glow. Voltage 12 V. IP 54. Transformer LED 12 V DC 20 W.

LED Length 1 x 500 mm. 2,4 Watt. Item no. 9001 1440

LED Length 2 x 500 mm. 4,8 Watt.Item no. 9001 1442

LED Length 3 x 500 mm. 7,2 Watt. Item no. 9001 1444

LED Length 4 x 500 mm. 9,6 Watt. Item no. 9001 1446

LED Length 5 x 500 mm. 12 Watt. Item no. 9001 1448



SAUNA LAMP 40 W
For wall mounting. White lamp holder E14. IP 55. Max 40 W. Diameter 90 mm, height 170 mm.

Item no. 9001 1000



LED LIGHT STRIP
Developed to allow for more subtle lighting effects. 12 V DC. Dimmable. Warm white 3000K.

LED 38CM 12V/DC 0.16w
Item no. 9001 1350

LED 50CM 12V/DC 0.25w
Item no. 9001 1352

LED 90CM 12V/DC 0.50w
Item no. 9001 1354

LED 190CM 12V/DC 1.20w
Item no. 9001 1356

LED made-to-measure 12V/DC 1 w/m
Price on request



LIGHTING STRIPS
Installed behind the backrest for pleasant, subdued lighting in sauna or steam room. Can be cut to size. 12 V. Connect to 12 V transformer. IP 65.

Lighting strip 38 Length 38 cm. 12 W output. Item no. 9001 1190

Lighting strip 50 Length 50 cm. 15 W output. Item no. 9001 1192

Lighting strip 90 Length 90 cm. 27 W output. Item no. 9001 1194

Lighting strip 190 Length 190 cm. 57 W output. Item no. 9001 1196



OPUS 200 H135
Sauna lamp for wall/ceiling. E27, 40 W ceiling, 60 W wall, 230 V, IP 44, matt opalescent glass. Diameter 200 mm, height 135 mm.

Item no. 9001 1094



OPUS 100 H100
Sauna lamp for wall. G9, 25 W, 230 V, IP 44, matt opalescent glass. Diameter 100 mm, height 100 mm.

Item no. 9001 1090



LAMP SHADE ASPEN
Decorative aspen lamp shade, spreads a gentle glow in the sauna. Fits our 40 W lamps.

Aspen-V Wall-mounted.
50 x 28 x 15 cm.
Item no. 9009 1010

Aspen-H Corner-mounted.
50 x 34 x 8 cm.
Item no. 9009 1011



LIGHT ON HALOGEN
Sauna lamp for wall/ceiling. GU10, 35 W, 230 V, IP 44. Diameter 100 mm, height 115 mm.

Item no. 9001 1003

TRANSFORMER 12 V/210W
200-240 V~/12 V max. 210 W. Can be connected to a 7 m lighting strip or 42 x 5 W bulbs (Downlight).

Item no. 9090 1015

TRANSFORMER 12 V/60W
As above, but for max. 60 W.

Item no. 9090 1020



LED DOWNLIGHT
For ceiling installation. Warm-white glow (3200-3500 K), 1.2 W output. Height 30 mm, ø 60 mm. Supplied in pairs including transformer to handle up to 7 downlights. IP class 68.

2 including transformer
Item no. 9001 1089

1 excluding transformer
Item no. 9001 1088

STEAM BATH ACCESSORIES

WATER SOFTENER PREMIER COMPACT

Item no. 9090 8027

Water softening salt (3-PACK)

Item no. 9090 3005



FRAGRANCE PUMP

Available as an option for your steam generator and connects simply to the outlet pipe. Add any 5-litre concentrated fragrance.

Item no. 9090 8012



PICK A FRAGRANCE FOR YOUR FRAGRANCE- PUMP

CONCENTRATED FRAGRANCES/5L

Suitable for professional use.

Eukalyptus Item no. 9002 4000

Peppermint Item no. 9002 4004

Lavender Item no. 9002 4002

Citrus Item no. 9002 4006



BAHIA HOME AND PRO STEAM OUTLET

The Bahia steam outlet is the obvious choice for form, function and aesthetics. Tempered safety glass design with Corian® or high-gloss plastic.

BAHIA PRO

Tempered safety glass and Corian® Size: B: 500 mm H: 300 mm. Item no. 9002 9252

BAHIA HOME

Tempered safety glass and high-gloss plastic Size: B: 280 mm H: 180 mm. Item no. 9002 9254



STEAM OUTLET GRACE

Steam head with integral dispenser for Tylo fragrances. Connect to the steam generator's steam pipe. Item no. 9002 9250

SOUND SYSTEM FOR STEAM ROOM

Enhance your experience with a specially-designed sound system. Item no. 9080 2010



DOMES

Turn your shower into a steam bath with a one-piece dome in special-grade plastic with assembly profiles of natural anodised aluminium. Made to measure (TK special). Max. length 200 cm. Domes can be fitted with profiles and doors. Contact a Tylo dealer for made-to-measure orders.




STOOL CORIAN 66

Ergonomic and easily portable stool. Size: 660 x 310 x 450 mm (LxDxH). Item no. 9607 5060



STOOL CORIAN 35

Size: 350 x 320 x 420 mm (LxDxH). Item no. 9607 5065



CORIAN BENCH

Hardwearing and hygienic bench for larger steam rooms.

Bench 1545

Size: 1545 x 600 x 450 mm (LxDxH).

Item no. 9607 5050

Bench 2345

Size: 2345 x 600 x 450 mm (LxDxH).

Item no. 9607 5054

Bench 1945

Size: 1945 x 600 x 450 mm (LxDxH).

Item no. 9607 5052



EXCELLENT BENCH

A more standard alternative in aluminium.

Bench 1545

Size: 1545 x 610 x 460 mm (LxDxH).

Item no. 9607 5044

Bench 1945

Size: 1945 x 610 x 460 mm (LxDxH).

Item no. 9607 5046

Bench 2345

Size: 2345 x 610 x 460 mm (LxDxH).

Item no. 9607 5048

DESCALING AGENT PRIVATE 0.5L

Liquid descaling agent for Tylo's products that require descaling. Item no. 9090 3002

DESCALING AGENT PROFESSIONAL 5L

Liquid descaling agent for Tylo's products that require descaling, for professional use. Item no. 9090 3012

SOLVENT 1-PACK

For descaling of water tanks. Item no. 9090 3000

SOLVENT 50-PACK

For descaling of water tanks, large pack of 50. Item no. 9090 3007

SOLVENT SULFAMIC 5KG

Descaling agent for professional use. Item no. 9090 3010

CITRIC ACID

Item no. 7819515



WATER HARDNESS TEST

Item no. 7015494



SERVICE SECTION 778

Vacuum-formed, special-grade white plastic with thermostatically-controlled mixer tap, handheld shower head, riser rail and shelf compartments. This section can be ordered in place of a wall/seat section for an extra charge.

STEAM LIGHT + TRANSFORMER STEAM LIGHT A

Exclusive wall light for steam rooms. Item no. 9090 1000

Transformer steam light A, 24V

Transformer (type Steam Trans 24 V). 200-240 V~/24 V, max. 210 W. Item no. 9090 1010

Transformer 12 V/210W

200-240 V~/12 V max. 210 W. Size: 106 x 136 x 93 mm (WxLxH)

Item no. 9090 1015

Transformer 12 V/60W As above, but for max. 60 W. Size: 73 x 124 x 61 mm (WxLxH). 57 W output.

Item no. 9090 1020



STEAM ROOM LIGHT

Item no. 3815002

CONTAINER FOR ESSENCE PUMP 20L

Item no. 0038132

ADAPTER FOR CONTAINER

Item no. 0038131



More accessories at tylohelo.com



EN-30000560 • Printed on Arctic Matt, FSC™ – The mark of responsible forestry • Print: Falkenberg Graphic Media AB • Layout: ampnform.se

TYLÖHELO

