

COMMERCIAL EQUIPMENT

FOR THE COMMERCIAL LANDSCAPE PROFESSIONAL













YANMAR

WE'RE TRUSTED BY THE PROFESSIONALS

Family owned and operated since 1947, Buckeye Power Sales is the solutions provider for businesses, contractors, engineers, municipalities, and homeowners. From power generators to light construction to grounds care - we have the equipment, parts & service to help you get the job done.

ZERO TURN RIDERS



EXMARK RADIUS E

Features include:

- UltraCut™ Series 3 deck
- · Hydrostatic drive system
- · High back seat

NEW RAE702GEM44300 \$4999*

22.5HP Exmark engine, 44" deck

RAE708GEM48300 \$5499

24.5HP Exmark engine, 48" deck

RAE708GEM52300 \$5999

24.5HP Exmark engine, 52" deck

RAE708GEM60300 \$6499

24.5HP Exmark engine, 60" deck



EXMARK LAZER X

Features include:

- UltraCut™ Series 6 deck
- Hydrostatic drive system
- Iso-Mount Seat Isolation System

LZX740EKC526W0 \$13,399

25HP Kohler EFI engine, 52" deck, RED TECHNOLOGY

LZX801CKA606C1 \$13,999

25.5HP Kawasaki engine, 60" deck, LZX940EKC606W0 \$15,199 suspension platform

LZX801GKA60600 \$12,999

25.5HP Kawasaki engine, 60" deck

LZX921GKA60600 \$14,399 31HP Kawasaki engine, 60" deck

LZX921GKA72600 \$14,799

31HP Kawasaki engine, 72" deck

LZX921GKA726C1 \$15,799

31HP Kawasaki engine, 72" deck, suspension platform



EXMARK RADIUS S

Features include:

- UltraCut™ Series 3 deck · Hydrostatic drive system
- · High back seat

RAS708GEM483C3 \$6999

24.5HP Exmark engine, 48" deck, suspension platform

RAS708GEM523C3 \$7499

24.5HP Exmark engine, 52" deck, suspension platform

RAS708GEM603C3 \$7999

24.5HP Exmark engine, 60" deck, suspension platform

RAS708GEM60RC3 \$8399

24.5HP Exmark engine, 60" rear discharge deck, suspension platform



EXMARK LAZER X

Features include:

- UltraCut™ Series 6 deck
- · Hydrostatic drive system
- · Iso-Mount Seat Isolation System

35HP Kohler EFI engine, 60" deck,

RED TECHNOLOGY

LZX940EKC60RW0 \$15,599 35HP Kohler EFI engine, 60" rear

discharge, RED TECHNOLOGY

LZX940EKC72RW0 \$16.399

35HP Kohler EFI engine, 72" rear discharge, RED TECHNOLOGY

LZX980EKC726W0 \$15,999

38HP Kohler EFI engine, 72" deck, RED TECHNOLOGY



EXMARK RADIUS X

Features include:

- UltraCut™ Series 4 deck
- · Hydrostatic drive system

· Deluxe suspension seat

RAX651GKA484A3 \$7999 20.5HP Kawasaki engine, 48" deck

RAX691GKA524A3 \$8499

22HP Kawasaki engine, 52" deck

RAX730GKA604A3 \$8999

23.5HP Kawasaki engine, 60" deck



EXMARK LAZER Z DIESEL LZE751GKA60RA1 \$11,399

Features include:

- UltraCut™ deck
- Suspension seat
- · RED TECHNOLOGY

LZS80TDYM604W0 \$21.499

25HP Yanmar diesel engine, 60" deck

LZS80TDYM724W0 \$21,999

25HP Yanmar diesel engine, 72" deck

LZS80TDYM72RW0 \$22,399

25HP Yanmar diesel engine, 72" rear discharge deck

LZS88CDYM604W0 \$28,499

37HP Yanmar diesel engine, 60" deck

LZS88CDYM724W0 \$28,999

37HP Yanmar diesel engine,

LZS88CDYM96RW0 \$41,999

37HP Yanmar diesel engine. 96" rear discharge deck



EXMARK LAZER E

Features include:

- UltraCut™ Series 4 deck
- · Hydrostatic drive system
- Suspension seat

LZE651GKA484A2 \$9699

20.5HP Kawasaki engine, 48" deck

LZE751GKA524A2 \$9499*

24.5HP Kawasaki engine, 52" deck

LZE751GKA604A1 \$9999*

24.5HP Kawasaki engine, 60" deck

LZE740EKC60400 \$10,899

25HP Kohler Command EFI engine, 60" deck, high back seat

LZE751GKA604C1 \$10,999*

24.5HP Kawasaki engine, 60" deck, suspension platform

24.5HP Kawasaki engine, 60" deck, rear discharge

LZE751GKA724A1 \$11,499

24.5HP Kawasaki engine, 72" deck

LZE751GKA72RA1 \$11,899

24.5HP Kawasaki engine, 72" deck, rear discharge

*PROMO PRICE



EXMARK LAZER S

Features include:

- UltraCut™ Series 4 deck
- Hydrostatic drive system
- Suspension seat

LZS740AKC524A2 \$11,799

25HP Kohler EFI engine, 52" deck SMART Hour Meter

LZS801GKA524A2 \$11,999

25.5HP Kawasaki engine, 52" deck

LZS749AKC604A1 \$12.999

26.5HP Kohler EFI engine, 60" deck, SMART Hour Meter

LZS801GKA604A1 \$12,399

25.5HP Kawasaki engine, 60" deck

LZS850EKA604W0 \$13,799

29.5HP Kawasaki EFI engine, 60" deck, RED TECHNOLOGY

LZS749AKC72400 \$13,099

26.5HP Kohler EFI engine, 72" deck, SMART Hour Meter

LZS749AKC724A1 \$13,399

26.5HP Kohler EFI engine, 72" deck, SMART Hour Meter

LZS850EKA724W0 \$14,299

29.5HP Kawasaki EFI engine, 72" deck, RED TECHNOLOGY

RED TECHNOLOGY optimizes engine efficiency, increases fuel efficiency, reduces noise, eliminates governor droop, and provides more responsiveness for a consistently high cut quality.







The **SMART Controller**, in conjunction with Kohler EFI - mechanically governed engines, provides improved operator to machine interface. The hour meter with maintenance reminders and on-screen machine health diagnostics, increases ease of operation and reduces downtime.

OPTIONAL ACCESSORIES AVAILABLE. ASK US FOR DETAILS.



ZERO TURN RIDERS



SCAG FREEDOM Z

Features include:

- Fully welded & fabricated frame
- · Hydrostatic drive system
- · Contoured high back seat

SFZ48-22KT \$5299

22HP Kohler engine, 48" deck

SFZZ52-24KT \$5499

22HP Kohler engine, 52" deck





SCAG PATRIOT

Features include:

- Heavy-duty fabricated deck
- Hydrostatic drive system
- · Ultra plush bolstered seat

SPZ52-22FX \$6999

22HP Kawasaki engine, 52" deck

SPZ61-23FX \$7799

23HP Kawasaki engine, 61" deck

SCAG TURF TIGER II DIESEL

Features include:

- Tri-Plate Velocity Plus™ deck
- 16cc Hydro Gear pumps
- Suspension seat
- · Tiger Eye Advanced Monitoring

STTII-61V-25KBD \$17,499

25HP Kubota diesel engine, 61" deck

STTII-72V-25KBD \$18,499

25HP Kubota diesel engine, 72" deck

OPTIONAL ACCESSORIES FOR SCAG ZERO TURN RIDERS



SCAG TIGER CAT II

Features include:

- Velocity Plus™ deck
- 12cc Hydro Gear pumps
- Suspension seat
- · Tiger Eye Advanced Monitoring

STCII-48V-22FX \$8999

22HP Kawasaki engine, 48" deck, soft ride seat

STCII-52V-22FX \$8799*

22HP Kawasaki engine, 52" deck

STCII-52V-25CV-EFI \$9999

25HP Kohler EFI engine, 52" deck

STCII-61V-26FT-EFI \$8999*

NEW 26HP Kawasaki FT EFI engine, 61" deck

STCII-61V-29CV-EFI \$9999

29HP Kohler EFI engine, 61" deck

STCII-61V-23FX \$10,499

23HP Kawasaki engine, 61" deck



SCAG CHEETAH

Features include:

- Velocity Plus™ deck
- Dual Hydro Gear pumps
- Operator suspension system
- · Tiger Eye Advanced Monitoring

SCZ61V-31CV-EFI \$11,999

31HP Kohler EFI engine, 61" deck

SCZ61V-31FX \$10,699*

NEW 31HP Kawasaki engine, 61" deck

SCZ61V-37BV-EFI \$11,599*

NEW 37HP Briggs Vanguard EFI engine, 61" deck

SCZ72V-31FX \$12,599

31HP Kawasaki engine, 72" deck

SCZ72V-37BV-EFI \$12,499*

NEW 37HP Briggs Vanguard EFI engine, 72" deck

*PROMO PRICE



ZERO DOWNTIME

LOANER GUARANTEE



SCAG TURF TIGER II

Features include:

- Tri-Plate Velocity Plus™ deck
- · 16cc Hydro Gear pumps
- Suspension seat
- · Tiger Eye Advanced Monitoring

STTII-52V-26CH-EFI \$12,499

26HP Kohler EFI engine, 52" deck

STTII-61V-26CH-EFI \$11.499

26HP Kohler EFI engine, 61" deck

STTII-61V-35BVAC \$12,999

35HP Big Block Vanguard, 61" deck

STTII-61V-37BV-EFI \$13,599

37HP Big Block Vanguard EFI engine, 61" deck

STTII-61V-31DFI \$14,999

31HP Kawasaki DFI liquid-cooled engine, 61" deck

STTII-72V-35BVAC \$13,199

35HP Big Block Vanguard engine, 72" deck

STTII-72V-37BV-EFI \$14.399

35HP Big Block Vanguard EFI engine, 72" deck

STTII-72V-31DFI \$15,999

31HP Kawasaki DFI liquid-cooled engine, 72" deck



3-BAG COLLECTION SYSTEM

TIGER STRIPER



CLAM-SHELL COLLECTION

TIGER REAR BUMPER

collection systems

*cannot be used with grass



HURRICANE PLUS MULCHING



OPERATOR CONTROLLED DISCHARGE CHUTE



TIGER EYE Advanced Monitoring System

The TIGER EYE advanced on-board monitoring system keeps a constant real-time "eye" on important system functions on your Scag mower. Depending on the model and engine selection, a wide variety of systems are monitored in real-time, giving you valuable information in just a glance, right from the operator's seat. The backlit panel makes viewing easy, even in low light, while still easy to read in direct sunlight.

ADDITIONAL ACCESSORIES AVAILABLE. ASK US FOR DETAILS.

WALK BEHIND MOWERS



EXMARK 21 X Features include:

• 21" fixed deck

- Self-propelled
- · Rear wheel gear driven
- · Belt drive
- · Patented front height adjustment

ECX180CKA21000 \$1099

179cc Kawasaki engine

ECX180CKA210BC \$1299

179cc Kawasaki engine, blade brake clutch



EXMARK 30 Features include:

• 30" fixed deck

- Self-propelled
- Rear wheel gear driven
- Belt drive
- Front height adjusters
- · Blade brake clutch

ECS180CKA30000 \$1999

179cc Kawasaki engine



EXMARK METRO

Features include:

- UltraCut™ Series 2 fixed
- · Large 5-gallon fuel tank
- Belt drive

MGS481GKA322P0 \$3599

14.5HP Kawasaki engine, 32" deck, pistol grip

MGS481CKA36200 \$3999

14.5HP Kawasaki engine, 36" deck, ECS controls

MGS481CKA48300 \$4199

14.5HP Exmark engine. 48" UltraCut™ Series 3 fixed deck, ECS controls



EXMARK VIKING

Features include:

- Fixed deck w/side discharge
- Variable hydraulic drive
- ECS controls

VHS481GKA36200 \$5799

14.5HP Kawasaki engine, 36" UltraCut™ Series 2 deck

VHS481GKA48300 \$5999

14.5HP Kawasaki engine, 48" UltraCut™ Series 3 deck

EXMARK TURF TRACER S EXMARK TURF TRACER X Features include:

- UltraCut™ Series 3 deck
- Variable hydraulic drive
- · ECS controls

TTS481CKA36300 \$6399

14.5HP Kawasaki engine, 36"

TTS481GKA48300 \$6899

14.5HP Kawasaki engine, 48"

TTS541GKA52300 \$7299

15HP Kawasaki engine, 52" deck

- Features include: UltraCut™ Series 4 deck
- · Variable hydraulic drive
- ECS controls

TTX650EKC52400 \$8999

21HP Kohler EFI engine, 52" deck

TTX650EKC60400 \$9199

21HP Kohler EFI engine, 60"

TTX650EKC604N0 \$9699

21HP Kohler EFI engine, 60" deck, mulch kit & stand-on



SCAG SW

Features include:

- · Fixed deck
- 5-speed transmission
- Belt drive
- EZ grip design
- · Cast iron spindles
- · Adjustable handlebars

SW32-14FS \$3899

14HP Kawasaki engine 32" Advantage™ deck

SW36A-14FS \$3999

14HP Kawasaki engine, 36" Advantage™ deck

SW48V-14FS \$4299

14HP Kawasaki engine, 48" Velocity Plus™ deck

SW52V-15FS \$4799

15HP Kawasaki engine, 52" Velocity Plus™ deck

SCAG SWZ

Features include:

- Fixed Velocity Plus™ deck
- · Dual hydraulic pump drive
- EZ grip design
- Adjust-A-Trac
- Dependable Ogura clutch
- · Cast iron spindles

SWZ36A-14FS \$6099

14HP Kawasaki engine 36" Advantage™ deck

SWZ48V-15FS \$6499

15HP Kawasaki engine, 48" deck

SWZ52V-18FS \$6999

18HP Kawasaki engine, 52" deck

SWZL52V-22FSE \$7999

22HP Kawasaki engine, 52", electric start

SWZL61V-22FSE \$8499

22HP Kawasaki engine, 61" deck, electric start

SCAG SWZT

Features include:

- · Floating deck · Hydraulic drive system
- Ergonomic control system
 - · Easy adjust deck height

· Ultra strong handle tower SWZT36-14FS \$4799

· Heavy duty skid plates

14HP Kawasaki engine. 36" deck

SWZT48-15FS \$4999

15HP Kawasaki engine, 48" deck

SWZT52-18FS \$5399

18HP Kawasaki engine, 52" deck

SWZT52-18FSE \$5699

18HP Kawasaki engine, 52" deck, electric start

SWZT61-22FSE \$5999

22HP Kawasaki engine, 61" deck. electric start

Velocity Plus™ deck

15HP Kawasaki engine, 36" Advantage™ deck

19HP Kawasaki engine. 36" Advantage™ deck

SVRII-52V-23FX \$8899

23HP Kawasaki engine, 52" deck 18.5HP Kawasaki engine,

25HP Kohler EFI engine, 52" deck

SVRII-61V-25FX \$9299

SVRII-61V-29CV-EFI \$9499

29HP Kohler EFI engine, 61" deck

STAND ON RIDERS



Features include:

· Compact design

Smart Controller

48" deck

52" deck

60" deck

• Pump & wheel motor drive

UltraCut™ Series 4 deck

20.5HP Kawasaki engine,

23.5HP Kawasaki engine,

23HP Kohler EFI engine,

STS651GKA48400 \$9699

STS730GKA52400 \$9999

STS730AKC52400 \$10,399

SCAG V-RIDE II

Features include:

• Dual hydraulic drive system

SVRII-36A-15FS \$6799

SVRII-36A-19FX \$7699

SVRII-48V-22FX \$8699

22HP Kawasaki engine, 48" deck

SVRII-52V-25CV-EFI \$9199 *PROMO PRICE

25HP Kawasaki engine, 61" deck

NEW EXMARK STARIS E NEW EXMARK STARIS S

Features include:

- · Pump & wheel motor drive
- · Compact design UltraCut™ Series 3 deck

STE600CKA32300 \$6999* 18.5HP Kawasaki engine,

32" deck

36" deck

STE600CKA36300 \$7399* 18.5HP Kawasaki engine,

STE600GKA44300 \$7999*

52" deck STS730GKA60400 \$10.499

23.5HP Kawasaki engine, 60" deck

STS740EKC60400 \$10,899 25HP Kohler EFI engine,



SUB-COMPACT TRACTORS



ABOVE IMAGES MAY SHOW OPTIONAL EQUIPMENT

YANMAR SA221

Features include:

- · Electro hydro independent PTO
- · Cast iron transmission and front axle
- Dual hydraulic pumps
- Full-frame chassis

SA221AXHI-TL

21HP Yanmar diesel engine, front loader, 48" bucket, grille guard, industrial tires

SA221AXHI-TLD

21HP Yanmar diesel engine, front loader, 48" bucket, grille guard, 60" mid-mount mower deck, industrial tires



ABOVE IMAGES MAY SHOW OPTIONAL EQUIPMENT

YANMAR SA324

Features include:

- Performance Link Technology $^{\text{TM}}$
- Electro hydro independent PTO
- · Cast iron transmission and front axle
- · Smooth, hydraulic power steering

SA324AXHI-TL

24HP Yanmar diesel engine, front loader, 53" bucket, grille quard, industrial tires

SA324AXHI-TLD

24HP Yanmar diesel engine, front loader, 53" bucket, grille guard, 60" mid-mount mower deck, industrial tires



YANMAR SA424

Features include:

- Electro hydro indpendent PTO
- · Smooth, hydraulic power steering
- · Cast iron transmission and front axle
- Dual hydraulic pumps

SA424AXHI-TL

24HP Yanmar diesel engine, front loader, 53" bucket, grille guard, industrial tires

SA424AXHI-TLB

24HP Yanmar diesel engine, front loader, 53" bucket, grille guard, backhoe, industrial tires

COMPACT TRACTORS



ABOVE IMAGES MAY SHOW OPTIONAL EQUIPMENT

YANMAR YT235

Features include:

- · Ergonomic operator station
- Performance Link Technology™
- HST transmission w/3-speed range shift
- · Dual hydraulic pumps

YT235VXHI-TL

35HP Yanmar diesel engine, front loader, industrial tires

YT235VXHI-TLB

35HP Yanmar diesel engine, front loader, backhoe, indus-

ABOVE IMAGES MAY SHOW OPTIONAL EQUIPMENT

YANMAR YT347

Features include:

- Independent hydro mechanical transmission (i-HMT)
- Performance Link Technology™
- · Electronic controls
- Ergonomic operator station

YT347VXHI-TL

47HP Yanmar diesel engine, front loader, industrial tires

YT347VXHI-TLB

47HP Yanmar diesel engine, front loader, backhoe, indus-

ABOVE IMAGES MAY SHOW OPTIONAL EQUIPMENT

YANMAR YT359

Features include:

- · Independent hydro mechanical transmission (i-HMT)
- Performance Link Technology™
- · Electronic controls
- Ergonomic operator station

YT359VXHI-TL

59HP Yanmar diesel engine, front loader, industrial tires

YT359VXHIC-TL

59HP Yanmar diesel engine, front loader, industrial tires. cab w/heat and air conditioning

OPTIONAL ATTACHMENTS FOR SUB-COMPACT & COMPACT TRACTORS

- GRADING & LEVELING
- TILLAGE
- VEGETATION MANAGEMENT
 SEEDING & PLANTING
- FENCING & TREE PLANTING SNOW REMOVAL

OTHER ATTACHMENTS ALSO AVAILABLE. ASK US FOR DETAILS. Graphics may show optional accessories not included. Not all products represented in this equipment guide may be available at all locations.

CONTACT US FOR A QUOTE

UTILITY VEHICLES



AMERICAN LANDMASTER LS350

Features include:

- 2-wheel drive
- Top speed up to 22 mph
- Double A-arm front suspension
- 400 lbs., 9.25 cu. ft. dump bed
- 1100 lbs. towing capacity
- 2" rear receiver hitch
- · Choose from red, green, white, black, camo*

LS350 \$5299**

277cc Kohler 4-stroke OHV engine, electric start w/ recoil backup, poly bed



AMERICAN LANDMASTER LS455EFI

Features include:

- 2-wheel drive
- Top speed up to 22 mph
- Double A-arm front suspension
- 400 lbs., 9.25 cu. ft. dump bed
- 1100 lbs. towing capacity
- 2" rear receiver hitch
- · Choose from red, green, white, black, camo*

LS455EFI \$6349**

429cc Kohler EFI air-cooled OHV engine, electricstart w/recoil backup, poly bed



AMERICAN LANDMASTER LS550 Features include:

- 4-wheel drive
- Top speed up to 24 mph
- 4-wheel hydraulic brakes
- Automatic transmission & locking differential
- 500 lbs., 9.25 cu. ft. dump bed
- · 1200 lbs. towing capacity
- · Choose from red, green, white, black, camo*

LS550 \$7499**

479cc Vanguard 4-stroke OHV V-Twin engine, electric start w/ recoil backup, poly bed



AMERICAN LANDMASTER LS670

Features include:

- 4-wheel drive
- Top speed up to 24 mph
- · 4-wheel hydraulic brakes
- Automatic transmission & locking differential
- 500 lbs., 9.25 cu. ft. dump bed
- 1200 lbs. towing capacity
- · Choose from red, green, white, black, camo*

LS670 \$7999**

674cc Kohler 4-stroke OHV V-Twin engine, electric start w/recoil backup, poly bed

** Price does not include setup & destination



AMERICAN LANDMASTER LS CREW 4X

Features include:

- Switch engaged 4-wheel drive
- Top speed up to 24 mph
- 4-wheel disc brakes
- Double A-arm front suspension
- 1500 lbs. vehicle capacity
- 1200 lbs. towing capacity
- 2" rear receiver hitch
- Choose from red, green, white, black, camo*

LSCREW 4X \$10,999**

694cc Kohler V-Twin OHV engine

OPTIONAL ACCESSORIES

- Snow blade
- · Horn kit
- · Front receiver hitch
- · Soft cab enclosure · Mirror kit
- Hour meter kit
- Rear flip seat conversion Windshield
- Roof
- · Winch kit
- · Front rack kit
- · LED light bar

* Additional charge



YANMAR BULL

- Features include: • Electric power steering (EPS)
- Electric start
- YANMAR Fuel Injection (YFI)
- Tru-Torq® CVT drive system
- Dial-Lok® means easy drive selection
- Fully-independent suspension
- · Anti-sway bar reduces body roll
- 4-wheel hydraulic disc brakes
- Dual-range (hi/lo) drive and reverse
- 11.8" ground clearance
- 9.7 gal. fuel capacity
- 600 lbs. bed capacity • 1500 lbs. towing capacity
- · Available in red, matte dark gray, green, RealTree® Camo

YU700GK \$14,499**

686cc liquid-cooled SOHC 4-stroke, 4 valve engine, 3 seats



YANMAR LONGHORN

Features include:

- Electric power steering (EPS)
- · Electric start
- YANMAR Fuel Injection (YFI)
- Tru-Torg® CVT drive system
- Dial-Lok® means easy drive selection
- Fully-independent suspension
- · Anti-sway bar reduces body roll
- · 4-wheel hydraulic disc brakes
- Dual-range (hi/lo) drive and reverse
- 11.8" ground clearance
- 9.7 gal. fuel capacity
- 600 lbs. bed capacity • 1500 lbs. towing capacity
- · Available in red, matte dark gray, green, RealTree® Camo

YU700GMPK \$15,599**

686cc liquid-cooled SOHC 4-stroke, 4 valve engine, 6 seats



NEW YANMAR BRAHMA

Features include:

- Electric power steering (EPS)
- · 2WD, 4WD, rear locking/unlocking differential drive train
- · Adjustable HPG shock absorbers/ double wishbone (a-arm) design suspension
- · Continuously variable transmission (CVT) with L/H/N/R
- · Roof standard on all models
- Turn signal standard
- · Hazard light standard
- · Horn standard
- 12.2" ground clearance
- 10.6 gal. fuel capacity
- 1000 lbs. bed capacity · 2000 lbs. towing capacity

YU1000D \$16,999**

993cc 3 cylinder, 4-cycle, liquid- cooled inline diesel engine, 2 fully adjustable seats

AVAILABLE COLORS





Green w/silver graphics



Matte dark gray

OPTIONAL ACCESSORIES

- 40" LED light bar
- Folding windshield Clearview cab
- · Soft side cover
- Rear window · Storage cover
- Snow plow kit
- Mud flaps · Cargo bed box
- Front receiver hitch
- Heavy-duty brush guard
- · Front speaker pods · Headlight & tail light guards
- · Wiper/washer kit
- · Heated seat covers

** Price does not include setup & destination charges ADDITIONAL ACCESSORIES ALSO AVAILABLE. ASK US FOR DETAILS. Graphics may show optional accessories not included. Not all products represented in this equipment guide may be available at all locations.



COMPACT UTILITY LOADERS



TORO 323

Quick specs:

- 23HP Kohler engine
- · Operating capacity 515 lbs. • Operating weight 1567 lbs.
- Tip capacity 1030 lbs.

Features include:

- 4-Paw Independent 4-wheel drive
- Ride-on operator platform
- · 2-ground speeds
- 2-pump hydraulic system
- · Quick attach system

ATTACHMENT SHOWN.

· Tip capacity 1048 lbs.

*ABOVE IMAGES MAY SHOW OPTIONAL EQUIPMENT, NOT

INCLUDED IN PRICE. ABOVE PRICES DO NOT INCLUDE

Quick specs:

· 20HP Kubota diesel engine

· Operating capacity 524 lbs.

· Operating weight 1722 lbs.

- Features include: 4-Paw Independent 4-wheel drive
- · 2-ground speeds
- 2-pump hydraulic system
- · Quick attach system

• Wide tracks (9.5" wide)

TORO TX427 Quick specs:

- 25HP Kohler engine
- · Operating capacity 535 lbs. · Operating weight 1882 lbs.
- Tip capacity 1530 lbs.

Features include:

- · Narrow track standard (5.9" wide)
- Walk behind
- Exclusive TX controls
- Kevlar reinforced tracks • 4-pump hydraulic system

· Quick attach system

Optional:

Operator platform

TORO TX525 Quick specs:

- 23.3HP Kubota liquid cooled diesel engine
- · Operating capacity 553 lbs.
- · Operating weight 1904 lbs.
- Tip capacity 1580 lbs.

Features include:

- · Narrow track standard (5.9" wide)
- Walk behind
- Exclusive TX controls
- · Kevlar reinforced tracks
- 4-pump hydraulic system
- Quick attach system

Optional:

- Wide tracks (9.5" wide)
- Operator platform

TORO TX1000 Quick specs:

- 24.9HP Kubota liquid cooled diesel engine
- · Operating capacity 1000 lbs.
- Operating weight 2610 lbs.
- Tip capacity 2857 lbs.

Features include:

- · Narrow track standard (5.9" wide)
- Ride-on operator platform
- Vertical lift
- Hinge pin height 81"
- · Effortless control system
- Ground speed 4.7 mph
- · Quick attach system

Optional:

· Wide tracks (9.5" wide)

TORO TXL2000 Non-Telescoping Quick specs:

- 49.6HP Kubota diesel
- · Operating capacity 2000 lbs.
- Operating weight 6235 lbs.
- Tip capacity 5715 lbs.

Features include:

- 360° visibility
- 54" wide frame
- Hinge pin height 98.6"
- Selectable traction speed
- Easy to use control interface

Telescoping

Includes standard features on non-telescoping plus:

- · Telescoping arms up to 123" high
- · Rated operating capacity 920 lbs. (extended)
- · Operating weight 6655 lbs.
- · Tip capacity 2620 lbs. (extended)
- Hinge pin height 123.4"

FARTH MOVING

-			_		•••		_			_		
•	2	24	2	6		р	OV	ver	b b	ХC	ra	kε

22445 tiller 23102

soil cultivator backhoe w/13" bucket 23163

23165 leveler

22414 utility blade

22911 vibratory plow 22474 high speed trencher head

TXL2000 trencher head 22533 22536 TXL2000 power rake

AUGERS & TREE CARE

• 22429 stump grinder • 22438 tree fork • 22521 grapple rake

• 22805 high torque power head • 23135 • 22806 universal swivel auger power head

• 22532 TXL2000 auger drive • 22534 TXL2000 brushcutter

• 6" to 30" auger bits available

MATERIAL HANDLING

multi-purpose tool • 22442 cement bowl • 22341 adjustable forks concrete breaker

• 22535 TXL2000 grapple • 22541

• 22423

TXL2000 skeleton grapple • 22549

TXL2000 adj. forks • 22538 TXL2000 angle broom

BUCKETS

• 22409 standard • 22340 TX1000 standard

• 22342 TX1000 high volume • 22520 narrow bucket

• 22547 TXL2000 standard • 22546 TXL2000 high volume

• 22548 TXL2000 grading • 22573 TXL2000 stump

TRENCHERS

TORO TRX-16

Quick specs:

- 16HP Kawasaki V-Twin engine
- Recoil start
- Toro TRX control system

TRX features include:

- · High hydraulic flow
- · Pivoting trencher head • Boom depth options 24", 36"

TORO TRX-20

Quick specs:

- 20HP Kawasaki V-Twin engine
- Electric start
- Boom width options 4", 6" & 8" (TRX-26)
- · 3-pump hydraulic system

• Track width 5.9"

Quick specs:

- **TORO TRX-26**
- 26HP Kawasaki V-Twin engine Electric start

Available chain types

- · Soil cup tooth
- · Combo chain (rock & soil)
- · Shark welded rock tooth
- · Bullet style rock tooth

STUMP GRINDERS



- Features include:
- Well balanced & compact Lift handles

22600 / SGR-6

6.5HP Honda engine, 6" below grade cutting depth, 10" above grade cutting height

22615 / SGR-13 13HP Honda engine, 11" below grade cutting depth, 14" above grade cutting height



Intelli-Sweep™

Features include:

• Traction Control System

23208 / STX-26 23.5HP Kawasaki engine, 12.5" below grade cutting depth, 35" above grade cutting height

23214 / STX-38 38HP Kohler EFI engine, 18" below grade cutting depth, 35" above grade cutting height

OPTIONAL ATTACHMENTS ALSO AVAILABLE. ASK US FOR DETAILS. Graphics may show optional accessories not included. Not all products represented in this equipment guide may be available at all locations.

CONTACT US **FOR A QUOTE**

CONCRETE & MORTAR MIXERS



TORO CONCRETE

Features include:

- Replaceable steel mixing blades
- Polyethylene drum

68001 / CM-250E-PC

3/4 HP electric, 2 cu. ft. capacity, wheel barrow & pedestal combo

68003 / CM-250E-PWB 3/4HP electric, 2 cu. ft. capacity, wheel barrow



TORO CONCRETE Features include:

- · Oversized steel paddles
- · Reinforced cowl
- 1-piece cast iron ring gear

68004 / CM-658H-S

Honda engine, 6 cu. ft. capacity, steel drum

68006 / CM-958H-S

Honda engine, 9 cu. ft. capacity, steel drum

68007 / CM-958H-SED

Honda engine, 9 cu. ft. capacity, steel drum w/ end dump



TORO CONCRETE

Features include:

- · Oversized steel paddles
- · Reinforced cowl
- 1-piece cast iron ring gear

68008 / CM-958H-PED

Honda engine, 9 cu. ft. capacity, plastic drum w/ end dump

68009 / 958H-P

Honda engine, 9 cu. ft. capacity, plastic drum

68011 / CM-1258Y-SD

Yanmar diesel engine, 12 cu. ft. capacity, steel drum



TORO MORTAR

Features include:

- Patented drum latch & front post latch
- · Multi-point bag splitter
- · Lift away heavy-duty safety guards
- · Patented guard lifter

68017 / MM-658H-P

Honda engine, 6 cu. ft. capacity, plastic drum

68021 / MM-858H-P Honda engine, 8 cu. ft.

capacity, plastic drum

68024 / MM-12511H-S Honda engine, 12 cu. ft.

capacity, steel drum

POWER TROWELS



TORO ULTRA MIX

MORTAR

- Features include: Patented paddle
- Symmetrical drum
- Steel drum

60212 / MMX-650E-S

1.5HP electric, 6 cu. ft. capacity

60213 / MMX-655-S

Honda engine, 6 cu. ft. capacity

60216 / MMX-658H-S Honda engine, 6 cu. ft.

capacity

60219 / MMX-850E-S 2HP electric, 8 cu. ft.

60220 / MMX-858H-S Honda engine, 8 cu. ft.

capacity

capacity



TORO POLYETHYLENE **ULTRA MIX MORTAR**

Features include:

- Patented paddle design
- Symmetrical drum
- · Open engine cowl
- Solid steel dump handle
- Polyethylene drum
- · Telescoping axle

60217 / MMX658K-P

9.5HP Kohler engine, 6 cu. ft. capacity

60221 / MMX-858K-P

9.5HP Kohler engine, 8 cu. ft. capacity

COMPACTORS



TORO FORWARD

PLATE

Features include:

- Patented water system
- Self cleaning open base plate
- · Heavy-duty dual stage shock mounts
- Removeable water tank
- Travel up to 130 ft./min.

68025 / FP-2200

Honda engine, 2200 lbs. force, 13" x 21" plate

68026 / FP-3000

Honda engine, 3000 lbs. force, 20" x 24" plate

68027 / FP-4000

Honda engine, 4000 lbs. force, 20" x 24" plate



REVERSIBLE

PLATE

Features include

- Smooth travel speed
- · For soils, sand & gravel
- · Easy to operate controls

68071 / RP-500

Honda engine, 4946 lbs. force, 15.75" x 25" plate

68072 / RP-700

Honda engine, 7194 lbs. force, 20" x 30" plate

68073 / RP-1200

Honda engine, 11,691 lbs. force, 24" x 34" plate

68074 / RP-1200D

Hatz diesel engine, 11,691 lbs. force, 24" x 34" plate

68075 / RP-1400D

Hatz diesel engine, 14,164 lbs. force, 30" x 35" plate



Features include:

- High impact poly shoe w/ steel reinforced base plate
- Rubber shock mounts
- · Wrap around handle

68034 / VR-2650

Honda engine, 2650 lbs. force

68035 / VR-3100

Honda engine, 3100 lbs.

68036 / VR-3500

Honda engine, 3500 lbs.



Features include:

- Adjustable handle

Honda engine, 36" diameter

Honda engine,

Honda engine, 46" diameter

Honda engine,



- Patented Dyna-Clutch
- · Combo blades

68048 / PT-36

68049 / PT-36PP

36" diameter, Pro-Pitch™ blade adjustment

68050 / PT-46

68051 / PT-46PP

46" diameter, Pro-Pitch™ blade adjustment

MUD BUGGY



TORO MB-1600

- Quick specs:
- 11.7HP Honda engine
- · Capacity 16 cu. ft. Max. load capacity 1875#(single wheel); 2500#(double wheel)
- · Operating weight 1370#

Features include:

- · Hydraulic dump system
- · Dual action dump pedal
- · Oversize brake pedal
- Quick-disconnect tires
- · Polyethylene tub · Max. ground speed 7 mph

- **TORO MB-TX-2500** Quick specs:
- 25HP Kohler engine · Capacity 16 cu. ft.
- Max. load capacity 2500 # · Operating weight 1640#

Features include:

- Kevlar reinforced tracks
- · Effortless traction controls Auto-return dump
- · Suspended, ride-on platform

· Max. ground speed 6 mph

TOW POLE AVAILABLE FOR ALL CONCRETE & MORTAR MIXERS

Graphics may show optional accessories not included. Not all products represented in this equipment guide may be available at all locations.

CONTACT US FOR A QUOTE



buckeyepowersales.com

AERATORS



EXMARK S-SERIES

Features include:

- Easy to use controls
- · Low effort maneuverability
- 21" aerating width

ARS180CKA21000 \$4399

Kawasaki FJ180V KAI engine, recoil start, Hydro Gear T2



EXMARK STAND-ON

Features include:

- Longer operating platform
- · Reduced belt drive maintenance

ARX440CKC24000 \$9699

14HP Kohler engine, 24" width

ARX541CKA30000 \$10.699

15HP Kawasaki V-Twin FS541V engine, electric start, 30" width



RYAN LAWNAIRE IV

Features include:

- · Easy Steer Recoil start
- 19" aerating width

554913 \$3372 4HP Honda GX engine

554914 \$3059

6HP Briggs & Stratton engine



RYAN LAWNAIRE V

Features include:

- · Easy Steer
- Recoil start
- · 26.5" aerating width

554910 \$3799

4HP Honda GX engine

554916 \$3429

SOD CUTTERS

6HP Briggs & Stratton engine



Features include:

- · Automatic chain tensioning
- Aeration depth control 2-5"
- 30" aerating width

554930 \$12,079

15HP Kawasaki FS541V engine

SEEDERS



EXMARK SLICE SEEDER

Features include:

- · Slicer blade depth adjustment
- · Easy storage
- Seed delivery system
- · Large capacity seed hopper

SDS395CKC20000 \$4399

9.5HP Kohler engine, 20" width



BILLY GOAT OVERSEEDER

Features include:

- · Infinite height adjustment
- · Auto drop system conserves seed Heavy-duty wheels
- 22" width

OS901SPH \$4125

270CC Honda engine, self propelled

BILLY GOAT NEXT GEN

Features include:

- · Hydro drive transmission Set and Forget[™] blade depth
- adjustment to 2.5"
- Rear swivel caster

SC181H \$5200

163cc Honda engine, 18" cutting



RYAN JR. SOD CUTTER

Features include:

- · Hydro drive transmission
- · Rear swivel caster
- · Easy depth & blade angle adjustment
- 18" cutting width

544954C \$5569

5.5HP Honda engine

BROOM



EXMARK ROTARY BROOM

Features include:

- Patented power steering
- Height adjust in 1/8" increments
- · Independent control levers to
- broom & drive systems separately
- 6-forward & 2-verse positions

BRS270CKC36000 \$4299

7HP Kohler engine, 36" width

SPREADERS

BED **EDGERS**



BEDSHAPER®

Features include:

- · Zero turn radius
- · Hydrostatic transmission • 100' per minute
- Cutting depth from .5" to 4.5" • BladeFloat™

904-00-01 \$4219

13HP Honda engine

SPREADER/SPRAYERS



EXMARK

Features include:

- · Stainless steel frame
- · Hydrostatic transmission

SSS395CKC00000 \$9999

9.5HP Kohler engine, electric start w/recoil backup, 175 lbs. hopper capacity, 20 gal. spray tank capacity



GROUND LOGIC

Features include:

- · Easy pivot platform attachment
- · Large capacity fuel tank

PATHFINDER \$8079

Honda GX200 engine, 120 lbs. capacity spreader, 12 gal. spray tank

PATHFINDER XC \$8779

Honda GX200 engine, 220 lbs. capacity spreader, 16 gal. spray tank capacity, 100% stainless steel frame



GROUND LOGIC

Features include:

- 100% stainless steel construction
- · Adjustable max. ground speed

VENTURE \$10,199

18HP Vanguard engine, 100 lbs. capacity spreader, 24 gal. spray tank capacity (dual tanks)

VENTURE XC \$10,499

18HP Vanguard engine, 200 lbs. capacity spreader, 24 gal. spray tank capacity (dual tanks), zero turn



100 lbs. capacity, epoxy frame, polypropylene hopper, includes cover

BF-1SS \$559 Same as above w/stainless steel frame

MID-PRO ROTARY

MPRII \$239 70+ lbs. capacity, epoxy frame, polypropylene hopper, includes cover

BROADCAST

CBRIV \$349 70+ lbs. capacity, epoxy frame, polypropylene hopper, includes cover

CBRIV-SS \$449

Same as above w/stainless steel frame

TRUCK LOADERS



SCAG GIANT VAC SKID MOUNT

Features include:

- · Fabricated steel impeller
- · Electric start
- · Quick-Detach hose

TLS20-18BV \$3599*

18HP Briggs Vanguard engine, electric start, 10" diameter hose, 3075 CFM

Swing away hitch available \$899



SCAG GIANT VAC SKID MOUNT

Features include:

- · Fabricated steel impeller
- Electric start
- Quick-Detach hose

TLS20W-29BV \$5849

29HP Briggs Vanguard Big Block engine, 12" diameter hose, 4680 CFM



SCAG GIANT VAC TOW BEHIND

Features include:

- Heavy duty welded steel platform
- Heavy-duty Dexter Torflex axle
- · 2" ball hitch standard

TL20W-26CH-EFI \$7899 29HP Briggs Vanguard engine.

12" diameter hose, 4680 CFM

*PROMO PRICE



SCAG GIANT VAC INDUSTRIAL TOW BEHIND

Features include:

- · Easy access to impeller
- · Heavy duty Dexter Torflex axle
- 2" ball hitch standard

WHEEL BLOWERS

TLB25-35BV \$11,899

35HP Briggs Vanguard engine, belt drive, 12" diameter hose, 6781 CFM



BILLY GOAT DL 14/18

Features include:

- Dual shredding system
- CustomFit allows you to customize the loader to your truck.

DL1401SE \$3250

404cc Subaru engine, 10" hose, 3700 CFM

BRUSH

LEAF VACUUMS



BILLY GOAT KV VAC

Features include:

- · Large 5-blade impeller
- Variable height adjustment

KV601 \$1010

190cc Briggs engine, 40 gal. bag volume, 1700 CFM

KV650H \$1215

6.5HP Honda engine, 40 gal. bag volume, 1700 CFM

KV650SPH \$1515

187cc Hnda engine, 40 gal. bag volume, 1700 CFM, self-propelled



BILLY GOAT MV-VAC

Features include:

- · Rugged, low weight
- Top load bag slides out on rails

MV650H \$1950

6.5HP Honda engine, 40 gallon top fill bag volume

MV650SPH \$2250

6.5HP Honda engine, 40 gal. bag volume, self-propelled



BILLY GOAT FORCE

Features include:

- Patented Aim N Shoot[™] control
- · Low weight, low noise
- · Just under 200 mph velocity

F601X \$705

208cc XR Pro Briggs engine

F902H \$1500

262cc Honda engine

F1302H \$1825

393cc Honda engine



LITTLE WONDER OPTIMAX

Features include:

- 7-blade reverse angle
- · Split-stream air deflector

· Remote chute deflector

9160-02-01 \$1013 5HP Honda engine, 153 mph velocity

9270-02-01 \$1628

9HP Honda engine, 143 mph velocity

9390-02-01 \$1921

13HP Honda engine, 168 mph velocity



BILLY GOAT OUTBACK®

Features include:

- Heavy-duty blade spindle
- Hydrostatic transmission
- · Pivoting deck

BC2600HH \$3850

388cc Honda engine, 26" width,

BC2600HEBH \$4150

388cc Honda engine, 26" width, electric start

PRESSURE WASHERS



VORTEXX PROSUMER VX20303D \$1049

Honda GX200 engine, 2700 PSI, 3 gal. per minute, 30' blue easy coil non-marking hose



VORTEXX PROFESSIONAL

VX20305D \$1249

Honda GX200 engine, 2950 PSI, 3 gal. per minute, 50' blue easy coil non-marking hose, 3' bypass hose

VX30405D \$1749

Honda GX200 engine, 4000 PSI, 4 gal. per minute, 50' blue easy coil non-marking hose, 3' bypass hose



VORTEXX PROFESSIONAL STIHL HOMEOWNER

VX60505H \$5999

Honda GX270 engine, 3400 PSI, 3.2 gal. per minute, 360 degree swivel coasters for one handed maneuverability, HOT WATER



RB200 \$479

173cc engine, 2500 PSI, 2.3 gal. per minute, 25' kink-resistant hose

RB400 DIRT BOSS® \$619

196cc engine, 2700 PSI, 2.7 gal. per minute, 25' ultra-flexible, kink-resistant hose



STIHL PROFESSIONAL

RB600 \$949

208cc engine, 3200 PSI, 3 gal. per minute, 40' high-pressure, steel braided hose

RB800 \$1359

429cc engine, 4200 PSI, 4 gal. per minute, 50' high-pressure, steel



CHAIN SAWS



STIHL OCCASIONAL USE MS170-16 \$179

30.1cc engine, IntelliCarb™ carburetor, 16" bar, weighs 9 lbs.

MS171-16 \$199

30.1cc engine, reduced-emission, 16" bar, weighs 10 lbs.

MS180-16 \$199

31.8cc engine, firewood cutting saw, 16" bar, weighs 9 lbs.

MS180C-BE-16 \$239

31.8cc engine, firewood cutting saw, Easy2Start™,16" bar, weighs 10 lbs.

MS181C-BE-16 \$299

31.9cc engine, firewood cutting saw, 16" bar, weighs 9 lbs.

MS211-18 \$279

35.2cc engine, low-emission, fuel efficient engine, 18" bar, weighs 10 lbs.

MS211C-BE-18 \$319

35.2cc engine, low emission, Easy2Start™ 18" bar, weighs 10 lbs.

MS250-18 \$359

45.6cc engine, firewood cutting saw, 18" bar, weighs 10 lbs.

MS251-18 \$329

45.6cc engine, firewood cutting saw, 18" bar, weighs 10 lbs.

STIHL MID-RANGE MS201C-EM

35.2cc engine, STIHL M-Tronic™ engine system, Easy2Start™ weighs 9 lbs.

14" bar \$729

16" bar \$739

MS261C-M

50.5cc engine, weighs 12 lbs. 16" bar \$579

18" har \$589 20" bar \$599

MS271 FARM BOSS® 50.2cc engine, weighs 12lbs.

18" bar \$389

20" bar \$399

MS291

55.5cc engine, weighs 12 lbs.

18" bar \$459

20" bar \$469

MS311

59.0cc engine, weighs 14 lbs.

16" bar \$489

18" bar \$499 20" bar \$509

MS391

61.1cc engine, fuel efficient, low emission, weighs 14 lbs.

18" bar \$579

20" bar \$589

25" bar \$599



ABRASIVE WHEEL INCLUDED. 12" DIAMOND WHEEL (SHOWN) STARTING AT \$99

TS410 \$999

66.7cc engine, 12" maximum wheel size, X2 air filtration, weighs 21 lbs*

TS420 \$1019

66.7cc engine,14" maximum wheel size. X2 air filtration. weighs 21 lbs*

TS440 \$1269

66.7cc engine, Electronic Water Control (EWC), 14" maximum wheel size, weighs 25 lbs*



14" DIAMOND WHEEL (SHOWN) STARTING AT \$99

TS500i \$1379

72.2cc engine, electronically controlled fuel-injected, 14" maximum wheel size. weighs 23 lbs*

TS700 \$1449

98.5cc engine, 14" maximum wheel size, X2 air filtration, weighs 26 lbs*

TS800 \$1549

98.5cc engine, 16" max. wheel size, weighs 28 lbs*

STIHL PROFESSIONAL MS362C-M

59.0cc engine, increased power, weighs 13 lbs.

16" bar \$739

18" bar \$749

20" har \$759 25" bar \$769

MS391

64.1cc engine, fuel efficient, low emission, weighs 14 lbs.

16" bar \$579

18" bar \$589

20" bar \$599

25" bar \$609

NEW MS462C-M

72.2cc Magnum, high performance saw, weighs 13 lbs.

16" bar \$1099

18" bar \$1109

20" bar \$1119

25" bar \$1129

28" bar \$1139

32" bar \$1149

light 28* \$1189

light 32* \$1199

*lightweight guide bar

MS461

76.5cc Magnum, high performance saw, weighs 15 lbs.

16" bar \$999

18" bar \$1009

20" bar \$1019

25" bar \$1029

28" bar \$1039

32" bar \$1049

MS661C-M MAGNUM®

91.1cc engine, reduced exhaust emission, weighs 17 lbs.

20" bar \$1279

25" bar \$1289

28" bar \$1299

32" bar \$1309

36" bar \$1319

NEW light 28* \$1349

light 32* \$1359

light 36* \$1369

*lightweight guide bar

MS880 (322)

121.6cc Magnum engine, heavy-duty, weighs 22 lbs.

25" bar \$1959

30" bar \$1969

36" bar \$1979 41" bar \$1989

47" bar \$2119

STIHL PRO ARBORIST MS150TCE-12 \$529

23.6cc professional tree service saw, ultra lightweight, 12" bar, weighs 6 lbs.

MS193T-14 \$339

30.1cc engine, top handle design, 14" bar, weighs 7 lbs.

MS201TC-M

35.2cc engine, weighs 8 lbs.

14" bar \$679

16" bar \$689

STIHL CONCRETE **CUTTER** GS461 \$2199

76.5cc engine, 16" bar, fuel efficient, low emission, weighs 17 lbs., designed for deep cutting and square corners, cuts up to 15.7" deep into concrete, reinforced concrete, cinder blocks, masonry bricks, ashphast and soft stone

POLE PRUNERS



STIHL PROFESSIONAL HT103 \$599

31.4cc engine, telescoping pole pruner, adjusts from 7'6" to 11'6", weighs 16 lbs.

HT132 \$549

36.3cc engine, 7' fixed length pole pruner, weighs 13 lbs.

HEDGE



STIHL HEDGE TRIMMER HS45-18 \$299 PROMO \$249 valid 1/1-6/30/19

27.2cc engine, 18" bar, dual reciprocating, weighs 10 lbs.

HS82T

22.7cc engine, 24" bar, dual reciprocating, weighs 11 lbs. 24" bar \$529

HS87T

30" bar \$559

22.7cc engine, dual reciprocating, weighs 12 lbs. 30" bar \$559

40" bar \$579

STIHL PROFESSIONAL HT133 \$649

36.3.4cc engine, telescoping pole pruner, adjusts from 7'6" to 11'6", weighs 17 lbs.

HT250 \$619

40.2cc engine, 7' fixed lenth pole pruner, weighs 13 lbs.



STIHL PLANTING AUGER BT45EAD \$499

27.2cc engine, 663 rpm drill speed (1st gear), 1972 rpm drill speed (2nd gear)

STIHL EARTH AUGER BT131 \$699

36.3cc engine, Quick Stop brake



STIHL WOOD BORING **DRILL**

BT45WBD \$499

27.2cc engine, weighs 11 lbs.

*weight includes water attachment & guard. Graphics may show optional accessories not included. Not all products represented in this equipment guide may be available at all locations.

TRIMMERS & BRUSHCUTTERS



STIHL TRIMMERS FS70R \$289 PROMO \$259 valid 1/1-6/30/19

27.2cc engine, straight shaft, loop handle, weighs 11 lbs.

FS91R \$329 PROMO \$299 valid 1/1-6/30/19

28.4cc, 4-Mix® engine, solid drive shaft, loop handle, weighs 12 lbs.

FS94R \$349

24.1cc engine, loop handle, weighs 10 lbs.

FS111RX \$359 PROMO \$329 valid 1/1-6/30/19

31.4cc engine, straight solid drive shaft, loop handle, weighs 11 lbs.

FS111R \$369

31.4cc engine, straight shaft, loop handle, weighs 12 lbs.

FS131R \$399

36.3cc engine, straight shaft, loop handle, low emissions, weighs 12 lbs

FS240R \$599

37.7cc engine, straight shaft, loop handle, weighs 15 lbs.



ECHO EDGERS PE2620 \$359

25.4cc engine, ProXtreme Series™ curved shaft, weighs 15 lbs.

PE-2620S \$419

25.4cc engine, straight shaft, weighs 15 lbs.



STIHL BRUSHCUTTERS

FS91 \$359

28.4cc engine, straight solid drive shaft, bike handle, weighs 12 lbs.

FS111 \$399

31.4cc engine, straight solid drive shaft, bike handle, weighs 13 lbs.

FS131 \$439

36.3cc engine, straight shaft, bike handle, weighs 13 lbs.

FS240 \$629

37.7cc engine, straight shaft, bike handle, weighs 13 lbs.

FS311 \$599

36.3cc engine, deluxe double harness, bike handle, weighs 16 lbs.





REDMAX EDGERS HEZ230S \$399

23.6cc engine, straight shaft, weighs 13 lbs.

HEZ2650F \$389

25.4cc Strato-Charged engine, curved shaft, weighs 13 lbs.

HEZ3060S \$479

29.5cc Strato-Charged engine, straight shaft, weighs 16 lbs.

REDMAX TRIMMERS TRZ230S \$279

22.5cc engine, straight shaft, weighs 10 lbs.

BCZ230TS \$299

22.5cc engine, straight shaft, weighs 11 lbs.

BCZ260TS \$349

25.4cc engine, straight shaft, weighs 11 lbs.

BCZ3060TS \$449

29.5cc engine, straight shaft, weighs 12 lbs.

REDMAX BRUSHCUTTERS SGCZ2460S \$699

23.6cc engine, straight shaft, reciprocating blades, weighs 15 lbs.



25.4cc engine, straight shaft, weighs 12 lbs.

SRM2620T \$359

25.4cc engine, ProXtreme™ high torque, straight shaft, weighs 14 lbs.

NEW SRM3020 \$399

30.5cc engine, straight shaft, weighs 14 lbs.



25cc mini 4-stroke engine, runs on straight unleaded gasoline, weighs 13 lbs.

HHT35SLTAT \$369

35cc mini 4-stroke engine, runs on straight unleaded gasoline, weighs 14 lbs.

HONDA BRUSHCUTTERS HHT35SUKAT \$409

35cc mini 4-stroke engine, runs on straight unleaded gasoline, 10" brush blade standard, weighs



TILLERS

STIHL BED REDEFINER FB131 \$579

36.3cc engine, low emissions, straight shaft, up to 2.6" blade cutting depth, professional grade, weighs 17 lbs.



STIHL EDGERS

FC70 \$299

27.2cc engine, curved shaft, low emissions, weighs 14 lbs.

FC91 \$359

28.4cc engine, curved shaft, high blade speed, weighs 14 lbs.

FC96 \$459

28.4cc engine, straight shaft, larger fuel tank, weighs 15 lbs.

FC111 \$519

31.4cc engine, straight shaft, weighs 15 lbs.

HONDA MINI FG110K1AT \$349

25cc Honda mini 4-stroke engine, 9" tilling width, 8" tine diameter

HONDA MID TINE FC600K1A \$1369

163cc Honda GX160 engine, 26" tilling width, 14" tine diameter, chain and gear drive transmission, 1-forward speed

HONDA REAR TINE FRC800K1A \$2529

242cc Honda commercial OHV engine, 20" tilling width, 12" tine diameter, 3-forward speeds, 1-reverse speed



BLOWERS



STIHL BACKPACK BR350 \$349

63.3cc engine, 441 cfm, 168 mph max air velocity, weighs 22 lbs.

BR430 \$399

63.3cc engine, 500 cfm, 183 mph max air velocity, weighs 22 lbs.

BR450 \$449

63.3cc engine, 642 cfm, 183 mph max air velocity, weighs 23 lbs.

BR450CEF \$549

63.3cc engine, electric start, 642 cfm,183 mph max air velocity, weighs 25 lbs.

BR500 \$499

64.8cc engine, 477 cfm, 181 mph max air velocity, weighs 22 lbs. low noise

ECHO BACKPACK

25.4cc engine, 375 cfm,

weighs 13 lbs., low noise

58.2cc engine, 510 cfm, 215

mph max air velocity, weighs

23 lbs., hip mounted throttle

PB265LN \$269

PB580H \$329



STIHL BACKPACK BR600 \$499

64.8cc engine, 712 cfm, 201 mph max air velocity, weighs 22 lbs.

BR700 \$549

64.8cc engine, 912 cfm, 196 mph max air velocity, weighs 23 lbs.

NEW BR800X \$599

79.9cc engine, 912 cfm, 199 mph max air velocity, weighs 23 lbs.

NEW BR800 C-E \$649

79.9cc engine, 912 cfm,

199 mph max air velocity, weighs 23 lbs.

EBZ7500 \$499 65.6cc engine, 770 cfm, 236 mph max air velocity, weighs 23 lbs.

EBZ5150 \$339

weighs 23 lbs.

mounted throttle

EBZ6500 \$469

weighs 23 lbs.

mounted throttle

65.6cc engine, 636 cfm,

EBZ6500RH \$469

232 mph max air velocity,

Same as EBZ6500 with tube

50.2cc engine, 678 cfm,

EBZ5150RH \$339

171 mph max air velocity,

Same as eBZ5150 with tube

EBZ7500RH \$499

Same as EBZ7500 with tube mounted throttle



ECHO BACKPACK PB755SH \$449

63.3cc engine, 651 cfm, 233 158 mph max air velocity, mph max air velocity, weighs 25 lbs., hip mounted throttle

PB755ST \$449

68.3cc engine, 756 cfm, 234 mph max air velocity, weighs 24 lbs., tube mounted throttle

PB580T \$329 58.2cc engine, 510 cfm, 215 68.3cc engine, 756 cfm, 234 mph max air velocity, weighs 23 lbs., tube mounted throttle

NEW PB8010H \$599

79.9cc engine, 1071 cfm, 211 mph max air velocity, weighs 24 lbs., hip mounted throttle

ECHO BACKPACK

68.3cc engine, 756 cfm, 234

mph max air velocity, weighs

24 lbs., tube mounted throttle

PB770T \$499

PB770H \$499

mph max air velocity, weighs 24 lbs., hip mounted throttle

NEW PB8010T \$599

79.9cc engine, 1071 cfm, 211 mph max air velocity, weighs 24 lbs., tube mounted throttle

REDMAX BACKPACK **STIHL HANDHELD** BG50 \$139

27.2cc engine, 134 mph max air velocity, weighs 8 lbs.

BG56CE \$179

27.2cc engine, 143 mph max air velocity, weighs 9 lbs.

BG86 \$239

27.2cc engine, 459 cfm (round) 154 mph max air velocity (round), weighs 10 lbs.



HB281 \$149 28cc engine, 470 cfm,170

mph max air velocity, weighs 9 lbs.

HBZ260R \$269

25.4cc engine, 459 cfm, 157 mph max air velocity, weighs 10 lbs.

ECHO HANDHELD PB-2520 \$149

25.4cc engine, 453 cfm, 170 mph max air velocity, weighs 9 lbs.

PB255-LN \$199

25.4cc engine, 354 cfm, 191 mph max air velocity, weighs 10 lbs. low noise

NEW PB-2620 \$199

25.4cc engine, 456 cfm, 172 mph max air velocity, weighs 9 lbs.

MULTI-TASK



STIHL KOMBISYSTEM KM91R \$329

28.4cc STIHL 4-Mix® engine, weighs 10 lbs.

KM111R \$349

31.4cc engine, professional use, low exhaust, reduced emissions, weighs 10 lbs.

KM131R \$399

36.3cc engine, powerful KombiMotor, weighs 10 lbs.



STIHL YARD BOSS® MM56CE \$399

27.2cc engine, universal power train, Easy2Start™ system, weighs 21 lbs. (without attachments)

FREE WHEEL KIT WITH A YARD BOSS **PURCHASE!** Valid 1/1/-6/30/19 \$59.95 value



HONDA VERSATTACH™ UMC425 \$309

25cc engine, SureLoc™ system, runs on straight unleaded gas, weighs 11 lbs.

UMC435 \$359

35.8cc engine, SureLoc™ system, runs on straight unleaded gas, weighs 13 lbs.

ATTACHMENTS FOR KOMBISYSTEM

- cultivator \$189 BF-KM
- blower \$129 BG-KM
- bed redefiner \$249 FBD-KM • curved shaft edger \$109
- FCB-KM • straight shaft edger \$179
- FCS-KM power scythe \$249
- FH-KM
- FS 4-T grass blade \$99 FS-BLADE-KM

- FS AutoCut® 25-2 \$89 FS-LINE-KM
- curved shaft trimmer \$69 FSB-KM • 0 hedge trimmer \$179
- HL-KM 0
- 0-145 hedge trimmer \$249 HL-KM 0 145 pole pruner 12" bar \$199
- HT-KM bristle brush \$279
- PowerSweep™ \$309 KW-KM

KB-KM

ATTACHMENTS FOR YARD BOSS®

- wheel kit \$59 4601-007-1008
- large deflector kit \$69 4601-007-1009
- weight kit \$59 4301-730-4500
- · aerator \$59 RLK-MM
- edger \$39 FCS-MM
- KW PowerSweep™ \$189 KW-MM
- pick tines (set of 4) \$59 BF-MM
- bolo tines (set of 4) \$59 BK-MM dethatcher w/deflector \$219
- MF-MM • bristle brush \$159
- FS line attachment \$89 FS-MM

KB-MM

ATTACHMENTS FOR VERSATTACH™

- trimmer \$109 SSST
- hedge trimmer short \$189 SSHHS
- hedge trimmer long \$215 SSHHL
- cultivator \$209 SSCL
- blower \$115 SSBL
- edge trimmer \$155 SSFT
- pole pruner \$179 SSPP
- extension 39.3" \$79 **SSESL** extension 19.6" \$59
- SSESS

PORTABLE GENERATORS



HONDA QUIET EU1000 \$809

50cc Honda GXH50 engine, 1000W max. AC ouput, runs up to 7 hours on 0.6 gallons of gas

EU2200 \$1009

121cc Honda GXR120 engine, 2200W max. AC output, fuel efficient, stable power for computers & sensitive equipment

EU2200 Companion \$1109

121cc Honda GXR120 engine, 2200W max. AC output, 30A 125V locking plug & 20A 125V single outlet for easy parallel capability with another EU2200



HONDA QUIET EU3000 \$2019

196cc Honda GX200 engine, 3000W max. AC output, electric start, runs up to 20 hours on 3.4 gallons of gas

EU3000 Handi \$2319

163cc Honda GX160 engine, 3000W max. AC output, wheels and golding handle for true portability, compact

EU7000 \$4449

389cc Honda GX390 EFI engine, 7000W max. AC output, runs up to 18 hours on 5.1 gallons of gas, fuel injected for better fuel efficienty and lower maintenance



HONDA ECONOMY EG2800 \$1009

186cc Honda GC190LA engine, 2800W max. AC output, Advanced Inverter Technology

EG4000 \$1539

270cc commercial OHV engine, 4000W max. AC output, lightweight

EG5000 \$1749

389cc commercial OHV engine, 5000W max. AC output, full frame protection

EG6500 \$1969

389cc commercial OHV engine, 6500W max. AC output, full frame protection



HONDA DELUXE EM4000 \$2069

270cc Honda iGX270 engine, 4000W max. AC output, electric start (battery included) w/recoil back-up

EM5000 \$2309

389cc Honda iGX390 engine, 5000W max. AC output, electric start (battery included) w/recoil back-up

EM6500 \$2789

389cc Honda iGX390 engine, 6500W max. AC output, electric start (battery included) w/recoil back-up, long run time up to 10.4 hours @ 1/2 load



HONDA INDUSTRIAL EB2200 \$1109

121cc Honda GXR120 engine, 389cc Honda iGX390 engine, 2200W max. AC output, lightweight, OSHA worksite compliant

EB2800 \$1009

186cc Honda GC190LA engine, 2800W max. AC output, Advanced Inverter Technology

EB3000 \$1459

196cc Honda GX200 engine, 3000W max. AC output, full GFCI protection

EB4000 \$1939

270cc Honda iGX390 engine, 4000W max. AC output



HONDA INDUSTRIAL EB5000 \$2209

5000W max. AC output, full GFCI protection, 120/240V selector switch

EB6500 \$2669

389cc Honda iGX390 engine, 6500W max. AC output, 2-wheel kit & lift hook

EB10000 \$5189

630cc Honda GX630 engine, 10000W max. AC output, full GFCI protection, OSHA worksite compliant, electric

WATER & TRASH PUMPS



HONDA <u>LIGHTWEIGHT</u> WX10 \$409

25cc Honda engine, 32 gal/ min capacity, 1" suction & discharge, includes garden hose adaptor, suction hose, clamps & strainer

WX15 \$509

49cc Honda engine, 74 gal/ min capacity, 1.5" suction & discharge, includes hose clamps & strainer



HONDA CENTRIFUGAL WB20 \$439

118cc Honda OHV engine, 164 gal/min capacity, 2" suction & discharge, general purpose, silicon carbide mechanical seal

WB30 \$569

163cc Honda OHV engine, 290 gal/min capacity, 3" suction & discharge, general purpose, cast iron volute & impeller



HONDA HIGH PRESSURE WH15 \$669

118cc Honda OHV engine, 98 gal/min capacity, 1.5" centrifugal pump, 57 psi max., cast iron volute & impeller

WH20 \$719

163cc Honda OHV engine, 119 gal/min capacity, 2" centrifugal pump, 64 psi max., cast iron volute & impeller



HONDA MULTI-PURPOSE WMP20 \$569

163cc Honda OHV engine, 220 gal/min capacity, 2" suction & discharge, solid handling capability up to 13/16", quick clean out port, cast iron volute & impeller



HONDA DIAPHRAGM

WDP30 \$1939

118cc Honda OHV engine, 80 gal/min capacity, dry, self-priming 3" diaphragm pump, special "rock channel" and spring loaded connecting rod, perfect for low volume, dry run operation



HONDA TRASH WT20 \$1229

163cc Honda OHV engine, 187 gal/min capacity, 2" suction & discharge, solid handling capability up to 13/16", cast iron volute & impeller, quick clean out port WSP50 \$619

WT30 \$1429

242cc Honda OHV engine, 319 gal/min capacity, 3" suction & discharge, solid handling capability up to 1-1/16", cast iron volute & impeller, quick clean out port

WT40 \$2139

337cc Honda OHV engine, 423 gal/min capacity, 4" suction & discharge, solid handling up to 1-1/16", cast iron volute & impeller, quick clean out port



HONDA SUBMERSIBLE WSP33 \$239

1/3HP 115V motor, 40 gal/ min capacity, lightweight, durable stainless steel casing

1/2HP 115V motor, 110 gal/ min capacity, handles solids up to 2", side discharge

WSP53 \$499

1/2HP 115V motor, 70 gal/ min capacity, top discharge

WSP73 \$549

3/4HP 115V motor, 74 gal/ min capacity, top discharge

WSP100 \$719

1HP 115V motor, 150 gal/min capacity, handles solids up to 2", side discharge

OPTIONAL HOSE KITS 20' green suction, 50' blue



discharge, 3/8" steel strainer

• 1.5" dia. 124015-1145-CLKT 124020-1145-CLKT • 2" dia.

• 3" dia 124030-1145-CLKT • 4" dia 124040-1145-CLKT

20' green suction, 50' blue discharge, 3/8" steel strainer • 1.5" dia. 124015-1145-PINKT

124020-1145-PINKT • 2" dia 124030-1145-PINKT • 3" dia 124040-1145-PINKT • 4" dia



RENTAL EQUIPMENT

We rent landscaping and construction equipment that helps get the job done right! Full day (8 hours), weekly (40 hours) & monthly (160 hours) rates available. **Contact our rental department.**

- Lawnmowers
- Tillers
- Trenchers
- Aerators
- Bed shapers
- Plate compactors
- Portable generators (2000 & 5000 watt)
- Wheel blowers
- · Stump grinders
- Excavators
- · Skid steers
- Wheel loaders
- Track loaders
- · Compact utility loaders

ALL RENTALS ARE PREPAID. Graphic shown is representative of equipment available. Actual equipment may be of different make/model. RENTAL EQUIPMENT IS NOT AVAILABLE AT OUR DAYTON OR MIDDLETOWN STORES.



GRASS SEED, FERTILIZER & CHEMICALS

GRASS SEED

Available in 50 lbs. bags and 5 lbs. bags Other grass seed available by request.

BUCKEYE CHECKMATE



Will provide quicker results and a tough, durable lawn.

BUCKEYE 50/50



For new lawns or filling in bare spots on most established lawns, will see results quickly, use in full sun.

BUCKEYE BLUE BLEND



Best for sunny areas, used for new lawns or filling in bare spots & thin areas in bluegrass lawns.

BUCKEYE SHADE



Use for an attractive lawn in partially shaded areas.

BUCKEYE TUFF TURF



Provides a tough, durable lawn and grows well in full sun and partial shade areas.

Drought and disease resistant.

BUCKEYE SUNNY



Ideal for lawns that receive medium to full sunlight. Great for new lawns, repair or reseeding. Provides a dark, lush lawn.

<u>5-STEP FERTILIZER PROGRAM</u> 12,500 sq. ft. coverage - 50 lbs.

bags

STEP 1

March

Fertilizer with crabgrass control.

or April

Fertilizer with pre/post crabgrass control. Pre-emergent or fertilizer for landscape beds.

STEP 2

May - Weed-n-Feed Fertilizer with weed control

STEP 3

June - Insect Control

Fertilizer with insect control - controls grubs for the season.

or July - Summer Fertilizer

STEP 4

September

Fall fertilizer OR starter fertilizer for reseeding.

STEP 5

November - Winter Fertilizer Fertilizer with high nitrogen

FERTILIZER - SEEDING

Pennmulch starter fertilizer, conserves moisture & increases seed establishment

PRE-EMERGENT - FLOWER BEDS

Snapshot Pre-emergent for broadleaf & grassy weeds.

Treflan Pre-emergent for grassy weeds.

FERTILIZER - LANDSCAPE BEDS

12-12-12 Granular fertilizer with a blend of nitrogen, phosphorous, and potassium. Ideal for vegetable and flower gardens, shrubs, and landscape plantings.

19-19-19 Provides a balance of three primary nutrients used by plants to promote healthier growth

SELECTIVE WEED CONTROL

Spreader Sticker Designed to quickly wet and spread a more uniform spray deposit over leaf and stem surfaces.

ProSedge® Post control of nutsedge.

Speed Zone® Post-emergent broadleaf herbicide for turf. Rapid visual results. Great for cool weather control ester formulation

Surge® Broadleaf herbicide with a wide range of site uses. For hard to control weeds: spurge, knotweed, oxalis, clover, dandelion & yellow nutsedge. You will see injury in 24/48 hrs.

Trimec® 992 A broadleaf herbicide with a wide range of use sites including sports turf, home lawns, institutional sites, sod farms and industrial uses.

Q4[®] Turf herbicide for control of grassy and broadleaf weeds with nutsedge suppression. Fast visual response and an enhanced spectrum of weed control.

NON-SELECTIVE WEED CONTROL

Killzall Post-emergent broadleaf or grassy weed control. Should be applied to actively growing weeds and grass for complete control

Pramitol® A bare ground herbicide. Can be used around buildings, storage areas, fences, recreational areas, fuel tanks, roadways & other similar areas.

Roundup® Custom The complete broad spectrum post emergence professional non-selective herbicide for industrial, turf. and ornamental weed control.

Round Up® Quick Pro™ Granular Round Up with diquat for quick non-selective control. Complete broad spectrum post emergence herbicide.

Scythe® Used as an organic, contact weed and grass killer which is composed of pelargonic acid and related fatty acids. This material is a non-selective contact spray concentrate.

INSECT CONTROL

Arena® Longest residual insecticide, preventative/curative grub control. Broad spectrum control of other soil and surface feeding insects.

Dylox[®] Grub control while actively feeding on the turf.

BUCKEYE POWER SALES

We know you have choices when it comes to where you purchase your equipment, here's why we're the best value on the market.

NO CUSTOMER IS TOO BIG OR TOO SMALL.

Whether it's one piece or multiple pieces you receive the same premium customer service before, during and after the sale.

EXPERIENCE.

We've been in the equipment business since 1947. Our sales staff has the knowledge, skills, and training to help you choose the right equipment. We are focused on developing long term relationships with our customers.

SERVICE.

We are a full service dealer with qualified factory-trained service technicians.

WE PROVIDE SOLUTIONS.

Our long list of repeat customers are a testimony to our success & reputation for unmatched experience, service, resources & reliability.

SHOP ONLINE

buckeyepowersales.com



- REQUEST A QUOTE
- REQUEST SERVICE
- REQUEST RENTAL EQUIPMENT

POWER GENERATORS

CONSTRUCTION EQUIPMENT

LAWN & OUTDOOR EQUIPMENT

COLUMBUS, OH

6850 Commerce Court Drive Blacklick, OH 43004 614-861-6000 | 800-523-3587

DAYTON, OH

5238 Cobblegate Drive | Moraine, OH 45439 937-203-0231 | 855-637-9849

MIDDLETOWN, OH

944 Greentree Road | Middletown, OH 45044 513-422-3633





All prices and models included in this equipment guide are based upon availability and are subject to change without notice. All graphics are for illustration purposes only and are representations of the products. All makes & models may differ. Not all products represented in this equipment guide may be available at our Dayton or MIddletown locations. Contact us for availability. BPS is not responsible for inadvertent typographical errors or omissions.

SALES I SERVICE I PARTS I RENTAL