

BEST-IN-CLASS MIDRANGE SOLUTION by **ZEBRA**



ZEBRA Certified Supplies

ZEBRA OneCare Service Contracts

ZEBRA DNA tools and applications

BEST PERFORMANCE

BEST DURABILITY

BEST SECURITY

...BEST MIDRANGE SOLUTION FOR WAREHOUSE AND MANUFACTURING

MC3300 Rugged Mobile Computers

- The perfect combination of keypad and touchscreen for data entry
- Supports Terminal Emulation apps right out of the box and has Ivanti Velocity (All-touch TE) to easily migrate your TE apps to Android
- Enterprise-ready Android™
 OS with advanced tools and security
- 10-year LifeGuard™ for Android™ support
- Unparalleled processing power
- Fastest wireless connections
- Broadest scanning range with unmatched performance
- Doubles as a walkie-talkie and a PBS handset with free Workforce Connect
- Combine different form factors, keypads, scan engines, RFID antenna and tiers of functionality, to chose the combination that is just right for warehouse or manufacturing floor:
- Form: gun, straight shooter, 45° angled scan, rotating head
- Keypads: 29 key, 38 key, 47 key
- Scanner: SE4850 ER, SE4750 SR, SE965 1D SR
- UHF RFID antenna: circular or linear

View more details

DS3600 Ultra-Rugged Industrial Scanners

- The most indestructible design available today
- Out-classes its competition in scanning performance
- Capture 1D and 2D barcodes in virtually any condition
- This family of scanners offers a model to meet virtually every need in warehousing and manufacturing (corded/wireless):
- LI3608-SR/LI3678-SR:
 Standard range 1D
 barcode capture
- LI3608-ER/LI3678-ER:
 All-range 1D barcode capture
- DS3608-SR/DS3678-SR:
 Standard range scanning
 of 1D and 2D barcodes
- DS3608-HP/DS3678-HP:
 High performance scanner
 captures 1D/2D barcodes
 over longer distances, plus
 OCR, photos and
 documents
- DS3608-HD/DS3678-HD:
 Captures high-density
 1D/2D barcodes
- DS3608-DP/DS3678-DP: Capture of Direct Part Marks (DPM)
- DS3608-ER/DS3678-ER:
 All-range 1D/2D barcode capture

View more details

ZT400 Mid-Volume BC Printers

- Versatility:
 Multiple connectivity
 options, including the latest
 Wi-Fi, and built to handle a
 wide range of media and
 applications
- Ease of use:
 With a large color display
 that makes operation a snap,
 easy media and ribbon
 loading, direct connection to
 the industrial Ethernet
 network and with Print
 Touch™ app so NFC-enabled

devices can be paired with a

simple tap

- Easy to manage:
 Powered by Link-OS, Zebra's
 robust printer operating
 system, and Print DNA, a
 combination of productivity,
 management, development
 and visibility tools that allow
 an easy management of all
 the printers from a single
 location and a seamless
 integration with the device
 management system
- Superior performance: Provides fast first label out and high throughput, rugged durability for demanding applications, and best with consistently exceptional Zebra Certified Supplies o boost efficiency
- •The printer is offered in both 4 inch (ZT410) and 6 inch models (ZT420)

View more details



BEST WITH ZEBRA CERTIFIED SUPPLIES



Sift through thousands of available media options.

R&D experts select, convert and rigorously test all materials. Only those offering the best printing performance are certified by Zebra. Raw materials are never substituted so customers get consistent quality.



- ZipShip stocked supplies: use selector tool to find those you need at www.zebrazipship.com
- EazyPrice: immediate pricing on +850 plain, made to order label part numbers
- Custom made supplies: dedicated Technical Supplies team provide bespoke quotations from Zebra's range of materials, designed and tailored to meet your customer's individual requirements



Zebra OneCare™ Support Services

Keep your Zebra devices operating at peak performance with the ultimate in post-sale support

BENEFITS

Maximize device uptime
Unparalleled "from the manufacturer" expertise
Outstanding value – eliminates unexpected repair costs
Enables IT to focus on more strategic initiatives

COVERAGE FROM DAY ONE



ZEBRA DNA SOFTWARE

MOBILITY DNA

LifeGuard for Android:Add years of OS security

support and updates

Android

- Wavelink All-Touch TE:
 Easily migrate TE apps to
- WorkForce Connect: Connect to data and people all on one device... voice, PTT and enterprise messaging

DATA CAPTURE DNA

• 123 Scan:

Configuration wizard that simplifies every step of deploying a scanner

- PRZM Intelligent Imaging: Experience faster, farther, smarter scanning
- SCAN-TO-CONNECT:

Pair Zebra scanners to mobile devices in a single step

View more details

PRINT DNA

- PDF Direct:
- Print PDFs with scannable barcodes directly from ERP system
- ZebraDesigner:
 Easily design even the most complex barcode and RFID labels
- PrintSecure:

Secure connections, block unwanted access and ensure data protection

TOP SELLING MC3300 Series Mobile Computer

SKU	Wireless*	Form factor	Scan engine	Keypad	Android	Memory
MC330K-GE2HA4RW	NFC	GUN	SE4850 ERI	29 Key	Non-GMS	Premium+ 4GB/32GB + Sensors
MC330K-GE3HA3RW	NFC	GUN	SE4850 ERI	38 Key	Non-GMS	Premium 4GB/16GB + Sensors
MC330K-GE4HA3RW	NFC	GUN	SE4850 ERI	47 Key	Non-GMS	Premium 4GB/16GB + Sensors
MC330K-GE4HA4RW	NFC	GUN	SE4850 ERI	47 Key	Non-GMS	Premium+ 4GB/32GB + Sensors
MC330K-GI3HA3RW	NFC	GUN	SE4750 SRI	38 Key	Non-GMS	Premium 4GB/16GB + Sensors
MC330K-GL4HA3RW	NFC	GUN	SE965 1D SRL	47 Key	Non-GMS	Premium 4GB/16GB + Sensors
MC330K-SI4HA3RW	NFC	STRAIGHT SHOOTER	SE4750 SRI	47 Key	Non-GMS	Premium 4GB/16GB + Sensors
MC330M-GI2HA2RW	No NFC	GUN	SE4750 SRI	29 Key	Non-GMS	Standard 2GB/16GB - no Sensors
MC330M-GI3HA2RW	No NFC	GUN	SE4750 SRI	38 Key	Non-GMS	Standard 2GB/16GB - no Sensors
MC330M-GI4HA2RW	No NFC	GUN	SE4750 SRI	47 Key	Non-GMS	Standard 2GB/16GB - no Sensors
MC330M-GL2HA2RW	No NFC	GUN	SE965 1D SRL	29 Key	Non-GMS	Standard 2GB/16GB - no Sensors
MC330M-GL3HA2RW	No NFC	GUN	SE965 1D SRL	38 Key	Non-GMS	Standard 2GB/16GB - no Sensors
MC330M-SI2HG2RW	No NFC	STRAIGHT SHOOTER	SE4750 SRI	29 Key	GMS	Standard 2GB/16GB - no Sensors
MC330M-SI3HA2RW	No NFC	STRAIGHT SHOOTER	SE4750 SRI	38 Key	Non-GMS	Standard 2GB/16GB - no Sensors
MC330M-SI4HA2RW	No NFC	STRAIGHT SHOOTER	SE4750 SRI	47 Key	Non-GMS	Standard 2GB/16GB - no Sensors

^{802.11}a/b/g/n/d/h/i/k/r/ac + BT 4.x + 2x2 MIMO (WLAN Only)

TOP SELLING DS3600 Series Industrial Scanner

SKU	Scanner	Performance	KIT	Components
DS3608-ER20003VZWW	Digital Scanner	Extended Range	NO	-
DS3608-SR3U4600VZW	Digital Scanner	Standard Range	YES	DS3608-SR00003VZWW + High Current Shielded USB Cable
DS3678-ER2F003VZWW	Digital Scanner	Extended Range	NO	-
DS3678-ER3U42A2SVW	Digital Scanner	Extended Range	YES	DS3678-ER2F003VZWW + Shielded USB cable that supports 12V p/s + Cradle + Power Supply + DC cable
DS3678-ER3U4602FVW	Digital Scanner	Extended Range	YES	DS3678-ER2F003VZWW + High Current Shielded USB Cable + IP65 sealed cradle with mounting bracket
DS3678-HD3U42A0SFW	Digital Scanner	High Density	YES	DS3678-HD2F003VZWW + Shielded USB cable that supports 12V p/s + Cradle + Power Supply + DC cable
DS3678-SR0F003VZWW	Digital Scanner	Standard Range	NO	-
DS3678-SR3U42A0SFW	Digital Scanner	Standard Range	YES	DS3678-SR0F003VZWW + Shielded USB cable that supports 12V p/s + Cradle + Power Supply + DC cable
LI3608-SR3U4600VZW	1D Linear Imager	Standard Range	YES	LI3608-SR00003VZWW + High Current Shielded USB Cable
LI3678-SR3U42A0S1W	1D Linear Imager	Standard Range	YES	LI3678-SR0F003VZWW + Shielded USB cable that supports 12V p/s + Cradle + Power Supply + DC cable

TOP SELLING ZT400 Series BC Printer

SKU	Max Print Width	Resolution	Media Handling	OTHER
ZT41042-T0E0000Z	104 mm	8 dot/mm(203 dpi)	Tear	-
ZT41042-T0E00C0Z	104 mm	8 dot/mm(203 dpi)	Tear	RFID
ZT41042-T0EC000Z	104 mm	8 dot/mm(203 dpi)	Tear	WiFi
ZT41042-T2E0000Z	104 mm	8 dot/mm(203 dpi)	Cutter	-
ZT41042-T3E0000Z	104 mm	8 dot/mm(203 dpi)	Peel w/ Liner Takeup	-
ZT41043-T0E0000Z	104 mm	12 dot/mm(300 dpi)	Tear	-
ZT41043-T4E0000Z	104 mm	12 dot/mm(300 dpi)	Peel + Rewind	-
ZT42062-T0E0000Z	168mm	8 dot/mm(203 dpi)	Tear	-
ZT42062-T0EC000Z	168mm	8 dot/mm(203 dpi)	Tear	WiFi
ZT42063-T0E0000Z	168mm	12 dot/mm(300 dpi)	Tear	-



TOP SELLING SUPPLIES

SKU	Туре	Description	Printer	Compatible Ribbon	Size
02100BK08045	Ribbon	2100 Special Wax	ZT410		80mm x 450M
02100BK11045	Ribbon	2100 Special Wax	ZT410		110mm x 450M
02100BK15645	Ribbon	2100 Special Wax	ZT420		156mm x 450M
02100BK15645	Ribbon	2100 Special Wax	ZT420		156mm x 450M
02300BK06045	Ribbon	2300 Economy Wax	ZT410		60mm x 450M
02300BK08330	Ribbon	2300 Economy Wax	ZT410		83mm x 300M
02300BK08345	Ribbon	2300 Economy Wax	ZT410		83mm x 300M
02300BK11030	Ribbon	2300 Economy Wax	ZT410		110mm x 300M
02300BK11045	Ribbon	2300 Economy Wax	ZT410		110mm x 450M
02300BK15645	Ribbon	2300 Economy Wax	ZT420		156mm x 450M
02300BK15645	Ribbon	2300 Economy Wax	ZT420		156mm x 450M
03200BK06045	Ribbon	3200 Premium Wax/Resin	ZT410		60mm x 450M
03200BK11030	Ribbon	3200 Premium Wax/Resin	ZT410		110mm x 300M
03200BK11045	Ribbon	3200 Premium Wax/Resin	ZT410		110mm x 450M
03200BK15645	Ribbon	3200 Premium Wax/Resin	ZT420		156mm x 450M
04800BK06045	Ribbon	4800 Performance Resin	ZT410		60mm x 450M
04800BK11045	Ribbon	4800 Performance Resin	ZT410		110mm x 450M
05095BK06045	Ribbon	5095 High-Performance Resin	ZT410		60mm x 450M
05095BK11045	Ribbon	5095 High-Performance Resin	ZT410		110mm x 450M
3011714	Label	PolyE 3100T Gloss - Polyethylene Label	ZT420	4800,5095	148 x 210mm
76180	Label	Z-Perform 1000T - Economy paper Label	ZT410	2100,2300	102 x 152mm
76524	Label	Z-Perform 1000T - Economy paper Label	ZT420	2100,2300	148 x 210mm
87394	Label	Z-Perform 1000T - Economy paper Label	ZT410	2100,2300	100 x 50mm
3005869	Label	Z-Perform 1000T - Economy paper Label	ZT410	2100,2300	74 x 210mm
880026-076	Label	Z-Perform 1000T - Economy paper Label	ZT410	2100,2300	102 x 76mm
87985	Label	Z-Perform 1000T - Economy paper Label + perforation	ZT410	2100,2300	102 x 152mm
87809	Label	Z-Perform™ 1000D (Direct Thermal)	ZT410	-	102 x 152mm
3003245-1	Label	Z-Perform™ 1000D (Direct Thermal)	ZT420	-	148 x 210mm
3006777-T	Label	Z-Perform™ 1000D (Direct Thermal)	ZT410	-	100 x 50mm
3007096-T	Label	Z-Perform™ 1000D (Direct Thermal)	ZT410	-	102 x 52mm
3005103	Label	Z-Perform™ 1000D (Direct Thermal) + perforation	ZT420	-	148 x 210mm
3001699	Label	Z-Perform™ 1000T + perforation	ZT420	2100,2300	148 x 210mm
76059	Label	Z-Select 2000T - Premium paper Label	ZT410	2100,2300,2400,3200	102 x 64mm
76060	Label	Z-Select 2000T - Premium paper Label	ZT410	2100,2300,2400,3200	102 x 152mm
76089	Label	Z-Select™ 2000T	ZT420	2100,2300,2400,3200	148 x 210mm
880118-031	Label	Z-Select™ 2000T	ZT410	2100,2300,2400,3200	51 x 32mm
76013	Label	Z-Ultimate® 3000T White	ZT410	4800,5095	51 x 32mm
880350-152	Label	Z-Ultimate® 3000T White	ZT410	4800,5095	102 x 152mm

TOP SELLING ONECARE SERVICES

SKU	Description
Z1AE-MC33XX-3C00	3 YEAR ZEBRA ONECARE ESSENTIAL, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE. FOR MC3300 SERIES
Z1AE-DS3608-3C00	3 YEAR ZEBRA ONECARE ESSENTIAL, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE. FOR DS3608 SERIES
Z1AE-DS3678-3C00	3 YEAR ZEBRA ONECARE ESSENTIAL, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE. FOR DS3708 SERIES
Z1AE-ZT4X-3C0	3 YEAR ZEBRA ONECARE ESSENTIAL, PURCHASED WITHIN 30 DAYS, WITH COMPREHENSIVE COVERAGE. FOR ZT400 SERIES

TOP SELLING SOFTWARE

SKU	Description		
13831-002	ZEBRADESIGNER PRO 2		
SW-ALLTOUCHTE-AND	All-touch Terminal Emulation client, optimized for touch display Zebra Android devices. (Jellybean and KitKat Android variants)		
SW-ENTBR-AND	ENTERPRISE BROWSER SW DEVICE LICENSE FOR ANDROID		
SW-SOTI-CLOUD	Subscription Pricing with SOTI dedicated cloud server - includes Standard Support.		
WFCV-CUCM-PR-PKG	WFC VOICE CLIENT - CISCO CUCM LICENSE PACKAGE (INCL STANDARD AND PREMIUM LICENSE)		

