



# SIGNS & STRUCTURES CATALOG

## TOUCH FREE



IN PARTNERSHIP WITH TSS



## MAKE THE SMARTER CHOICE

## SLIM 2 SECTION TRAFFIC SIGN

### FEATURES

An essential traffic fixture that will create an efficient traffic flow through your wash.

Easy maintenance, all power supplies are accessed from the back of the fixture.

### SPECIFICATIONS

Dimensions: 18" W x 18" H x 4" D

Voltage/AMP: 100-240VAC / 1.2 AMP per section

Construction: Anodized aluminum with a high impact plastic face

Mounting: Swivel or Pedestal mount with a 36" ground clearance



SLIM 2 SECTION  
TRAFFIC SIGN  
TSS2000



### Illumination

The background of the graphics are illuminated with Ultra Bright LED clusters

ITEM	DESCRIPTION
TSS2000*	Swivel Mount Slim 2 Sectional Traffic Fixture.
TSS2000-P	Pedestal Mounted with a 36" ground clearance Slim 2 Sectional Traffic Fixture.

\*Included in IQ System Base Package

## SLIM 3 SECTION TRAFFIC SIGN

### FEATURES

An essential traffic fixture that will create an efficient traffic flow through your wash.

Easy maintenance, all power supplies are accessed from the back of the fixture.

### SPECIFICATIONS

Dimensions: 18" W x 30" H x 4" D

Voltage/AMP: 100-240VAC / 1.2 AMP per section

Construction: Anodized aluminum with a high impact plastic face

Mounting: Swivel or Pedestal mount with a 36" ground clearance



### Illumination

The background of the graphics are illuminated with Ultra Bright LED clusters



SLIM 3 SECTION  
TRAFFIC SIGN  
TSS2010

ITEM	DESCRIPTION
TSS2010*	Swivel Mount Slim 3 Sectional Traffic Fixture.
TSS2010-P	Pedestal Mounted with a 36" ground clearance Slim 3 Sectional Traffic Fixture.

\*Included in IQ System Base Package



# SLIM SERIES

3

## SLIM 8 SECTION CONFIRMATION SIGN

### FEATURES

Excellent for unattended car washes.

Individual sections will light up and the strobe will flash when that service or direction is activated.

### SPECIFICATIONS

Dimensions: 24" W x 48" H x 6.5" D

Voltage/AMP: 100-240VAC / 1.2 AMP per section

Construction: Anodized aluminum fixture and Stainless Steel hardware, with a high impact plastic face

Mounting: Swivel or Pedestal mount with a 32" ground clearance

ITEM	DESCRIPTION
TSS3020	Swivel Mount 8 Sectional Fixture w/ LED Strobes.
TSS3020-P	Pedestal Mounted with a 32" ground clearance 8 Sectional Fixture w/ LED Strobes.



8 SECTION  
CONFIRMATION  
FIXTURE  
TSS3020



SLIM MENU SIGN  
TSS3000

## SLIM ILLUMINATED VERTICAL MENU SIGN

### FEATURES

Slim and modern, with a baked enamel body.

Fully customized classic slim menu.

### SPECIFICATIONS

Dimensions: 3FT W x 6FT H x 4" D

Voltage/AMP: 100-240VAC / 2.4 AMP

Construction: Anodized aluminum with a high impact plastic face

Mounting: Single pedestal mount with a 18" ground clearance.

ITEM	DESCRIPTION
TSS3000	3FT W X 6FT H Vertical Menu with 18" ground clearance.



### Illumination

The background of the graphics are illuminated with Ultra Bright LED clusters

# 4 COMMANDER / I-SERIES

## COMMANDER 2 SECTION TRAFFIC SIGN W/ LED STROBES

### FEATURES

Hinder traffic-flow confusion by adding this traffic aid.

Featuring a two section, easy to follow design, customers will be greeted by a top message that is confirmed by a vibrant LED strobe as the pedestal mirrors the same color. The bottom section will repeat the same process as the top.

With its modernized design and new style of confirmation, this fixture is a must at all in-bay automatics.

### SPECIFICATIONS

Dimensions: Overall height with pedestal mount is 65" H x 18.5" W x 4" D. Each section is 10" H x 18.5" W x 4" D

Voltage/AMP: 100-240VAC / 1.4 AMP per section

Construction: Baked Enamel Aluminum with a high impact plastic face

Mounting: Single pedestal mount with a 24" ground clearance.

ITEM	DESCRIPTION
TSS2020-P	Pedestal Mounted with a 45" ground clearance 2 Sectional Traffic Commander.
TSS2020	Swivel Mount 2 Sectional Traffic Commander.

- 1 When Pedestal Mounted choose your two alternating colors for the illuminated pedestal will be:



## COMMANDER 3 SECTION TRAFFIC SIGN W/ LED STROBES

### FEATURES

Hinder traffic-flow confusion by adding this traffic aid.

Featuring a three section, easy to follow design, customers will be greeted by a top message that is confirmed by a vibrant LED strobe as the pedestal mirrors the same color. The bottom section will repeat the same process as the top.

With its modernized design and new style of confirmation, this fixture is a must at all in-bay automatics.

### SPECIFICATIONS

Dimensions: Overall height with pedestal mount is 65" H x 18.5" W x 4" D. Each section is 10" H x 18.5" W x 4" D



Voltage/AMP: 100-240VAC / 1.4 AMP per section

Construction: Anodized aluminum with a high impact plastic face

Mounting: Single pedestal mount with a 24" ground clearance.

ITEM	DESCRIPTION
TSS2030-P	Pedestal Mounted with a 45" ground clearance 3 Sectional Traffic Commander.
TSS2030	Swivel Mount 3 Sectional Traffic Commander.

- 1 When Pedestal Mounted choose your three alternating colors for the illuminated pedestal will be:



### Illumination

The background of the graphics are illuminated with Ultra Bright LED clusters



## COMMANDER 8 SECTION I-CONFIRMATION SIGN W/ LED STROBES

### FEATURES

Builds customer's confidence by lighting the package or service they have just purchased. When the particular package/service has been purchased, the graphic area of that section will light up, and the strobe for that section begins to flash.

Rounded corner body matches the I-menu style menus and will give your wash a modern look.

### SPECIFICATIONS

Dimensions: 24" W x 48" H x 4" D

Voltage/AMP: 100-240VAC / 1.2 AMP per section

Construction: Anodized aluminum with a high impact plastic face

Mounting: Swivel or Pedestal mount with a 32" ground clearance

ITEM	DESCRIPTION
TSS3030-P	Pedestal Mounted with a 32" ground clearance I-Confirmation Fixture - 8 Sections.
TSS3030	Swivel Mount I-Confirmation Fixture - 8 Sections.

## COMMANDER ILLUMINATED I-MENU™

### FEATURES

Display your menu in an iconic graphic format that is easy for customers to identify with. This style has been said to boost sales as customers see extra services marketed in a way that makes them more appealing.

Sleek body style will give your wash a modern look.

### SPECIFICATIONS

Dimensions: 30" W x 72" H x 4" D

Voltage/AMP: 100-240VAC / 2.4 AMP

Construction: Anodized aluminum with a high impact plastic face

Mounting: Single pedestal mount with a 24" ground clearance.

ITEM	DESCRIPTION
TSS3010	30" W x 72" H I-Menu™



8 SECTION  
I-CONFIRMATION  
SIGN  
TSS3030-P



### Illumination

The background of the graphics are illuminated with Ultra Bright LED clusters



I-MENU  
TSS3010

# 6 CLEARANCE STRUCTURES

## ECONOLINE DRIVEWAY CLEARANCE STRUCTURE

### FEATURES

Our economical clearance structure is a must for any wash tunnel or self service bay.

Clearance beam is field adjustable to achieve your desired clearance height.

Message and clearance are custom.

### SPECIFICATIONS


Dimensions: Horizontal beam is 2" x 5" x .125" rectangular tubing. Vertical post is 4" x 4" x .250" square tubing.

Construction: Heavy aluminum, comes in two easy to assemble pieces.

Clearance message will be on aluminum composite panel.

Mounting: 11-3/4" x 11-3/4" x 1/2" heavy mounting plate.

ITEM	DESCRIPTION
TSS5010-D	Driver Side Mill Finished Aluminum Clearance Structure
TSS5010-P	Passenger Side Mill Finished Aluminum Clearance Structure



# CLEARANCE STRUCTURES 7


## CURVED CLEARANCE STRUCTURE

### FEATURES

This aesthetically pleasing clearance structure has a curved top that matches our canopy curve.

This structure is also a great way to promote a smooth traffic flow if you have multiple types of washes and want to identify each lane. Ex. Soft touch lane and friction lane.

ITEM	DESCRIPTION
TSS5000-D	Driver Side Curved Clearance Structure
TSS5000-P	Passenger Side Curved Clearance Structure



### SPECIFICATIONS

Dimensions: Horizontal beam is 2" x 4" x 108" W.  
Vertical post is 4" x 4" x 120" H.

Construction: Heavy aluminum, comes in two easy to assemble pieces.

Mounting: 11-3/4" x 11-3/4" x 3/4" heavy mounting plate.



CCSD1 DRIVER SIDE SHOWN



CCSP1 PASSENGER SIDE SHOWN

Please follow the steps below when ordering

- 1 Choose your die-cut top message & color.



- 2 Choose your baked enamel aluminum wrap color on vertical and horizontal posts.







# PAY STATION CANOPIES

STANDARD

## CURVED PAY STATION CANOPY

### FEATURES

Sleek and modern design that will help improve your car wash image.

Protects your expensive and sensitive electronics.

The post will be wrapped with your choice of baked enamel colored aluminum.

### SPECIFICATIONS


Construction: Top is heavy duty aluminum tubing 2" x 4" x .250" wrapped with baked enamel aluminum.

Post is heavy steel 6" x 6" x .250"

Voltage/AMP: 100-277VAC / 0.8 AMP

Wind Load: 120 MPH PSF Roof Load: 25 PSF

ITEM	DESCRIPTION
TSS4000-D	Standard Single Post Curved Pay Station Canopy



Please follow the steps below when ordering

- 1 Canopy Color**  
Specify your top canopy color and steel post wrap.  
Bottom side of the canopy is always white.



- 2 Clearance Fixture**  
Specify your custom clearance message and color on clearance bar.



- 3 Die-Cut Top Message**  
Specify message above canopy and color of the message.



**PAY HERE**

- 4 Base Plate Cover**  
Choose color of baked enamel aluminum 12" W x 12" H x 10" D. Opening for a 6" x 6" post.





# PAY STATION CANOPIES

9

## STANDARD DUAL POST CURVED PAY STATION CANOPY

### FEATURES

Protects your expensive and sensitive electronics  
Posts will be wrapped with your choice of baked enamel colored aluminum


### SPECIFICATIONS

Construction: Top is heavy duty aluminum tubing 2" x 4" x .250" wrapped with baked enamel aluminum. Posts are heavy steel 4" x 6" x 3/16"

Voltage/AMP: 100-277VAC / 0.8 AMP

Wind Load: 90 MPH PSF Roof Load: 25 PSF

ITEM	DESCRIPTION
TSS4000-D	Standard Dual Post Curved Pay Station Canopy



Please follow the steps below when ordering

- Canopy Color**  
Specify your top canopy color and steel post wrap.  
Bottom side of the canopy is always white.



- Clearance Fixture**  
Specify your custom clearance message and color on clearance bar.




- Die-Cut Top Message**  
Specify message above canopy and color of the message.



**PAY HERE**

- Base Plate Cover**  
Choose color of baked enamel aluminum 12" W x 12" H x 10" D. Opening for a 6" x 6" post.



# SIGN & STRUCTURE ORDERING INSTRUCTIONS

When selecting signage, arches or canopies for your car wash, please follow these instructions **CAREFULLY**, and use the **ORDER FORM** that follows.



The following signs are **INCLUDED** in ALL **IQ System Packages**:

(a) Slim Series 2-Section Stop/Go Swivel Mount Traffic Sign and (b) Slim Series 3-Section Stop/Go/Back Up Swivel Mount Traffic Sign.

You may specify the following signage **UPGRADES** to your IQ System order:

- ★ Upgrade Slim Series 3-Section Stop/Go/Back Up Traffic Sign to Slim Series 8-Section Confirmation Sign
- ★★ Upgrade 2 Slim Series Traffic Signs to 2 Commander Series Traffic Signs
- ★★★ Upgrade 2 Slim Series Traffic Signs to Commander Series 2-Section Stop/Go Sign and Commander Series 8- Section Confirmation Sign

When selecting sign age, arches or canopies for your car wash, please follow these instructions **CAREFULLY**, and Use the **ORDER FORM** that follows

Prior to filling out your **ORDER FORM**, please complete the following steps.:

1. Determine if you want ANY Signage Upgrades to the 2 signs included in your IQ Package.
2. For your Traffic or Confirmation Signs, determine if you want Swivel (Wall) or Pedestal Mount
3. If you select an 8-Section Confirmation Sign, determine the Text for the bottom 5 sections. **NOTE:** the top 3 sections are standard text as follows: Drive Forward/ Stop / Back Up Slowly
4. If ordering an Illuminated Menu Sign, determine the Names and Prices for each Wash Level, and the wash cycle features and graphic icons for each feature. (refer to back cover for icons)
5. If ordering an Econoline Clearance Structure, determine the following: (a) Driver or Passenger Side oriented, (b) Text for Top Panel. If Clearance, determine max height for message. 6. If ordering Curved Clearance Structure, determine the following: (a) Driver or Passenger Side oriented, (b) Text for Top Arch, (c) Color of Top Arch Text, (d) Color of Arch Structure.
6. If Ordering Pay Station Canopy, determine the following: (a) Single or Dual Post Design, (b) Text for Top Arch, (c) Color of Top Arch Text, (d) Color of Canopy Frame, Clearance Fixture, Base Plate Cover.

# SIGN & STRUCTURE ORDER FORM

TRAFFIC & CONFIRMATION SIGNS					
Part #	Description				
TSS2000	Slim 2-Section (Stop/Go) Traffic Sign – Swivel Mount	Included in all IQ Packages			
TSS2000-P	Slim 2-Section (Stop/Go) Traffic Sign – Pedestal Mount	Check box for this alternate mount option			
TSS2010	Slim 3-Section (Stop/Go/Back Up) Traffic Sign – Swivel Mount	Included in all IQ Packages			
TSS2010-P	Slim 3-Section (Stop/Go/Back Up) Traffic Sign – Pedestal Mount	Check box for this alternate mount option			
TSS3020	Slim 8-Section Confirmation Sign – Swivel Mount	Select 1 of these as an Upgrade for the 3-Section Traffic Sign			
TSS3020-P	Slim 8-Section Confirmation Sign – Pedestal Mount				
<b>The Following Signs are all Upgrades to IQ Packages</b>					
TSS2020	Commander 2-Section (Stop/Go) Traffic Sign – Swivel Mount				
TSS2020-P	Commander 2-Section (Stop/Go) Traffic Sign – Lighted Pedestal Mount				
TSS2030	Commander 3-Section (Stop/Go/Back Up) Traffic Sign – Swivel Mount				
TSS2030-P	Commander 3-Section (Stop/Go/Back Up) Traffic Sign – Lighted Pedestal Mount				
TSS3030	Commander 8-Section Confirmation Sign – Swivel Mount	Select 1 of these as an alternate for the 3-Section Commander Traffic Sign			
TSS3030-P	Commander 8-Section Confirmation Sign – Pedestal Mount				
<b>Confirmation Sign Customization</b> List Text for 5 Bottom Sections if ordering any Confirmation Sign					
4 <sup>th</sup> Section Text					
5 <sup>th</sup> Section Text					
6 <sup>th</sup> Section Text					
7 <sup>th</sup> Section Text					
8 <sup>th</sup> (Bottom Section) Text					
MENU SIGNS					
TSS3000	Slim 8-Section Menu Sign	Check box to order this sign			
TSS3010	Commander 8-Section Menu Sign	OR Check box to order this sign			
<b>Menu Sign Customization</b> List from 1 to 8 Wash Feature Icons for each Menu Level Below – Use Icon Codes on Back Cover					
Ultimate Wash Icons					
Deluxe Wash Icons					
Express Wash Icons					
Basic Wash Icons					
ARCHES & CANOPIES					
TSS5010-D	Econoline Driveway Clearance Structure – Driver Side				
TSS5010-P	Econoline Driveway Clearance Structure – Passenger Side				
<b>Econoline Clearance Structure Customization</b>					
Clearance Sign Message Text					
TSS5000-D	Curved Clearance Structure – Driver Side				
TSS5000-P	Curved Clearance Structure – Passenger Side				
<b>Curved Clearance Structure Customization</b> For Color Selections, use Color Options on Page 7					
Top Arch Message Text					
Message Text Color		Arch Structure Color			
TSS4000	Single Post Pay Station Canopy				
TSS4000-D	Dual Post Pay Station Canopy				
<b>Pay Station Canopy Customization</b> For Color Selections, use Color Options on Page 8					
Top Arch Message Text					
Top Arch Message Text Color		Canopy Arch Frame Color		Canopy Post Color	
Clearance Bar Text				Clearance Bar Color	
Base Plate Color					





# SIGNS & STRUCTURES CATALOG

CHOOSE YOUR MENU SIGN ICONS FROM THESE OR WORK WITH YOUR DISTRIBUTOR AND TSS TO SELECT FROM MANY OTHERS....

