



ULT-C2DIXIRM2812

2 Megapixel TVI Indoor Dome, 2.8-12mm, Motorized Lens WDR, 120' EXIR Range, Dual Voltage

Features

- 2 Megapixel (1920 x 1080) Resolution
- Motorized 2.8-12mm Lens
- True Day/Night
- True WDR 120dB
- 120' IR Range with EXIR Technology
- Up The Cable (UTC) Function
- Withstand up to -40° Operation
- Indoor Only
- Dual Voltage

Image Sensor	2MP CMOS Sensor
Signal System	PAL / NTSC
Effective Pixels	1928(H)*1088(V)
Min. Illumination	0.01 Lux @ (F1.2,AGC ON),0 Lux with IR
Shutter speed	1/25 s to 1/50,000 s
Lens	2.8-12mm @ F1.2 Motorized Angle of view: 92° – 32°
Day & Night	ICR
Wide dynamic range	120dB True WDR
Synchronization	Internal synchronization
Video Frame Rate	1928*1088@18fps
HD Video Output	1 Analog HD output
S / N Ratio	More than 62dB
AGC	Support
D/N Mode	Color/BW/Smart
White Balance	ATW, MWB
BLC	Support
WDR	True WDR 120dB
Working Temperature / Humidity	-40 °C – 60 °C (-40 °F – 140 °F), Humidity 90% or less (non-condensing)
Power Supply	12 VDC, 24VAC
Power Consumption	12 VDC Max: 7W, 24 VAC Max: 9W
IR Range	Up to 120 ft
Communication	Up the coax(need UTC controller), Protocol: Pelco-C (Coaxitron)
Dimensions	Ø5.29" x 4.88" x 4.39"

Ordering Information

ULT-C2DIXIRM2812: 2 Megapixel Indoor Dome, 2.8-12mm Motorized, Dual Voltage

InVid Tech, reserves the right to make changes to improve our products at any time without notice; we are not responsible for misprints.