



VN1A-1008

Disk Enclosure

Features

- High density
- The innovative enclosure with 530.4mm depth and 2U height that holds up to 8 disks, is space-saving and applicable to the standard rack-mounted scenarios.
- Power protection
- Disk powered on sequentially during system startup, protection from impulse current.
- Multistage fan speed and energy saving
- Fans with multistage speed are configured in the hot-swappable frame in redundancy mode. System power consumption can be balanced intelligently with heat dissipation calculation to ensure low power consumption and stable operation of the system.

Model	VN1A-1008
Storage	
HDD	8 SATA Interfaces
Disk Capacity	8TB max
External Interface	
Back-end Expansion Interface	1 mini SAS
General	
Power Supply	100 ~ 240V
Consumption (with HDD)	≤ 100W
Working Environment	14°F~ 131°F (-10 °C~ 55 °C) 5%~95% RH (non-condensing)
Weight(Without HDD)	< 17.6lb (8kg)
Dimensions (W×D×H)	17.4" × 20.88" × 3.39" (442.0 × 530.4 × 86.1mm)
Chassis	Rack Mountable 2U Chassis
Certification	UL

Rear Panel



No.	Item	Description
①	Grounding terminal	Equipment grounding
②	Power interface	AC power, 100 V-240 V AC
③	Power switch	Turn on/off device when connected to power
④	Mini-SAS interface	For connection to the host

Ordering Information

VN1A-1008: Disk Enclosure