



Vehicle Information

Date: February 5, 2018
Vehicle: 2016 Ford F150 Regular Cab XLT EcoBoost 4WD 2.7L V6 Turbo
VIN: 1FTMF1EPXGKD39309
Weight: 0

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$35,630	\$3,755	\$1,195	\$40,580
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
CLASS IV TRAILER HITCH RECEIVER -inc: towing capability up to 5,000 lbs, smart trailer tow connector and 4-pin/7-pin wiring harness Code: 53B	\$88.00	\$95.00
EQUIPMENT GROUP 301A MID SAVINGS *DISCOUNT* Code: -RET301A	-\$920.00	-\$1000.00
GWWR: 6,250 LBS PAYLOAD PACKAGE Code: -NONGV0	\$0.00	\$0.00
POWER GLASS HEATED SIDEVIEW MIRRORS -inc: manual folding, turn signal, auto-dimming feature (driver's side) and black skull caps, Auto-Dimming Rearview Mirror Code: 54R-R	\$175.00	\$190.00
PRO TRAILER BACKUP ASSIST -inc: tailgate LED and 4.2" LCD productivity screen in instrument cluster Code: 47E-R	\$364.00	\$395.00
RADIO: SINGLE-CD W/SIRIUSXM SATELLITE -inc: SiriusXM US satellite service is available in the 48 contiguous United States and D.C, 7 speakers Code: 58C-R	\$0.00	\$0.00
REAR VIEW CAMERA W/DYNAMIC HITCH ASSIST Code: 76C-0-R	\$231.00	\$250.00
REAR WINDOW DEFROSTER Code: 57Q-R	\$0.00	\$0.00
SPRAY-IN BEDLINER (PRE-INSTALLED) -inc: Custom Accessory Code: 96W	\$456.00	\$495.00
TRAILER TOW PACKAGE -inc: Towing capability up to 11,100 lbs, Note: Ordering the Trailer Tow Package does not include Trailer Tow Mirrors, Trailer Tow Mirrors are a standalone option and must be ordered separately, (Option Code: 54M or 54Y/59S), Auxiliary Transmission Oil Cooler, Class IV Trailer Hitch Receiver, towing capability up to 5,000 lbs, smart trailer tow connector and 4-pin/7-pin wiring harness, Pro Trailer Backup Assist, tailgate LED and 4.2" LCD productivity screen in instrument cluster, Engine Oil Cooler, Upgraded Front Stabilizer Bar Code: 53A-B	\$824.00	\$895.00
ELECTRONIC LOCKING W/3.55 AXLE RATIO Code: XL9-R	\$433.00	\$470.00



	Invoice	MSRP
ENGINE: 2.7L V6 ECOBOOST -inc: auto start/stop technology system, GVWR: 6,250 lbs Payload Package, 3.55 Axle Ratio Code: 99P-R	\$732.00	\$795.00
EQUIPMENT GROUP 301A MID -inc: 4.2" Productivity Screen in Instrument Cluster, compass, Class IV Trailer Hitch Receiver, towing capability up to 5,000 lbs, smart trailer tow connector and 4-pin/7-pin wiring harness, Rear Window Defroster, Fixed Backlight w/Privacy Glass, 8-Way Power Driver's Seat, Radio: Single-CD w/SiriusXM Satellite SiriusXM US satellite service is available in the 48 contiguous United States and D.C, 7 speakers, Power-Adjustable Pedals, Leather-Wrapped Steering Wheel, Rear View Camera w/Dynamic Hitch Assist, Power Glass Heated Sideview Mirrors, manual folding, turn signal, auto-dimming feature (driver's side) and black skull caps, Auto-Dimming Rearview Mirror *GROSS* Code: 301A-0	\$1932.00	\$2100.00
MONOTONE PAINT APPLICATION Code: -PAINT	\$0.00	\$0.00
MAGNETIC METALLIC Code: J7-P	\$0.00	\$0.00
MEDIUM EARTH GRAY, CLOTH 40/20/40 FRONT SEAT -inc: 4-way adjustable driver/passenger headrests w/300A-inc: manual driver/passenger lumbar and armrest with storage w/301A-inc: power driver/manual passenger lumbar and armrest with storage Code: MG	\$0.00	\$0.00
TIRES: P265/70R17 OWL A/T (STD) Code: -STDTR-R	\$0.00	\$0.00
TRANSMISSION: ELECTRONIC 6-SPEED AUTOMATIC -inc: tow/haul mode (STD) Code: 446	\$0.00	\$0.00
WHEELS: 17" SILVER PAINTED ALUMINUM (STD) Code: 64F-R	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Fixed Antenna
- Radio w/Clock
- Radio: AM/FM Stereo/Single-CD Player -inc: 4 speakers
- SYNC Voice Recognition Communications -inc: Enhanced voice recognition communication and entertainment system, 911 assist, 4.2" LCD display in center stack, Applink, 1 smart charging USB port, VHR, SYNC services, Bluetooth and steering wheel audio controls, Compass display in instrument cluster

EXTERIOR

- Aluminum Panels
- Black Door Handles
- Black Power Side Mirrors w/Convex Spotter and Manual Folding
- Black Side Windows Trim and Black Front Windshield Trim
- Cargo Lamp w/High Mount Stop Light
- Chrome Front Bumper w/Body-Colored Rub Strip/Fascia Accent and 2 Tow Hooks
- Chrome Grille
- Chrome Rear Step Bumper
- Clearcoat Paint
- Deep Tinted Glass
- Fixed Rear Window
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Automatic Aero-Composite Halogen Daytime Running Lights Preference Setting Headlamps w/Delay-Off
- Perimeter/Approach Lights
- Regular Box Style
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/70R17 OWL A/T
- Variable Intermittent Wipers
- Wheels: 17" Silver Painted Aluminum



INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 4-Way Driver Seat -inc: Manual Recline and Fore/Aft Movement
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- Analog Display
- Cloth 40/20/40 Front Seat -inc: 4-way adjustable driver/passenger headrests, manual driver/passenger lumbar and armrest w/storage
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors
- Fade-To-Off Interior Lighting
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front Floor Mats
- Full Cloth Headliner
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer
- Glove Box
- Instrument Panel Bin, Dashboard Storage, Driver And Passenger Door Bins and 1st Row Underseat Storage
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Cabback Insulator and Chrome Interior Accents
- Keypad
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Rear Map Lights
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- Urethane Gear Shift Knob

MECHANICAL

- 1660# Maximum Payload
- 200 Amp Alternator
- 23 Gal. Fuel Tank
- 3.73 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 70-Amp/Hr 610CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.5L V6 Ti-VCT FFV
- Front Anti-Roll Bar
- Gas-Pressurized Shock Absorbers
- GVWR: 6,100 lbs Payload Package
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Towing w/Harness and Trailer Sway Control
- Transmission: Electronic 6-Speed Automatic -inc: tow/haul mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
- Safety Canopy System Curtain 1st Row Airbags
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel



Licensed to J.D. Power

- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.7in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 21.4in
- Cargo Box Length @ Floor 96in
- Cargo Box Width @ Floor 65.2in
- Cargo Box Width @ Top, Rear 65.2in
- Cargo Box Width @ Wheelhousings 50.6in
- Cargo Volume 77.4ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 610
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 610
- Maximum Alternator Capacity (amps) 200

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.8 (Est)

Engine

- Displacement 2.7 L/164
- Engine Oil Cooler Regular Duty
- Engine Order Code 99P
- Engine Type Twin Turbo Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 325 @ 5750
- SAE Net Torque @ RPM 375 @ 3000

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 9.4in
- Ground Clearance, Rear 9.4in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 36.5in
- Height, Overall 76.9in
- Length, Overall w/o rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 141in
- Width, Max w/o mirrors 79.9in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank



Licensed to J.D. Power

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 23gal
- Fuel Tank Location Midship

Interior Dimensions

- Front Head Room 40.8in
- Front Hip Room 62.5in
- Front Leg Room 43.9in
- Front Shoulder Room 66.7in
- Passenger Capacity 3
- Second Head Room N/Ain
- Second Hip Room N/Ain
- Second Leg Room N/Ain
- Second Shoulder Room N/Ain

Mileage

- Cruising Range - City 414.00mi
- Cruising Range - Hwy 529.00mi
- EPA Fuel Economy Est - City 18MPG
- EPA Fuel Economy Est - Hwy 23MPG
- Fuel Economy Est-Combined 20MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 46.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension


- Axle Capacity - Front 3750lbs
- Axle Capacity - Rear 4800lbs
- Axle Ratio (:1) - Front 3.55
- Axle Ratio (:1) - Rear 3.55
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front 3150lbs
- Spring Capacity - Rear 3300lbs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

Tires

- Front Tire Capacity 3650lbs
- Front Tire Order Code
- Front Tire Size P265/70SR17
- Rear Tire Capacity 4056lbs
- Rear Tire Order Code
- Rear Tire Size P265/70SR17
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 740lbs
- Dead Weight Hitch - Max Trailer Wt. 7400lbs
- Maximum Trailering Capacity 7400lbs
- Wt Distributing Hitch - Max Tongue Wt. 740lbs
- Wt Distributing Hitch - Max Trailer Wt. 7400lbs



Licensed to J.D. Power

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.86
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.17
- Fourth Gear Ratio (:1) 1.14
- Reverse Ratio (:1) 3.40
- Second Gear Ratio (:1) 2.34
- Sixth Gear Ratio (:1) 0.69
- Third Gear Ratio (:1) 1.52
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 446
- Trans Power Take Off N/A
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight 4525.00lbs
- As Spec'd Payload 1725.00lbs
- Curb Weight - Front 2698lbs
- Curb Weight - Rear 1693lbs
- Curb Weight 4391.00lbs
- Gross Axle Weight Rating 6450.00lbs
- Gross Axle Wt Rating - Front 3150lbs
- Gross Axle Wt Rating - Rear 3300lbs
- Gross Combined Wt Rating 12200lbs
- Gross Vehicle Weight Rating 6250.00lbs
- Maximum Payload Capacity 1859.00lbs
- Option Weight - Front 115.00lbs
- Option Weight - Rear 19.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 337.00lbs
- Reserve Axle Capacity - Rear 1588.00lbs
- Reserve Axle Capacity 1925.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 134.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein