



Vehicle Information

Date: February 9, 2018
Vehicle: 2016 Nissan Titan XD Crew Cab Platinum Reserve 4WD
5.0L V8 T-Diesel
VIN: 1N6BA1F41GN515685
Weight: 7,480

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$60,520	\$235	\$1,195	\$61,950
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
2-TONE EXTERIOR PAINT Code: -2TONE	\$0.00	\$0.00
[B11] RUNNING BOARDS (PIO) Code: -B11	\$0.00	\$0.00
[B92] SPLASH GUARDS (PIO) Code: SG2	\$196.00	\$235.00
[K11] TITAN BOX BED LINER W/BUILT-IN STORAGE (K11) (PIO) Code: -K11	\$0.00	\$0.00
MAGNETIC BLACK Code: G41	\$0.00	\$0.00
BLACK/BROWN, PREMIUM LEATHER SEAT TRIM -inc: Platinum Reserve branding on seat back Code: P-0	\$0.00	\$0.00
[KAC] TITANIUM Code: -KAC	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Fixed Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: NissanConnect w/Navigation & Mobile Apps -inc: 7" color display, AM/FM/CD, MP3 auxiliary input, USB connection for iPod interface and other compatible devices, Bluetooth hands-free phone system, SiriusXM Traffic, SiriusXM Travel Link (weather, fuel prices, movie listings and stock info), Nissan voice recognition for navigation and audio and NissanConnect Services powered by SiriusXM
- Regular Amplifier
- Rockford Fosgate Premium 12 Speaker Audio System

EXTERIOR

- Aluminum Spare Wheel
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Cargo Lamp w/High Mount Stop Light
- Chrome Door Handles



- Chrome Power w/Tilt Down Heated Side Mirrors w/Driver Auto Dimming, Convex Spotter, Manual Folding and Turn Signal Indicator
- Clearcoat Paint
- Colored Front Bumper w/2 Tow Hooks
- Colored Rear Step Bumper
- Deep Tinted Glass
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Integrated Storage
- Laminated Glass
- Manual Extendable Trailer Style Mirrors
- Manual Tailgate/Rear Door Lock
- Manual-Leveling Programmable Projector Beam Led Low Beam Daytime Running Headlamps w/Delay-Off
- Metal-Look Grille w/Chrome Surround
- Perimeter/Approach Lights
- Power Rear Window w/Defroster
- Regular Box Style
- Running Boards
- Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Spray-In Bed Liner
- Tailgate Rear Cargo Access
- Tires: LT265/60R20 AS BSW
- Wheels: 20" x 7.5" Dark Chrome-Like PVD

INTERIOR

- 1 Seatback Storage Pocket
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 2 AC Power Outlets
- 60-40 Folding Split-Bench Front Facing Heated Fold-Up Cushion Rear Seat
- Air Filtration
- Analog Display
- Compass
- Cruise Control w/Steering Wheel Controls
- Dashboard Storage, Driver / Passenger And Rear Door Bins and Locking 2nd Row Underseat Storage
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Door Mirrors and Steering Wheel
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Windows and Remote Engine Start
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Locking Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 2 AC Power Outlets
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Inclinator, Turbo/Supercharger Boost, Oil Temperature, Transmission Fluid Temp and Trip Odometer
- Heated & Cooled Captain's Chairs -inc: 8-way power driver seat, power adjustable lumbar and memory function
- Heated Leather/Genuine Wood Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert, Chrome And Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Outside Temp Gauge
- Perimeter Alarm
- Pickup Cargo Box Lights
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Power Tilt/Telescoping Steering Column
- Premium Leather Seat Trim -inc: Platinum Reserve branding on seat back
- Proximity Key For Doors And Push Button Start
- Rear Center Armrest
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Seats w/Leatherette Back Material
- Tracker System
- Valet Function

MECHANICAL



- 1470# Maximum Payload
- 2 Skid Plates
- 26 Gal. Fuel Tank
- 3.916 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 63-Amp/Hr 550CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Block Heater
- Class IV Towing w/Harness, Hitch, Brake Controller and Trailer Sway Control
- Double Wishbone Front Suspension w/Coil Springs
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 5.0L V8 Turbo Diesel
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 8,950 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Leaf Rear Suspension w/Leaf Springs
- Part-Time Four-Wheel Drive
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: Aisin 6-Speed Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- and Rear Collision
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Emergency S.O.S
- Front And Rear Parking Sensors
- Front Camera
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 14.2in
- Rear Brake Rotor Diam x Thickness 14.4in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 20.8in
- Cargo Box Length @ Floor 78.7in
- Cargo Box Width @ Floor 61.7in
- Cargo Box Width @ Top, Rear 61.7in
- Cargo Box Width @ Wheelhousings 50in
- Cargo Volume N/Aft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical



Licensed to J.D. Power

- Cold Cranking Amps @ 0Â° F (2nd) 550
- Cold Cranking Amps @ 0Â° F (3rd) N/A
- Cold Cranking Amps @ 0Â° F (Primary) 550
- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year N/A

Engine

- Displacement 5.0 L/305
- Engine Oil Cooler Regular Duty
- Engine Order Code
- Engine Type Intercooled Turbo Diesel V-8
- Fuel System Diesel Direct Injection
- SAE Net Horsepower @ RPM 310 @ 3200
- SAE Net Torque @ RPM 555 @ 1600

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 9in
- Ground Clearance, Rear 9in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 78.7in
- Length, Overall w/o rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 151.6in
- Width, Max w/o mirrors 80.7in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank


- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location Midship

Interior Dimensions

- Front Head Room 41in
- Front Hip Room 60.8in
- Front Leg Room 41.8in
- Front Shoulder Room 63.3in
- Passenger Capacity 5
- Second Head Room 40.4in
- Second Hip Room 60.3in
- Second Leg Room 38.5in
- Second Shoulder Room 63.6in

Mileage

- Cruising Range - City N/Ami
- Cruising Range - Hwy N/Ami
- EPA Fuel Economy Est - City N/AMPG
- EPA Fuel Economy Est - Hwy N/AMPG
- Fuel Economy Est-Combined N/AMPG



Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Re-Circulating Ball
- Turning Diameter - Curb to Curb 53.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.92
- Axle Ratio (:1) - Rear 3.92
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size LT265/60SR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size LT265/60SR20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 1061lbs
- Dead Weight Hitch - Max Trailer Wt. 10608lbs
- Maximum Trailering Capacity 10608lbs
- Wt Distributing Hitch - Max Tongue Wt. 1061lbs
- Wt Distributing Hitch - Max Trailer Wt. 10608lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.77
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.74
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.54
- Second Gear Ratio (:1) 2.00
- Sixth Gear Ratio (:1) 0.63
- Third Gear Ratio (:1) 1.34
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight 7480.00lbs
- As Spec'd Payload 1470.00lbs



Licensed to J.D. Power

2/9/2018

NADA New Cars/Trucks

- Curb Weight - Front 4421lbs
- Curb Weight - Rear 3059lbs
- Curb Weight 7480.00lbs
- Gross Axle Weight Rating 9800.00lbs
- Gross Axle Wt Rating - Front 4900lbs
- Gross Axle Wt Rating - Rear 4900lbs
- Gross Combined Wt Rating 19450lbs
- Gross Vehicle Weight Rating 8950.00lbs
- Maximum Payload Capacity 1470.00lbs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 479.00lbs
- Reserve Axle Capacity - Rear 1841.00lbs
- Reserve Axle Capacity 2320.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 7.5in
- Spare Wheel Material Aluminum
- Spare Wheel Size Full-Sizein