



Vehicle Information

Date: February 9, 2018
Vehicle: 2017 Kia Sedona Extended Passenger Van LX 3.3L V6
VIN: KNDMB5C19H6319967
Weight: 4,443

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$28,900	\$2,400	\$950	\$32,250
NADA New Vehicle Values				
Low	\$24,217	\$2,011	\$950	\$27,178
Average	\$26,383	\$2,191	\$950	\$29,524
High	\$28,081	\$2,332	\$950	\$31,363

Optional Equipment

	Invoice	MSRP
LX ESSENTIALS PREMIUM PACKAGE -inc: Push Button Start, Smart Key alarm w/engine immobilizer, Dual Glovebox w/Cooling, OLED Meter Display, Leather Wrapped Gear Shift Knob, UVO eServices, 7" touchscreen, Android Auto and Apple CarPlay, Heated Front Seats, Silver Painted Roof Rails, Front & Rear Park Assist, Sunshades 2nd & 3rd Row, Leather Wrapped Steering Wheel Code: ESP	\$2221.00	\$2400.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
AURORA BLACK Code: ABP	\$0.00	\$0.00
CAMEL, LEATHER SEAT TRIM Code: WK-1	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Fixed Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Voice Activation
- Radio: AM/FM/CD/MP3/SiriusXM Audio System -inc: 6 speakers, 5.0" touchscreen, rear camera display, Bluetooth and USB/auxiliary input jacks

EXTERIOR

- Black Grille
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Bodyside Moldings
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Bumper Insert
- Body-Colored Power Side Mirrors w/Power Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper w/Black Bumper Insert
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Lip Spoiler



Licensed to J.D. Power

- Perimeter/Approach Lights
- Power Sliding Rear Doors
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R17
- Variable Intermittent Wipers
- Wheels: 17" x 6.5J Alloy -inc: silver center caps w/Kia logo

INTERIOR

- 10-Way Power Driver Seat -inc: Power Recline, Height Adjustment, Fore/Aft Movement, Cushion Tilt and Power 2-Way Lumbar Support
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- Fixed 60-40 Split-Bench 3rd Row Seat Front, Manual Recline, Manual Fold Into Floor, 3 Manual and Adjustable Head Restraints
- Front And Rear Map Lights
- Front Captain Seats -inc: 4 way adjustable passenger seat, 8-Way Power Driver Seat, 2-Way Power Driver Lumbar Support
- Front Center Armrest w/Storage and Rear Seat Mounted Armrest Outboard Only
- Front Cupholder
- Front Seats w/Premium Cloth Back Material and Power 2-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Covered Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look Interior Accents
- Locking Glove Box
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Fuel
- Trip Computer
- Urethane Gear Shift Knob
- YES Essentials Fabric Anti-Soiling Seat Trim

MECHANICAL

- 150 Amp Alternator
- 21.1 Gal. Fuel Tank
- 3.041 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 80-Amp/Hr 660CCA Maintenance-Free Battery w/Run Down Protection
- Engine: 3.3L GDI V6 Lambda
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 6,085 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Multi-Link Rear Suspension w/Coil Springs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed Automatic w/Sportmatic -inc: H-matic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor



Licensed to J.D. Power

- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 142ft³
- Cargo Volume to Seat 2 78.4ft³
- Cargo Volume to Seat 3 33.9ft³
- Trunk Volume N/Aft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 660
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.8

Engine

- Displacement 3.3 L/204
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 276 @ 6000
- SAE Net Torque @ RPM 248 @ 5200

Exterior Dimensions

- Height, Overall 68.5in
- Length, Overall 201.4in
- Liftover Height N/Ain
- Min Ground Clearance 6.7in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 68.7in
- Track Width, Rear 69in
- Wheelbase 120.5in
- Width, Max w/o mirrors 78.1in



Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 21.1gal

Interior Dimensions

- Front Head Room 39.8in
- Front Hip Room 59.3in
- Front Leg Room 40.9in
- Front Shoulder Room 63.9in
- Passenger Capacity 8
- Passenger Volume 172.3ft³
- Second Head Room 39.4in
- Second Hip Room 66.1in
- Second Leg Room 41.1in
- Second Shoulder Room 63.1in
- Third Head Room 38.9in
- Third Hip Room 50in
- Third Leg Room 34.8in
- Third Shoulder Room 59.4in

Mileage

- Battery Range N/Ami
- Cruising Range - City 379.80mi
- Cruising Range - Hwy 506.40mi
- EPA Fuel Economy Est - City 18MPG
- EPA Fuel Economy Est - Hwy 24MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 20MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65TR17
- Rear Tire Order Code
- Rear Tire Size P235/65TR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 350lbs
- Dead Weight Hitch - Max Trailer Wt. 3500lbs
- Wt Distributing Hitch - Max Tongue Wt. 350lbs
- Wt Distributing Hitch - Max Trailer Wt. 3500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 1.00



Licensed to J.D. Power

- Final Drive Axle Ratio (:1) 3.04
- First Gear Ratio (:1) 4.25
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.39
- Second Gear Ratio (:1) 2.65
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.80
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6

Vehicle

- EPA Classification 2WD Minivans

Weight Information

- Base Curb Weight 4411lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin