



Vehicle Information

Date: February 16, 2018
Vehicle: 2015 Volvo S60 Sedan 4D 2015.5 T5 Premier Drive-E 2.0L I4 Turbo
VIN: YV126MFK2F1349424
Weight: 3,433

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$36,600	\$2,510	\$940	\$40,050
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
BLIND SPOT INFORMATION SYSTEM (BLIS) PACKAGE -inc: Front & Rear Park Assist, Blind Spot Information System, cross traffic alert (CTA) and lane change merge aid (LCMA) Code: MCFYA	\$870.00	\$925.00
HEATED FRONT SEATS Code: 11-0	\$470.00	\$500.00
KEYLESS DRIVE Code: 583	\$494.00	\$525.00
MONOTONE PAINT Code: -PAINT	\$0.00	\$0.00
FLAMENCO RED METALLIC Code: 702-R	\$526.00	\$560.00
SOFT BEIGE, LEATHER SEATING SURFACES Code: 371T-R	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 8 Speakers
- Audio Theft Deterrent
- Bluetooth Wireless Phone Connectivity
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Radio Data System
- Radio: High Performance AM/FM/CD -inc: Sensus Connect w/integrated 7" color display, Bluetooth integrated interface including audio streaming, Sirius satellite radio w/6-month subscription, HD Radio, auxiliary audio input, USB and iPod function and audio buttons in steering wheel
- Regular Amplifier
- Window Grid Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Surround
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent



Licensed to J.D. Power


- Chrome Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Clearcoat Paint
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Defroster
- Fully Galvanized Steel Panels
- Light Tinted Glass
- Manual-Leveling Auto Off Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Perimeter/Approach Lights
- Rain Detecting Variable Intermittent Wipers
- Rear Fog Lamps
- Spare Tire Mobility Kit
- Tires: P235/45VR17 AS BSW
- Trunk Rear Cargo Access
- Wheels: 17" Sadia Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 2-Way Power Driver Seat -inc: Power 2-Way Lumbar Support
- 2-Way Power Passenger Seat -inc: Power 2-Way Lumbar Support
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Anti-Whiplash Fixed Front Head Restraints and Power Adjustable Rear Head Restraints
- Cargo Features -inc: Spare Tire Mobility Kit
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Door Bins and Audio Media Storage
- Driver And Passenger Visor Vanity Mirrors w/Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front And Rear Map Lights
- Front Bucket Seats -inc: power lumbar, power driver seat w/memory, and power passenger seat
- Front Center Armrest and Rear Center Armrest w/Pass-Thru w/Storage
- Front Cupholder
- Front Seats w/Power 2-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Aluminum Instrument Panel Insert, Aluminum Door Panel Insert, Aluminum Console Insert and Meta-Look Interior Accents
- Leather Seating Surfaces
- Leather/Aluminum Gear Shift Knob
- Leather/Meta-Look Steering Wheel
- Leatherette Door Trim Insert
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Door Mirrors
- Mobile Hotspot Internet Access
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Sensus Navigation with Mapcare
- Tracker System
- Trip Computer
- Valet Function

MECHANICAL

- 17.8 Gal. Fuel Tank
- 2.77 Axle Ratio
- 210 Amp Alternator
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Hold Control and Electric Parking Brake
- 80-Amp/Hr 800CCA Maintenance-Free Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Electric Power-Assist Steering
- Engine Auto Stop-Start Feature



- Engine: 2.0L 16V Inline 4-Cylinder Turbo Drive-E
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Touring Suspension
- Transmission w/Geartronic Sequential Shift Control
- Transmission: 8-Speed Geartronic Automatic -inc: Start/Stop and Adaptive Shift

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- City Safety Forward Collision
- Curtain 1st And 2nd Row Airbags
- DSTC Electronic Stability Control (ESC)
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Volvo On Call Emergency S.O.S

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.8in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Trunk Volume 12ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 800
- Maximum Alternator Capacity (amps) 210

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 6.2

Engine

- Displacement 2.0 L/120
- Engine Order Code
- Engine Type Intercooled Turbo Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 240 @ 5600
- SAE Net Torque @ RPM 258 @ 4500

Exterior Dimensions

- Height, Overall 58.4in
- Length, Overall 182.5in
- Liftover Height 25.8in



Licensed to J.D. Power

2/16/2018

NADA New Cars/Trucks

- Min Ground Clearance 5.4in
- Track Width, Front 62.1in
- Track Width, Rear 62in
- Wheelbase 109.3in
- Width, Max w/o mirrors 73.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 17.8gal

Interior Dimensions

- Front Head Room 38.6in
- Front Hip Room 54.9in
- Front Leg Room 41.9in
- Front Shoulder Room 57in
- Passenger Capacity 5
- Passenger Volume 93ft³
- Second Head Room 37.6in
- Second Hip Room 53.5in
- Second Leg Room 33.5in
- Second Shoulder Room 55.2in

Mileage

- Battery Range N/Ami
- Cruising Range - City 445.00mi
- Cruising Range - Hwy 658.60mi
- EPA Fuel Economy Est - City 25MPG
- EPA Fuel Economy Est - Hwy 37MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 29MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.1ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/45VR17
- Rear Tire Order Code
- Rear Tire Size P235/45VR17
- Spare Tire Order Code
- Spare Tire Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 330lbs
- Dead Weight Hitch - Max Trailer Wt. 3300lbs
- Wt Distributing Hitch - Max Tongue Wt. 330lbs
- Wt Distributing Hitch - Max Trailer Wt. 3300lbs

Transmission

- Clutch Size N/Ain

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D. Power and Associates



Licensed to J.D. Power

2/16/2018

NADA New Cars/Trucks

- Drivetrain Front Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.22
- Final Drive Axle Ratio (:1) 2.77
- First Gear Ratio (:1) 5.25
- Fourth Gear Ratio (:1) 1.46
- Reverse Ratio (:1) 4.01
- Second Gear Ratio (:1) 3.03
- Seventh Gear Ratio (:1) 0.81
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 1.95
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8

Vehicle

- EPA Classification Compact Cars

Weight Information

- Base Curb Weight 3433lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 8in
- Spare Wheel Material
- Spare Wheel Size in