



Vehicle Information

Date: February 14, 2018
Vehicle: 2015 Honda Pilot Utility 4D Touring 4WD 3.5L V6
VIN: 5FNYP4H98FB025220
Weight: 4,608

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$41,620	N/A	\$900	\$42,520
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
MODERN STEEL METALLIC Code: GY	\$0.00	\$0.00
BLACK, LEATHER-TRIMMED SEAT TRIM Code: BK-I	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front and 1 LCD Row Monitor In The Rear
- 2 Wireless Headphones
- A/V Remote
- Bluetooth Handsfreelink Wireless Phone Connectivity
- Digital Signal Processor
- Entertainment System w/DVD
- Fm Traffic Real-Time Traffic Display
- Radio w/Seek-Scan, Clock, Steering Wheel Controls and Multi-Source Rear Controls
- Radio: AM/FM/CD Premium Audio System -inc: 650-Watt, 10 speakers including subwoofer, Hard Disk Drive (HDD) w/15-GB audio memory, Bluetooth streaming audio, Song By Voice (SBV), USB audio interface, MP3/auxiliary input jack, MP3/Windows Media Audio (WMA) playback capability, Radio Data System (RDS) and Speed-Sensitive Volume Control (SVC)
- Window Grid Antenna
- XM Radio -inc: SiriusXM services require a subscription after any trial period, If you decide to continue your SiriusXM service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call SiriusXM at 1-866-635-2349 to cancel, See our Customer Agreement for complete terms at www.siriusxm.com, Fees and programming subject to change, XM satellite service is available only to those at least 18 years and older in the 48 contiguous United States and D.C

EXTERIOR

- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Bodyside Moldings and Chrome Bodyside Insert
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power w/Tilt Down Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent
- Chrome Grille
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade



Licensed to J.D. Power

- Flip-Up Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Galvanized Steel/Aluminum Panels
- Power Liftgate Rear Cargo Access
- Programmable Aero-Composite Halogen Daytime Running Headlamps w/Delay-Off
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Splash Guards
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/60R18 102T AS
- Wheels: 18" Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 4 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Door Mirrors
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 60-40 Split-Bench 3rd Row Seat Front and Manual Fold Into Floor
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, Conversation Mirror, 4 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Bucket Seats -inc: 10-way power driver's seat adjustment including power lumbar support w/2-position memory, 4-way power passenger's seat adjustment and head restraints at all seating positions
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins
- Integrated Navigation System w/Voice Activation
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Chrome And Metal-Look Interior Accents
- Leather Door Trim Insert
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Leather-Trimmed Seat Trim
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows, Fixed 3rd Row Windows and w/Manual Sun Blinds
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Cargo Access and Mechanical Fuel
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning

MECHANICAL

- 1 Skid Plate
- 130 Amp Alternator
- 1633# Maximum Payload
- 21 Gal. Fuel Tank



Licensed to J.D. Power

- 4.312 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 60-Amp/Hr 550CCA Maintenance-Free Battery
- Automatic Full-Time Four-Wheel Drive
- Class III Towing w/Harness and Hitch
- Driver Selectable Rear Locking Differential
- Electro-Mechanical Limited Slip Differential
- Engine: 3.5L V6 24-Valve SOHC i-VTEC
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,096 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode and Oil Cooler
- Transmission: 5-Speed Automatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- VSA Electronic Stability Control (ESC)

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13in
- Rear Brake Rotor Diam x Thickness 13.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 87ft³
- Cargo Volume to Seat 2 47.7ft³
- Cargo Volume to Seat 3 18ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 550
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score 5.0
- Tons/yr of CO2 Emissions @ 15K mi/year 8.8



Engine

- Displacement 3.5 L/212
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 250 @ 5700
- SAE Net Torque @ RPM 253 @ 4800

Exterior Dimensions

- Height, Overall 72.4in
- Length, Overall 191.4in
- Lifterover Height N/Ain
- Min Ground Clearance 8in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.7in
- Track Width, Rear 67.5in
- Wheelbase 109.2in
- Width, Max w/o mirrors 78.5in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 21gal

Interior Dimensions

- Front Head Room 39.3in
- Front Hip Room 58.6in
- Front Leg Room 41.4in
- Front Shoulder Room 61.5in
- Passenger Capacity 8
- Passenger Volume 152.7ft³
- Second Head Room 39.8in
- Second Hip Room 56.9in
- Second Leg Room 38.5in
- Second Shoulder Room 62.2in
- Third Head Room 38.2in
- Third Hip Room 48.4in
- Third Leg Room 32.1in
- Third Shoulder Room 58.9in

Mileage

- Cruising Range - City 357.00mi
- Cruising Range - Hwy 504.00mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 24MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 20MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.9ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link



Tires

- Front Tire Order Code
- Front Tire Size P235/60TR18
- Rear Tire Order Code
- Rear Tire Size P235/60TR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 450lbs
- Dead Weight Hitch - Max Trailer Wt. 4500lbs
- Maximum Trailering Capacity 4500lbs
- Wt Distributing Hitch - Max Tongue Wt. 450lbs
- Wt Distributing Hitch - Max Trailer Wt. 4500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.61
- Final Drive Axle Ratio (:1) 4.31
- First Gear Ratio (:1) 2.70
- Fourth Gear Ratio (:1) 0.77
- Reverse Ratio (:1) 1.89
- Second Gear Ratio (:1) 1.61
- Third Gear Ratio (:1) 1.07
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 5
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4608lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin