

Vehicle Information

Date: February 6, 2018 Vehicle: 2016 Chevrolet Silverado 1500 Crew Cab LTZ 4WD 5.3L V8

VIN: 3GCUKSEC5GG226695

Weight: 5,440

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$46,935	\$7,400	\$1,195	\$55,530
NADA New Vehicle Values				·
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment			lance to a	MCDD
			Invoice	MSRP
BOSE SOUND WITH 6 SPEAKER SYS			\$455.00	\$500.00
(7 speaker system including subwoofer ware available with (PDF) LTZ Plus Package, (L86) 6.2L EcoTec3 V8 engine and (AN3 Active Noise Cancellation.) Code: UQA-R	PDA) Texas Edition or (PEB) \$) bucket seats are ordered and	Sport. Required when		
CONSOLE, FLOOR MOUNTED, RECO	ONFIGURABLE		\$0.00	\$0.00
with cup holders, cell phone storage, power and (K4C) wireless charging (Included and Code: D07				
FRONT AND REAR PARK ASSIST, UL	TRASONIC		\$0.00	\$0.00
(Included and only available with (PDF) LT Package.) Code: UD5	Z Plus Package or (Y86) Enha	inced Driver Alert		
LPO, 22" (55.9 CM) 5-SPOKE SILVER HIGH-GLOSS BLACK	ULTRA-BRIGHT MACHIN	ED WHEELS WITH	\$2725.45	\$2995.00
LPO wheels will come with 4 steel 22" wh LPO wheel selected (Included with (PDB) tires. Not available with (NHT) Max Trailer models.) (dealer-installed) Code: SEW	Black Pack, LPO. Requires (R	RHH) 22" all-terrain		
LPO, ASSIST STEPS - 4" BLACK ROL	IND		\$573.30	\$630.00
(Included with (PDB) Black Pack, LPO. No assist steps, LPO, (RVQ) 6" Black tubular tubular assist steps, LPO.) (dealer-installe	assist steps, LPO or (BVQ) 6'			
LPO, BLACK BOW-TIE EMBLEMS, FR	ONT AND REAR		\$168.35	\$185.00
(Required with (PCI) Signature Package-Code: SFZ	Costco, Requires Approval.) (d	ealer-installed)		
LPO, BLACK PACK			\$3298.75	\$3625.00
includes (SEW) 22" Silver ultra-bright mac (RVS) 4" round Black tubular assist step, available with (NHT) Max Trailering Packa chrome tubular assist steps, LPO assist s (PDA), (PEB) or 22" LPO wheels (SEV), Code: PDB-R	LPO. (Requires (RHH) 22" all-t age, (RD2) 20" chrome wheel, (teps (VXJ), (VXH) or (RVQ), E	errain tires. Not (BVQ) 6" rectangular xterior Packages		
LTZ PLUS PACKAGE			\$1060.15	\$1165.00





NADA New Cars/Trucks

Values	NADA NEW Cars/Trucks	
Licensed to J.D. Power	Invoice	MSRP
JET BLACK, PERFORATED LEATHER-APPOINTED SEAT TRIM	\$0.00	\$0.00
(Requires (KB6) heated and vented seating.) Code: H3B SEATS, FRONT FULL-FEATURE LEATHER-APPOINTED BUCKET WITH (KA1) HEATED SEAT CUSHIONS AND SEAT BACKS	\$464.10	\$510.00
includes 10-way power driver and front passenger seat adjusters, including 2-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console, storage pockets and (K4C) Wireless charging. (Required with (PCI) Signature Package-Costco, Requires Approval.) Code: AN3		
TIRES, P285/45R22 SL 110H ALL-TERRAIN BLACKWALL	\$0.00	\$0.00
(Required and only available with 22" LPO wheels. Requires Crew Cab and Double Cab models. Required with (PCI) Signature Package-Costco, Requires Approval.) Code: RHH		
TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00	\$0.00
with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Requires Crew cab model without (NHT) Max Trailering Package or (L86) 6.2L EcoTec3 V8 engine.) Code: MYC		
WHEELS, 22" STEEL, INTERIM	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- · 6-speaker audio system
- Audio system, Chevrolet MyLink Radio with 8" diagonal color touch-screen, AM/FM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select
 phones; USB ports; auxiliary jack; voice-activated technology for radio and phone
- Bluetooth for phone, personal cell phone connectivity to vehicle audio system

(Required and only available with 22" LPO wheels.) Code: RBR

- OnStar with 4G LTE and built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds, includes 3GB or 3 months OnStar Data Trial (whichever comes first) (Available 4G LTE Wi-Fi requires compatible mobile device, active OnStar subscription and data plan after trial.)
- Radio, HD
- Single-slot CD/MP3 player (On Crew Cab model replaced by DVD/Blu-Ray Entertainment Package when (U42) is ordered.) (On Crew Cab model replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.)
- SiriusXM Satellite Radio is standard on nearly all 2016 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.) (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

EXTERIOR

- . Bumper, front chrome
- Bumper, rear chrome
- CornerStep, rear bumper
- Door handles, chrome
- . Fog lamps, thin profile LED
- Glass, deep-tinted
- Grille surround, chrome
- Headlamps, LED projector with signature DRL and turn
- Lamps, cargo area, cab mounted with switch on center switch bank
- Mirror caps, chrome
- Mirrors, outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)
- Moldings, bodyside, chrome
- Recovery hooks, front, frame-mounted, black
- Remote Locking Tailgate
- Tailgate and bed rail protection cap, top
- Tailgate, EZ-Lift and Lower
- Taillamps, LED with signature
- Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
- Tire, spare P265/70R17 all-season, blackwall
- Tires, P265/65R18 all-terrain, blackwall
- Wheel, full-size spare, 17" x 7" (43.2 cm x 17.8 cm) aluminum (Included and only available with model K15543 and (L83) 5.3L EcoTec3 V8 engine, model K15753 with (L83) 5.3L EcoTec3 V8 engine and (NHT) Max Trailering Package, or model CC15743 model with (L83) 5.3L EcoTec3 V8 engine. LPO wheels require model CC15743.)
- Wheelhouse liners, rear
- Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) bright-machined aluminum



INTERIOR

- Air conditioning, dual-zone automatic climate control Only available on Crew Cab and Double Cab models.
- · Assist handle, front passenger on A-pillar
- Cruise control, electronic with set and resume speed, steering wheel-mounted
- Defogger, rear-window electric
- · Door locks, power
- Driver Information Center, 4.2 inch diagonal color display includes driver personalization, warning messages and vehicle information
- Driver Personalization Memory, Seat and Mirrors
- Floor covering, color-keyed carpeting with rubberized vinyl floor mats (Double Cab and Crew Cabs include second row floor mats)
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Mirror, inside rearview auto-dimming
- · Power outlet, 110-volt AC
- Remote Keyless Entry, with 2 transmitters
- · Remote vehicle starter system
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Seating, heated driver and front passenger Only available on Crew Cab and Double Cab models.
- Seats, front 40/20/40 leather-appointed split-bench, 3-passenger with (KA1) heated seat cushions and seat backs includes 10-way power driver and front passenger seat adjusters, including driver/front passenger power recline, driver/front passenger power lumbar, 2-position driver memory and adjustable outboard head restraints.
- Steering column, manual tilt and telescoping
- · Steering wheel audio controls
- · Steering wheel, leather-wrapped with audio and cruise controls
- Theft-deterrent system, unauthorized entry
- Universal Home Remote
- · Visors, driver and front passenger illuminated vanity mirrors
- · Window, power, rear sliding with rear defogger
- Windows, power front and rear with driver express up and down and express down on all other windows

MECHANICAL

- Alternator, 150 amps
- Battery, heavy-duty 720 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
- · Cooling, auxiliary external transmission oil cooler
- · Cooling, external engine oil cooler
- Differential, heavy-duty locking rear
- Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lbft of torque [518 Nm] @ 4100 rpm; more than 300 lbft of torque from 2000 to 5600 rpm)
- · Exhaust, aluminized stainless-steel muffler and tailpipe
- Four wheel drive
- Frame, fully-boxed, hydroformed front section
- GVWR, 7200 lbs. (3266 kg) (Requires Crew Cab or Double Cab 4WD models and (L83) 5.3L EcoTec3 V8 engine or (L86) 6.2L EcoTec3 V8 engine.)
- Pickup box
- Rear axle, 3.08 ratio
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Suspension Package, Handling/Trailering
- Transfer case, electronic Autotrac with rotary dial control (Included with 4WD models only.)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Requires Crew cab model without (NHT) Max Trailering Package or (L86) 6.2L EcoTec3 V8 engine.)

PACKAGE

• Trailering Package includes trailer hitch, 7-pin and 4-pin connectors

SAFETY

- Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger
 Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more
 information.)
- Daytime Running Lamps with automatic exterior lamp control
- OnStar Guidance plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance, Turn-by-Turn Navigation, Advanced Diagnostics and more (trial excludes Hands-Free Calling) (Visit www.onstar.com for coverage map, details and system limitations. Services may vary by model and conditions.)
- Rear Vision Camera with dynamic guide lines
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist
- Tire Pressure Monitoring System (does not apply to spare tire)

Technical Specifications

Brakes

- Brake ABS System (Second Line)
- . Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes



- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.0 x 1.18in
- Rear Brake Rotor Diam x Thickness 13.6 x 0.79in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 21.10in Cargo Box Length @ Floor 69.33in
- Cargo Box Width @ Floor 64.6in
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings 51.03in
- Cargo Volume 53.4ftÂ3
- Ext'd Cab Cargo Volume N/AftÂ3
- Tailgate Width 62.2in

Cooling System

Total Cooling System Capacity 15.6qts

Electrical

- Cold Cranking Amps @ O° F (2nd)
- Cold Cranking Amps @ OA° F (3rd) N/A
- Cold Cranking Amps @ O° F (Primary) 720
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.8

Engine

- Displacement 5.3L/325
- **Engine Oil Cooler Yes**
- Engine Order Code L83
- Engine Type Gas V8
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 355 @ 5600
- SAE Net Torque @ RPM 383 @ 4100

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle 31.97in
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab 150.90in
- Ground Clearance, Front 8.90in
- Ground Clearance, Rear 8.90in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 34.3in Height, Overall 73.97in
- Length, Overall w/o rear bumper 230.03in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 143.5in
- Width, Max w/o mirrors 80.0in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type Hydroformed
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx gal
- Aux Fuel Tank Location
- Fuel Tank Capacity, Approx 26gal



Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 42.80in
- Front Hip Room 60.73in
- Front Leg Room 45.27in
- Front Shoulder Room 66.03in
- Passenger Capacity 5
- Second Head Room 40.50in
- Second Hip Room 60.27in
- Second Leg Room 40.93in
- Second Shoulder Room 65.73in

Mileage

- Cruising Range City 416.00mi
- Cruising Range Hwy 572.00mi
- EPA Fuel Economy Est City 16MPG
- EPA Fuel Economy Est Hwy 22MPG
- Fuel Economy Est-Combined 18MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center 16.3
- Steering Ratio (:1), Overall N/A
- Steering Type Electric Rack & Pinion
- Turning Diameter Curb to Curb 47.2ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front 3950lbs
- Axle Capacity Rear 3950lbs
- Axle Ratio (:1) Front 3.42
- Axle Ratio (:1) Rear 3.42
- Axle Type Front N/A
- Axle Type Rear N/A
- Shock Absorber Diameter Front 46mm
- Shock Absorber Diameter Rear 35mm
- Spring Capacity Front 3950lbs
- Spring Capacity Rear 3950lbs
- Stabilizer Bar Diameter Front 1.35in
- Stabilizer Bar Diameter Rear in
- Suspension Type Front Independent
- Suspension Type Rear 2-Stage Multi-Leaf

Tires

- Front Tire Capacity N/AlbsFront Tire Order Code RHH
- Front Tire Size P285/45R22
- Rear Tire Capacity N/Albs
- Rear Tire Order Code RHH
- Rear Tire Size P285/45R22 Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code RC4
- Spare Tire Size P265/70R17

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 11700lbs
- Wt Distributing Hitch Max Tongue Wt. 910lbs
- Wt Distributing Hitch Max Trailer Wt. 9100lbs

Transmission

· Clutch Size in



- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.85
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.03
- Fourth Gear Ratio (:1) 1.15
- Reverse Ratio (:1) 3.06
- Second Gear Ratio (:1) 2.36
- Sixth Gear Ratio (:1) 0.67
- Third Gear Ratio (:1) 1.56
- Trans Description Cont. Again
- Trans Description Cont. Automatic
- Trans Order Code MYC
- Trans Power Take Off
- Trans Type 6
- Transfer Case Gear Ratio (:1), High 1.00
- Transfer Case Gear Ratio (:1), Low 2.69
- Transfer Case Model Magna MP3023/4
- Transfer Case Power Take Off

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating 7900.00lbs
- Gross Axle Wt Rating Front 3950lbs
- Gross Axle Wt Rating Rear 3950lbs
- Gross Combined Wt Rating 15000lbs
- Gross Vehicle Weight Rating 7200.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight Front 0.00lbs
- Option Weight Rear 0.00lbs
- Payload Weight Front Olbs
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs Reserve Axle Capacity Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight Front Olbs
- Standard Weight Rear Olbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 22 x -TBD-in
- **Rear Wheel Material Aluminum**
- Rear Wheel Size 22 x -TBD-in
- Spare Wheel Material Steel
- Spare Wheel Size 17 x -TBD in