

csievers@poquetauto.com

# **Vehicle Information**

Date: April 10, 2018

Vehicle: 2016 Mazda Mazda3 Sedan 4D i Touring 2.0L 14

VIN: JM1BM1V79G1310614

Weight: 2,869

# **New Cars/Trucks Values**

Powered by Chrome Data	Base	Options	Destination	<b>Adjusted Value</b>
Base MSRP	\$21,095	N/A	\$835	\$21,930
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				11000
· · · ·		Invoice		MSRP
STANDARD PAINT		\$0.00		\$0.00
Code: -PAINT				
TITANIUM FLASH MICA			\$0.00	\$0.00
Code: 42S				
SAND, PREMIUM CLOTH SEAT TRIM			\$0.00	\$0.00
Code: BV1-I				

# **Standard Equipment**

# **ENTERTAINMENT**

- 1 LCD Monitor In The Front
- Radio w/Seek-Scan, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: AM/FM/HD Audio System inc: digital clock, 6-speaker full-range door-mounted type sound system, Bluetooth handsfree phone and audio, auxiliary audio input jack and 2 USB audio input, MAZDA CONNECT Infotainment System, voice-command, E911 automatic emergency notification, 7" full-color touch-screen display, multi-function Commander control, Pandora, Aha and Stitcher internet radio integration, Radio Broadcast Data System program information and SMS text message audio delivery and reply
- Window Grid Antenna

## **EXTERIOR**

- Black Grille w/Chrome Accents
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Express Open Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps
- Fully Galvanized Steel Panels
- Light Tinted Glass
- Lip Spoiler
- Rain Detecting Variable Intermittent Wipers



- Steel Snare Wheel
- Tires: P205/60R16 AS SBR-inc: T125/70D16 spare tire
- Trunk Rear Cargo Access
- Wheels: 16" x 6.5J Alloy

## **INTERIOR**

- 1 12V DC Power Outlet
- 1 Seatback Storage Pocket
- · 4-Way Passenger Seat inc: Manual Fore/Aft Movement
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 6-Way Driver Seat -inc: Manual Height Adjustment and Fore/Aft Movement
- Air Filtration
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls inc: Trunk/Hatch/Tailgate
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 1 12V DC Power Outlet
- Gauges -inc: Speedometer, Odometer, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC inc: Underseat Ducts
- Interior Trim -inc: Piano Black Instrument Panel Insert, Piano Black Door Panel Insert and Metal-Look Interior Accents
- Leather/Metal-Look Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Premium Cloth Seat Trim
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Reclining Front Bucket Seats inc: adjustable front and rear headrests and whiplash-reducing active front headrests
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access and Mechanical Fuel
- Seats w/Cloth Back Material
- Smart Device Integration
- Trip Computer
- Valet Function

# **MECHANICAL**

- 100 Amp Alternator
- 13.2 Gal. Fuel Tank
- 3.591 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 60-Amp/Hr Maintenance-Free Battery w/Run Down Protection
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.0L SKYACTIV-G DOHC 16-Valve 4-Cylinder-inc: variable valve timing
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission: 6-Speed SKYACTIV-DRIVE Automatic inc: manual mode, 3.591 Axle Ratio

## **SAFETY**

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor



- and Rear Collision
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
  Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- **Electronic Stability Control (ESC)**
- Low Tire Pressure Warning
- Mazda Connect Emergency Sos
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- **Rear Child Safety Locks**
- Side Impact Beams

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11in
- Rear Brake Rotor Diam x Thickness 10.4in
- Rear Drum Diam x Width in

# **Cargo Area Dimensions**

Trunk Volume 12.4ftÂ<sup>3</sup>

# **Cooling System**

• Total Cooling System Capacity N/Aqts

#### **Electrical**

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 100

#### **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 5.2

#### Engine

- Displacement 2.0 L/122
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 155 @ 6000
- SAE Net Torque @ RPM 150 @ 4000

# **Exterior Dimensions**

- Height, Overall 57.3in
- Length, Overall 180.3in
- Liftover Height N/Ain
- Min Ground Clearance 6.1in
- Track Width, Front 61.2in
- Track Width, Rear 61.4in
- Wheelbase 106.3in
- Width, Max w/o mirrors 70.7in

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 13.2gal

#### **Interior Dimensions**



- Front Head Room 37.6in
- Front Hip Room 55.5in
- Front Leg Room 42.2in
- Front Shoulder Room 57.2in
- Passenger Capacity 5
- Passenger Volume 96.3ftÅ<sup>3</sup>
- Second Head Room 37.5in
- Second Hip Room 53.5in
- Second Leg Room 35.8in
- Second Shoulder Room 54.4in

## Mileage

- Battery Range N/Ami
- Cruising Range City 396.00mi
- Cruising Range Hwy 541.20mi
   EPA Fuel Economy Est City 30MPG
- EPA Fuel Economy Est Hwy 41MPG
- EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 34MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 34.8ft
- Turning Diameter Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain Suspension Type - Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

#### **Tires**

- Front Tire Order Code
- Front Tire Size P205/60HR16
- Rear Tire Order Code
- Rear Tire Size P205/60HR16
- **Spare Tire Order Code**
- Spare Tire Size Compact

## **Trailering**

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs
- Wt Distributing Hitch Max Tongue Wt. N/Albs
- Wt Distributing Hitch Max Trailer Wt. N/Albs

# **Transmission**

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 3.59
- First Gear Ratio (:1) 3.55 • Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.89
- Second Gear Ratio (:1) 2.02
- Sixth Gear Ratio (:1) 0.60
- Third Gear Ratio (:1) 1.45
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6



## **Vehicle**

• EPA Classification Compact Cars

# **Weight Information**

• Base Curb Weight 2930lbs

# Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 16 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 16 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin