

Vehicle Information

Date: April 12, 2018
Vehicle: 2015 Jaguar XF Sedan 4D Portfolio AWD 3.0L V6 Supercharged
Weight: 4,145

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$59,875	\$800	\$995	\$61,670
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
BURL WALNUT VENEER Code: VSAB	\$255.00	\$300.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
DARK SAPPHIRE METALLIC Code: JBM	\$425.00	\$500.00
BARLEY/TRUFFLE W/TRUFFLE, SOFT GRAIN PERFORATED LEATHER SEATING SURFACES Code: ADLR	\$0.00	\$0.00
WHEELS: 19" AQUILA-STYLE 5 V-SPOKE ALLOY (STD) Wheel and tire assembly is of low profile with a bias towards sporting attributes. Wheel and tire assemblies with low tire sidewall height will be more susceptible to impact damage in service. Code: C44U	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 825w Premium Amplifier
- Integrated Roof Antenna
- Radio w/Seek-Scan, MP3 Player, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Radio Data System and 10 Gb Internal Memory
- Radio: Meridian 825W 7.1 Channel Surround Sound-inc: 7" touch-screen display w/controls for audio, climate control, Bluetooth telephone connectivity and navigation if fitted, full color TFT display message center, Interactive Voice control w/Say What You See display on the touch-screen, Meridian Trifield mode, 17 speakers including 1 sub-woofer, separate DSP, Audyssey MultEQ and Meridian cabin correction, single slot in dash CD/DVD player, HD radio, front media interface (USB and iPod), SIRIUS satellite radio (includes 3 month complimentary subscription), Bluetooth 2.0 wireless technology for cell phone and audio streaming

EXTERIOR

- Aluminum Spare Wheel
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Chrome Bumper Insert
- Body-Colored Power Heated Auto Dimming Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Grille



- Chrome Side Windows Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Defroster
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Directionally Adaptive Auto High-Beam Headlamps w/Washer and Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brakelights
- Light Tinted Glass
- Perimeter/Approach Lights
- Rain Detecting Variable Intermittent Wipers
- Rear Fog Lamps
- Tires: 245/40R19 AS Continental Pro Contact
- Trunk Rear Cargo Access
- Wheels: 19" Aquila-Style 5 V-Spoke Alloy Wheel and tire assembly is of low profile with a bias towards sporting attributes. Wheel and tire assemblies with low tire sidewall height will be more susceptible to impact damage in service.

INTERIOR

- 3 12V DC Power Outlets
- 3-Stage Active Ventilated Heated/Cooled Front Seats -inc: 12-way driver, 8-way passenger power adjustable front seats (forward/rearward, cushion height, back seat recline, cushion tilt for driver and passenger, 2 way adjustable bolsters and powered headrest for driver), driver and passenger 4-way power lumbar and memory function w/2 settings for driver's seat, exterior mirrors and steering column
- 4-Way Power Passenger Seat -inc: Power Cushion Tilt and Power 2-Way Lumbar Support
- 8-Way Power Driver Seat -inc: Power Cushion Extension, Cushion Tilt and Power 4-Way Lumbar Support
- Air Filtration
- Aluminum Gear Shift Knob
- Analog Display
- Ashtray
- Bench Front Facing Rear Seat
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cigar Lighter(s)
- Front Cupholder
- Front Seats w/Leatherette Back Material and Power 4-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Floor Console w/Covered Storage, Mini Overhead Console and 3 12V DC Power Outlets
- Full Suedecloth Simulated Suede Headliner
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Leather/Metal-Look Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Integrated Navigation System w/Voice Activation
- Interior Trim -inc: Aluminum/Genuine Wood Instrument Panel Insert, Aluminum/Genuine Wood Door Panel Insert, Aluminum/Genuine Wood Console Insert, Chrome Interior Accents and Leather Upholstered Dashboard
- Leather Door Trim Insert
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Anti-Whiplash w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases -inc: Power Cargo Access and Power Fuel
- Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Ventilated Front Seats
- Voice Recorder

MECHANICAL

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D.Power and Associates



Licensed to J.D. Power

- 130 Amp Alternator
- 18.4 Gal. Fuel Tank
- 2.56 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Electric Parking Brake
- 5357# Gvwr
- 90-Amp/Hr 800CCA Maintenance-Free Battery w/Run Down Protection
- Double Wishbone Front Suspension w/Coil Springs
- Double Wishbone Rear Suspension w/Coil Springs
- Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Engine Auto Stop-Start Feature
- Engine: 3.0L AJ126 DOHC 24V V6 Supercharged -inc: intelligent stop-start
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Hydraulic Power-Assist Speed-Sensing Steering
- Permanent Locking Hubs
- Touring Suspension
- Transmission: Electronic 8-Speed Automatic -inc: ZF 8HP70, Jaguar Sequential Shift, drive and sport modes and steering wheel mounted shift paddles

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Blind Spot Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 14in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Trunk Volume 17.7ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical


- Cold Cranking Amps @ 0A° F (Primary) 800
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 8.8 (Est)

Engine

- Displacement 3.0 L/183
- Engine Order Code
- Engine Type Intercooled Supercharger Premium Unleaded V-6
- Fuel System Gasoline Direct Injection



- SAE Net Horsepower @ RPM 340 @ 6500
- SAE Net Torque @ RPM 332 @ 3500

Exterior Dimensions

- Height, Overall 57.5in
- Length, Overall 195.3in
- Lifterover Height N/Ain
- Min Ground Clearance 4.1in
- Track Width, Front 61.4in
- Track Width, Rear 61.8in
- Wheelbase 114.5in
- Width, Max w/o mirrors 71.6in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.4gal

Interior Dimensions

- Front Head Room 37.1in
- Front Hip Room N/Ain
- Front Leg Room 41.5in
- Front Shoulder Room 56.9in
- Passenger Capacity 5
- Passenger Volume N/Aft³
- Second Head Room 37.6in
- Second Hip Room N/Ain
- Second Leg Room 36.6in
- Second Shoulder Room 56.4in

Mileage

- Battery Range N/Ami
- Cruising Range - City 312.80mi
- Cruising Range - Hwy 496.80mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 27MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 20MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Double Wishbone
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear (Cont.) Double Wishbone
- Suspension Type - Rear Double Wishbone

Tires

- Front Tire Order Code
- Front Tire Size P245/40HR19
- Rear Tire Order Code
- Rear Tire Size P245/40HR19
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer



Licensed to J.D. Power

- Dead Weight Hitch - Max Tongue Wt. N/A/lbs
- Dead Weight Hitch - Max Trailer Wt. N/A/lbs
- Wt Distributing Hitch - Max Tongue Wt. N/A/lbs
- Wt Distributing Hitch - Max Trailer Wt. N/A/lbs

Transmission

- Clutch Size N/A/in
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) 2.56
- First Gear Ratio (:1) 4.70
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.30
- Second Gear Ratio (:1) 3.13
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.10
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 8

Vehicle

- EPA Classification Mid-Size Cars

Weight Information

- Base Curb Weight 4145lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 19 X 8.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 19 X 8.5in
- Spare Wheel Material Aluminum
- Spare Wheel Size Compactin