

Vehicle Information

Date:	April 17, 2018
Vehicle:	2015 Nissan Armada Utility 4D Platinum 4WD 5.6L V8
VIN:	5N1AA0NE7FN611687
Weight:	5,841

New Cars/Trucks Values

Powered by Chrome Data Base MSRP	Base \$52,780	Options \$450	Destination \$995	Adjusted Value \$54,225
NADA New Vehicle Values Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
[X01] 2ND ROW CAPTAIN SEAT PACKAGE	\$398.00	\$450.00
-inc: 2nd row captain seats and 2nd row center console w/padded armrest Code: SEA		
ENGINE: 5.6L DOHC 32V ENDURANCE V8	\$0.00	\$0.00
(STD) Code: -STDEN-1		
STANDARD PAINT	\$0.00	\$0.00
Code: -PAINT		
MAGNETIC BLACK	\$0.00	\$0.00
Code: G41		
CHARCOAL, LEATHER-APPOINTED SEAT TRIM	\$0.00	\$0.00
-inc: Front and 2nd row seats Code: G-0		

Standard Equipment

ENTERTAINMENT

- 2 LCD Row Monitors In The Rear
- Bose Speakers
- Digital Signal Processor
- Entertainment System w/DVD And Digital Media
 Dadie w/Seek Seen Clerk Seed Componented Volume Con
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Radio Data System
 Dedication (ISD) Note that the second second
- Radio: HDD Navigation w/Voice Recognition inc: 11 speakers plus subwoofer, 7" VGA display screen w/in dash single disc DVD, 2 wireless headphones, 1 remote control, SiriusXM satellite radio, auxiliary input jack, 2 USB ports, 2 VTR jacks, illuminated steering wheel mounted controls, Bluetooth hands free phone system, streaming audio via Bluetooth, NavTraffic and NavWeather capabilities and Zagat Survey restaurant guide
- Regular Amplifier
- Window Grid Diversity Antenna

EXTERIOR

- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Bodyside Moldings, Chrome Bodyside Insert and Body-Colored Fender Flares
- Body-Colored Front Bumper w/2 Tow Hooks
- Body Colored Rear Step Bumper
- Chrome Door Handles
- Chrome Grille

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates @2018 J.D.Power and Associates





- Chrome Power Heated Side Mirrors w/Driver Auto Dimming, Power Folding and Turn Signal Indicator
- Clearcoat Paint
- Deep Tinted Glass
- Flip-Up Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack
- Running Boards
- Speed Sensitive Variable Intermittent Wipers
- Splash Guards
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P275/60HR20 AS BSW
- Wheels: 20" 6-Spoke Chrome Clad

INTERIOR

- 1 Seatback Storage Pocket
- 4 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Heated Manual Reclining Flip Forward Cushion/Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Front Passenger Armrests Front Center Armrest and Rear Center Armrest
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade To-Off Interior Lighting
- Fixed 6040 Split-Bench 3rd Row Seat Front, Power Recline, Power Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
- Front And Rear Map Lights
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Locking Storage, Full Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Trip Odometer and Trip Computer
- Heated Front Bucket Seats inc: center console, 8-way power-adjustable driver's seat w/manual lumbar, 4-way power-adjustable front passenger's seat and memory system for seats,
- pedals and outside mirrors
 Heated Leather/Metal-Look Steering Wheel
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins and Audio Media Storage
- Interior Trim inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather-Appointed Seat Trim -inc: Front and 2nd row seats
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Adjustable Pedals
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Power Vented 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning

MECHANICAL

• 1 Skid Plate





- 130 Amp Alternator
- 1453# Maximum Payload
- 150 Amp/Hr 650CCA Maintenance Free Battery w/Run Down Protection
- 28 Gal. Fuel Tank
- 3.357 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Brake Assist
- Auto Locking Hubs
- Brake Actuated Limited Slip Differential
- Class IV Towing w/Harness and Hitch
- Double Wishbone Front Suspension w/Coil Springs
- Double Wishbone Rear Suspension w/Air Springs
- Electronic Transfer Case
- Engine: 5.6L DOHC 32V Endurance V8
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 7,300 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Part And Full Time Four-Wheel Drive
- Rear Auto-Leveling Suspension
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Transmission w/Oil Cooler
- Transmission: Electronic 5-Speed Automatic w/OD -inc: tow/haul mode

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Front And Rear Parking Sensors
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- RearView Monitor Back-Up Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 12.6in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ³
- Cargo Volume to Seat 1 97.1ftÂ³
- Cargo Volume to Seat 2 56.7ftÂ³
- Cargo Volume to Seat 3 20ftÂ³
- Ext'd Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical



- Cold Cranking Amps @ 0° F (2nd) 650
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ O° F (Primary) 650
- Maximum Alternator Capacity (amps) 130

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 12.6 (Est)

Engine

- Displacement 5.6 L/339
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-8
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 317 @ 5200
- SAE Net Torque @ RPM 385 @ 3400

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
 Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 78in
- Length, Overall 207.7in
- Length, Overall w/rear bumper N/Ain
- Liftover Height N/Ain
- Min Ground Clearance 10.4in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.5in
- Track Width, Rear 67.5in
- Wheelbase 123.2in
- Width, Max w/o mirrors 79.3in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 28gal
- Fuel Tank Location Midship

Interior Dimensions

- Front Head Room 41in
- Front Hip Room 61.4in
- Front Leg Room 41.8inFront Shoulder Room 65.1in
- Profit Shoulder Room 65.11h
 Passenger Capacity 7
- Second Head Room 40in
- Second Hip Room 60.8in
- Second Leg Room 41.9in
- Second Shoulder Room 64.5in
- Third Head Room 35.9in
- Third Hip Room 48.8in
- Third Leg Room 32.2in



• Third Shoulder Room 63.7in

Mileage

- Cruising Range City 336.00mi
- Cruising Range Hwy 504.00mi
- EPA Fuel Economy Est City 12MPG
 EPA Fuel Economy Est Univ 18MPG
- EPA Fuel Economy Est Hwy 18MPG
 Fuel Economy Est-Combined 14MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 40.8ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs
- Axle Ratio (:1) Front 3.36
- Axle Ratio (:1) Rear 3.36
- Axle Type Front Independent
- Axle Type Rear Independent
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Double Wishbone
- Suspension Type Rear Double Wishbone

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P275/60HR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P275/60HR20
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 900lbs
- Dead Weight Hitch Max Trailer Wt. 9000lbs
- Maximum Trailering Capacity 9000lbs
- Wt Distributing Hitch Max Tongue Wt. 900lbs
- Wt Distributing Hitch Max Trailer Wt. 9000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.83
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.83
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 2.61
- Second Gear Ratio (:1) 2.37
- Third Gear Ratio (:1) 1.52
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 5

NADA New Cars/Trucks



- Transfer Case Gear Ratio (:1), Low N/A •
- Transfer Case Model N/A •
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
 As Spec'd Payload N/Albs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs •
- Curb Weight N/Albs .
- Gross Axle Weight Rating 7998.00lbs •
- Gross Axle Wt Rating Front 3699lbs ٠
- ٠
- ٠
- Gross Axle Wt Rating Rear 4299lbs Gross Combined Wt Rating N/Albs Gross Vehicle Weight Rating 7300.00lbs .
- Maximum Payload Capacity N/Albs • •
- **Option Weight Front 0.00lbs**
- Option Weight Rear 0.00lbs Payload Weight Front Olbs •
- ٠
- **Payload Weight Rear Olbs** •
- **Reserve Axle Capacity Front N/Albs** •
- Reserve Axle Capacity Rear N/Albs Reserve Axle Capacity N/Albs ٠
- ٠
- ٠ Standard Weight - Front Olbs
- Standard Weight Rear Olbs • • Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- **Rear Wheel Material Aluminum** •
- Rear Wheel Size 20 X 8in • • Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein