



Vehicle Information

Date: April 13, 2018
Vehicle: 2017 Toyota 4Runner Utility 4D SR5 4WD 4.0L V6
VIN: JTEBU5JRXH5433603
Weight: 4,675

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$36,085	\$805	\$995	\$37,885
NADA New Vehicle Values				
Low	\$32,228	\$719	\$995	\$33,942
Average	\$33,209	\$741	\$995	\$34,945
High	\$34,337	\$766	\$995	\$36,098

Optional Equipment

	Invoice	MSRP
FABRIC-TRIMMED 50/50 SPLIT FOLD-FLAT 3RD ROW -inc: sliding 2nd row w/passenger-side 1-touch access to 3rd row and 3rd row curtain shield airbags, Trunk Carpet Code: TH-0	\$716.00	\$805.00
50 STATE EMISSIONS Code: FE-0-R	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
CLASSIC SILVER METALLIC Code: 1F7	\$0.00	\$0.00
BLACK/GRAPHITE, LOW FABRIC SEAT TRIM Code: FB22	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 1 LCD Monitor In The Front
- 8 Speakers
- Radio w/Seek-Scan, Clock, Aux Audio Input Jack and Steering Wheel Controls
- Radio: Entune Audio Plus -inc: connected navigation app, Entune Multimedia bundle (6.1" high resolution touch-screen display, AM/FM CD player, MP3/WMA playback capability, 8-speakers, auxiliary audio jack, USB 2.0 port w/iPod connectivity and control, advanced voice recognition, hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology), connected navigation Scout GPS Link app, Siri Eyes Free, SiriusXM satellite radio w/3-month complimentary all access trial, Gracenote album cover art, HD Radio, HD Radio traffic and weather in major metro areas and integrated backup camera display w/projected path
- Real-Time Traffic Display
- Window Grid Diversity Antenna

EXTERIOR

- Auto Off Projector Beam Halogen Daytime Running Headlamps
- Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
- Body-Colored Front Bumper w/1 Tow Hook
- Body-Colored Power Heated Side Mirrors w/Manual Folding
- Body-Colored Rear Step Bumper
- Chrome Bodyside Insert, Rocker Panel Extensions and Body-Colored Fender Flares



- Chrome Door Handles
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Grille w/Body-Colored Bar
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Power Rear Window w/Fixed Interval Wiper and Defroster
- Roof Rack Rails Only
- Splash Guards
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/70R17 Mud & Snow
- Variable Intermittent Wipers w/Heated Wiper Park
- Wheels: 17" x 7.0" 6-Spoke Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- 5 12V DC Power Outlets
- 5 12V DC Power Outlets and 1 AC Power Outlet
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Windows
- Front Bucket Seats -inc: 8-way power-adjustable driver's seat w/power lumbar support and 4-way adjustable front passenger seat
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 5 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Console Ducts
- Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather Steering Wheel
- Leatherette Door Trim Insert
- Locking Glove Box
- Low Fabric Seat Trim
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Safety Connect Tracker System
- Systems Monitor
- Trip Computer
- Valet Function

MECHANICAL

- 1625# Maximum Payload
- 23 Gal. Fuel Tank
- 3.727 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 72-Amp/Hr 750CCA Maintenance-Free Battery
- Auto Locking Hubs
- Class III Towing w/Harness and Hitch



Licensed to J.D. Power

- Double Wishbone Front Suspension w/Coil Springs
- Engine: 4.0L V6 DOHC SMPI
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,300 lbs
- Hydraulic Power-Assist Speed-Sensing Steering
- Manual Transfer Case
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Single Stainless Steel Exhaust
- Skid Plate
- Transmission w/Sequential Shift Control and Oil Cooler
- Transmission: Electronic 5-Speed Automatic w/OD

SAFETY

- Airbag Occupancy Sensor
- A-Trac ABS And Driveline Traction Control
- Back-Up Camera
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver And Passenger Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Safety Connect Emergency Sos
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.3in
- Rear Brake Rotor Diam x Thickness 12.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³
- Cargo Volume to Seat 1 88.8ft³
- Cargo Volume to Seat 2 46.3ft³
- Cargo Volume to Seat 3 9ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 750
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 750
- Maximum Alternator Capacity (amps) N/A

Emissions



Licensed to J.D. Power

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.8

Engine

- Displacement 4.0 L/241
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 270 @ 5600
- SAE Net Torque @ RPM 278 @ 4400

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 71.5in
- Length, Overall 190.2in
- Length, Overall w/rear bumper N/Ain
- Lifter Height N/Ain
- Min Ground Clearance 9.6in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 63.2in
- Track Width, Rear 63.2in
- Wheelbase 109.8in
- Width, Max w/o mirrors 75.8in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 23gal
- Fuel Tank Location Midship

Interior Dimensions

- Front Head Room 39.3in
- Front Hip Room 56.5in
- Front Leg Room 41.7in
- Front Shoulder Room 57.8in
- Passenger Capacity 7
- Second Head Room 38.6in
- Second Hip Room 55.7in
- Second Leg Room 32.9in
- Second Shoulder Room 57.8in
- Third Head Room 34.3in
- Third Hip Room 43.3in
- Third Leg Room 29.3in
- Third Shoulder Room 57.7in

Mileage

- Cruising Range - City 391.00mi
- Cruising Range - Hwy 460.00mi
- EPA Fuel Economy Est - City 17MPG



- EPA Fuel Economy Est - Hwy 20MPG
- Fuel Economy Est-Combined 18MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.4ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 3.73
- Axle Ratio (:1) - Rear 3.73
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P265/70SR17
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P265/70SR17
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 500lbs
- Dead Weight Hitch - Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch - Max Tongue Wt. 500lbs
- Wt Distributing Hitch - Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.72
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 3.52
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.22
- Second Gear Ratio (:1) 2.04
- Third Gear Ratio (:1) 1.40
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 5
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

Weight Information



Licensed to J.D. Power

- As Spec'd Curb Weight N/A lbs
- As Spec'd Payload N/A lbs
- Curb Weight - Front N/A lbs
- Curb Weight - Rear N/A lbs
- Curb Weight N/A lbs
- Gross Axle Weight Rating 6437.00 lbs
- Gross Axle Wt Rating - Front 2998 lbs
- Gross Axle Wt Rating - Rear 3439 lbs
- Gross Combined Wt Rating N/A lbs
- Gross Vehicle Weight Rating 6300.00 lbs
- Maximum Payload Capacity N/A lbs
- Option Weight - Front 0.00 lbs
- Option Weight - Rear 0.00 lbs
- Payload Weight Front 0 lbs
- Payload Weight Rear 0 lbs
- Reserve Axle Capacity - Front N/A lbs
- Reserve Axle Capacity - Rear N/A lbs
- Reserve Axle Capacity N/A lbs
- Standard Weight - Front 0 lbs
- Standard Weight - Rear 0 lbs
- Total Option Weight 0.00 lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7 in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7 in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Size in