



Vehicle Information

Date: April 19, 2018
Vehicle: 2016 Jeep Patriot Utility 4D High Altitude 4WD 2.4L I4
VIN: 1C4NJRFB3GD581352
Weight: 3,331

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$25,595	\$1,045	\$995	\$27,635
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
QUICK ORDER PACKAGE 23G HIGH ALTITUDE EDITION -inc: Engine: 2.4L I4 DOHC 16V Dual VVT, Transmission: 6-Speed Automatic, Bright Exhaust Tip, Power Express Open/Close Sunroof, Remote Start System, Body Color Fascias w/Bright Insert, Power 6-Way Driver Seat, Bright Side Roof Rails Code: 23G	\$951.00	\$1045.00
ENGINE: 2.4L I4 DOHC 16V DUAL VVT (STD) Code: ED3	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
GRANITE CRYSTAL METALLIC CLEARCOAT Code: PAU	\$0.00	\$0.00
DARK SLATE GRAY, LEATHER TRIMMED BUCKET SEATS Code: ALDV	\$0.00	\$0.00
TIRES: P225/60R17 BSW AS (STD) Code: TRA	\$0.00	\$0.00
TRANSMISSION: 6-SPEED AUTOMATIC -inc: AutoStick Automatic Transmission, Tip Start (STD) Code: DA4	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 4 Speakers
- Audio Jack Input for Mobile Devices
- Fixed Antenna
- Radio w/Clock, Steering Wheel Controls and Voice Activation
- Radio: 130
- SIRIUS Satellite Radio
- Uconnect w/Bluetooth Wireless Phone Connectivity
- Wireless Streaming

EXTERIOR



- Black Bodyside Cladding
- Black Power Heated Side Mirrors w/Manual Folding
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Grille
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Bumper w/Black Rub Strip/Fascia Accent
- Front Fog Lamps
- Fully Automatic Aero-Composite Halogen Headlamps
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Steel Spare Wheel
- Step Bumper w/Black Rub Strip/Fascia Accent
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/60R17 BSW AS
- Variable Intermittent Wipers
- Wheels: 17" x 6.5" Granite Painted Pocket

INTERIOR

- 1 12V DC Power Outlet
- 1 12V DC Power Outlet and 1 AC Power Outlet
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Chrome Gear Shift Knob
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, 1 12V DC Power Outlet and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
- Glove Box
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Chrome Instrument Panel Insert and Chrome Interior Accents
- Leather/Meta-Look Steering Wheel
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Tilt Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Sentry Key Engine Immobilizer
- Sliding Front Center Armrest w/Storage
- Voice Recorder
- 4-Way Driver Seat -inc: Manual Recline

MECHANICAL

- 120 Amp Alternator
- 13.5 Gal. Fuel Tank
- 1300# Maximum Payload
- 4.12 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Brake Assist
- 50-State Emissions
- 60-Amp/Hr 525CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Electronic Transfer Case
- Engine: 2.4L I4 DOHC 16V Dual VVT
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers



Licensed to J.D. Power

4/19/2018

NADA New Cars/Trucks

- GVWR: 4,575 lbs
- Hydraulic Power-Assist Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Touring Suspension
- Transmission: 6-Speed Automatic -inc: AutoStick Automatic Transmission, Tip Start

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.5in
- Rear Brake Rotor Diam x Thickness 10.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 45.1in
- Cargo Box (Area) Height 27.4in
- Cargo Box Width @ Wheelhousings 38in
- Cargo Volume to Seat 1 53.5ft³
- Cargo Volume to Seat 2 23ft³
- Cargo Volume to Seat 3 23ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 525
- Maximum Alternator Capacity (amps) 120

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0

Engine

- Displacement 2.4 L/144
- Engine Order Code ED3
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 172 @ 6000
- SAE Net Torque @ RPM 165 @ 4400

Exterior Dimensions

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D. Power and Associates



Licensed to J.D. Power

- Height, Overall 66.8in
- Length, Overall 173.8in
- Liftover Height 30.7in
- Min Ground Clearance 8.1in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 59.8in
- Track Width, Rear 59.8in
- Wheelbase 103.7in
- Width, Max w/o mirrors 69.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 13.5gal

Interior Dimensions

- Front Head Room 41in
- Front Hip Room 52.3in
- Front Leg Room 40.6in
- Front Shoulder Room 54.5in
- Passenger Capacity 5
- Passenger Volume 104.4ft³
- Second Head Room 39.9in
- Second Hip Room 51in
- Second Leg Room 39.4in
- Second Shoulder Room 54in

Mileage

- Cruising Range - City 270.00mi
- Cruising Range - Hwy 351.00mi
- EPA Fuel Economy Est - City 20MPG
- EPA Fuel Economy Est - Hwy 26MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 35.6ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code TRA
- Front Tire Size P225/60TR17
- Rear Tire Order Code TRA
- Rear Tire Size P225/60TR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 100lbs
- Dead Weight Hitch - Max Trailer Wt. 1000lbs
- Maximum Trailering Capacity 1000lbs
- Wt Distributing Hitch - Max Tongue Wt. 100lbs



Licensed to J.D. Power

- Wt Distributing Hitch - Max Trailer Wt. 1000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.37
- First Gear Ratio (:1) 4.21
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 2.64
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.80
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DA4
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3331lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin