

csievers@poquetauto.com

Vehicle Information

Date: April 20, 2018

Vehicle: 2015 Ford Explorer Utility 4D 4WD 3.5L V6

VIN: 1FM5K8B83FGB96464

Weight: 4,610

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$32,700	\$1,455	\$895	\$35,050
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				
Optional Equipmont			Invoice	MSRP
ENGINE BLOCK HEATER			\$0.00	\$0.00
(Regional) Standard and only available				
Montana, Wisconsin and Wyoming states. Other states available via FCSD. Code: 41H-2 SIRIUSXM SATELLITE RADIO			\$170.00	\$195.00
Code: 85B			Ψ170.00	ψ100.00
SYNC W/MYFORD COMMUNICATIONS/ENTERTAINMENT SYSTEM			\$258.00	\$295.00
 -inc: Voice-activated, 911 Assist, Vehic services, 4.2" multi-function display, Ap Compass will display in instrument clus subscription fee Code: 53M 	pLink, 1 USB port and auxiliary a	udio input jack,		
TRAILER TOW PACKAGE (CLASS III)			\$497.00	\$570.00
-inc: Engine Oil Cooler, 4.7 Pin Wiring Harness Code: 52T				
ENGINE: 3.5L TI-VCT V6 (FFV)			\$0.00	\$0.00
-inc: Flexible Fuel Vehicle (FFV) syster VCT V6 engine shipped to Federal Emonly available w/a Federal emissions strequires code 936 or 423 if applicable destinations). Cross border states inclustandard equipment in CA Emissions Standard equipment equipment equipment in CA Emissions Standard equipment equ	issions States or Cross Border S ystem, (FFV system not available for California Emissions State de de AZ, DC, ID, NH, NV, OH, VA, '	State dealers and is w/code 422 and ealer		
EQUIPMENT GROUP 100A			\$0.00	\$0.00
Code: 100A				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			#045.00	ФООТ ОО
RUBY RED METALLIC TINTED CLE	ARCOAT		\$345.00	\$395.00
Code: RR				
MEDIUM LIGHT STONE, CLOTH BUCKET SEATS			\$0.00	\$0.00
 -inc: 6-way power driver w/manual lumb seat w/manual recline, Code: 7L 	ar and recline and 4-way (fore/af	t) manual passenger		





Invoice

MSRP

TRANSMISSION: 6-SPD SELECTSHIFT AUTOMATIC (TR-CG)

\$0.00

\$0.00

Code: 44C

Standard Equipment

ENTERTAINMENT

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM Stereo w/Single CD/MP3 Capable inc: 6 speakers, media hub w/auxiliary jack and courtesy light

EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Door Handles
- Black Power Side Mirrors w/Convex Spotter and Manual Folding
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Gray Grille
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- · Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P245/60R18 AS BSW
- Wheels: 18" Painted Aluminum

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Cloth Rear Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Bucket Seats inc: 6-way power driver w/manual lumbar and recline and 4-way (fore/aft) manual passenger seat w/manual recline,
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench Cloth 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints
- Front And Rear Map Lights
- Front Center Armrest
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Full Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert, Chrome And Metal-Look Interior Accents
- Leatherette Gear Shift Knob
- Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Down



- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Seats w/Cloth Back Material
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- **Systems Monitor**
- Trip Computer

MECHANICAL

- 175 Amp Alternator
- 18.6 Gal. Fuel Tank
- 3.65 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 58-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
- **Auto Locking Hubs**
- **Automatic Full-Time Four-Wheel Drive**
- Electric Power-Assist Speed-Sensing Steering
- **Electronic Transfer Case**
- Engine: 3.5L Ti-VCT V6 (FFV) inc: Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles w/the 3.5L Ti-VCT V6 engine shipped to Federal Emissions States or Cross Border State dealers and is only available w/a Federal emissions system, (FFV system not available w/code 422 and requires code 936 or 423 if applicable for California Emissions State dealer destinations).Cross border states include AZ, DC, ID, NH, NV, OH, VA, WV Not standard equipment in CA Emissions States.
- Front And Rear Anti-Roll Bars
- **Gas-Pressurized Shock Absorbers**
- GVWR: 6,160 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing w/Trailer Sway Control
- Transmission: 6-Speed SelectShift Automatic

SAFETY

- Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Airbag Occupancy Sensor
- **Dual Stage Driver And Passenger Front Airbags**
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Low Tire Pressure Warning
- Mykey System inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Passenger Knee Airbag
- Rear Child Safety Locks
- Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags
- **Side Impact Beams**
- Terrain Management System ABS And Driveline Traction Control

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 80.7ftÂ
- Cargo Volume to Seat 2 43.8ftÂ3
- Cargo Volume to Seat 3 21ftÂ³

Cooling System



• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 650
- Maximum Alternator Capacity (amps) 175

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

Engine

- Displacement 3.5 L/213
- Engine Order Code 998
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 290 @ 6500
- SAE Net Torque @ RPM 255 @ 4000

Exterior Dimensions

- Height, Overall 71in
- Length, Overall 197.1in
- Liftover Height N/Ain
- Min Ground Clearance 8.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67in
- Track Width, Rear 67in
- Wheelbase 112.6in
- Width, Max w/o mirrors 78.9in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.6gal

Interior Dimensions

- Front Head Room 41.4in
- Front Hip Room 57.3in
- Front Leg Room 40.6in
- Front Shoulder Room 61.3in
- Passenger Capacity 7
- Passenger Volume 151.7ft³
- Second Head Room 40.5in
- Second Hip Room 56.7in
- Second Leg Room 39.8in
- Second Shoulder Room 61in
- Third Head Room 37.8in
- Third Hip Room 40.7in
- Third Leg Room 33.2in
- Third Shoulder Room 50.8in

Mileage

- Cruising Range City 316.20mi
- Cruising Range Hwy 427.80mi
- EPA Fuel Economy Est City 17MPG
- EPA Fuel Economy Est Hwy 23MPG
 EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 19MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.9ft
- Turning Diameter Wall to Wall N/Aft



Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P245/60HR18
- Rear Tire Order Code
- Rear Tire Size P245/60HR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 5000lbs
- Wt Distributing Hitch Max Tongue Wt. 500lbs
- Wt Distributing Hitch Max Trailer Wt. 5000lbs

Transmission

- Clutch Size N/Ain
- **Drivetrain Four Wheel Drive**
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.65
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87
- Sixth Gear Ratio (:1) 0.75 Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 44C
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4610lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin