



Vehicle Information

Date: June 7, 2018
Vehicle: 2017 Nissan Armada Utility 4D Platinum AWD 5.6L V8
VIN: JN8AY2NC7H9505119
Weight: 5,963

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$60,490	\$815	\$1,295	\$62,600
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
[N92] ILLUMINATED KICK PLATES (PIO) Code: IKP	\$281.00	\$365.00
[N93] INTERIOR LIGHTING PACKAGE (PIO) Code: LGT	\$295.00	\$330.00
[N94] USB CHARGING PORTS (PIO) Code: USB	\$100.00	\$120.00
SUPER BLACK Code: KH3	\$0.00	\$0.00
ALMOND, LEATHER-APPOINTED SEAT TRIM Code: M-0	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 2 LCD Row Monitors In The Rear
- 2 Wireless Headphones
- A/V Remote
- Entertainment System w/DVD And Digital Media
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Voice Activation and Radio Data System
- Radio: Bose AM/FM/SXM/CD/MP3 Audio System -inc: 13 Bose speakers w/subwoofer and amplifier, SiriusXM satellite radio (SiriusXM subscription required, sold separately), USB connection port for iPod interface and other compatible devices, Bluetooth hands-free phone system, MP3/WMA w/playback, radio A-B-C preset, speed-sensitive volume control, Bose AudioPilot, satellite radio pre-wiring, steering wheel audio controls, 2 in-glass diversity antennas and black satellite radio antenna, and 8" color WVGA display w/navigation
- Real-Time Traffic Display
- Window Grid Diversity Antenna

EXTERIOR

- Aluminum Spare Wheel
- Body-Colored Front Bumper w/2 Tow Hooks



Licensed to J.D. Power

- Body-Colored Rear Step Bumper
- Chrome Door Handles
- Chrome Grille
- Chrome Power Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Colored Fender Flares
- Deep Tinted Glass
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Flip-Up Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Galvanized Steel Panels
- Manual-Leveling Fully Automatic Projector Beam Led Low Beam Daytime Running Headlamps w/Delay-Off
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Roof Rack Rails Only
- Running Boards
- Speed Sensitive Rain Detecting Variable Intermittent Wipers w/Heated Wiper Park
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P275/60R20 AS BSW
- Wheels: 20" Machine-Faced Chrome w/Tinted CC

INTERIOR

- 1 Seatback Storage Pocket
- 4 12V DC Power Outlets
- 4 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Flip Forward Cushion/Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Distance Pacing
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- Fixed 60-40 Split-Bench 3rd Row Seat Front, Power Recline, Power Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Locking Storage, Mini Overhead Console w/Storage, 4 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Trip Odometer and Trip Computer
- Heated & Cooled Front Bucket Seats -inc: driver memory function, 8-way power driver and front passenger seats w/power lumbar, manual lifter, center armrest and I-Key linkage
- Heated Leather/Metal-Look Steering Wheel w/Auto Tilt-Away
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Headliner/Pillar Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins and Audio Media Storage
- Integrated Navigation System w/Voice Activation
- Interior Trim -inc: Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Metal-Look Interior Accents
- Leather Door Trim Insert
- Leather Gear Shift Knob
- Leather-Appointed Seat Trim
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Memory Settings -inc: Driver Seat and Door Mirrors
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access
- Trip Computer
- Trunk/Hatch Auto-Latch
- Valet Function



Licensed to J.D. Power

- Voice Activated Dual Zone Front Automatic Air Conditioning

MECHANICAL

- 1 Skid Plate
- 150 Amp Alternator
- 1537# Maximum Payload
- 2.937 Axle Ratio
- 28 Gal. Fuel Tank
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 70-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
- Brake Actuated Limited Slip Differential
- Class IV Towing w/Harness and Hitch
- Double Wishbone Front Suspension w/Coil Springs
- Double Wishbone Rear Suspension w/Air Springs
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 5.6L DOHC 32V Endurance V8
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- GVWR: 7,500 lbs
- Permanent Locking Hubs
- Rear Auto-Leveling Suspension
- Single Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 7-Speed Automatic w/Manual Mode & OD-inc: synchronized rev control

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Around View Monitor w/Moving Object Detection Back-Up Camera
- Blind Spot Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Forward Collision
- Front And Rear Parking Sensors
- Front Camera
- Lane Departure Warning
- Lane Keeping Assist
- Left Side Camera
- Outboard Front Lap And Shoulder Safety Belts-inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Right Side Camera
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 78.2in
- Cargo Area Length @ Floor to Seat 2 40.6in
- Cargo Area Length @ Floor to Seat 3 13.9in
- Cargo Area Width @ Beltline 48.8in
- Cargo Box (Area) Height 33.7in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/Aft³



Licensed to J.D. Power

- Cargo Volume to Seat 1 95.1ft³
- Cargo Volume to Seat 2 49.6ft³
- Cargo Volume to Seat 3 16.6ft³
- Ext'd Cab Cargo Volume N/Aft³
- Tailgate Width N/Ain

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 650
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 650
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 11.7

Engine

- Displacement 5.6 L/339
- Engine Oil Cooler None
- Engine Order Code
- Engine Type Regular Unleaded V-8
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 390 @ 5800
- SAE Net Torque @ RPM 394 @ 4000

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 75.8in
- Length, Overall 208.9in
- Length, Overall w/rear bumper N/Ain
- Lifter Height N/Ain
- Min Ground Clearance 9.2in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67.5in
- Track Width, Rear 67.9in
- Wheelbase 121.1in
- Width, Max w/o mirrors 79.9in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 28gal
- Fuel Tank Location Midship

Interior Dimensions

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D.Power and Associates



Licensed to J.D. Power

- Front Head Room 39.8in
- Front Hip Room 59.2in
- Front Leg Room 41.9in
- Front Shoulder Room 63.8in
- Passenger Capacity 8
- Second Head Room 40in
- Second Hip Room 58.4in
- Second Leg Room 39in
- Second Shoulder Room 63.4in
- Third Head Room 36.4in
- Third Hip Room 48.8in
- Third Leg Room 28.3in
- Third Shoulder Room 60.5in

Mileage

- Cruising Range - City 364.00mi
- Cruising Range - Hwy 504.00mi
- EPA Fuel Economy Est - City 13MPG
- EPA Fuel Economy Est - Hwy 18MPG
- Fuel Economy Est-Combined 15MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 41.3ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Axle Capacity - Front N/Albs
- Axle Capacity - Rear N/Albs
- Axle Ratio (:1) - Front 2.94
- Axle Ratio (:1) - Rear 2.94
- Axle Type - Front Independent
- Axle Type - Rear Independent
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear Double Wishbone

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code
- Front Tire Size P275/60HR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code
- Rear Tire Size P275/60HR20
- Revolutions/Mile @ 45 mph - Front N/A
- Revolutions/Mile @ 45 mph - Rear N/A
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailer

- Dead Weight Hitch - Max Tongue Wt. 850lbs
- Dead Weight Hitch - Max Trailer Wt. 8500lbs
- Maximum Trailering Capacity 8500lbs
- Wt Distributing Hitch - Max Tongue Wt. 850lbs
- Wt Distributing Hitch - Max Trailer Wt. 8500lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive



Licensed to J.D. Power

- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.89
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 3.54
- Second Gear Ratio (:1) 3.17
- Seventh Gear Ratio (:1) 0.78
- Sixth Gear Ratio (:1) 0.86
- Third Gear Ratio (:1) 2.03
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Power Take Off N/A
- Trans Type 7
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating - Front N/Albs
- Gross Axle Wt Rating - Rear N/Albs
- Gross Combined Wt Rating 14700lbs
- Gross Vehicle Weight Rating 7500.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight - Front 0.00lbs
- Option Weight - Rear 0.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front N/Albs
- Reserve Axle Capacity - Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8in
- Spare Wheel Material Aluminum
- Spare Wheel Size Full-Sizein