



## Vehicle Information

**Date:** July 10, 2018  
**Vehicle:** 2017 Toyota RAV4 Utility 4D LE AWD 2.5L I4  
**VIN:** JTMBFREV8HJ133918  
**Weight:** 3,570

## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$25,810	\$519	\$995	<b>\$27,324</b>
<b>NADA New Vehicle Values</b>				
Low	\$22,453	\$451	\$995	<b>\$23,899</b>
Average	\$23,855	\$480	\$995	<b>\$25,330</b>
High	\$25,418	\$511	\$995	<b>\$26,924</b>

## Optional Equipment

	Invoice	MSRP
ROOF RAILS Code: RR	\$170.00	\$190.00
TONNEAU COVER Code: TC-0	\$80.00	\$90.00
50 STATE EMISSIONS Code: FE-0	\$0.00	\$0.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
ALL WEATHER LINER PACKAGE -inc: Cargo Tray, All Weather Floor Liners (PPO) Code: 2T	\$135.00	\$239.00
MAGNETIC GRAY METALLIC Code: 1G3	\$0.00	\$0.00
BLACK, FABRIC SEAT TRIM Code: FB20	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- 1 LCD Monitor In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Radio Data System
- Radio: Entune AM/FM/CD/MP3/WMA Playback w/6 Speakers -inc: 6.1" touch-screen w/integrated back-up camera display, auxiliary audio jack, USB port w/iPod connectivity and control, vehicle information w/customizable settings, hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology

### EXTERIOR

- Black Bodyside Cladding and Black Wheel Well Trim
- Black Power Side Mirrors w/Convex Spotter and Manual Folding
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent



Licensed to J.D. Power

7/10/2018

## NADA New Cars/Trucks

- Body-Colored Grille w/Chrome Accents
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Interval Wipers
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Fully Automatic Projector Beam Halogen Daytime Running Auto High-Beam Headlamps
- Fully Galvanized Steel Panels
- Laminated Glass
- Liftgate Rear Cargo Access
- Lip Spoiler
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P225/65R17H AS Wide Vent
- Wheels: 17" x 6.5J -inc: caps

## INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Distance Pacing
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Engine Immobilizer
- Fabric Seat Trim
- Fade-To-Off Interior Lighting
- Front Bucket Seats -inc: 6-way adjustable driver and 4-way adjustable passenger seats, 60/40 split, reclining, fold-flat second-row seats w/height-adjustable headrests and center armrest
- Front Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Glove Box
- HVAC -inc: Underseat Ducts
- Instrument Panel Bin, Driver And Passenger Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Metal-Look Interior Accents
- Manual Adjustable Front Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Mechanical Fuel
- Seats w/Cloth Back Material
- Split-Bench Front Facing Rear Seat
- Trip Computer
- Urethane Gear Shift Knob

## MECHANICAL

- 15.9 Gal. Fuel Tank
- 4.071 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 550CCA Maintenance-Free Battery w/Run Down Protection
- 900# Maximum Payload
- Automatic Full-Time All-Wheel Drive
- Double Wishbone Rear Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 2.5L DOHC 4-Cylinder w/Dual VVT-i
- Front And Rear Anti-Roll Bars

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D. Power and Associates



Licensed to J.D. Power

- Gas-Pressurized Shock Absorbers
- GVWR: 4,640 lbs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Towing w/Trailer Sway Control
- Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
- Transmission: 6-Speed Automatic

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver Knee Airbag and Passenger Cushion Front Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Lane Departure Alert (lda) w/Steering Assist Lane Departure Warning
- Lane Departure Alert (lda) w/Steering Assist Lane Keeping Assist
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Pre-Collision System (pcs) Forward Collision
- Rear Child Safety Locks
- Side Impact Beams

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 10.8in
- Rear Brake Rotor Diam x Thickness 11.2in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 73.4ft<sup>3</sup>
- Cargo Volume to Seat 2 38.4ft<sup>3</sup>
- Cargo Volume to Seat 3 38.4ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 550
- Maximum Alternator Capacity (amps) N/A

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.1 (Est)

### Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 176 @ 6000



- SAE Net Torque @ RPM 172 @ 4100

## Exterior Dimensions

- Height, Overall 67.1in
- Length, Overall 183.5in
- Liftover Height N/Ain
- Min Ground Clearance 6.1in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 61.8in
- Track Width, Rear 61.8in
- Wheelbase 104.7in
- Width, Max w/o mirrors 72.6in

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 15.9gal

## Interior Dimensions

- Front Head Room 39.8in
- Front Hip Room 54.3in
- Front Leg Room 42.6in
- Front Shoulder Room 57.3in
- Passenger Capacity 5
- Passenger Volume 101.9ft<sup>3</sup>
- Second Head Room 38.9in
- Second Hip Room 48.9in
- Second Leg Room 37.2in
- Second Shoulder Room 55.4in

## Mileage

- Cruising Range - City 349.80mi
- Cruising Range - Hwy 461.10mi
- EPA Fuel Economy Est - City 22 (Est)MPG
- EPA Fuel Economy Est - Hwy 29 (Est)MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 25 (Est)MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 34.8ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Double Wishbone
- Suspension Type - Rear Double Wishbone

## Tires

- Front Tire Order Code
- Front Tire Size P225/65HR17
- Rear Tire Order Code
- Rear Tire Size P225/65HR17
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer



Licensed to J.D. Power

7/10/2018

## NADA New Cars/Trucks

- Dead Weight Hitch - Max Tongue Wt. 150lbs
- Dead Weight Hitch - Max Trailer Wt. 1500lbs
- Maximum Trailering Capacity 1500lbs
- Wt Distributing Hitch - Max Tongue Wt. 150lbs
- Wt Distributing Hitch - Max Trailer Wt. 1500lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71
- Final Drive Axle Ratio (:1) 4.07
- First Gear Ratio (:1) 3.30
- Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 4.15
- Second Gear Ratio (:1) 1.90
- Sixth Gear Ratio (:1) 0.61
- Third Gear Ratio (:1) 1.42
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 3570lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Steel
- Front Wheel Size 17 X 6.5in
- Rear Wheel Material Steel
- Rear Wheel Size 17 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin