csievers@poquetauto.com

# Vehicle Information

Date:	June 28, 2018
Vehicle:	2015 Lexus IS Sedan 4D IS250 AWD 2.5L V6
VIN:	JTHCF1D29F5024255
Weight:	3,649

# **New Cars/Trucks Values**

Doworod by Chrome Date	Deee	Ontiono	Destination	Adjusted Value
Powered by Chrome Data	Base \$20,085	Options	Destination \$940	Adjusted Value
Base MSRP	\$39,085	\$5,400	\$940	\$45,425
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				MODD
			Invoice	MSRP
BLIND SPOT MONITOR W/REAR CF	\$552.00	\$600.00		
-inc: lane change assist, Electrochromat	ic Mirror w/Blind Spot Monitor C	ode: BD	¢2700.00	¢2045.00
F-SPORT PACKAGE		tilete d Ens at On ant	\$2709.00	\$2945.00
-inc: F-Sport Tuned Suspension, Heated Seats, LFA Inspired TFT Instrumentation AS P225/40R18 Front/P255/35/R18 Re Projector LED Headlamps, Aluminum S Wheels: 18" F-Sport Aluminum Alloy 18 w/Key Code: FJ	n, Sport Shift Knob, Silver Perfor ar, F-Sport Badging, Unique Fro port Pedals, Stainless Steel Scu	mance Trim, Tires: ont Fascia/Grille, Twin uff Plates, Lexus logo,		
HEATED & VENTILATED FRONT SP	ORT SEATS		\$0.00	\$0.00
Code: -NONST0				
HEATED STEERING WHEEL			\$139.00	\$150.00
Code: WV			<b><b><b></b></b></b>	
NAVIGATION SYSTEM PACKAGE			\$1715.00	\$1855.00
-inc: Bluetooth 3.0 hands free phone and Radio w/iTunes tagging (complimentary Yelp, iHeartRadio, Facebook Places, M Stocks, Fuel Prices, Sports), Lexus Enfo eDestination) w/one-year trial subscription Enform Remote, Lexus Insider, MP3/WN command casual-language voice recogn Gridlines Code: NV	traffic and weather), Lexus Enfo ovietickets.com, OpenTable, Pa orm Destination Services (Destin on (requires Lexus Enform Safe IA, dual USB/iPod audio input p	rm App Suite (Bing, Indora, Slacker, nation Assist, and ty Connect), Lexus plugs and voice		
TIRES: AS P225/40R18 FRONT/P25	5/35/R18 REAR		\$0.00	\$0.00
Code: -NONTR				
WHEELS: 18" F-SPORT ALUMINUM	ALLOY		\$0.00	\$0.00
-inc: 18 x 8.0 front, 18 x 8.5 rear Code: -I	NONWL			
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
MATADOR RED MICA			\$0.00	\$0.00

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates. ©2018 J.D.Power and Associates

NADA	6/28/2018 NADA New Cars/Trucks	
Values		
Licensed to J.D. Power	Invoice	MSRP
Code: 3R1		
BLACK, F SPORT NULUXE SEAT TRIM	\$0.00	\$0.00
Code: EB20		

# **Standard Equipment**

## **ENTERTAINMENT**

- 293w Regular Amplifier
- Audio Theft Deterrent
- Bluetooth Wireless Phone Connectivity
- Radio w/Seek-Scan, Clock, Steering Wheel Controls and Radio Data System
- Radio: Lexus Premium Audio System inc: 293-watts, AM/FM/CD/MP3/WMA w/HD Radio (complimentary traffic and weather), 7" VGA screen, 8 speakers, digital signal processing w/automatic sound levelizer, integrated SiriusXM satellite radio receiver (w/complimentary 90-day trial subscription), iTunes tagging, dual USB/iPod audio input plugs, streaming audio via Bluetooth 3.0 and voice recognition
- Real-Time Traffic Display
- Window Grid Diversity Antenna

### **EXTERIOR**

- Black Grille w/Chrome Surround
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Defroster
- Front Fog Lamps
- Fully Automatic Projector Beam High Intensity Low/High Beam Daytime Running Auto-Leveling Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- LED Brakelights
- Light Tinted Glass
- Perimeter/Approach Lights
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tires: P225/45VR17 AS inc: disc wheel
- Trunk Rear Cargo Access
- Wheels: 17" x 7.5" 10-Spoke Aluminum Alloy

### INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 60.40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front And Rear Map Lights
- Front Center Armrest and Rear Center Armrest w/Storage
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Power Bucket Seats
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box



NADA New Cars/Trucks



- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert, Chrome And Metal-Look Interior Accents
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Metal-Look Gear Shift Knob
- NuLuxe Seat Trim
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Front And Rear 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Fuel
- Seats w/Leatherette Back Material
- Systems Monitor
- Tracker System
- Trip Computer
- Valet Function

#### MECHANICAL

- 100 Amp Alternator
- 17.4 Gal. Fuel Tank
- 4.10 Axle Ratio
- 4685# Gvwr
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 65-Amp/Hr Maintenance-Free Battery
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.5L V6 DOHC 24V VVT-i
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Polished Tailpipe Finisher
- Transmission w/Driver Selectable Mode
- Transmission: Electronic 6-Speed ECT-i Automatic -inc: steering wheel-mounted paddle shifters

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Driver And Passenger Knee Airbag and Rear Side-Impact Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- First Aid Kit
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Safety Connect Emergency S.O.S
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

# **Technical Specifications**

#### **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 11.6in
- Rear Brake Rotor Diam x Thickness 11.4in
- Rear Drum Diam x Width in

## **Cargo Area Dimensions**

• Trunk Volume 13.8ftÅ<sup>3</sup>



## **Cooling System**

Total Cooling System Capacity N/Aqts

## Electrical

- Cold Cranking Amps @ O° F (Primary) N/A
- Maximum Alternator Capacity (amps) 100

## **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.6

## Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Premium Unleaded V-6 •
- Fuel System Port/Direct Injection ٠
- SAE Net Horsepower @ RPM 204 @ 6400 . SAE Net Torque @ RPM 185 @ 4800 .

## **Exterior Dimensions**

- Height, Overall 56.3in
- Length, Overall 183.7in
- ٠ Liftover Height N/Ain
- ٠ Min Ground Clearance 5.1in
- Track Width, Front 60.4in ٠ Track Width. Rear 61in .
- Wheelbase 110.2in
- Width, Max w/o mirrors 71.3in

#### **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 17.4gal

### Interior Dimensions

- Front Head Room 38.2in
- Front Hip Room 54.3in
- Front Leg Room 44.8in
- Front Shoulder Room 55.9in
- Passenger Capacity 5
- Passenger Volume 90.2ftÅ<sup>3</sup>
- Second Head Room 36.9in ٠
- Second Hip Room 54in
- Second Leg Room 32.2in •
- Second Shoulder Room 53.4in

#### Mileage

- Battery Range N/Ami
- Cruising Range City 348.00mi •
- Cruising Range Hwy 469.80mi •
- EPA Fuel Economy Est City 20MPG •
- EPA Fuel Economy Est Hwy 27MPG
  EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A •
- EPA MPG Equivalent Hwy N/A ٠
- Fuel Economy Est-Combined 23MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A ٠
- Steering Type Rack-Pinion •
- Turning Diameter Curb to Curb 35.4ft .
- Turning Diameter Wall to Wall N/Aft



#### Suspension

- Shock Absorber Diameter Front N/Amm •
- Shock Absorber Diameter Rear N/Amm .
- Stabilizer Bar Diameter Front N/Ain .
- Stabilizer Bar Diameter Rear N/Ain .
- Suspension Type Front (Cont.) Double Wishbone ٠
- ٠ Suspension Type - Front Double Wishbone
- Suspension Type Rear (Cont.) Multi-Link Suspension Type Rear Multi-Link ٠
- ٠

#### Tires

- Front Tire Order Code
- Front Tire Size P225/40YR18
- Rear Tire Order Code ٠
- Rear Tire Size P255/35YR18
- Spare Tire Order Code
- Spare Tire Size Compact

#### Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs ٠
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch Max Trailer Wt. N/Albs

#### Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 0.71 ٠
- Final Drive Axle Ratio (:1) 4.10 ٠
- First Gear Ratio (:1) 3.52 • Fourth Gear Ratio (:1) 1.00
- Reverse Ratio (:1) 3.17
- Second Gear Ratio (:1) 2.04 .
- Sixth Gear Ratio (:1) 0.58 ٠ Third Gear Ratio (:1) 1.40
- **Trans Description Cont. Again** •
- Trans Description Cont. Automatic w/OD ٠
- Trans Order Code ٠
- Trans Type 6

#### Vehicle

• EPA Classification Compact Cars

### Weight Information

• Base Curb Weight 3649lbs

#### Wheels

- Front Wheel Material Forged Aluminum
- Front Wheel Size 18 X 8in
- Rear Wheel Material Forged Aluminum
- Rear Wheel Size 18 X 8.5in ٠
- Spare Wheel Material Steel •
- Spare Wheel Size Compactin ٠