



## Vehicle Information

**Date:** July 11, 2018  
**Vehicle:** 2015 Ford Explorer Utility 4D Limited 4WD 3.5L V6  
**VIN:** 1FM5K8F83FGB05901  
**Weight:** 4,610

## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$40,200	\$5,485	\$895	<b>\$46,580</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
DUAL PANEL MOONROOF Code: 439	\$1392.00	\$1595.00
HEATED 2ND ROW BUCKET SEATS Code: 173	\$607.00	\$695.00
POWER LIFTGATE Code: 18P	\$432.00	\$495.00
VOICE ACTIVATED NAVIGATION SYSTEM -inc: in-dash screen, single CD/MP3 player, SD card for map and POI storage and integrated SiriusXM Traffic and Travel Link, Note: SiriusXM Traffic and Travel Link includes a 5-year pre-paid subscription 48 contiguous states, Service not available in Alaska/Hawaii Code: 61N	\$694.00	\$795.00
ENGINE: 3.5L TI-VCT V6 (FFV) -inc: Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles w/the 3.5L Ti-VCT V6 engine shipped to Federal Emissions States or Cross Border State dealers and is only available w/a Federal emissions system, (FFV system not available w/code 422 and requires code 936 or 423 if applicable for California Emissions State dealer destinations).Cross border states include AZ, DC, ID, NH, NV, OH, VA, WV (STD) Not standard equipment in CA Emissions States. Code: 998-1	\$0.00	\$0.00
EQUIPMENT GROUP 301A -inc: Power Liftgate, Voice Activated Navigation System, in-dash screen, single CD/MP3 player, SD card for map and POI storage and integrated SiriusXM Traffic and Travel Link, Note: SiriusXM Traffic and Travel Link includes a 5-year pre-paid subscription 48 contiguous states, Service not available in Alaska/Hawaii, Heated Steering Wheel, Power Tilt/Telescoping Steering Wheel, Luxury Seating Package, PowerFold 3rd Row Seat Code: 301A	\$2269.00	\$2600.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
WHITE PLATINUM METALLIC TRI-COAT Code: UG	\$519.00	\$595.00



	Invoice	MSRP
CHARCOAL BLACK, PERF LEATHER-TRIMMED HEATED/COOLED BUCKET SEATS -inc: 10-way power driver and passenger seats w/power lumbar, driver recline and driver memory Code: CW	\$0.00	\$0.00
TRANSMISSION: 6-SPEED SELECTSHIFT AUTOMATIC (STD) Code: 44J	\$0.00	\$0.00
WHEELS: 20" PAINTED ALUMINUM (STD) Code: 64F	\$0.00	\$0.00

## Standard Equipment

### ENTERTAINMENT

- Bluetooth Wireless Phone Connectivity
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls and Voice Activation
- Radio: Sony Audio System w/12-Speakers -inc: HD Radio, and SiriusXM satellite radio, Note: SiriusXM satellite radio includes 6 month prepaid subscription (48 contiguous states), Service not available in Alaska or Hawaii
- Wireless Streaming

### EXTERIOR

- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Grille w/Chrome Accents
- Body-Colored Power Heated Side Mirrors w/Convex Spotter, Power Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- Chrome Door Handles
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Roof Rack Rails Only
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P255/50R20 AS BSW
- Wheels: 20" Painted Aluminum

### INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 4 12V DC Power Outlets and 1 AC Power Outlet
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Tumble Forward Leather Rear Seat
- Air Filtration
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench Vinyl 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints
- Fixed Rear Head Restraints
- FOB Controls -inc: Remote Engine Start
- Front And Rear Map Lights



Licensed to J.D. Power

- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Full Overhead Console w/Storage, 4 12V DC Power Outlets and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Simulated Wood/Meta-Look Instrument Panel Insert, Simulated Wood/Meta-Look Door Panel Insert, Meta-Look Console Insert, Chrome And Meta-Look Interior Accents
- Keypad
- Leather/Chrome Gear Shift Knob
- Leather/Meta-Look Steering Wheel
- Leatherette Door Trim Insert
- Leather-Trimmed Heated Bucket Seats -inc: 10-way power driver seat w/power recline, lumbar and memory, 6-way power front-passenger seat w/manual recline and lumbar and 4-way driver and front-passenger head restraints (2-way when DVD headrest are ordered 50S)
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Door Mirrors and Pedals
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Adjustable Pedals
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Seats w/Leatherette Back Material
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- SYNC w/MyFord Touch -inc: 2 driver configurable 4.2" color LCD displays in instrument cluster, 8" LCD color touchscreen in center stack, 2 USB ports, SD card reader, 5-way controls located on steering wheel, 911 assist, Vehicle Health Report (VHR) and SYNC services (traffic reports, GPS based turn-by-turn directions and information services), Note: SYNC services include a complimentary one year prepaid subscription (one phone/primary account)
- Systems Monitor
- Trip Computer
- Valet Function
- Voice Activated Dual Zone Front Automatic Air Conditioning

## MECHANICAL

- 18.6 Gal. Fuel Tank
- 200 Amp Alternator
- 3.65 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Automatic Full-Time Four-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.5L Ti-VCT V6 (FFV) -inc: Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles w/the 3.5L Ti-VCT V6 engine shipped to Federal Emissions States or Cross Border State dealers and is only available w/a Federal emissions system, (FFV system not available w/code 422 and requires code 936 or 423 if applicable for California Emissions State dealer destinations). Cross border states include AZ, DC, ID, NH, NV, OH, VA, WV Not standard equipment in CA Emissions States.
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,160 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing w/Trailer Sway Control
- Transmission: 6-Speed SelectShift Automatic

## SAFETY

- Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Airbag Occupancy Sensor
- Back-Up Camera
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Low Tire Pressure Warning
- Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Passenger Knee Airbag
- Rear Child Safety Locks
- Rear Parking Sensors
- Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams
- Terrain Management System ABS And Driveline Traction Control



## Technical Specifications

### Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.8in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 80.7ft<sup>3</sup>
- Cargo Volume to Seat 2 43.8ft<sup>3</sup>
- Cargo Volume to Seat 3 21ft<sup>3</sup>

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 650
- Maximum Alternator Capacity (amps) 200

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

### Engine

- Displacement 3.5 L/213
- Engine Order Code 998-1
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 290 @ 6500
- SAE Net Torque @ RPM 255 @ 4000

### Exterior Dimensions

- Height, Overall 71in
- Length, Overall 197.1in
- Liftover Height N/Ain
- Min Ground Clearance 8.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67in
- Track Width, Rear 67in
- Wheelbase 112.6in
- Width, Max w/o mirrors 78.9in

### Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.6gal

### Interior Dimensions

- Front Head Room 41.4in
- Front Hip Room 57.3in
- Front Leg Room 40.6in



Licensed to J.D. Power

- Front Shoulder Room 61.3in
- Passenger Capacity 6
- Passenger Volume 151.7ft<sup>3</sup>
- Second Head Room 40.5in
- Second Hip Room 56.7in
- Second Leg Room 39.8in
- Second Shoulder Room 61in
- Third Head Room 37.8in
- Third Hip Room 40.7in
- Third Leg Room 33.2in
- Third Shoulder Room 50.8in

## Mileage

- Cruising Range - City 316.20mi
- Cruising Range - Hwy 427.80mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 23MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 19MPG

## Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 38.9ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Order Code
- Front Tire Size P255/50HR20
- Rear Tire Order Code
- Rear Tire Size P255/50HR20
- Spare Tire Order Code
- Spare Tire Size Compact

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 200lbs
- Dead Weight Hitch - Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs
- Wt Distributing Hitch - Max Tongue Wt. 200lbs
- Wt Distributing Hitch - Max Trailer Wt. 2000lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.65
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87
- Sixth Gear Ratio (:1) 0.74
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 44J
- Trans Type 6



Licensed to J.D. Power

- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

- EPA Classification Standard Sport Utility Vehicles 4WD

## Weight Information

- Base Curb Weight 4610lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 8.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin