

csievers@poquetauto.com

Vehicle Information

Date: August 24, 2018

Vehicle: 2015 GMC Light Duty Sierra 1500 Crew Cab Denali 4WD

6.2L V8

VIN: 3GTU2WEJ4FG399645

Weight:

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$53,165	\$4,625	\$1,195	\$58,985
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
riigii	IN/A	IN/A	IN/A	IV/A
Optional Equipment			Invoice	MSRP
ACTIVE NOISE CANCELL ATION			Invoice	
ACTIVE NOISE CANCELLATION (Included and only available with (I.86) 6.2	I FroTer3 V8 engine) Code	· NKC	\$0.00	\$0.00
(Included and only available with (L86) 6.2L EcoTec3 V8 engine.) Code: NKC DRIVER ALERT PACKAGE			\$409.50	\$450.00
includes Lane Departure Warning, Forwa	rd Collision Alert, and Safety A	Alert Seat Code: Y65-	*	*
R LPO, FRONT AND REAR MOLDED SPLASH GUARDS, BLACK			\$141.05	\$155.00
(Not available with (SB1) flat Black splash guards, LPO.) (dealer installed) Code: VQK			Ψιιιου	Ψ100.00
SUNROOF, POWER			\$905.45	\$995.00
(Not available with (VYU) Snow Plow Prep	Package.) Code: CF5			
TRAILER BRAKE CONTROLLER, INT	EGRATED		\$209.30	\$230.00
Code: JL1	OM) OTEF!		ድ ስ ሰብ	ФО ОО
WHEEL, FULL-SIZE SPARE, 17" (43.2 Code: RUF	CM) STEEL		\$0.00	\$0.00
REAR AXLE, 3.23 RATIO			\$0.00	\$0.00
(Requires (L86) 6.2L EcoTec3 V8 engine	.) Code: GU5		ψ0.00	ψο.σσ
EMISSIONS, FEDERAL REQUIREMEN	NTS		\$0.00	\$0.00
Code: FE9				
ENGINE, 6.2L ECOTEC3 V8 WITH AC INJECTION	TIVE FUEL MANAGEMEN	NT, DIRECT	\$2270.45	\$2495.00
and Variable Valve Timing, includes alum rpm, 460 lb-ft of torque [624 Nm] @ 4100				
ONYX BLACK			\$0.00	\$0.00
Code: GBA				
SOLID PAINT			\$0.00	\$0.00
Code: ZY1	DOLLD		#0.00	Φ0.00
DENALI PREFERRED EQUIPMENT G	KOUP		\$0.00	\$0.00



Values Values	NADA New Cars/Trucks	
Licensed to J.D. Power	Invoice	MSRP
Includes Standard Equipment Code: 5SA	IIIVUICE	MONT
AUDIO SYSTEM, 8" DIAGONAL COLOR TOUCH SCREEN NAVIGATION WITH INTELLILINK, AM/FM/SIRIUSXM	\$0.00	\$0.00
with USB ports, auxiliary jack, SD card slot, Bluetooth streaming audio for music and most phones, hands-free smartphone integration, Pandora Internet radio and voice-activated technology for radio and phone (STD) Code: IO6		
JET BLACK, PERFORATED LEATHER-APPOINTED FRONT SEAT TRIM	\$0.00	\$0.00
Code: H2X		
SEATS, FRONT FULL-FEATURE LEATHER-APPOINTED BUCKET	\$0.00	\$0.00
with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 2-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets. (STD) Code: AN3		
TIRES, P275/55R20 ALL-SEASON, BLACKWALL	\$0.00	\$0.00
(STD) Code: QSS		
TRANSMISSION, 8-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00	\$0.00
with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking. (Included and only available with (L86) 6.2L EcoTec3 V8 engine.) Code: M5U		
WHEELS, 4 - 20" X 9" (50.8 CM X 22.9 CM) POLISHED ALUMINUM	\$273.00	\$300.00

Standard Equipment

ENTERTAINMENT

Code: NZT

- Audio system, 8" Diagonal Color Touch Screen Navigation with IntelliLink, AM/FM/SiriusXM with USB ports, auxiliary jack, SD card slot, Bluetooth streaming audio for music and most phones, hands free smartphone integration, Pandora Internet radio and voice-activated technology for radio and phone
- Bluetooth for phone personal cell phone connectivity to vehicle audio system
- Bose Sound with 6 speaker system (7 speaker system including subwoofer when ordered with bucket seats)
- Single-slot CD/MP3 player (Replaced by (U42) rear seat DVD/Blu-Ray Entertainment Package when (U42) is ordered.)
- SiriusXM Satellite Radio is standard on nearly all 2015 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial free music, plus sports, news and entertainment. Plus you can listen to SiriusXM Internet Radio everywhere on your computer, smartphone or tablet. Welcome to the world of SiriusXM. (IMPORTANT: If you decide to continue your service at the end of your trial subscription, the plan you choose will automatically renew and bill at then-current rates until you call 1-877-209-0079 to cancel. See SiriusXM "Terms & Conditions" for complete terms at siriusxm.com. Other fees and taxes will apply. All fees and programming subject to change.)
- · Steering wheel audio controls

EXTERIOR

- Assist steps, chromed tubular, 6" rectangular (factory installed) (May delete (BVQ) and add LPO assist steps (VXJ) by selecting (R8M) BVQ assist step delete.)
- Bed Liner, Spray-on Pickup box bed liner consisting of high pressure, chemically bonded, sprayed-on polyurea & polyurethane liner formulation. Liner is permanently bonded to the truck bed providing a water tight seal. Includes embossed Denali logo on front bed wall. The textured, non-skid surface is black in color and robotically applied to yield consistent 90 mil floor and tailgate thickness along with 50 mil box sidewall thickness. Spray-on liner covers entire bed interior surface below side rails, including tailgate, front box top rail, gage hole plugs and lower tie down loops. (Not available with (VBN) bed rug, LPO, (VUK) tailgate liner, LPO or (VZX) bed liner, LPO.)
- Bumper, front, body-color
- Bumper, rear body-color with bumper CornerSteps
- CornerStep, rear bumper
- Door handles, chrome
- · Fog lamps, front, halogen
- Glass, deep-tinted
- Grille, Denali Chrome
- Headlamps, halogen projector with LED signature
- Lamps, cargo area, cab mounted with switch on center switch bank
- LED Lighting, cargo box with switch on center switch bank
- LPO, Polished exhaust tip (dealer installed) (Requires gas engine.)
- Mirror caps, chrome
- Mirrors, outside chrome cap, heated power-adjustable, power-folding and driver-side auto-dimming with integrated turn signal indicators and puddle lamps (includes driver's side spotter mirror)
- Moldings, bodyside, chrome
- Tailgate and bed rail protection caps, top
- Tailgate, EZ-Lift and Lower
- Tailgate, locking utilizes same key as ignition and door
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door
- Tire, spare P265/70R17 all-season, blackwall
- Tires, P275/55R20 all-season, blackwall
- Wheel, full-size spare, 17" x 7" (43.2 cm x 17.8 cm) aluminum (Included and only available with model K15543 and (L83) 5.3L EcoTec3 V8 engine.)
- Wheelhouse liners, rear (Not available with dual rear wheels.)
- Wheels, 20" x 9" (50.8 cm x 22.9 cm) ultra bright-machined aluminum
- Window, power, rear sliding with rear defogger (Not included when (VYU) Snow Plow Prep Package is ordered.)



INTERIOR

- Air conditioning, dual-zone automatic climate control
- · Assist handle, front passenger and driver on A-pillars
- Console, floor mounted, reconfigurable with moveable cup holders, cell phone storage, power cord management and hanging file holder capability
- · Cruise control, steering wheel-mounted
- Defogger, rear-window electric
- Display, customizable driver display, 8" multi-color configurable
- · Door locks, power
- · Floor covering, color-keyed carpeting
- Floor mats, color-keyed carpeted first and second row
- Front and Rear Park Assist, Ultrasonic
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- Mirror, inside rearview auto-dimming
- OnStar Directions and Connections plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance and Turn-by-Turn Navigation (Visit www.onstar.com for vehicle availability, details and system limitations. Services may vary by model and conditions.)
- OnStar with 4G LTE provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds (Visit www.onstar.com for vehicle availability, details and system limitations. Services
 and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some
 services require data plan.)
- Pedals, power-adjustable
- · Power outlet, 110-volt AC
- Remote Keyless Entry
- Remote vehicle starter system
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- · Seating, heated and cooled perforated leather-appointed front bucket
- Seats, front full-feature leather-appointed bucket with (KA1) heated seat cushions and seat backs. Includes 12-way power driver and front passenger seat adjusters, including 2-way power lumbar control, 2-position driver memory, adjustable head restraints, (D07) floor console and storage pockets.
- Steering column, manual Tilt-Wheel and telescoping
- · Steering wheel, heated
- Steering wheel, leather-wrapped with audio and cruise controls
- Theft-deterrent system, unauthorized entry
- Universal Home Remote (Not included when (VYU) Snow Plow Prep Package is ordered.)
- · Visors, driver and front passenger illuminated vanity mirrors
- · Windows, power with driver express up and down and express down on all other windows

MECHANICAL

- Air cleaner, high-capacity
- Alternator, 150 amps
- Battery, heavy-duty 720 cold-cranking amps/80 Amphr, maintenance-free with rundown protection and retained accessory power
- Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
- Cargo tie downs (4), movable upper
- · Cooling, auxiliary external transmission oil cooler
- · Cooling, external engine oil cooler
- Differential, heavy-duty locking rear
- Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lbft of torque [518 Nm] @ 4100 rpm; more than 300 lbft of torque from 2000 to 5600 rpm)
- Exhaust, aluminized stainless-steel muffler and tailpipe
- Four wheel drive
- Frame, fully-boxed, hydroformed front section
- GVWR, 7200 lbs. (3266 kg) (Requires 4WD models.)
- Hill Descent Control
- Pickup box, Wideside
- Rear axle, 3.42 ratio
- Recovery hooks, front, frame-mounted, black
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Suspension, MagneRide Magnetic Ride Control with MagneRide branded shock absorbers
 Transfer case, 4WD, active electronic Autotrac with rotary dial control (Included with 4WD models only.)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking
- Underbody Shield, frame-mounted shields includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case (Standard on 4WD models only.)

PACKAGE

• Trailering equipment includes trailer hitch, 7-pin and 4-pin connectors

SAFETY

- · Air bag, Passenger Sensing System
- Air bags, dual-stage frontal airbags for driver and front passenger, seat-mounted side-impact airbags for driver and front outboard passenger, and head-curtain airbags for front and rear
 outboard seating positions; includes right-front airbag Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in
 the appropriate child restraint. See the Owner's Manual for more information.)
- Daytime Running Lamps with automatic exterior lamp control
- Rear Vision Camera with dynamic guide lines
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
- Tire Pressure Monitoring System (does not apply to spare tire) (On 3500HD, included and only available with (C7A) 10,000 lb. GVWR.)



Technical Specifications

Brakes

- Brake ABS System (Second Line)
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.00 x 1.18in
- Rear Brake Rotor Diam x Thickness 13.60 x 0.79in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 21.10in
- Cargo Box Length @ Floor 69.33in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings 51.03in
- Cargo Volume 53.40ft³
- Ext'd Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (2nd)
- Cold Cranking Amps @ O° F (3rd) N/A
- Cold Cranking Amps @ O° F (Primary) 720
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 10.6

Engine

- Displacement 6.2L/376
- Engine Oil Cooler Yes
- Engine Order Code L86
- Engine Type Gas V8
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 420 @ 5600
- SAE Net Torque @ RPM 460 @ 4100

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle 31.97in
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab 150.40in
- Ground Clearance, Front 8.90in
- Ground Clearance, Rear 8.90in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 34.3in
- Height, Overall 73.97in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper 229.50in
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 143.50in
- Width, Max w/o mirrors 80.00in

Frame



- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type Hydroformed
- Sect Modulus Rails Only N/AinÂ3

Fuel Tank

- Aux Fuel Tank Capacity, Approx gal
- **Aux Fuel Tank Location**
- Fuel Tank Capacity, Approx 26gal
 Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 42.80in
- Front Hip Room 60.73in
- Front Leg Room 45.27in
- Front Shoulder Room 66.03in
- Passenger Capacity 5
- Second Head Room 40.50in
- Second Hip Room 60.27in
- Second Leg Room 40.93in
- Second Shoulder Room 65.73in

Mileage

- Cruising Range City 390.00mi
- Cruising Range Hwy 546.00mi
- **EPA Fuel Economy Est City 15MPG**
- EPA Fuel Economy Est Hwy 21MPG
- Fuel Economy Est-Combined 17MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Electric Rack & Pinion
- Turning Diameter Curb to Curb 47.2ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front 3950lbs
- Axle Capacity Rear 3950lbs
- Axle Ratio (:1) Front 3.23
- Axle Ratio (:1) Rear 3.23
- **Axle Type Front Independent Driving**
- Axle Type Rear Semi-floating
- Shock Absorber Diameter Front 46.00mm
- Shock Absorber Diameter Rear 35.00mm
- Spring Capacity Front 3950lbs
- Spring Capacity Rear 3950lbs
- Stabilizer Bar Diameter Front 1.35in
- Stabilizer Bar Diameter Rear in
- Suspension Type Front Independent
- Suspension Type Rear 2-Stage Multi-Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code QSS
- Front Tire Size P275/55R20
- Rear Tire Capacity N/Albs Rear Tire Order Code QSS
- Rear Tire Size P275/55R20
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code RC4
- Spare Tire Size P265/70R17



Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 9200lbs
- Wt Distributing Hitch Max Tongue Wt. 920lbs
- Wt Distributing Hitch Max Trailer Wt. 9200lbs

Transmission

- Clutch Size in
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) N/A
- Fifth Gear Ratio (:1) N/A
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) N/A
- Fourth Gear Ratio (:1) N/A
- Reverse Ratio (:1) N/A
- Second Gear Ratio (:1) N/A
- Seventh Gear Ratio (:1) N/A
- Sixth Gear Ratio (:1) N/A
- Third Gear Ratio (:1) N/A
- Trans Description Cont. Again
- Trans Description Cont. Automatic
- Trans Order Code M5U
- Trans Power Take Off
- Trans Type 8
- Transfer Case Gear Ratio (:1), High 1.00
- Transfer Case Gear Ratio (:1), Low 2.69
- Transfer Case Model Magna MP3023/4
- Transfer Case Power Take Off

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating 7900.00lbs Gross Axle Wt Rating Front 3950lbs
- Gross Axle Wt Rating Rear 3950lbs
- Gross Combined Wt Rating 15000lbs
- Gross Vehicle Weight Rating 7200.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight Front 136.00lbs Option Weight Rear 53.00lbs
- Payload Weight Front Olbs
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs
- Reserve Axle Capacity Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight Front Olbs Standard Weight - Rear Olbs
- Total Option Weight 189.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 x 9.0in
- **Rear Wheel Material Aluminum**
- Rear Wheel Size 20 x 9.0in Spare Wheel Material N/A
- Spare Wheel Size N/Ain