

csievers@poquetauto.com

Vehicle Information

Date: July 26, 2018

Vehicle: 2015 Jeep Patriot Utility 4D Latitude 4WD 2.4L I4

VIN: 1C4NJRFB3FD202638

Weight: 3,290

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$24,795	\$495	\$995	\$26,285
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				
<u> </u>			Invoice	MSRP
SIRIUS SATELLITE RADIO			\$177.00	\$195.00
-inc: 1-Yr SIRIUSXM Radio Service, For	More Info, Call 888-539-7474 C	Code: RSC		
UCONNECT VOICE COMMAND W/BLUETOOTH			\$450.00	\$495.00
-inc: Rear View Auto Dim Mirror w/Micro Yr SIRIUSXM Radio Service, For More I				
3.367 AXLE RATIO			\$0.00	\$0.00
(STD) Code: -STDAX-R				
QUICK ORDER PACKAGE 2GB			\$0.00	\$0.00
-inc: Engine: 2.4L I4 DOHC 16V Dual VVT, Transmission: 6-Speed Automatic Code: 2GB-R				
ENGINE: 2.4L I4 DOHC 16V DUAL VVT			\$0.00	\$0.00
(STD) Code: ED3-R				
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT				
TRUE BLUE PEARLCOAT			\$0.00	\$0.00
Code: PBU			•	
DARK SLATE GRAY, PREMIUM CLOTH BUCKET SEATS			\$0.00	\$0.00
Code: C7DV				
TIRES: P215/60R17 BSW AS TOURING			\$0.00	\$0.00
(STD) Code: TTU			40.00	40.00
TRANSMISSION: 6-SPEED AUTOMA			\$0.00	\$0.00
-inc: AutoStick Automatic Transmission,	Remote Start System, Tip Start	t (STD) Code: DA4-R		

Standard Equipment

ENTERTAINMENT

- 4 Speakers
- Audio Jack Input for Mobile Devices



- Fixed Antenna
- Radio w/Clock and Steering Wheel Controls
- Radio: Uconnect 130 AM/FM/CD/MP3

EXTERIOR

- · Aero-Composite Halogen Headlamps
- Black Bodyside Cladding
- Black Power Heated Side Mirrors w/Manual Folding
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Grille
- Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Roof Rack Rails Only
- · Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P215/60R17 BSW AS Touring
- Variable Intermittent Wipers
- Wheels w/Polished Accents
- Wheels: 17" x 6.5" Aluminum

INTERIOR

- 1 12V DC Power Outlet
- 1 12V DC Power Outlet and 1 AC Power Outlet
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 6040 Folding Bench Front Facing Manual Reclining Fold Forward Seatback Cloth Rear Seat
- 6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Chrome Gear Shift Knob
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Heated Cushion, Driver And Passenger Heated Seatback
- Driver And Passenger Visor Vanity Mirrors
- Driver Foot Rest
- Fade-To-Off Interior Lighting
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, 1 12V DC Power Outlet and 1 AC Power Outlet
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
- Glove Box
- HVAC inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Chrome Instrument Panel Insert and Chrome Interior Accents
- Leather/Metal-Look Steering Wheel
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Tilt Steering Column
- Outside Temp Gauge
- Power 1st Row Windows w/Driver 1-Touch Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Premium Cloth Bucket Seats
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Sentry Key Engine Immobilizer
- Sliding Front Center Armrest w/Storage

MECHANICAL

- 120 Amp Alternator
- 13.5 Gal. Fuel Tank
- 1300# Maximum Payload



- 3.367 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Brake Assist
- 50-State Emissions
- 60-Amp/Hr 525CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time Four-Wheel Drive
- Electronic Transfer Case
- Engine: 2.4L I4 DOHC 16V Dual VVT
- Front And Rear Anti-Roll Bars
- · Gas-Pressurized Shock Absorbers
- GVWR: 4,575 lbs
- Hydraulic Power-Assist Steering
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Touring Suspension
- Transmission: 6-Speed Automatic -inc: AutoStick Automatic Transmission, Remote Start System, Tip Start

SAFETY

- ABS And Driveline Traction Control
- · Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.5in
- Rear Brake Rotor Diam x Thickness 10.3in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline 45.1in
- Cargo Box (Area) Height 27.4in
- Cargo Box Width @ Wheelhousings 38in
- Cargo Volume to Seat 1 53.5ftų
- Cargo Volume to Seat 2 23ft³
- Cargo Volume to Seat 3 23ftÂ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 525
- Maximum Alternator Capacity (amps) 120

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 7.7

Engine



- Displacement 2.4 L/144
- Engine Order Code ED3
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 172 @ 6000
- SAE Net Torque @ RPM 165 @ 4400

Exterior Dimensions

- · Height, Overall 66.8in
- Length, Overall 173.8in
- Liftover Height 30.7in
- Min Ground Clearance 8.1in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 59.8in
- Track Width, Rear 59.8in
- Wheelbase 103.7in
- Width, Max w/o mirrors 69.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 13.5gal

Interior Dimensions

- Front Head Room 41in
- Front Hip Room 52.3in
- Front Leg Room 40.6in
- Front Shoulder Room 54.5in
- Passenger Capacity 5
- Passenger Volume 104.4ftÅ³
- Second Head Room 39.9in
- Second Hip Room 51in
- Second Leg Room 39.4in
- Second Shoulder Room 54in

Mileage

- Cruising Range City 283.50mi
- Cruising Range Hwy 364.50mi
- **EPA Fuel Economy Est City 21MPG**
- EPA Fuel Economy Est Hwy 27MPG
 EPA MPG Equivalent City N/A
- EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 23MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 35.6ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain Suspension Type - Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code TTU
- Front Tire Size P215/60TR17
- . Rear Tire Order Code TTU
- Rear Tire Size P215/60TR17



- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. 100lbs
- Dead Weight Hitch Max Trailer Wt. 1000lbs
- Maximum Trailering Capacity 1000lbs
- Wt Distributing Hitch Max Tongue Wt. 100lbs
- Wt Distributing Hitch Max Trailer Wt. 1000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.37
- First Gear Ratio (:1) 4.21
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 2.64
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.80
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DA4
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

• EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3331lbs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 6.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 6.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin