



Vehicle Information

Date: July 26, 2018
Vehicle: 2015 Ford Flex Utility 4D SEL AWD 3.5L V6
VIN: 2FMHK6C84FBA10289
Weight: 4,637

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$34,050	\$1,395	\$895	\$36,340
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
ENGINE BLOCK HEATER (Regional) Standard and only available in Alaska, Minnesota, North Dakota, South Dakota, Montana, Wisconsin and Wyoming. Other states available via FCSD. Code: 41H-2	\$0.00	\$0.00
ENGINE: 3.5L TI-VCT V6 (STD) Code: 998	\$0.00	\$0.00
EQUIPMENT GROUP 201A -inc: Body-Color Liftgate Applique, Rear View Camera, 110V Power Outlet, Power Liftgate Code: 201A	\$933.00	\$1000.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
RUBY RED METALLIC TINTED CLEARCOAT Code: RR	\$369.00	\$395.00
CHARCOAL BLACK, CLOTH HEATED FRONT BUCKET SEATS -inc: driver and front passenger 4-way head restraints, 10-way power driver's seat w/power recline and lumbar and 6-way power front passenger seat w/manual recline and lumbar Code: EW	\$0.00	\$0.00
TRANSMISSION: 6-SPEED SELECTSHIFT AUTOMATIC -inc: shifter button activation (STD) Code: 44J	\$0.00	\$0.00
WHEELS: 18" PAINTED ALUMINUM (STD) Code: 64R	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: AM/FM Single CD/MP3 Capable -inc: auxiliary audio input jack, USB port, 6-speaker system and SiriusXM radio, Subscriptions to all SiriusXM services are sold by SiriusXM after 6-month trial expires, Subscriptions are governed by SiriusXM customer agreement; see www.siriusxm.com, Service U.S., satellite service is available in the 48 contiguous United States and D.C.



- SYNC w/MyFord Touch & SYNC Services inc: Voice-activated communications and entertainment system, 911 Assist, VHR, AppLink, Bluetooth, steering wheel controls, 2 driver configurable 4.2" color LCD displays in cluster, 8" LCD color touch-screen in center, media hub w/2 USB ports, SD card reader and audio/video input jacks, SYNC Services includes traffic reports and GPS based turn-by-turn directions and information services, SYNC services receive a complimentary 1 year prepaid subscription (1 phone/primary account)
- Wireless Streaming

EXTERIOR

- Black Power Heated Side Mirrors w/Convex Spotter and Manual Folding
- Body-Colored Front Bumper
- Body-Colored Rear Step Bumper
- Chrome Door Handles
- Chrome Grille
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Speed Sensitive Variable Intermittent Wipers
- Stainless Steel Side Windows Trim, Black Front Windshield Trim and Chrome Rear Window Trim
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/60R18 BSW
- Wheels: 18" Painted Aluminum

INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 60-40 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Rear Seat w/Manual Fore/Aft
- Air Filtration
- Cargo Net
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Heated Front Bucket Seats inc: driver and front passenger 4-way head restraints, 10-way power driver's seat w/power recline and lumbar and 6-way power front passenger seat w/manual recline and lumbar
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench 3rd Row Seat Front, Manual Fold Into Floor, 2 Manual and Adjustable Head Restraints
- FOB Controls inc: Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 4 12V DC Power Outlets
- Garage Door Transmitter
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts and Headliner/Pillar Ducts
- Includes Fold Flat
- Instrument Panel Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Simulated Wood Instrument Panel Insert, Simulated Wood Door Panel Insert, Metal-Look Console Insert and Chrome Interior Accents
- Keypad
- Leather/Chrome Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Locking Glove Box
- Manual Tilt/Telescoping Steering Column
- Manual w/Tilt Front Head Restraints and Manual Adjustable Rear Head Restraints
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button



Licensed to J.D. Power

7/26/2018

NADA New Cars/Trucks

- Remote Releases -inc: Power Cargo Access
- Seats w/Cloth Back Material
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- Systems Monitor
- Trip Computer
- Valet Function

MECHANICAL

- 19 Gal. Fuel Tank
- 3.65 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Brake Assist
- 60-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Electric Power-Assist Steering
- Engine: 3.5L Ti-VCT V6
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 6,150 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed SelectShift Automatic -inc: shifter button activation

SAFETY

- ABS And Driveline Traction Control
- Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Airbag Occupancy Sensor
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Low Tire Pressure Warning
- Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Rear Parking Sensors
- Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.8in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 83.2ft³
- Cargo Volume to Seat 2 43.2ft³
- Cargo Volume to Seat 3 20ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Â° F (Primary) 650

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D. Power and Associates



- Maximum Alternator Capacity (amps) N/A

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

Engine

- Displacement 3.5 L/213
- Engine Order Code 998
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 287 @ 6500
- SAE Net Torque @ RPM 254 @ 4000

Exterior Dimensions

- Height, Overall 68in
- Length, Overall 201.8in
- Liftover Height N/Ain
- Min Ground Clearance 5.9in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 65.4in
- Track Width, Rear 65.4in
- Wheelbase 117.9in
- Width, Max w/o mirrors 75.9in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 19gal

Interior Dimensions

- Front Head Room 41.8in
- Front Hip Room 55.5in
- Front Leg Room 40.8in
- Front Shoulder Room 58.4in
- Passenger Capacity 7
- Passenger Volume 155.8ft³
- Second Head Room 40.5in
- Second Hip Room 55in
- Second Leg Room 44.3in
- Second Shoulder Room 58.1in
- Third Head Room 38.7in
- Third Hip Room 41.1in
- Third Leg Room 33.3in
- Third Shoulder Room 50.8in

Mileage

- Cruising Range - City 323.00mi
- Cruising Range - Hwy 437.00mi
- EPA Fuel Economy Est - City 17MPG
- EPA Fuel Economy Est - Hwy 23MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 19MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 40.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm



- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/60TR18
- Rear Tire Order Code
- Rear Tire Size P235/60TR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 200lbs
- Dead Weight Hitch - Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs
- Wt Distributing Hitch - Max Tongue Wt. 200lbs
- Wt Distributing Hitch - Max Trailer Wt. 2000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.65
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87
- Sixth Gear Ratio (:1) 0.74
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 44J
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Standard Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 4637lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin