



Vehicle Information

Date: August 24, 2018
Vehicle: 2015 Kia Sorento Utility 4D LX AWD 2.4L I4
VIN: 5XYKTD60FG638696
Weight: 3,766

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$26,100	\$3,680	\$895	\$30,675
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
3RD ROW SEAT PACKAGE Code: TSA	\$930.00	\$1000.00
LX CONVENIENCE PACKAGE (7 SEAT) -inc: noise-reducing acoustic windshield glass, Auto Dimming Rear View Mirror w/Compass, UVO Audio w/eServices & Backup Camera Display, Roof Rails, Front Fog Lamps, Backup Warning System, Carpet Floor Mats (7 Seat), Leather Wrapped Steering Wheel & Gear Shift Knob, 2nd Row Sunscreen, Heated Front Seats Code: CPW	\$2025.00	\$2200.00
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
CARGO COVER (PIO) Code: CO	\$114.00	\$135.00
ILLUMINATED SCUFF PLATES (PIO) Code: SPL	\$208.00	\$250.00
MUDGUARDS (PIO) Code: MUG	\$78.00	\$95.00
REMINGTON RED METALLIC Code: TR3	\$0.00	\$0.00
BEIGE, TRICOT FABRIC SEAT TRIM Code: UP-2	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- 6 Speakers
- Bluetooth Wireless Phone Connectivity
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM/CD/MP3 Audio System -inc: SiriusXM satellite radio and auxiliary and USB audio input jacks
- Wireless Streaming



EXTERIOR

- Auto Off Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Black Bodyside Cladding and Black Wheel Well Trim
- Black Grille w/Chrome Surround
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Clearcoat Paint
- Compact Spare Tire Stored Underbody w/Crankdown
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Galvanized Steel Panels
- Liftgate Rear Cargo Access
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P235/65R17
- Variable Intermittent Wipers
- Wheels: 17" x 7.0 Silver Painted Alloy

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Rear Seat w/Manual Fore/Aft
- 4-Way Passenger Seat -inc: Manual Recline and Fore/Aft Movement
- 6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination, Driver And Passenger Auxiliary Mirror
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Front Bucket Seats
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 3 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC -inc: Underseat Ducts and Headliner/Pillar Ducts
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins and Audio Media Storage
- Interior Trim -inc: Simulated Wood Instrument Panel Insert, Simulated Wood/Metal-Look Door Panel Insert, Simulated Wood Console Insert, Chrome And Metal-Look Interior Accents
- Locking Glove Box
- Manual Air Conditioning
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Fuel
- Tricot Fabric Seat Trim
- Trip Computer
- Urethane Gear Shift Knob

MECHANICAL

- 110 Amp Alternator
- 17.4 Gal. Fuel Tank
- 3.648 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 54-Amp/Hr 600CCA Maintenance-Free Battery w/Run Down Protection
- Automatic Full-Time All-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case



Licensed to J.D. Power

- Engine: 2.4L I4 GDI DOHC w/Dual CVVT
- Front And Rear Anti-Roll Bars
- Gas-Pressurized Shock Absorbers
- GVWR: 4,983 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Single Stainless Steel Exhaust
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: 6-Speed Automatic w/Sportmatic

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Low Tire Pressure Warning
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 12.6in
- Rear Brake Rotor Diam x Thickness 11.9in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 72.5ft³
- Cargo Volume to Seat 2 36.9ft³
- Cargo Volume to Seat 3 9.1ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical


- Cold Cranking Amps @ 0Å° F (Primary) 600
- Maximum Alternator Capacity (amps) 110

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 8.0 (Est)

Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Regular Unleaded I4
- Fuel System Gasoline Direct Injection
- SAE Net Horsepower @ RPM 191 @ 6300
- SAE Net Torque @ RPM 181 @ 4250



Exterior Dimensions

- Height, Overall 66.9in
- Length, Overall 184.4in
- Lifter Height N/Ain
- Min Ground Clearance 7.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 64in
- Track Width, Rear 63.9in
- Wheelbase 106.3in
- Width, Max w/o mirrors 74.2in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 17.4gal

Interior Dimensions

- Front Head Room 39.2in
- Front Hip Room 56.3in
- Front Leg Room 41.3in
- Front Shoulder Room 59.3in
- Passenger Capacity 5
- Passenger Volume 142.2ft³
- Second Head Room 39.2in
- Second Hip Room 55.9in
- Second Leg Room 38.8in
- Second Shoulder Room 58.7in
- Third Head Room 35.7in
- Third Hip Room 44.4in
- Third Leg Room 31.7in
- Third Shoulder Room 53.8in

Mileage

- Cruising Range - City 330.60mi
- Cruising Range - Hwy 435.00mi
- EPA Fuel Economy Est - City 19MPG
- EPA Fuel Economy Est - Hwy 25MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 22MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 35.8ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/65TR17
- Rear Tire Order Code
- Rear Tire Size P235/65TR17
- Spare Tire Order Code
- Spare Tire Size Compact



Licensed to J.D. Power

Trailer

- Dead Weight Hitch - Max Tongue Wt. 165lbs
- Dead Weight Hitch - Max Trailer Wt. 1650lbs
- Maximum Trailering Capacity 1650lbs
- Wt Distributing Hitch - Max Tongue Wt. 165lbs
- Wt Distributing Hitch - Max Trailer Wt. 1650lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.65
- First Gear Ratio (:1) 4.64
- Fourth Gear Ratio (:1) 1.39
- Reverse Ratio (:1) 3.38
- Second Gear Ratio (:1) 2.83
- Sixth Gear Ratio (:1) 0.77
- Third Gear Ratio (:1) 1.84
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

Vehicle

- EPA Classification Small Sport Utility Vehicles 4WD

Weight Information

- Base Curb Weight 3766lbs
- Curb Weight - Front N/Albs
- Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin