



Vehicle Information

Date: September 19, 2018
Vehicle: 2014 Acura TSX Sedan 4D 2.4L I4 Auto
VIN: JH4CU2F45EC003830
Weight: 3,470

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$30,635	N/A	\$920	\$31,555
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A

Optional Equipment

	Invoice	MSRP
STANDARD PAINT Code: -PAINT	\$0.00	\$0.00
BELLANOVA WHITE PEARL Code: WV	\$0.00	\$0.00
PARCHMENT, PERFORATED LEATHER-TRIMMED INTERIOR Code: PA	\$0.00	\$0.00

Standard Equipment

ENTERTAINMENT

- Audio Theft Deterrent
- Bluetooth Handsfreelink Wireless Phone Connectivity
- Performance Speakers
- Radio w/Seek-Scan, Clock, Steering Wheel Controls and Radio Data System
- Radio: Premium AM/FM Stereo w/In-Dash CD-inc: Acura 360-watt audio system, 7 speakers (including subwoofer), XM Radio, USB audio interface w/iPod integration, MP3/auxiliary input jack, Bluetooth streaming audio, Radio Data System (RDS) and Speed-Sensitive Volume Compensation (SVC)
- Window Grid Diversity Antenna

EXTERIOR

- Body-Colored Front Bumper
- Body-Colored Power Heated Side Mirrors w/Manual Folding and Turn Signal Indicator
- Body-Colored Rear Bumper
- Chrome Door Handles
- Chrome Grille
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Express Open/Close Sliding And Tilting Glass 1st Row Sunroof w/Sunshade
- Fixed Rear Window w/Defroster
- Front Fog Lamps
- Front Windshield -inc: Sun Visor Strip
- Fully Galvanized Steel Panels
- Light Tinted Glass
- Programmable Projector Beam High Intensity Low Beam Daytime Running Headlamps w/Delay-Off



- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tires: P225/50R17 93V AS Radial -inc: High-performance
- Trunk Rear Cargo Access
- Wheels: 17" x 7.5" 5-Spoke

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 4-Way Passenger Seat
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 8-Way Driver Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate, Windows and Sunroof/Convertible Roof
- Front Center Armrest and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- Heated Front Sport Seats -inc: driver's 8-way power seat w/adjustable lumbar support and front passenger's 4-way power seat
- HomeLink Garage Door Transmitter
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Locking Glove Box
- Instrument Panel Covered Bin, Refrigerated/Cooled Box Located In The Console, Driver / Passenger And Rear Door Bins
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Metal-Look Interior Accents
- Leather/Aluminum Gear Shift Knob
- Leatherette Door Trim Insert
- Manual Anti-Whiplash Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt/Telescoping Steering Column
- Memory Settings -inc: Driver Seat
- Outside Temp Gauge
- Perforated Leather-Trimmed Interior
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 4 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases -inc: Power Cargo Access
- Sport Leather Steering Wheel
- Systems Monitor
- Trip Computer
- Valet Function

MECHANICAL

- 105 Amp Alternator
- 18.5 Gal. Fuel Tank
- 4.44 Axle Ratio
- 45-Amp/Hr 410CCA Maintenance-Free Battery w/Run Down Protection
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs and Brake Assist
- Double Wishbone Front Suspension w/Coil Springs
- Electric Power-Assist Speed-Sensing Steering
- Engine: 2.4L I4 16-Valve DOHC i-VTEC
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Transmission: 5-Speed Auto w/Sequential SportShift -inc: paddle shifters and Grade Logic Control

SAFETY

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D. Power and Associates



- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning
- Vehicle Stability Assist Electronic Stability Control (ESC)

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: Not Rated

Overall Frontal Barrier Crash Rating: Not Rated

Overall Side Crash Rating: Not Rated

Overall Rollover Rating: * * * * *

Dynamic Test Result: No Tip

Risk of Rollover: 9.9%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

WARRANTY

Basic:

4 Years/50,000 Miles

Drivetrain:

6 Years/70,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

4 Years/50,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type 4-Wheel Disc
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.8in
- Rear Brake Rotor Diam x Thickness 11.1in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Trunk Volume 14ft³

Cooling System

- Total Cooling System Capacity N/Aqts



Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 410
- Maximum Alternator Capacity (amps) 105

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year N/A

Engine

- Displacement 2.4 L/144
- Engine Order Code
- Engine Type Premium Unleaded I4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 201 @ 7000
- SAE Net Torque @ RPM 170 @ 4300

Exterior Dimensions

- Height, Overall 56.7in
- Length, Overall 185.6in
- Liftover Height N/Ain
- Min Ground Clearance 5.9in
- Track Width, Front 62.2in
- Track Width, Rear 62.2in
- Wheelbase 106.5in
- Width, Max w/o mirrors 72.4in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.5gal

Interior Dimensions

- Front Head Room 37.6in
- Front Hip Room 55.6in
- Front Leg Room 42.4in
- Front Shoulder Room 57.8in
- Passenger Capacity 5
- Passenger Volume 94.5ftÅ³
- Second Head Room 37in
- Second Hip Room 54.2in
- Second Leg Room 34.3in
- Second Shoulder Room 56.1in

Mileage

- Battery Range N/Ami
- Cruising Range - City N/Ami
- Cruising Range - Hwy N/Ami
- EPA Fuel Economy Est - City N/AMPG
- EPA Fuel Economy Est - Hwy N/AMPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined N/AMPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 36.7ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain



Licensed to J.D. Power

- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Double Wishbone
- Suspension Type - Front Double Wishbone
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P225/50VR17
- Rear Tire Order Code
- Rear Tire Size P225/50VR17
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. 100lbs
- Dead Weight Hitch - Max Trailer Wt. 1000lbs
- Wt Distributing Hitch - Max Tongue Wt. 100lbs
- Wt Distributing Hitch - Max Trailer Wt. 1000lbs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Fifth Gear Ratio (:1) 0.57
- Final Drive Axle Ratio (:1) 4.44
- First Gear Ratio (:1) 2.65
- Fourth Gear Ratio (:1) 0.77
- Reverse Ratio (:1) 2.00
- Second Gear Ratio (:1) 1.61
- Third Gear Ratio (:1) 1.08
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code
- Trans Type 5

Vehicle

- EPA Classification Compact Cars

Weight Information

- Base Curb Weight 3479lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 17 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 17 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin