

csievers@poquetauto.com

Vehicle Information

Date: September 11, 2018

Vehicle: 2015 GMC Light Duty Sierra 1500 Crew Cab SLE 4WD 5.3L


٧8

VIN: 3GTU2UEC9FG204693

Weight: 5,149

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$43,285	\$5,260	\$1,195	\$49,740
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment				
Optional Equipment			Invoice	MSRP
AIR CLEANER, HIGH-CAPACITY			\$22.75	\$25.00
(Included and only available with (Z71)	Off-Road Suspension Package.) Code: K47-R		
AIR CONDITIONING, DUAL-ZONE A	ZONE AUTOMATIC CLIMATE CONTROL \$0.00 \$0			\$0.00
(Included and only available with (PCM) Package, (PEC) Carbon-22 Edition or				
BATTERY, HEAVY-DUTY 720 COLD-CRANKING AMPS/80 AMP-HR, MAINTENANCE-FREE			\$0.00	\$0.00
with rundown protection and retained a engines.) Code: -UPBAT	ccessory power (Included and or	nly available with V8		
COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER			\$0.00	\$0.00
(Included and only available with (L83) 5.3L EcoTec3 V8 engine.) Code: KNP				
DEFOGGER, REAR-WINDOW ELECTRIC			\$0.00	\$0.00
(Included and only available with (PCM) Package, (PDA) Texas SLE Value Pac Convenience Package.) Code: C49-R				
FOG LAMPS, FRONT, HALOGEN			\$0.00	\$0.00
(Included and only available with (PCM) Package, (PDU) SLE Value Package, Package.) Code: T3U-R				
HILL DESCENT CONTROL			\$0.00	\$0.00
(Included and only available with (Z71)	Off-Road Suspension Package.) Code: JHD		
LPO, BODY COLOR MOLDED SPLA	PO, BODY COLOR MOLDED SPLASH GUARDS			\$250.00
(Requires (GAN) Quicksilver Metallic, (Diamond Tricoat or (GCN) Fire Red. No (VQK) Front and Rear Molded Splash (ot available with (SB1) Flat Spla	sh Guards, LPO or		
PEDALS, POWER-ADJUSTABLE			\$0.00	\$0.00
(Included and only available with (PDD)	SLE Convenience Package.) C	Code: JF4-R		
POWER OUTLET, 110-VOLT AC			\$0.00	\$0.00



(Included and only available with (PDD) SLE Convenience Package.) Code: A48-R

NADA		9/11/2018
Volues Volues	NADA New Cars/Trucks	
Licensed to J.D. Power	Invoice	Medd
REAR AXLE, 3.42 RATIO	Invoice \$0.00	MSRP \$0.00
	ψ0.00	ψ0.00
(Standard on 4WD V6 models. Available with (L83) 5.3L EcoTec3 V8 engine.) Code: GU6	\$0.00	\$0.00
EMISSIONS, FEDERAL REQUIREMENTS Code: FE9	φυ.υυ	φυ.υυ
ENGINE, 5.3L ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJECTION	\$996.45	\$1095.00
and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm) Code: L83		
GWR, 7200 LBS. (3266 KG)	\$0.00	\$0.00
(Requires 4WD models and (L83) 5.3L EcoTec3 V8 engine or (L86) 6.2L EcoTec3 V8 engine.) Code: C5Z	ψ0.00	ψο.σσ
OPTION/PACKAGE DISCOUNT	\$-682.50	\$-750.00
(Requires (PDA) Texas SLE Value Package or (PDU) SLE Value Package or (PEC) Carbon-22 Edition) *DISCOUNT* Code: -RET1SZ		
QUICKSILVER METALLIC	\$0.00	\$0.00
Code: GAN		
SOLID PAINT	\$0.00	\$0.00
Code: ZY1		
SLE PREFERRED EQUIPMENT GROUP	\$0.00	\$0.00
Includes Standard Equipment Code: 3SA		
AUDIO SYSTEM, 8" DIAGONAL COLOR TOUCH SCREEN WITH INTELLILINK, AM/FM/SIRIUSXM	\$0.00	\$0.00
with USB ports, auxiliary jack, SD card slot, Bluetooth streaming audio for music and most phones, hands-free Smartphone integration, Pandora Internet radio and voice-activated technology for radio and phone (STD) Code: IO5		
JET BLACK, CLOTH SEAT TRIM	\$0.00	\$0.00
Code: H0U		
SEATS, FRONT 40/20/40 SPLIT-BENCH	\$0.00	\$0.00
3-passenger. Includes driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Includes manually adjustable driver lumbar, lockable storage compartment in seat cushion, and storage pockets. (STD) (Not available with (GAT) All-Terrain Package.) Code: AZ3-R		
TIRES, P275/55R20 ALL-TERRAIN, BLACKWALL	\$182.00	\$200.00

(Not available with (GAT) All-Terrain Package. Available with (Z71) Off-Road Suspension Package or (NHT) Max Trailering Package.) Code: RD3

WHEELS, 20" X 9" (50.8 CM X 22.9 CM) ULTRA BRIGHT MACHINED ALUMINUM

(Requires 4WD model and (NHT) Max trailering package. Required with (GAT) All-Terrain

TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade

Standard Equipment

Braking (STD) Code: MYC

ENTERTAINMENT

- · 6-speaker audio system
- Audio system, 8" Diagonal Color Touch Screen with IntelliLink, AM/FM/SiriusXM with USB ports, auxiliary jack, SD card slot, Bluetooth streaming audio for music and most phones, hands-free Smartphone integration, Pandora Internet radio and voice-activated technology for radio and phone

\$0.00

\$864.50

\$0.00

\$950.00

Bluetooth for phone personal cell phone connectivity to vehicle audio system

Package when (NZH) 20" wheels are specified.) Code: RC7

- Single-slot CD/MP3 player
- SiriusXM Satellite Radio is standard on nearly all 2015 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus you can listen to SiriusXM Internet Radio everywhere on your computer, smartphone or tablet. Welcome to the world of SiriusXM. (IMPORTANT: The SiriusXM Satellite Radio trial package is not provided on vehicles that are ordered for Fleet Daily Rental ("FDR") use. If you decide to continue listening after your trial, the subscription plan you choose will automatically renew and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-



866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

Steering wheel audio controls

EXTERIOR

- · Bumper, front chrome
- Bumper, rear chrome with rear bumper corner steps
- · CornerStep, rear bumper
- Door handles, body-color
- · Glass, deep-tinted
- Grille surround, chrome (With (GAT) All-Terrain Package grille is body colored.)
- Headlamps, halogen projector
- · Lamps, cargo area, cab mounted with switch on center switch bank
- · LED Lighting, cargo box with switch on center switch bank
- Mirror caps, body-color (Deleted when (DPN) power camper mirrors are ordered.)
- Mirrors, outside heated power-adjustable (includes driver's side spotter mirror) (Body Color.)
- Moldings, bodyside, body color (Replaced by (B85) moldings with (GAT) All-Terrain Package.)
- Tailgate and bed rail protection caps, top
- Tailgate, EZ-Lift and Lower
- Tailgate, locking utilizes same key as ignition and door
- Tire carrier lock keyed cylinder lock that utilizes same key as ignition and door
- Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)
- Tires, P255/70R17 all-season, blackwall
- Wheel, full-size spare, 17" (43.2 cm) steel
- · Wheelhouse liners, rear
- Wheels, 17" x 8" (43.2 cm x 20.3 cm) premium painted aluminum, bright machined

INTERIOR

- · Air conditioning, single-zone
- Assist handle, front passenger on A-pillar
- · Cruise control, steering wheel-mounted
- · Door locks, power
- Driver Information Center, 4.2-inch diagonal color display includes driver personalization, warning messages and vehicle information
- · Floor covering, color-keyed carpeting with rubberized vinyl floor mats (Double Cab and Crew Cabs include second row floor mats)
- Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
- OnStar Directions and Connections plan for 6 months including Automatic Crash Response, Stolen Vehicle Assistance, Roadside Assistance and Turn-by-Turn Navigation (Visit www.onstar.com for vehicle availability, details and system limitations. Services may vary by model and conditions.)
- OnStar with 4G LTE provides a built-in Wi-Fi hotspot to connect to the internet at 4G LTE speeds (Visit www.onstar.com for vehicle availability, details and system limitations. Services
 and connectivity may vary by model and conditions. 4G LTE service available in select markets. 4G LTE performance based on industry averages and vehicle systems design. Some
 services require data plan.)
- Remote Keyless Entry
- Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor)
- Seats, front 40/20/40 split-bench 3-passenger. Includes driver and front passenger recline with outboard head restraints and center fold-down armrest with storage. Includes manually adjustable driver lumbar, lockable storage compartment in seat cushion, and storage pockets. (Not available with (GAT) All-Terrain Package.)
- Steering column, manual Tilt-Wheel
- Steering wheel, leather-wrapped with audio and cruise controls
- · Visors, driver and front passenger illuminated vanity mirrors
- Windows, power with driver express up and down and express down on all other windows

MECHANICAL

- Alternator, 150 amps
- Battery, heavy-duty 730 cold-cranking amps/70 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Body, Pick Up Box
- Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock
- Cargo tie downs (4), movable upper
- Cooling, external engine oil cooler
- Differential, heavy-duty locking rear (Standard on 4WD models. Included on 2WD models with (Z71) Off-Road Suspension Package, (PEC) Carbon-22 Edition, (PDU) SLE Value Package, (PDA) Texas SLE Value Package or (NHT) Max Trailering Package.) (Standard on 4WD models. Included on 2WD models with (Z71) Off-Road Suspension Package, (PDU) SLE Value Package, (PDA) Texas SLE Value Package or (NHT) Max Trailering Package.)
- Engine, 4.3L EcoTec3 V6 with Active Fuel Management Direct Injection and Variable Valve Timing, includes aluminum block construction with FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lbft of torque [413 Nm] @ 3900 rpm)
- Exhaust, aluminized stainless-steel muffler and tailpipe
- · Four wheel drive
- Frame, fully-boxed, hydroformed front section
- GVWR, 7100 lbs. (3221 kg) (Requires 4WD models and (LV3) 4.3L EcoTec3 V6 engine.)
- Rear axle, 3.42 ratio (Standard on 4WD V6 models. Available with (L83) 5.3L EcoTec3 V8 engine.)
- Recovery hooks, front, frame-mounted, black (Included and only available with (Z71) Off-Road Package on 2WD models. Standard on 4WD models.) (Standard on 4WD models. Included with (Z71) Off-Road Package with 2WD models and (9G3) Suspension Package, off-road, for base decor vehicles with 2WD models.)
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 36mm front stabilizer bar
- Transfer case, 4WD, active electronic Autotrac with rotary dial control (Included with 4WD models only.)
- Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking

SAFETY





- Air bags, dual-stage frontal airbags for driver and front passenger, seat-mounted side-impact airbags for driver and front outboard passenger, and head-curtain airbags for front and rear outboard seating positions; includes right-front airbag Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Daytime Running Lamps with automatic exterior lamp control
- Rear Vision Camera with dynamic guide lines
- StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist
- Tire Pressure Monitoring System (does not apply to spare tire)

Technical Specifications

Brakes

- Brake ABS System (Second Line)
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.00 x 1.18in
- Rear Brake Rotor Diam x Thickness 13.60 x 0.79in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Box (Area) Height 21.10in
- Cargo Box Length @ Floor 78.87in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings 51.03in
- Cargo Volume 61.00ftÅ³
- Ext'd Cab Cargo Volume N/AftÂ3
- Tailgate Width N/Ain

Cooling System

Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (2nd)
- Cold Cranking Amps @ OA° F (3rd) N/A
- Cold Cranking Amps @ OA° F (Primary) 720
- Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 10.0

Engine

- Displacement 5.3L/325
- Engine Oil Cooler Yes
- Engine Order Code L83
- Engine Type Gas V8
- **Fuel System Direct Injection**
- SAE Net Horsepower @ RPM 355 @ 5600
- SAE Net Torque @ RPM 383 @ 4100

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle 41.47in
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab 150.40in
- **Ground Clearance, Front 8.93in**
- Ground Clearance, Rear 8.93in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 34.1in
- Height, Overall 73.80in
- · Length, Overall N/Ain



- Length, Overall w/o rear bumper 239.00in
- · Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 153.00in
- Width, Max w/o mirrors 80.00in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type Hydroformed
- Sect Modulus Rails Only N/Ain³

Fuel Tank

- Aux Fuel Tank Capacity, Approx gal
- Aux Fuel Tank Location
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location N/A

Interior Dimensions

- Front Head Room 42.80in
- Front Hip Room 60.73in
- Front Leg Room 45.27in
- Front Shoulder Room 66.03in
- Passenger Capacity 6
- Second Head Room 40.50in
- Second Hip Room 60.27in
- Second Leg Room 40.93in
- Second Shoulder Room 65.73in

Mileage

- Cruising Range City 416.00mi
- Cruising Range Hwy 572.00mi
- EPA Fuel Economy Est City 16MPG
- EPA Fuel Economy Est Hwy 22MPG
- Fuel Economy Est-Combined 18MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Electric Rack & Pinion
- Turning Diameter Curb to Curb 48.6ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front 3950lbs
- Axle Capacity Rear 3950lbs
- Axle Ratio (:1) Front 3.42
- Axle Ratio (:1) Rear 3.42
- Axle Type Front Independent Driving
- Axle Type Rear Semi-floating
- Shock Absorber Diameter Front 46.00mm
- Shock Absorber Diameter Rear 35.00mm
- Spring Capacity Front 3950lbs
- Spring Capacity Rear 3950lbs
- Stabilizer Bar Diameter Front 1.35in
- Stabilizer Bar Diameter Rear in
- Suspension Type Front Independent
- Suspension Type Rear 2-Stage Multi-Leaf

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code RC7
- Front Tire Size P275/55R20
- Rear Tire Capacity N/Albs



- Rear Tire Order Code RC7
- Rear Tire Size P275/55R20
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code RC4
- Spare Tire Size P265/70R17

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity 10800lbs
- Wt Distributing Hitch Max Tongue Wt. 910lbs
- Wt Distributing Hitch Max Trailer Wt. 9100lbs

Transmission

- Clutch Size in
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.90
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.00
- Fourth Gear Ratio (:1) 1.20
- Reverse Ratio (:1) 3.10
- Second Gear Ratio (:1) 2.40
- Sixth Gear Ratio (:1) 0.70
- Third Gear Ratio (:1) 1.50
- Trans Description Cont. Again
- Trans Description Cont. Automatic
- Trans Order Code MYC
- Trans Power Take Off
- Trans Type 6
- Transfer Case Gear Ratio (:1), High 1.00
- Transfer Case Gear Ratio (:1), Low 2.69
- Transfer Case Model Magna MP3023/4
- Transfer Case Power Take Off

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight Front N/Albs
- Curb Weight Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating 7900.00lbs
- Gross Axle Wt Rating Front 3950lbs
- Gross Axle Wt Rating Rear 3950lbs
- Gross Combined Wt Rating 15000lbs
- Gross Vehicle Weight Rating 7200.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight Front 159.00lbs
 Option Weight Rear 154.00lbs
- Payload Weight Front Olbs
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs
- Reserve Axle Capacity Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight Front Olbs
- Standard Weight Rear Olbs
- Total Option Weight 313.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 x 9.0in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 x 9.0in
 Spare Wheel Material Steel
- Spare Wheel Size 17 x -TBD-in