



## Vehicle Information

**Date:** September 7, 2018  
**Vehicle:** 2016 Dodge Ram 1500 Crew Cab Laramie 4WD 5.7L V8  
**VIN:** 1C6RR7NT8GS185266  
**Weight:** 5,309

## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$45,190	\$3,185	\$1,195	<b>\$49,570</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
CONVENIENCE GROUP	\$421.00	\$495.00
-inc: Auto High Beam Headlamp Control, Rain Sensitive Windshield Wipers, Remote Proximity Keyless Entry, Keyless Go Code: ADC-R		
REMOTE START SYSTEM	\$191.00	\$225.00
Code: XBM-R		
3.21 REAR AXLE RATIO	\$0.00	\$0.00
(STD) Code: DMC-R		
QUICK ORDER PACKAGE 26H LARAMIE	\$0.00	\$0.00
-inc: Engine: 5.7L V8 HEMI MDS VVT, Transmission: 8-Speed Automatic (8HP70), GVWR: 6,900 lbs *Upon selection of this pkg, the cost of powertrain components will be added*		
Code: 26H		
ENGINE: 5.7L V8 HEMI MDS VVT	\$978.00	\$1150.00
Code: EZH-R		
GVWR: 6,900 LBS	\$0.00	\$0.00
Code: Z6N-R		
LOWER TWO-TONE PAINT	\$268.00	\$315.00
Code: APD		
BRILLIANT BLACK CRYSTAL PEARLCOAT	\$0.00	\$0.00
Code: PXR		
BLACK, LEATHER TRIMMED BUCKET SEATS	\$425.00	\$500.00
-inc: Full Length Upgraded Floor Console, Heated Second Row Seats, Bucket Seats Code: GJX9		
BRIGHT SILVER METALLIC CLEARCOAT	\$0.00	\$0.00
Code: QS2		
TIRES: P275/60R20 BSW AS	\$0.00	\$0.00
(STD) Code: TTN-R		
TRANSMISSION: 8-SPEED AUTOMATIC (8HP70)	\$425.00	\$500.00



	Invoice	MSRP
Code: DFK-R		
WHEELS: 20" X 9" CHROME CLAD ALUMINUM	\$0.00	\$0.00
(STD) Code: WRG		

## Standard Equipment

### ENTERTAINMENT

- 10 Alpine Speakers
- 2 LCD Monitors In The Front
- Fixed Antenna
- Integrated Voice Command w/Bluetooth
- Media Hub (SD, USB, AUX)
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: Uconnect 8.4
- Regular Amplifier
- SIRIUSXM Satellite Radio -inc: No satellite coverage in Hawaii or Alaska
- Streaming Audio

### EXTERIOR

- Active Grille Shutters
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Fender Flares
- Cargo Lamp w/High Mount Stop Light
- Center Hub
- Chrome Door Handles
- Chrome Front Bumper w/Body-Colored Rub Strip/Fascia Accent
- Chrome Grille
- Chrome Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Chrome Rear Step Bumper
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps
- Front License Plate Bracket
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Goodyear Brand Tires
- LED Brakelights
- Perimeter/Approach Lights
- Power Rear Window
- Regular Box Style
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tip Start
- Tires: P275/60R20 BSW AS
- Variable Intermittent Wipers
- Wheels w/Locks
- Wheels: 20" x 9" Chrome Clad Aluminum

### INTERIOR

- 115V Auxiliary Power Outlet
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 8.4" Touchscreen Display
- Analog Display
- Cargo Area Concealed Storage
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Door Mirrors, Audio and Pedals
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Dual Zone Front Automatic Air Conditioning w/Front Infrared
- Electronic Shift
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Folding Flat Load Floor Storage
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder



- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- GPS Antenna Input
- Heated Front Seats
- Heated Leather Steering Wheel
- High Back Seats
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Glove Box
- Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins, 1st Row Underseat Storage and 2nd Row Underseat Storage
- Interior Trim -inc: Deluxe Sound Insulation, Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood/Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather Trim 40/20/40 Bench Seat
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt Steering Column
- Mini Overhead Console and 3 12V DC Power Outlets
- Outside Temp Gauge
- Perimeter Alarm
- Power 10-Way Memory Driver & 6-Way Passenger Seats
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Adjustable Pedals
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear 60/40 Split Folding Seat
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Sentry Key Engine Immobilizer
- Systems Monitor
- Trip Computer
- Uconnect Access
- Underhood And Pickup Cargo Box Lights
- Urethane Gear Shift Knob
- Valet Function
- Ventilated Front Seats
- Vinyl Door Trim Insert
- Voice Recorder

## MECHANICAL

- 1470# Maximum Payload
- 160 Amp Alternator
- 26 Gal. Fuel Tank
- 3.21 Rear Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 50 State Emissions
- 730CCA Maintenance-Free Battery
- Auto Locking Hubs
- Class IV Towing w/Harness, Hitch and Trailer Sway Control
- Electric Power-Assist Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT -inc: Flex fuel capable
- Front And Rear Anti-Roll Bars
- GVWR: 6,800 lbs
- HD Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Short And Long Arm Front Suspension w/Coil Springs
- Single Stainless Steel Exhaust
- Transmission w/Driver Selectable Mode and HD Oil Cooler
- Transmission: 8-Speed Automatic (845RE)

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkView Back-Up Camera
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13.2in
- Rear Brake Rotor Diam x Thickness 13.8in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Box (Area) Height 20in
- Cargo Box Length @ Floor 67.4in
- Cargo Box Width @ Floor 66.4in
- Cargo Box Width @ Top, Rear 66.4in
- Cargo Box Width @ Wheelhousings 51in
- Cargo Volume 50.3ft<sup>3</sup>
- Ext'd Cab Cargo Volume N/Aft<sup>3</sup>
- Tailgate Width N/Ain

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Â° F (2nd) 730
- Cold Cranking Amps @ 0Â° F (3rd) N/A
- Cold Cranking Amps @ 0Â° F (Primary) 730
- Maximum Alternator Capacity (amps) 160

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO<sub>2</sub> Emissions @ 15K mi/year 10.3

### Engine

- Displacement 5.7 L/345
- Engine Oil Cooler None
- Engine Order Code EZH
- Engine Type Regular Unleaded V-8
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 395 @ 5600
- SAE Net Torque @ RPM 410 @ 3950

### Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle 28in
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 9.2in
- Ground Clearance, Rear 9.2in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 35.4in
- Height, Overall 78.1in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper N/Ain
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 140in
- Width, Max w/o mirrors 79.4in

### Frame

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report.

NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates.

©2018 J.D. Power and Associates



- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain<sup>3</sup>

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location Midship

## Interior Dimensions

- Front Head Room 41in
- Front Hip Room 63.2in
- Front Leg Room 41in
- Front Shoulder Room 66in
- Passenger Capacity 5
- Second Head Room 39.9in
- Second Hip Room 63.2in
- Second Leg Room 40.3in
- Second Shoulder Room 65.7in

## Mileage

- Cruising Range - City 390.00mi
- Cruising Range - Hwy 546.00mi
- EPA Fuel Economy Est - City 15MPG
- EPA Fuel Economy Est - Hwy 21MPG
- Fuel Economy Est-Combined 17MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 45.5ft
- Turning Diameter - Wall to Wall N/Aft

## Suspension

- Axle Capacity - Front 3900lbs
- Axle Capacity - Rear 3900lbs
- Axle Ratio (:1) - Front 3.21
- Axle Ratio (:1) - Rear 3.21
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Short And Long Arm
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Capacity 4728lbs
- Front Tire Order Code TTN
- Front Tire Size P275/60SR20
- Rear Tire Capacity 4728lbs
- Rear Tire Order Code TTN
- Rear Tire Size P275/60SR20
- Revolutions/Mile @ 45 mph - Front 636
- Revolutions/Mile @ 45 mph - Rear 636
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size



## Trailer

- Dead Weight Hitch - Max Tongue Wt. 788lbs
- Dead Weight Hitch - Max Trailer Wt. 7880lbs
- Maximum Trailering Capacity 7880lbs
- Wt Distributing Hitch - Max Tongue Wt. 788lbs
- Wt Distributing Hitch - Max Trailer Wt. 7880lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.29
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.30
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.10
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFK
- Trans Power Take Off N/A
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight 5585.00lbs
- As Spec'd Payload 1315.00lbs
- Curb Weight - Front 3001lbs
- Curb Weight - Rear 2326lbs
- Curb Weight 5327.00lbs
- Gross Axle Weight Rating 7800.00lbs
- Gross Axle Wt Rating - Front 3900lbs
- Gross Axle Wt Rating - Rear 3900lbs
- Gross Combined Wt Rating 13800lbs
- Gross Vehicle Weight Rating 6900.00lbs
- Maximum Payload Capacity 1573.00lbs
- Option Weight - Front 251.00lbs
- Option Weight - Rear 7.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 648.00lbs
- Reserve Axle Capacity - Rear 1567.00lbs
- Reserve Axle Capacity 2215.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 258.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 9in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 9in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein