csievers@poquetauto.com

Vehicle Information

Date:	September 11, 2018 2017 Nissan Altima Sedan 4D S 2.5L I4		
Vehicle:			
VIN:	1N4AL3AP1HC238853		
Weight:	3,212		

New Cars/Trucks Values

Base	Options	Destination	Adjusted Value
\$22,900	\$895	\$895	\$24,690
\$17,881	\$699	\$895	\$19,475
\$18,961	\$741	\$895	\$20,597
\$20,179	\$789	\$895	\$21,863
			MSRP
		\$148.00	\$190.00
		• • • • •	•
[N10] REMOTE ENGINE START		\$44.00	\$50.00
		\$ 224 22	AA AA AA
[X01] POWER DRIVER SEAT PACKAGE		\$301.00	\$340.00
-inc: 6-Way Power Driver's Seat Code: SEA-A		#0 00	# 0.00
STANDARD PAINT		\$0.00	\$0.00
		¢400.00	Ф <u>р</u> 4Е 00
[B92] BODY COLOR BODY SIDE MOLDINGS		\$190.00	\$215.00
(PIO) Code: BS2 [B94] CHROME BUMPER PROTECTOR		\$84.00	\$100.00
(PIO) Code: BUM		ψ04.00	ψ100.00
GUN METALLIC		\$0.00	\$0.00
		ψ0.00	ψ0.00
Code: KAD CHARCOAL, CLOTH SEAT TRIM			\$0.00
Code: G-0			T
	\$22,900 \$17,881 \$18,961 \$20,179	\$22,900 \$895 \$17,881 \$699 \$18,961 \$741 \$20,179 \$789	\$22,900 \$895 \$895 \$17,881 \$699 \$895 \$18,961 \$741 \$895 \$20,179 \$789 \$895 <i>Invoice</i> \$148.00 \$44.00 \$301.00 \$0.00

Standard Equipment

ENTERTAINMENT

- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM/CD/MP3 Audio System inc: 5" color display, Siri Eyes Free voice recognition, illuminated USB connection port for iPod interface and other compatible devices, hands free text messaging assistant, Radio Data System (RDS), auxin, 4 speakers and streaming audio via Bluetooth wireless technology
- Window Grid Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Accents
- Body-Colored Front Bumper



- Body-Colored Power Side Mirrors
- Body-Colored Rear Bumper
- Chrome Door Handles
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Fixed Rear Window w/Defroster
- Front Windshield -inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Headlamps w/DelayOff
- Galvanized Steel/Aluminum Panels
- Light Tinted Glass
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tires: P215/60TR16 AS
- Trunk Rear Cargo Access
- Wheels: 16" x 7.0" Steel w/Full Covers

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 4-Way Passenger Seat inc: Manual Recline and Fore/Aft Movement
- 6040 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- 6-Way Driver Seat -inc: Manual Recline, Height Adjustment and Fore/Aft Movement
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins and Audio Media Storage
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate and Windows
- Front And Rear Map Lights
- · Front Bucket Seats inc: 6-way manual driver's seat and 4-way manual passenger seat
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts
- Illuminated Locking Glove Box
- Interior Trim inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases Inc: Power Cargo Access and Mechanical Fuel
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer
- Urethane Gear Shift Knob
 Valet Function
- valet Functio

MECHANICAL

- 110 Amp Alternator
- 18 Gal. Fuel Tank
- 4.83 Axle Ratio
- 4226# Gvwr
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 550CCA Maintenance-Free Battery w/Run Down Protection
- Electro Hydraulic Power Assist Speed Sensing Steering



- Engine: 2.5L DOHC 16-Valve 4-Cylinder
- Front And Rear Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: Xtronic CVT (Continuously Variable)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.7in
- Rear Brake Rotor Diam x Thickness 11.5in
- Rear Drum Diam x Width in

Cargo Area Dimensions

• Trunk Volume 15.4ftÅ³

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ O° F (Primary) 550
- Maximum Alternator Capacity (amps) 110

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 5.6

Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I-4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 179 @ 6000
- SAE Net Torque @ RPM 177 @ 4000

Exterior Dimensions

- Height, Overall 57.8in
- Length, Overall 191.9in
- Liftover Height N/Ain
- Min Ground Clearance 5.4in
- Track Width, Front 62.4in



- Track Width, Rear 62.4in
- Wheelbase 109.3in
- Width, Max w/o mirrors 72in

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18gal

Interior Dimensions

- Front Head Room 40in
- Front Hip Room 54in
- Front Leg Room 45in
- Front Shoulder Room 56.4in
- Passenger Capacity 5
 Passenger Volume 101.9ftÂ
- Passenger Volume 101.9ftÂ³
 Second Head Room 37.1in
- Second Head Room 37.11
 Second Hip Room 52.1in
- Second Hip Room 52.111
 Second Leg Room 36.1in
- Second Ecg Room 50.111
 Second Shoulder Room 56.4in

Mileage

- Battery Range N/Ami
- Cruising Range City 486.00mi
- Cruising Range Hwy 702.00mi
- EPA Fuel Economy Est City 27MPG
 EPA Fuel Economy Est Hwy 39MPG
- EPA Fuel Economy Est Hwy 39M
 EPA MPG Equivalent City N/A
- EPA MPG Equivalent City N/A
 EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Combined F
 EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 31MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 36.1ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) MultiLink
- Suspension Type Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P215/60TR16
- Rear Tire Order Code
- Rear Tire Size P215/60TR16
- Spare Tire Order Code
- Spare Tire Size Compact

Trailering

- Dead Weight Hitch Max Tongue Wt. N/Albs
- Dead Weight Hitch Max Trailer Wt. N/Albs
- Wt Distributing Hitch Max Tongue Wt. N/Albs
- Wt Distributing Hitch Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Final Drive Axle Ratio (:1) 4.83



NADA New Cars/Trucks

- First Gear Ratio (:1) 2.63 0.38
- Reverse Ratio (:1) 0.74
- Trans Description Cont. Again
 Trans Description Cont. OVT w//
- Trans Description Cont. CVT w/OD
 Trans Order Code
- Trans Order Code
 Trans Type 1

Vehicle

• EPA Classification Mid-Size Cars

Weight Information

• Base Curb Weight 3212lbs

Wheels

- Front Wheel Material Steel
- Front Wheel Size 16 X 7in
- Rear Wheel Material Steel
- Rear Wheel Size 16 X 7in
 Share Wheel Material Sta
- Spare Wheel Material Steel
 Spare Wheel Size Compactin