

csievers@poquetauto.com



Vehicle Information

Date:	September 7, 2018
Vehicle:	2018 GMC Light Duty Yukon Utility 4D SLT 4WD 5.3L V8
VIN:	1GKS2BKC2JR179620
Weight:	5,626

New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$60,200	\$3,925	\$1,295	\$65,420
NADA New Vehicle Values	. ,	. ,	. ,	, ,
Low	\$53,939	\$3,517	\$1,295	\$58,751
	\$55,922	\$3,646		
Average	· · ·	-	\$1,295	\$60,863
High	\$58,234	\$3,797	\$1,295	\$63,326
Optional Equipment			Invoice	MSRP
SEATS, SECOND ROW 60/40 SPLIT-	FOI DING BENCH		\$0.00	\$0.00
power release (STD) Code: ATT			φ0.00	φ0.00
ENTERTAINMENT SYSTEM, REAR	\$1565.20	\$1720.00		
with remote control, overhead display, W wireless digital headphones, auxiliary HE (Included with (PCJ) Open Road Packag Code: U42				
OPEN ROAD PACKAGE	\$3121.30	\$3430.00		
includes additional 9 months of SiriusXM (U42) rear seat entertainment system an *GROSS* Code: PCJ				
SIRIUSXM NAVTRAFFIC.			\$0.00	\$0.00
Avoid congestion before you reach it by a system with NavTraffic. With detailed infor road closures and more, you will get to yo before. (Included and only available with with GMC Infotainment System. SiriusXM sold separately or as a package after triat trial, the subscription plan you choose will charged according to your chosen payme apply. To cancel you must call us at 1-86 complete terms at www.siriusxm.com. Al NavTraffic available only in select market www.siriusxm.com/navtraffic.) Code: -NA				
SUNROOF, POWER, TILT-SLIDING			\$950.95	\$1045.00
with express-open and close and wind do Code: CF5	eflector (Included with (PCJ) Op	en Road Package.)		
REAR AXLE, 3.08 RATIO	\$0.00	\$0.00		
Code: GU4	*• • • •	\$ 0.00		
EMISSIONS, FEDERAL REQUIREME	\$0.00	\$0.00		
Code: FE9				

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates. ©2018 J.D.Power and Associates

		9/7/2018
Values Values	NADA N	ew Cars/Trucks
Licensed to J.D. Power		
	Invoice	MSRP
ENGINE, 5.3L ECOTEC3 V8	\$0.00	\$0.00
with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 N-m] @ 4100 rpm) (STD) Code: L83		
OPTION/PACKAGE DISCOUNT	\$-455.00	\$-500.00
(Requires (PCJ) Open Road Package or (PCL) Premium Edition.) *DISCOUNT* Code: - RET1SZ		
WHITE FROST TRICOAT	\$905.45	\$995.00
Not available on SLE.) (Extra charge. Code: G1W		
SOLID PAINT	\$0.00	\$0.00
Code: ZY1		
SLT PREFERRED EQUIPMENT GROUP	\$0.00	\$0.00
Includes Standard Equipment Code: 4SA		
AUDIO SYSTEM, 8" DIAGONAL COLOR TOUCH SCREEN NAVIGATION WITH GMC INFOTAINMENT SYSTEM	\$450.45	\$495.00
AM/FM/SiriusXM stereo with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; voice-activated technology for radio and phone; and Shop. Featuring Apple CarPlay and Android Auto capability for compatible phone; 5 USB ports and 1 auxiliary jack (Included with (PCJ) Open Road Package.) Code: IO6		
JET BLACK, PERFORATED LEATHER-APPOINTED SEAT TRIM	\$0.00	\$0.00
Code: H2X		
SEATS, FRONT BUCKET WITH PERFORATED LEATHER-APPOINTED	\$0.00	\$0.00
heated and ventilated seat cushions, 12-way power driver and passenger seat includes 6-way power cushions, driver seat 2-position memory, 4-way power lumbar control and power recline (STD) Code: AN3		
SUSPENSION PACKAGE, PREMIUM SMOOTH RIDE	\$0.00	\$0.00
(STD) Code: ZW7		·
TIRES, P265/65R18 ALL-SEASON, BLACKWALL	\$0.00	\$0.00
(STD) Code: RKX	·	
TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED	\$0.00	\$0.00
with overdrive, tow/haul mode and tap up/tap down shifting (STD) Code: MYC		
WHEELS, 18" X 8.5" (45.7 CM X 21.6 CM) BRIGHT MACHINED ALUMINUM	\$0.00	\$0.00
(STD) Code: UHN		

Standard Equipment

ENTERTAINMENT

- Audio system feature, Bose premium 9-speaker system with subwoofer in center console
- Audio system feature, CD player (Replaced by (U42) rear seat entertainment system when (U42) is ordered.)

 Audio system, 8" diagonal Color Touch screen with GMC Infotainment System AM/FM/SiriusXM with USB ports and auxiliary jack with seek-and-scan and digital clock, includes Bluetooth streaming audio for music and select phones; voice-activated technology for radio and phone; and Shop. Featuring Apple CarPlay and Android Auto capability for compatible phone; 5 USB ports and 1 auxiliary jack

- GMC 4G LTE and available built in WiFi hotspot offers a fast and reliable Internet connection for up to 7 devices; includes data trial for 1 month or 3GB (whichever comes first); EFFECTIVE WITH RETAIL SALES STARTING 5/1/2018. (Available WiFi requires compatible mobile device, active OnStar service and data plan. Data plans provided by AT&T. Visit onstar.com for details and system limitations.)
- Radio, HD
- SiriusXM Satellite Radio is standard on nearly all 2018 GM models. Enjoy a 3-month All Access trial subscription with over 150 channels including commercial-free music, plus sports, news and entertainment. Plus listening on the app and online is included, so you'll hear the best SiriusXM has to offer, anywhere life takes you. Welcome to the world of SiriusXM. (If you decide to continue service after your trial, the subscription plan you choose will automatically renew thereafter and you will be charged according to your chosen payment method at then-current rates. Fees and taxes apply. To cancel you must call us at 1-866-635-2349. See our Customer Agreement for complete terms at www.siriusxm.com. All fees and programming subject to change.)

EXTERIOR

- Active aero shutters, front
- Assist steps, Black with chrome strip (Deleted when (RVQ) Black assist step kit, LPO or (VXH) Chrome assist step kit, LPO, is ordered.)
- Fog lamps with chrome surrounds
- Glass, deep tinted



- Headlamps, halogen projector
- Headlamps, IntelliBeam, automatic high beam on/off
- Liftgate, power, hands free
- Luggage rack side rails, roof-mounted, Black
- Mirrors, outside heated power-adjustable, power-folding and driver-side auto-dimming, body-color with integrated turn signal indicators and ground illumination.
- Tire carrier, lockable outside spare winch type mounted under frame at rear
- Tire, spare P265/70R17 all season, blackwall
- Tires, P265/65R18 all season, blackwall
- Wheel, full-size spare 17" (43.2 cm) steel
- Wheels, 18" x 8.5" (45.7 cm x 21.6 cm) bright machined aluminum
- Windshield style, acoustic laminated glass
- Windshield, solar-absorbing
- Wiper, rear
- Wipers, front rain sensing, intermittent

INTERIOR

- · Assist handles, 1st row passenger and 2nd row outboard seats
- Cargo net
- Climate control, tri-zone automatic, with individual climate settings for driver, right-front passenger and rear passengers
- · Console, floor with storage area, cup holders
- Cruise control, electronic with set and resume speed (Not included when (Y66) Adaptive Cruise Control is ordered.)
- Defogger, rear-window electric
- Door locks, power programmable with lockout protection
- Driver Information Center, 4.2" diagonal multi-color
- Floor covering, color-keyed carpeting
- Floor mats, color-keyed carpeted first and second row, removable
- Lighting, interior includes courtesy lighting with theater dimming, lighting for front and rear door handles, front and rear passenger footwells and door storage area
- Lighting, interior with dome light driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions
- Mirror, inside rearview auto dimming
- Passive Entry System includes (AQQ) Remote Keyless Entry
- Pedals, power-adjustable for accelerator and brake
- Power outlet, 110-volt, 1.1 Amp, 150 Watt
- Power outlets, 5 auxiliary, 12-volt includes outlets in the instrument panel, console, back of the console, 1 in 3rd row and 1 in the cargo area.
- Remote vehicle start includes extended range Remote Keyless Entry
- Safety Alert Seat
- Seats, front bucket with perforated leather appointed heated and ventilated seat cushions, 12-way power driver and passenger seat includes 6-way power cushions, driver seat 2-position memory, 4-way power lumbar control and power recline
- Seats, heated and ventilated driver and front passenger perforated leather-appointed
- Seats, heated second row, outboard positions
- Seats, second row 60/40 split-folding bench power release
- Seats, third row 60/40 split-bench, power fold
- Steering column, power tilt and telescopic
- Steering wheel controls, mounted audio controls and cruise controls Driver Information Center controls
- Steering wheel, heated, leather-wrapped
- Theft-deterrent system, electrical, unauthorized entry
- Universal Home Remote includes garage door opener, programmable
- Windows, power all express down, front express up

MECHANICAL

- 4-wheel drive
- Alternator, 150 amps
- Brakes, 4-wheel antilock, 4-wheel disc, VAC power with Brake Assist
- Cooling, auxiliary external transmission oil cooler, heavy-duty air-to-oil
- Cooling, external engine oil cooler, heavy duty air to oil integral to driver side of radiator
- Differential, heavy-duty locking rear
- Engine, 5.3L EcoTec3 V8 with Active Fuel Management, Direct Injection and Variable Valve Timing, includes aluminum block construction (355 hp [265 kW] @ 5600 rpm, 383 lbft of torque [518 N-m] @ 4100 rpm)
- Exhaust, aluminized stainless-steel muffler and tailpipe
- GVWR, 7300 lbs. (3311 kg) (Standard on 4WD models.)
- Keyless start, push button start
- Powertrain grade braking
- Rear axle, 3.08 ratio
- Steering, power
- Suspension Package, Premium Smooth Ride
- Suspension, front coil-over-shock with stabilizer bar
- Suspension, rear multi-link with coil springs
- Tools, mechanical jack and wheel wrench stored in rear quarter trim
- · Tow/haul mode selector, button located at end of shift lever
- Trailering equipment, heavy-duty includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver
 Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed. (Not available with 2WD models or (NHT) HD Trailering
- Package.)
- Transmission, 6-speed automatic, electronically controlled with overdrive, tow/haul mode and tap up/tap down shifting

PACKAGE

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates. ©2018 J.D.Power and Associates



9/7/2018

- Enhanced Driver Alert Package includes (UEU) Forward Collision Alert, Safety Alert Seat, (TQ5) IntelliBeam headlamps, (UHX) Lane Keep Assist with Lane Departure Warning and (UHY) Low Speed Forward Automatic Braking (When (Y66) Adaptive Cruise Control is ordered, RPO Code (Y86) will be removed. All content of (Y86) will remain standard except (UHY) Low Speed Forward Automatic Braking, which is replaced by (UGN) Forward Automatic Braking.)
- Memory Package Memory for driver seat, steering column and outside rearview mirrors and pedals

SAFETY

- Airbags, Frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Driver inboard seat-mounted side-impact airbag; Head-curtain airbags for all rows in outboard seating positions (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- Brakes, 4-wheel antilock, 4-wheel disc
- Brakes, Hill Start-Assist
- Daytime Running Lamps, with automatic exterior lamp control
- Forward Collision Alert
- Front and Rear Park Assist
- Front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
- GMC Connected Access with 10 years of standard connectivity which enables services such as, Vehicle Diagnostics, Dealer Maintenance Notification, GMC Smart Driver, Marketplace
 and more; EFFECTIVE WITH SALES STARTING 5/1/2018. (Included and only available with (UE1) OnStar. Limitations apply. Not transferable. Standard connectivity available to original
 purchaser for ten years from the date of initial vehicle purchase for model year 2018 or newer GMC vehicles. See onstar.com for details and further plan limitations. Connected Access
 does not include emergency or security services. Availability and additional services enabled by Connected Access are subject to change.)
- Lane Change Alert with Side Blind Zone Alert
- Lane Keep Assist with Lane Departure Warning
- LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats lower anchors and top tethers located in all second row seating positions, top tethers located in third row seating positions
- Low Speed Forward Automatic Braking
- OnStar and GMC connected services capable; EFFECTIVE WITH RETAIL SALES STARTING 5/1/2018. (Visit onstar.com for coverage map, details and system limitations. Services vary by model.)
- Rear Cross-Traffic Alert
- Rear Vision Camera
- StabiliTrak, stability control system with brake assist, includes traction control.
- Teen Driver mode a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to encourage safe driving behavior. It can limit certain vehicle
 features, and it prevents certain safety systems from being turned off. An in-vehicle report gives you information on your teen's driving habits and helps you to continue to coach your
 new driver
- Tire Pressure Monitoring System with Tire Fill Alert (does not apply to spare tire)

Technical Specifications

Brakes

- Brake ABS System (Second Line)
- Brake ABS System 4-Wheel
- Brake Type Pwr
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13 x 1.2in
- Rear Brake Rotor Diam x Thickness 13.6 x 0.8in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Console N/Ain
- Cargo Area Length @ Floor to Seat 1 79.9in
- Cargo Area Length @ Floor to Seat 2 43.2in
- Cargo Area Length @ Floor to Seat 3 11.1in
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height 33.94in
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ³
- Cargo Volume to Seat 1 94.7ftÂ³
- Cargo Volume to Seat 2 51.7ftÂ³
- Cargo Volume to Seat 3 15.3ftÂ³
- Cargo Volume to Seat 4 ftÂ³
- Ext'd Cab Cargo Volume N/AftÂ³
- Tailgate Width N/Ain

Cooling System

• Total Cooling System Capacity 17.4qts

Doors

NADA Used Car Guide assumes no responsibility or liability for any errors or omissions or any revisions or additions made by anyone on this report. NADA Used Car Guide and its logo are registered trademarks of National Automobile Dealers Association, used under license by J.D. Power and Associates ©2018 J.D.Power and Associates



Electrical

- Cold Cranking Amps @ O° F (2nd)
- Cold Cranking Amps @ O° F (3rd) N/A
 Cold Cranking Amps @ O° F (Drimony)
- Cold Cranking Amps @ 0° F (Primary) N/A
 Maximum Alternator Capacity (amps) 150

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.8

Engine

- Displacement 5.3L/325
- Engine Oil Cooler
- Engine Order Code L83
- Engine Type Gas V8
- Fuel System Direct Injection
- SAE Net Horsepower @ RPM 355 @ 5600
- SAE Net Torque @ RPM 383 @ 4100

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 8.0in
- Ground Clearance, Rear 8.0in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 35.91in
- Height, Overall 74.4in
- Length, Overall N/Ain
- Length, Overall w/rear bumper 203.9in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Side Door Opening Height in
- Side Door Opening Width in
- Step Up Height Front N/Ain
- Step Up Height Side N/Ain
- Wheelbase 116.0in
- Width, Max w/o mirrors 80.5in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type Ladder
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx gal
- Aux Fuel Tank Location
- Fuel Tank Capacity, Approx 26.0gal
- Fuel Tank Location

Interior Dimensions

- Front Head Room 42.8in
- Front Hip Room 60.8in
- Front Leg Room 45.3in
- Front Shoulder Room 64.8in
- Passenger Capacity 8
- Second Head Room 38.7in
- Second Hip Room 60.3in



- Second Leg Room 39.0in
- Second Shoulder Room 65.1in .
- Third Head Room 38.1in
- Third Hip Room 49.3in
- Third Leg Room 24.8in
- Third Shoulder Room 62.6in

Mileage

- Cruising Range City 416.00mi
- Cruising Range Hwy 572.00mi •
- EPA Fuel Economy Est City 16MPG
- EPA Fuel Economy Est Hwy 22MPG .
- ٠ Fuel Economy Est-Combined 18MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center 17.3 .
- Steering Ratio (:1), Overall N/A .
- Steering Type Pwr Rack & Pinion ٠
- Turning Diameter Curb to Curb 39.0ft .
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs Axle Ratio (:1) Front 3.08
- Axle Ratio (:1) Rear 3.08 .
- . Axle Type - Front Independent
- Axle Type Rear Semi-Floating
- Shock Absorber Diameter Front N/Amm •
- Shock Absorber Diameter Rear N/Amm .
- Spring Capacity Front N/Albs .
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front 1.42in •
- Stabilizer Bar Diameter Rear 1.10in •
- Suspension Type Front Coil-Over Shock .
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code RKX
- Front Tire Size P265/65R18 .
- **Rear Tire Capacity N/Albs** ٠
- Rear Tire Order Code RKX ٠
- Rear Tire Size P265/65R18 ٠
- Revolutions/Mile @ 45 mph Front N/A ٠
- Revolutions/Mile @ 45 mph Rear N/A .
- Revolutions/Mile @ 45 mph Spare N/A •
- Spare Tire Capacity N/Albs ٠
- Spare Tire Order Code RC4 .
- Spare Tire Size P265/70R17

Trailering

- Dead Weight Hitch Max Tongue Wt. 500lbs
- Dead Weight Hitch Max Trailer Wt. 5000lbs
- Maximum Trailering Capacity lbs
- Wt Distributing Hitch Max Tongue Wt. 630lbs
- Wt Distributing Hitch Max Trailer Wt. 6300lbs •

Transmission

- Clutch Size in
- Drivetrain Four Wheel Drive
- Fifth Gear Ratio (:1) 0.85 •
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.03 .
- Fourth Gear Ratio (:1) 1.15
- Reverse Ratio (:1) 3.06
- Second Gear Ratio (:1) 2.36 •
- Sixth Gear Ratio (:1) 0.67



- Third Gear Ratio (:1) 1.53
- Trans Description Cont. Again •
- **Trans Description Cont. Automatic** •
- Trans Order Code MYC •
- **Trans Power Take Off** ٠
- . Trans Type 6
- Transfer Case Gear Ratio (:1), High 1.00 ٠
- Transfer Case Gear Ratio (:1), Low N/A • • Transfer Case Model Magna
- Transfer Case Power Take Off

Vehicle

• Rear Door Type Liftgate

Weight Information

- As Spec'd Curb Weight 5626.00lbs
- As Spec'd Payload 1674.00lbs .
- Curb Weight Front 2926lbs •
- Curb Weight Rear 2700lbs ٠
- Curb Weight 5626.00lbs ٠
- Gross Axle Weight Rating 7700.00lbs ٠
- Gross Axle Wt Rating - Front 3600lbs
- Gross Axle Wt Rating Rear 4100lbs •
- Gross Combined Wt Rating 12000lbs • .
- Gross Vehicle Weight Rating 7300.00lbs Maximum Payload Capacity 1674.00lbs •
- Option Weight Front 0.00lbs •
- Option Weight Rear 0.00lbs
- Payload Weight Front Olbs ٠
- Payload Weight Rear Olbs ٠
- **Reserve Axle Capacity Front 674.00lbs** •
- Reserve Axle Capacity Rear 1400.00lbs •
- Reserve Axle Capacity 2074.00lbs •
- Standard Weight Front Olbs .
- Standard Weight Rear Olbs ٠
- **Total Option Weight 0.00lbs**

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 x 8.5in
- **Rear Wheel Material Aluminum** •
- Rear Wheel Size 18 x 8.5in •
- **Spare Wheel Material Steel** ٠ • Spare Wheel Size 17 x -TBD-in