

csievers@poquetauto.com

Vehicle Information

Date: September 7, 2018

Vehicle: 2018 Dodge Durango Utility 4D R/T AWD 5.7L V8

VIN: 1C4SDJCT4JC276271

Weight: 5,381

New Cars/Trucks Values

	Powered by Chrome Data	Base	Options	Destination	Adjusted Value
	Base MSRP	\$46,345	\$2,885	\$1,395	\$50,625
	NADA New Vehicle Values				
	Low	\$42,215	\$2,628	\$1,395	\$46,238
	Average	\$43,790	\$2,726	\$1,395	\$ 47 ,911
	•	•	\$2,857	\$1,395	•
	High	\$45,893	φ2,037	φ1,393	\$50,145
Optional Equipment					
				Invoice	MSRP
	BLACK ROOF RAILS			\$0.00	\$0.00
	-inc: Integrated Roof Rail Crossbars Code: N	/IWE-D-R		\$000.00	የ ሰርር ሰር
	BLACKTOP PACKAGE	: M: \// OO!	0 011 Ola an Dia al-	\$886.00	\$995.00
	-inc: Gloss Black Badges, Gloss Black Exter Aluminum Code: ADX	ior Mirrors, Wheels: 20° x	8.0" Gloss Black		
	CARGO PLUS GROUP			\$530.00	\$595.00
	-inc: Black Roof Rails, Integrated Roof Rail C AZ2-B	Crossbars, Cargo Compa	tment Cover Code:		
	POWER SUNROOF			\$1153.00	\$1295.00
	Code: GWA-R				
	QUICK ORDER PACKAGE 22S			\$0.00	\$0.00
	-inc: Engine: 5.7L V8 HEMIMDS VVT, Trans 22S-R	smission: 8-Speed Autom	atic (8HP70) Code:		
	ENGINE: 5.7L V8 HEMI MDS VVT			\$0.00	\$0.00
	(STD) Code: EZH			•	
	STANDARD PAINT			\$0.00	\$0.00
	Code: -PAINT			Φ0.00	40.00
	WHITE KNUCKLE CLEARCOAT			\$0.00	\$0.00
	Code: PW7	/ET 05 4T0		ተ ለ ሰላ	ተ ለ ሰላ
	BLACK, LUX LEATHER TRIMMED BUCK	(ETSEATS		\$0.00	\$0.00
	Code: VLX9 TIRES: P265/50R20 BSW AS LRR			\$0.00	\$0.00
	(STD) Code: TKJ			ψ0.00	ψ0.00
	TRANSMISSION: 8-SPEED AUTOMATIC	(8HP70)		\$0.00	\$0.00
	(STD) Code: DFD-R	(/		Ψ0.00	Ψ0.00
	WHEELS: 20" X 8.0" GLOSS BLACK ALL	JMINUM		\$0.00	\$0.00
	Code: WEB			·	·



Standard Equipment

ENTERTAINMENT

- 10 Beats Speakers
- 2 LCD Monitors In The Front
- 506w Regular Amplifier
- Automatic Equalizer
- Fixed Antenna
- Radio w/Seek-Scan, Clock, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: Uconnect 4C Nav w/8.4" Display
- Siriusxm Traffic Real-Time Traffic Display
- Streaming Audio
- Uconnect w/Bluetooth Wireless Phone Connectivity

EXTERIOR

- Black Side Windows Trim
- Body-Colored Bodyside Insert and Body-Colored Wheel Well Trim
- Body-Colored Door Handles
- Body-Colored Front Bumper
- Body-Colored Grille
- Body-Colored Power Heated Side Mirrors w/Driver Auto Dimming, Manual Folding and Turn Signal Indicator
- · Body-Colored Rear Step Bumper
- Clearcoat Paint
- Deep Tinted Glass
- Fixed Rear Window w/Fixed Interval Wiper and Defroster
- Front Fog Lamps
- Front License Plate Bracket
- Full Size Spare Tire
- Fully Automatic Projector Beam High Intensity Low Beam Daytime Running Auto-Leveling Auto High-Beam Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Laminated Glass
- LED Brakelights
- Lip Spoiler
- Perimeter/Approach Lights
- Power Liftgate Rear Cargo Access
- Spare Tire Stored Underbody w/Crankdown
 Speed Sensitive Rain Detecting Variable Intermittent Wipers
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P265/50R20 BSW AS LRR
- Wheels: 20" x 8.0" Low Gloss Granite Crystal

INTERIOR

- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 3 12V DC Power Outlets and 1 AC Power Outlet
- 4-Way Power Driver Seat -inc: Power 4-Way Lumbar Support
- 4-Way Power Passenger Seat inc: Power 4-Way Lumbar Support and Fold Flat
- 60-40 Folding Split-Bench Front Facing Heated Manual Reclining Fold Forward Seatback Rear Seat
- Air Filtration
- Apple CarPlay
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Digital/Analog Display
- Driver And Passenger Heated-Cushion, Driver And Passenger Heated-Seatback and Ventilated Front Seats
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Dual Zone Front Automatic Air Conditioning
- Fade-To-Off Interior Lighting
- Fixed 50-50 Split-Bench Vinyl 3rd Row Seat Front, Manual Fold Into Floor, 2 Power and Adjustable Head Restraints
- FOB Controls inc: Trunk/Hatch/Tailgate, Windows and Remote Engine Start
- Front And Rear Map Lights
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Seats w/Power 4-Way Driver Lumbar
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage, 3 12V DC Power Outlets and 1 AC Power Outlet
- Garage Door Transmitter



- Licensed to J.D. Power
- Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- Google Android Auto
- Heated Leather/Metal-Look Steering Wheel
- HVAC inc: Auxiliary Rear Heater, Headliner/Pillar Ducts and Console Ducts
- Illuminated Front Cupholder
- Illuminated Locking Glove Box
- Instrument Panel Bin, Driver / Passenger And Rear Door Bins
- Interior Trim inc: Chrome Interior Accents
- Leather Door Trim Insert
- Lux Leather Trimmed Bucket Seats
- Manual Anti-Whiplash w/Tilt Front Head Restraints and Fixed Rear Head Restraints
- Memory Settings inc: Door Mirrors and Audio
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power 8-Way Driver Memory 8-Way Passenger Seats
- Power Door Locks w/Autolock Feature
- Power Fuel Flap Locking Type
- Power Rear Windows and Fixed 3rd Row Windows
- Power Tilt/Telescoping Steering Column
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Remote Releases Inc: Power Cargo Access and Power Fuel
- Sentry Key Engine Immobilizer
- SiriusXM Guardian Selective Service Internet Access
- · Systems Monitor
- Trip Computer
- Trunk/Hatch Auto-Latch
- UConnect Access Tracker System
- Urethane Gear Shift Knob
- Valet Function

MECHANICAL

- 1390# Maximum Payload
- 180 Amp Alternator
- 24.6 Gal. Fuel Tank
- 3.09 Rear Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist and Hill Hold Control
- 50 State Emissions
- 700CCA Maintenance-Free Battery w/Run Down Protection
- Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Electric Power-Assist Steering
- Electronic Transfer Case
- Engine: 5.7L V8 HEMI MDS VVT
- Front And Rear Anti-Roll Bars
- Full-Time All-Wheel Drive
- · Gas-Pressurized Shock Absorbers
- GVWR: 7,100 lbs
- Heavy Duty Engine Cooling
- Multi-Link Rear Suspension w/Coil Springs
- Permanent Locking Hubs
- Rear Auto-Leveling Suspension
- Short And Long Arm Front Suspension w/Coil Springs
- Sport Tuned Suspension
- Towing w/Trailer Sway Control
- Transmission w/Driver Selectable Mode and Sequential Shift Control w/Steering Wheel Controls
- Transmission: 8-Speed Automatic (8HP70)

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st, 2nd And 3rd Row Airbags
- Driver Knee Airbag
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkSense Front And Rear Parking Sensors
- ParkView Back-Up Camera
- Rear Child Safety Locks
- Roadside Assistance/9-1-1 Call Emergency Sos
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning



Technical Specifications

Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or) Yes
- Disc Rear (Yes or) Yes
- Drum Rear (Yes or)
- Front Brake Rotor Diam x Thickness 13.8in
- Rear Brake Rotor Diam x Thickness 13in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Floor N/Ain
- Cargo Box Width @ Top, Rear N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume N/AftÂ³
- Cargo Volume to Seat 1 84.5ftÂ3
- Cargo Volume to Seat 2 47.7ftÂ3
- Cargo Volume to Seat 3 17.2ftÂ3
- Ext'd Cab Cargo Volume N/AftÂ3
- Tailgate Width N/Ain

Cooling System

• Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ OA° F (2nd) 700
- Cold Cranking Amps @ OA° F (3rd) N/A
- Cold Cranking Amps @ OA° F (Primary) 700
- Maximum Alternator Capacity (amps) 180

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 10.4

Engine

- Displacement 5.7 L/345
- Engine Oil Cooler None
- **Engine Order Code EZH**
- Engine Type Regular Unleaded V-8
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 360 @ 5150 SAE Net Torque @ RPM 390 @ 4250

Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle N/Ain
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front N/Ain
- Ground Clearance, Rear N/Ain Ground to Top of Frame N/Ain
- Ground to Top of Load Floor N/Ain
- Height, Overall 71.9in
- Length, Overall 201.2in
- Length, Overall w/rear bumper N/Ain
- Liftover Height 32.2in



- Min Ground Clearance 8.1in
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain Track Width, Front 63.9in
- Track Width, Rear 64.1in
- Wheelbase 119.8in
- Width, Max w/o mirrors 75.8in

Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/AinÂ³

Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 24.6gal
- Fuel Tank Location Midship

Interior Dimensions

- Front Head Room 39.9in
- Front Hip Room 57in
- Front Leg Room 40.3in
- Front Shoulder Room 58.5in
- Passenger Capacity 7 Second Head Room 39.8in
- Second Hip Room 42.8in
- Second Leg Room 38.6in
- Second Shoulder Room 50.4in
- Third Head Room 37.8in
- Third Hip Room 42.8in
- Third Leg Room 31.5in
- Third Shoulder Room 50.4in

Mileage

- Cruising Range City 344.40miCruising Range Hwy 541.20mi
- **EPA Fuel Economy Est City 14MPG**
- EPA Fuel Economy Est Hwy 22MPG
- Fuel Economy Est-Combined 17MPG

Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 37.1ft
- Turning Diameter Wall to Wall N/Aft

Suspension

- Axle Capacity Front N/Albs
- Axle Capacity Rear N/Albs
- Axle Ratio (:1) Front 3.09
- Axle Ratio (:1) Rear 3.09
- Axle Type Front Independent
- Axle Type Rear Independent
- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm
- Spring Capacity Front N/Albs
- Spring Capacity Rear N/Albs
- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front Short And Long Arm
- Suspension Type Rear Multi-Link



Tires

- Front Tire Capacity N/Albs
- Front Tire Order Code TKJ
- Front Tire Size P265/50TR20
- Rear Tire Capacity N/Albs
- Rear Tire Order Code TKJ
- Rear Tire Size P265/50TR20
- Revolutions/Mile @ 45 mph Front N/A
- Revolutions/Mile @ 45 mph Rear N/A
- Revolutions/Mile @ 45 mph Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

Trailering

- Dead Weight Hitch Max Tongue Wt. 720lbs
- Dead Weight Hitch Max Trailer Wt. 7200lbs
- **Maximum Trailering Capacity 7200lbs**
- Wt Distributing Hitch Max Tongue Wt. 720lbs
- Wt Distributing Hitch Max Trailer Wt. 7200lbs

Transmission

- Clutch Size N/Ain
- Drivetrain All Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.28
- Final Drive Axle Ratio (:1) N/A • First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.29
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.11
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFD
- Trans Power Take Off N/A
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

Weight Information

- As Spec'd Curb Weight N/Albs
- As Spec'd Payload N/Albs
- Curb Weight Front N/Albs Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Gross Axle Weight Rating N/Albs
- Gross Axle Wt Rating Front N/Albs
- Gross Axle Wt Rating Rear N/Albs
- Gross Combined Wt Rating N/Albs
- Gross Vehicle Weight Rating 7100.00lbs
- Maximum Payload Capacity N/Albs
- Option Weight Front 0.00lbs Option Weight - Rear 0.00lbs
- Payload Weight Front Olbs
- Payload Weight Rear Olbs
- Reserve Axle Capacity Front N/Albs
- Reserve Axle Capacity Rear N/Albs
- Reserve Axle Capacity N/Albs
- Standard Weight Front Olbs
- Standard Weight Rear Olbs Total Option Weight 0.00lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8in
- Rear Wheel Material Aluminum



- Rear Wheel Size 20 X 8in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein