



## Vehicle Information

**Date:** September 13, 2018  
**Vehicle:** 2016 Dodge Ram 1500 Crew Cab Laramie 4WD 5.7L V8  
**VIN:** 1C6RR7NT5GS391810  
**Weight:** 5,309

## New Cars/Trucks Values

Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$45,190	\$8,015	\$1,195	<b>\$54,400</b>
<b>NADA New Vehicle Values</b>				
Low	N/A	N/A	N/A	<b>N/A</b>
Average	N/A	N/A	N/A	<b>N/A</b>
High	N/A	N/A	N/A	<b>N/A</b>

## Optional Equipment

	Invoice	MSRP
4-CORNER AIR SUSPENSION Code: SER-R	\$1458.00	\$1715.00
CHROME BODYSIDE MOLDING Code: MJB	\$230.00	\$270.00
CONVENIENCE GROUP -inc: Auto High Beam Headlamp Control, Rain Sensitive Windshield Wipers, Remote Proximity Keyless Entry, Keyless Go Code: ADC-R	\$421.00	\$495.00
LED BED LIGHTING Code: LPL	\$85.00	\$100.00
PARKSENSE FRONT/REAR PARK ASSIST SYSTEM Code: XAG-R	\$336.00	\$395.00
POWER SUNROOF Code: GWA-R	\$846.00	\$995.00
RADIO: UCONNECT 8.4 NAV -inc: SiriusXM Travel Link, 1 Year Sirius Travel Link Service, 5-Year SiriusXM Travel Link Service, 5-Year SiriusXM Traffic Service, 1 Yr, Trial (Registration Required), HD Radio, GPS Navigation, Uconnect Access 1 Year Trial, SIRIUSXM Traffic, 1 Year Sirius Real Time Traffic Service Code: RA4-R	\$510.00	\$600.00
REAR WINDOW DEFROSTER Code: GFA-R	\$166.00	\$195.00
REMOTE START SYSTEM Code: XBM-R	\$191.00	\$225.00
SPRAY IN BEDLINER Code: XMF-R	\$421.00	\$495.00
TRAILER BRAKE CONTROL Code: XHC-R	\$238.00	\$280.00
WHEEL TO WHEEL SIDE STEPS	\$510.00	\$600.00



	Invoice	MSRP
Code: MRA-R		
3.21 REAR AXLE RATIO	\$0.00	\$0.00
(STD) Code: DMC-R		
QUICK ORDER PACKAGE 26H LARAMIE	\$0.00	\$0.00
-inc: Engine: 5.7L V8 HEMI MDS VVT, Transmission: 8-Speed Automatic (8HP70), GVWR: 6,900 lbs *Upon selection of this pkg, the cost of powertrain components will be added*		
Code: 26H		
ENGINE: 5.7L V8 HEMI MDS VVT	\$978.00	\$1150.00
Code: EZH-R		
GVWR: 6,900 LBS	\$0.00	\$0.00
Code: Z6N-R		
MONOTONE PAINT	\$0.00	\$0.00
Code: APA		
BRILLIANT BLACK CRYSTAL PEARLCOAT	\$0.00	\$0.00
Code: PXR		
BLACK, LEATHER TRIM 40/20/40 BENCH SEAT	\$0.00	\$0.00
Code: VLX9		
TIRES: P275/60R20 BSW AS	\$0.00	\$0.00
(STD) Code: TTN-R		
TRANSMISSION: 8-SPEED AUTOMATIC (8HP70)	\$425.00	\$500.00
Code: DFK-R		
WHEELS: 20" X 9" CHROME CLAD ALUMINUM	\$0.00	\$0.00
(STD) Code: WRG		

## Standard Equipment

### ENTERTAINMENT

- 10 Alpine Speakers
- 2 LCD Monitors In The Front
- Fixed Antenna
- Integrated Voice Command w/Bluetooth
- Media Hub (SD, USB, AUX)
- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls, Voice Activation and Radio Data System
- Radio: Uconnect 8.4
- Regular Amplifier
- SIRIUSXM Satellite Radio -inc: No satellite coverage in Hawaii or Alaska
- Streaming Audio

### EXTERIOR

- Active Grille Shutters
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Fender Flares
- Cargo Lamp w/High Mount Stop Light
- Center Hub
- Chrome Door Handles
- Chrome Front Bumper w/Body-Colored Rub Strip/Fascia Accent
- Chrome Grille
- Chrome Power w/Tilt Down Heated Auto Dimming Side Mirrors w/Power Folding and Turn Signal Indicator
- Chrome Rear Step Bumper
- Clearcoat Paint
- Deep Tinted Glass
- Front Fog Lamps
- Front License Plate Bracket
- Full-Size Spare Tire Stored Underbody w/Crankdown
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Goodyear Brand Tires
- LED Brakelights
- Perimeter/Approach Lights
- Power Rear Window



Licensed to J.D. Power

- Regular Box Style
- Steel Spare Wheel
- Tailgate Rear Cargo Access
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tip Start
- Tires: P275/60R20 BSW AS
- Variable Intermittent Wipers
- Wheels w/Locks
- Wheels: 20" x 9" Chrome Clad Aluminum

## INTERIOR

- 115V Auxiliary Power Outlet
- 2 Seatback Storage Pockets
- 3 12V DC Power Outlets
- 8.4" Touchscreen Display
- Analog Display
- Cargo Area Concealed Storage
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Auto-Dimming Rearview Mirror
- Delayed Accessory Power
- Door Mirrors, Audio and Pedals
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Dual Zone Front Automatic Air Conditioning w/Front Infrared
- Electronic Shift
- Fade-To-Off Interior Lighting
- FOB Controls -inc: Trunk/Hatch/Tailgate
- Folding Flat Load Floor Storage
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Front Map Lights
- Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Garage Door Transmitter
- Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter, Trip Odometer and Trip Computer
- GPS Antenna Input
- Heated Front Seats
- Heated Leather Steering Wheel
- High Back Seats
- HVAC -inc: Underseat Ducts and Console Ducts
- Illuminated Glove Box
- Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins, 1st Row Underseat Storage and 2nd Row Underseat Storage
- Interior Trim -inc: Deluxe Sound Insulation, Simulated Wood/Metal-Look Instrument Panel Insert, Simulated Wood/Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather Trim 40/20/40 Bench Seat
- Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
- Manual Tilt Steering Column
- Mini Overhead Console and 3 12V DC Power Outlets
- Outside Temp Gauge
- Perimeter Alarm
- Power 10-Way Memory Driver & 6-Way Passenger Seats
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Adjustable Pedals
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Rear 60/40 Split Folding Seat
- Rear Cupholder
- Redundant Digital Speedometer
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Sentry Key Engine Immobilizer
- Systems Monitor
- Trip Computer
- Uconnect Access
- Underhood And Pickup Cargo Box Lights
- Urethane Gear Shift Knob
- Valet Function
- Ventilated Front Seats
- Vinyl Door Trim Insert
- Voice Recorder

## MECHANICAL

- 1470# Maximum Payload
- 160 Amp Alternator
- 26 Gal. Fuel Tank
- 3.21 Rear Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control



Licensed to J.D. Power

- 50 State Emissions
- 730CCA Maintenance-Free Battery
- Auto Locking Hubs
- Class IV Towing w/Harness, Hitch and Trailer Sway Control
- Electric Power-Assist Steering
- Electronic Transfer Case
- Engine Oil Cooler
- Engine: 3.6L V6 24V VVT-inc: Flex fuel capable
- Front And Rear Anti-Roll Bars
- GVWR: 6,800 lbs
- HD Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Part And Full-Time Four-Wheel Drive
- Short And Long Arm Front Suspension w/Coil Springs
- Single Stainless Steel Exhaust
- Transmission w/Driver Selectable Mode and HD Oil Cooler
- Transmission: 8-Speed Automatic (845RE)

## SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts-inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- ParkView Back-Up Camera
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

## Technical Specifications

### Brakes

- Brake ABS System (Second Line) 4-Wheel
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or ) Yes
- Disc - Rear (Yes or ) Yes
- Drum - Rear (Yes or )
- Front Brake Rotor Diam x Thickness 13.2in
- Rear Brake Rotor Diam x Thickness 13.8in
- Rear Drum Diam x Width in

### Cargo Area Dimensions

- Cargo Box (Area) Height 20in
- Cargo Box Length @ Floor 67.4in
- Cargo Box Width @ Floor 66.4in
- Cargo Box Width @ Top, Rear 66.4in
- Cargo Box Width @ Wheelhousings 51in
- Cargo Volume 50.3ft<sup>3</sup>
- Ext'd Cab Cargo Volume N/Aft<sup>3</sup>
- Tailgate Width N/Ain

### Cooling System

- Total Cooling System Capacity N/Aqts

### Electrical

- Cold Cranking Amps @ 0Å° F (2nd) 730
- Cold Cranking Amps @ 0Å° F (3rd) N/A
- Cold Cranking Amps @ 0Å° F (Primary) 730
- Maximum Alternator Capacity (amps) 160

### Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO<sub>2</sub> Emissions @ 15K mi/year 10.3



## Engine

- Displacement 5.7 L/345
- Engine Oil Cooler None
- Engine Order Code EZH
- Engine Type Regular Unleaded V-8
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 395 @ 5600
- SAE Net Torque @ RPM 410 @ 3950

## Exterior Dimensions

- Body Length 0.00ft
- Cab to Axle 28in
- Cab to Body N/Ain
- Cab to End of Frame N/Ain
- Frame Width, Rear N/Ain
- Front Bumper to Back of Cab N/Ain
- Ground Clearance, Front 9.3in
- Ground Clearance, Rear 9.3in
- Ground to Top of Frame N/Ain
- Ground to Top of Load Floor 36.9in
- Height, Overall 78.1in
- Length, Overall N/Ain
- Length, Overall w/o rear bumper N/Ain
- Length, Overall w/rear bumper N/Ain
- Overhang, Front N/Ain
- Overhang, Rear w/o bumper N/Ain
- Wheelbase 140in
- Width, Max w/o mirrors 79.4in

## Frame

- Frame RBM N/AN/A
- Frame Strength N/Albs
- Frame Thickness N/Ain
- Frame Type N/A
- Sect Modulus Rails Only N/Ain<sup>3</sup>

## Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Aux Fuel Tank Location Midship
- Fuel Tank Capacity, Approx 26gal
- Fuel Tank Location Midship

## Interior Dimensions

- Front Head Room 41in
- Front Hip Room 63.2in
- Front Leg Room 41in
- Front Shoulder Room 66in
- Passenger Capacity 6
- Second Head Room 39.9in
- Second Hip Room 63.2in
- Second Leg Room 40.3in
- Second Shoulder Room 65.7in

## Mileage

- Cruising Range - City 390.00mi
- Cruising Range - Hwy 546.00mi
- EPA Fuel Economy Est - City 15MPG
- EPA Fuel Economy Est - Hwy 21MPG
- Fuel Economy Est-Combined 17MPG

## Steering

- Steering Ratio (:1), At Lock N/A
- Steering Ratio (:1), On Center N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 49.8ft
- Turning Diameter - Wall to Wall N/Aft



## Suspension

- Axle Capacity - Front 3900lbs
- Axle Capacity - Rear 3900lbs
- Axle Ratio (:1) - Front 3.21
- Axle Ratio (:1) - Rear 3.21
- Axle Type - Front Independent
- Axle Type - Rear Rigid Axle
- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Spring Capacity - Front N/Albs
- Spring Capacity - Rear N/Albs
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front Short And Long Arm
- Suspension Type - Rear Multi-Link

## Tires

- Front Tire Capacity 4728lbs
- Front Tire Order Code TTN
- Front Tire Size P275/60SR20
- Rear Tire Capacity 4728lbs
- Rear Tire Order Code TTN
- Rear Tire Size P275/60SR20
- Revolutions/Mile @ 45 mph - Front 636
- Revolutions/Mile @ 45 mph - Rear 636
- Revolutions/Mile @ 45 mph - Spare N/A
- Spare Tire Capacity N/Albs
- Spare Tire Order Code
- Spare Tire Size Full-Size

## Trailer

- Dead Weight Hitch - Max Tongue Wt. 788lbs
- Dead Weight Hitch - Max Trailer Wt. 7880lbs
- Maximum Trailering Capacity 7880lbs
- Wt Distributing Hitch - Max Tongue Wt. 788lbs
- Wt Distributing Hitch - Max Trailer Wt. 7880lbs

## Transmission

- Clutch Size N/Ain
- Drivetrain Four Wheel Drive
- Eighth Gear Ratio (:1) 0.67
- Fifth Gear Ratio (:1) 1.29
- Final Drive Axle Ratio (:1) N/A
- First Gear Ratio (:1) 4.71
- Fourth Gear Ratio (:1) 1.67
- Reverse Ratio (:1) 3.30
- Second Gear Ratio (:1) 3.14
- Seventh Gear Ratio (:1) 0.84
- Sixth Gear Ratio (:1) 1.00
- Third Gear Ratio (:1) 2.10
- Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code DFK
- Trans Power Take Off N/A
- Trans Type 8
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A
- Transfer Case Model N/A
- Transfer Case Power Take Off No

## Weight Information

- As Spec'd Curb Weight 5739.00lbs
- As Spec'd Payload 1161.00lbs
- Curb Weight - Front 3001lbs
- Curb Weight - Rear 2326lbs
- Curb Weight 5327.00lbs
- Gross Axle Weight Rating 7800.00lbs
- Gross Axle Wt Rating - Front 3900lbs
- Gross Axle Wt Rating - Rear 3900lbs
- Gross Combined Wt Rating 13800lbs
- Gross Vehicle Weight Rating 6900.00lbs



Licensed to J.D. Power

- Maximum Payload Capacity 1573.00lbs
- Option Weight - Front 304.00lbs
- Option Weight - Rear 108.00lbs
- Payload Weight Front 0lbs
- Payload Weight Rear 0lbs
- Reserve Axle Capacity - Front 595.00lbs
- Reserve Axle Capacity - Rear 1466.00lbs
- Reserve Axle Capacity 2061.00lbs
- Standard Weight - Front 0lbs
- Standard Weight - Rear 0lbs
- Total Option Weight 412.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 9in
- Rear Wheel Material Aluminum
- Rear Wheel Size 20 X 9in
- Spare Wheel Material Steel
- Spare Wheel Size Full-Sizein