



Vehicle Information

Date: September 19, 2018
Vehicle: 2017 Nissan Altima Sedan 4D SR 2.5L I4
VIN: 1N4AL3AP0HC229951
Weight: 3,258

New Cars/Trucks Values

| Powered by Chrome Data | Base | Options | Destination | Adjusted Value |
|--------------------------------|----------|---------|-------------|-----------------|
| Base MSRP | \$24,470 | \$1,180 | \$895 | \$26,545 |
| NADA New Vehicle Values | | | | |
| Low | \$19,130 | \$923 | \$895 | \$20,948 |
| Average | \$20,283 | \$978 | \$895 | \$22,156 |
| High | \$21,595 | \$1,041 | \$895 | \$23,531 |

Optional Equipment

| | Invoice | MSRP |
|--|----------|----------|
| [B10] SPLASH GUARDS Code: SGD | \$148.00 | \$190.00 |
| [K02] MIDNIGHT EDITION PACKAGE -inc: Black Mirror Caps, LED Headlamps w/Signature, Black Spoiler, Remote Engine Start, Wheels: 18" Exclusive Midnight Black Code: MID | \$887.00 | \$990.00 |
| [N10] REMOTE ENGINE START Code: REM-1 | \$268.00 | \$375.00 |
| WHEELS: 18" EXCLUSIVE MIDNIGHT BLACK Code: -NONWL | \$0.00 | \$0.00 |
| STANDARD PAINT Code: -PAINT | \$0.00 | \$0.00 |
| GUN METALLIC Code: KAD | \$0.00 | \$0.00 |
| SPORT INTERIOR, CLOTH SEAT TRIM Code: Z-0 | \$0.00 | \$0.00 |

Standard Equipment

ENTERTAINMENT

- Radio w/Seek-Scan, Clock, Speed Compensated Volume Control and Steering Wheel Controls
- Radio: AM/FM/CD/MP3 Audio System -inc: 5" color display, Siri Eyes Free voice recognition, illuminated USB connection port for iPod interface and other compatible devices, hands-free text messaging assistant, Radio Data System (RDS), aux-in, 4 speakers and streaming audio via Bluetooth wireless technology
- Window Grid Diversity Antenna

EXTERIOR

- Black Grille w/Chrome Accents
- Body-Colored Front Bumper
- Body-Colored Power Side Mirrors
- Body-Colored Rear Bumper



Licensed to J.D. Power

- Chrome Door Handles
- Chrome Side Windows Trim and Black Front Windshield Trim
- Clearcoat Paint
- Compact Spare Tire Mounted Inside Under Cargo
- Fixed Rear Window w/Defroster
- Front Fog Lamps
- Front Windshield-inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Daytime Running Headlamps w/Delay-Off
- Galvanized Steel/Aluminum Panels
- Light Tinted Glass
- Lip Spoiler
- Speed Sensitive Variable Intermittent Wipers
- Steel Spare Wheel
- Tires: P235/45VR18 AS
- Trunk Rear Cargo Access
- Wheels: 18" x 7.5" Sport Aluminum Alloy

INTERIOR

- 2 12V DC Power Outlets
- 2 Seatback Storage Pockets
- 4-Way Passenger Seat-inc: Manual Recline and Fore/Aft Movement
- 60-40 Folding Bench Front Facing Fold Forward Seatback Rear Seat
- Air Filtration
- Analog Display
- Cargo Area Concealed Storage
- Cargo Space Lights
- Carpet Floor Trim and Carpet Trunk Lid/Rear Cargo Door Trim
- Cloth Seat Trim
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- Delayed Accessory Power
- Driver / Passenger And Rear Door Bins and Audio Media Storage
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Engine Immobilizer
- Fade-To-Off Interior Lighting
- FOB Controls-inc: Trunk/Hatch/Tailgate and Windows
- Front And Rear Map Lights
- Front Bucket Seats-inc: 8-way power driver's seat w/2-way driver power lumbar support and 4-way manual passenger seat
- Front Center Armrest w/Storage and Rear Center Armrest
- Front Cupholder
- Full Carpet Floor Covering
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Mini Overhead Console w/Storage and 2 12V DC Power Outlets
- Gauges-inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC-inc: Underseat Ducts
- Illuminated Locking Glove Box
- Interior Trim-inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert and Chrome/Metal-Look Interior Accents
- Leather Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Leatherette Door Trim Insert
- Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows
- Proximity Key For Doors And Push Button Start
- Rear Cupholder
- Remote Keyless Entry w/Integrated Key Transmitter, 2 Door Curb/Courtesy, Illuminated Entry, Illuminated Ignition Switch and Panic Button
- Remote Releases-inc: Power Cargo Access and Mechanical Fuel
- Seats w/Cloth Back Material
- Systems Monitor
- Trip Computer
- Valet Function

MECHANICAL

- 110 Amp Alternator
- 18 Gal. Fuel Tank
- 4.83 Axle Ratio
- 4226# Gvwr
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Brake Assist and Hill Hold Control
- 550CCA Maintenance-Free Battery w/Run Down Protection
- Electro-Hydraulic Power Assist Speed-Sensing Steering



Licensed to J.D. Power

- Engine: 2.5L DOHC 16-Valve 4-Cylinder
- Front And Rear HD Anti-Roll Bars
- Front-Wheel Drive
- Gas-Pressurized Shock Absorbers
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Sport Tuned Suspension
- Strut Front Suspension w/Coil Springs
- Transmission w/Driver Selectable Mode
- Transmission: Xtronic CVT (Continuously Variable) -inc: paddle shifters

SAFETY

- ABS And Driveline Traction Control
- Airbag Occupancy Sensor
- Back-Up Camera
- Curtain 1st And 2nd Row Airbags
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Electronic Stability Control (ESC)
- Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Rear Child Safety Locks
- Side Impact Beams
- Tire Specific Low Tire Pressure Warning

Vehicle Information

CRASH TEST RATING

US NHTSA CRASH TEST RESULTS:

Overall Rating: *****

Overall Frontal Barrier Crash Rating: *****

Overall Side Crash Rating: *****

Side Barrier Rating: *****

Combined Side Barrier and Pole Ratings:

Front Seat Rating: *** Rear Seat Rating: *****

Overall Rollover Rating: *****

Dynamic Test Result: No Tip

Risk of Rollover: 10.3%

Note Regarding Driver Rating:

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

RECALL

US NHTSA CAMPAIGN ID:
17V040000

Mfg's Report Date:
JAN 17, 2017

Component:
LATCHES/LOCKS/LINKAGES:DOORS:LATCH

Potential Number Of Units Affected:
341005

Summary:

Nissan North America, Inc. (Nissan) is recalling certain 2015-2017 Altima vehicles. The rear door latch/lock cable on the vehicles may have been improperly routed. As a result, lowering a rear window may inadvertently cause that door to unlatch and open.

Consequence:

If the rear passenger doors inadvertently open while the vehicle is in motion, it may increase the risk of injury to the rear passengers.

**Remedy:**

Nissan will notify owners, and dealers will correct the rear door latch/lock cable routing, free of charge. The recall began on February 16, 2017. Owners may contact Nissan customer service at 1-800-647-7261.

Dates of Manufacture:

SEP 16, 2015 to OCT 05, 2016

WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

3 Years/36,000 Miles

Technical Specifications

Brakes

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc - Front (Yes or) Yes
- Disc - Rear (Yes or) Yes
- Drum - Rear (Yes or)
- Front Brake Rotor Diam x Thickness 11.7in
- Rear Brake Rotor Diam x Thickness 11.5in
- Rear Drum Diam x Width in

Cargo Area Dimensions

- Trunk Volume 15.4ft³

Cooling System

- Total Cooling System Capacity N/Aqts

Electrical

- Cold Cranking Amps @ 0Å° F (Primary) 550
- Maximum Alternator Capacity (amps) 110

Emissions

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO₂ Emissions @ 15K mi/year 5.9

Engine

- Displacement 2.5 L/152
- Engine Order Code
- Engine Type Regular Unleaded I4
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 179 @ 6000
- SAE Net Torque @ RPM 177 @ 4000

Exterior Dimensions

- Height, Overall 58in
- Length, Overall 191.9in
- Lifterover Height N/Ain
- Min Ground Clearance 5.4in
- Track Width, Front 62in
- Track Width, Rear 62in
- Wheelbase 109.3in
- Width, Max w/o mirrors 72in



Fuel Tank

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18gal

Interior Dimensions

- Front Head Room 40in
- Front Hip Room 54in
- Front Leg Room 45in
- Front Shoulder Room 56.4in
- Passenger Capacity 5
- Passenger Volume 101.9ft³
- Second Head Room 37.1in
- Second Hip Room 52.1in
- Second Leg Room 36.1in
- Second Shoulder Room 56.4in

Mileage

- Battery Range N/Ami
- Cruising Range - City 468.00mi
- Cruising Range - Hwy 666.00mi
- EPA Fuel Economy Est - City 26MPG
- EPA Fuel Economy Est - Hwy 37MPG
- EPA MPG Equivalent - City N/A
- EPA MPG Equivalent - Combined N/A
- EPA MPG Equivalent - Hwy N/A
- Fuel Economy Est-Combined 30MPG

Steering

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter - Curb to Curb 37.4ft
- Turning Diameter - Wall to Wall N/Aft

Suspension

- Shock Absorber Diameter - Front N/Amm
- Shock Absorber Diameter - Rear N/Amm
- Stabilizer Bar Diameter - Front N/Ain
- Stabilizer Bar Diameter - Rear N/Ain
- Suspension Type - Front (Cont.) Strut
- Suspension Type - Front Strut
- Suspension Type - Rear (Cont.) Multi-Link
- Suspension Type - Rear Multi-Link

Tires

- Front Tire Order Code
- Front Tire Size P235/45VR18
- Rear Tire Order Code
- Rear Tire Size P235/45VR18
- Spare Tire Order Code
- Spare Tire Size Compact

Trailer

- Dead Weight Hitch - Max Tongue Wt. N/Albs
- Dead Weight Hitch - Max Trailer Wt. N/Albs
- Wt Distributing Hitch - Max Tongue Wt. N/Albs
- Wt Distributing Hitch - Max Trailer Wt. N/Albs

Transmission

- Clutch Size N/Ain
- Drivetrain Front Wheel Drive
- Final Drive Axle Ratio (:1) 4.83
- First Gear Ratio (:1) 2.63 - 0.38
- Reverse Ratio (:1) 0.74
- Trans Description Cont. Again
- Trans Description Cont. CVT w/OD



Licensed to J.D. Power

- Trans Order Code
- Trans Type 1

Vehicle

- EPA Classification Mid-Size Cars

Weight Information

- Base Curb Weight 3258lbs

Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 18 X 7.5in
- Rear Wheel Material Aluminum
- Rear Wheel Size 18 X 7.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin