

csievers@poquetauto.com

# **Vehicle Information**

Date: September 19, 2018

Vehicle: 2015 Ford Explorer Utility 4D XLT 4WD 3.5L V6

VIN: 1FM5K8D85FGC46648

Weight: 4,610

# **New Cars/Trucks Values**

Code: UG

New Cars/Trucks Values				
Powered by Chrome Data	Base	Options	Destination	Adjusted Value
Base MSRP	\$35,000	<b>\$7,130</b>	\$895	\$43,025
NADA New Vehicle Values				
Low	N/A	N/A	N/A	N/A
Average	N/A	N/A	N/A	N/A
High	N/A	N/A	N/A	N/A
Optional Equipment			Invoice	MSRP
DUAL PANEL MOONROOF			\$1392.00	\$1595.00
Code: 439			ψ1332.00	ψ1393.00
EQUIPMENT GROUP 202B SAVINGS	\$-698.00	\$-800.00		
*DISCOUNT* Code: -RET202B			·	·
VOICE ACTIVATED NAVIGATION SY	\$694.00	\$795.00		
<ul> <li>-inc: in-dash screen, single CD/MP3 play SiriusXM Traffic and Travel Link, Note: S paid subscription 48 contiguous states,</li> </ul>	iriusXM Traffic and Travel Link	includes a 5-year pre-		
ENGINE: 3.5L TI-VCT V6 (FFV)	\$0.00	\$0.00		
-inc: Flexible Fuel Vehicle (FFV) system VCT V6 engine shipped to Federal Emis only available w/a Federal emissions sys requires code 936 or 423 if applicable for destinations). Cross border states include standard equipment in CA Emissions St	ssions States or Cross Border stem, (FFV system not available or California Emissions State de AZ, DC, ID, NH, NV, OH, VA,	State dealers and is e w/code 422 and ealer		
EQUIPMENT GROUP 202B	\$3273.00	\$3750.00		
-inc: Radio: AM/FM Stereo w/Single CD. audio input jack, 1 USB port and SiriusX includes 6 month prepaid subscription (4 or Hawaii, Premium Audio System w/9 S Temperature (DEATC), Driver Connect I Dimming Rearview Mirror, SYNC w/MyF displays in instrument cluster, 8" LCD co card reader, 5-way controls located on s (VHR) and SYNC services (traffic reports services), Note: SYNC services include a phone/primary account), Remote Start S *GROSS* Code: 202B-0	M satellite radio, Note: SiriusXI 8 contiguous states), Service no speakers, Dual Zone Electronic Package, meteorite black centeord Touch, 2 driver configurable lor touch-screen in center stack teering wheel, 911 assist, Vehics, GPS based turn-by-turn directs a complimentary one year preparates.	M satellite radio not available in Alaska Automatic er-stack, Auto- e 4.2" color LCD f, 2 USB ports, SD cle Health Report tions and information aid subscription (one		
STANDARD PAINT			\$0.00	\$0.00
Code: -PAINT			_	_
WHITE PLATINUM METALLIC TRI-CO	\$519.00	\$595.00		



Values	NADA New Cars/Trucks			
CHARCOAL BLACK, LEATHER-TRIMMED HEATED BUCKET SEATS	Invoice \$0.00	MSRP \$0.00		
-inc: 10-way power driver seat w/power recline and lumbar, 6-way power front passenger seat w/manual recline and lumbar and 4-way driver and front-passenger head restraints (2-way when DVD headrest are ordered 50S) Code: BW				
TIRES: P255/50R20 AS BSW Code: -NONTR0	\$0.00	\$0.00		
TRANSMISSION: 6-SPEED SELECTSHIFT AUTOMATIC (STD) Code: 44J	\$0.00	\$0.00		
WHEELS: 20" POLISHED ALUMINUM	\$1043.00	\$1195.00		

-inc: Tires: P255/50R20 AS BSW Code: 642

# Standard Equipment

## **ENTERTAINMENT**

- 2 LCD Monitors In The Front
- Integrated Roof Antenna
- Radio w/Seek-Scan, Clock and Speed Compensated Volume Control
- Radio: AM/FM Stereo w/Single CD/MP3 Capable inc: 6 speakers, media hub w/auxiliary audio input jack, 1 USB port and SiriusXM satellite radio, Note: SiriusXM satellite radio includes 6 month prepaid subscription (48 contiguous states), Service not available in Alaska or Hawaii
- SYNC w/MyFord inc: voice-activated communications and entertainment system w/911 Assist, Vehicle Health Report (VHR), traffic, directions and information services, 4.2" multifunction display, AppLink, Note: SYNC services available for a \$60 annual subscription fee

## **EXTERIOR**

- Black Power Heated Side Mirrors w/Convex Spotter, Manual Folding and Turn Signal Indicator
- Black Side Windows Trim and Black Front Windshield Trim
- Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
- Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent
- Chrome Bodyside Insert, Black Bodyside Cladding and Black Wheel Well Trim
- **Chrome Door Handles**
- Clearcoat Paint
- **Compact Spare Tire Mounted Inside Under Cargo**
- **Deep Tinted Glass**
- Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster
- Front Fog Lamps
- Front Windshield inc: Sun Visor Strip
- Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off
- **Galvanized Steel/Aluminum Panels**
- LED Brakelights
- Liftgate Rear Cargo Access
- Lip Spoiler
- Perimeter/Approach Lights
- Roof Rack Rails Only
- Silver Grille
- **Speed Sensitive Variable Intermittent Wipers**
- Steel Spare Wheel
- Tailgate/Rear Door Lock Included w/Power Door Locks
- Tires: P245/60R18 AS BSW
- . Wheels: 18" Painted Aluminum

## INTERIOR

- 2 Seatback Storage Pockets
- 4 12V DC Power Outlets
- 6040 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Premium Cloth Rear Seat
- Air Filtration
- Analog Display
- Cargo Space Lights
- Carpet Floor Trim
- Cloth Door Trim Insert
- Compass
- Cruise Control w/Steering Wheel Controls
- Day-Night Rearview Mirror
- **Delayed Accessory Power**
- Driver / Passenger And Rear Door Bins
- Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination
- Driver Foot Rest
- Fade-To-Off Interior Lighting



### Licensed to LD. Row

- Fixed 50-50 Split-Bench Premium Cloth 3rd Row Seat Front, Manual Fold Into Floor and 2 Fixed Head Restraints
- Front And Rear Map Lights
- Front Center Armrest
- Front Cupholder
- Full Carpet Floor Covering inc: Carpet Front And Rear Floor Mats
- Full Cloth Headliner
- Full Floor Console w/Covered Storage, Full Overhead Console w/Storage and 4 12V DC Power Outlets
- Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer
- HVAC inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts
- Illuminated Locking Glove Box
- Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert, Chrome And Metal-Look Interior Accents
- Keypad
- Leather/Chrome Gear Shift Knob
- Leather/Metal-Look Steering Wheel
- Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints
- Manual Air Conditioning
- Manual Tilt/Telescoping Steering Column
- Outside Temp Gauge
- Perimeter Alarm
- Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
- Power Door Locks w/Autolock Feature
- Power Rear Windows and Fixed 3rd Row Windows
- Rear Cupholder
- Rear HVAC w/Separate Controls
- Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button
- Seats w/Premium Cloth Back Material
- Securilock Anti-Theft Ignition (pats) Engine Immobilizer
- Systems Monitor
- Trip Computer
- Unique Cloth Bucket Seats inc: 6-way power front seats w/manual lumbar and recline,

## **MECHANICAL**

- 18 6 Gal Fuel Tank
- 200 Amp Alternator
- 3.65 Axle Ratio
- 4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Brake Assist, Hill Descent Control and Hill Hold Control
- 58-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
- Auto Locking Hubs
- Automatic Full-Time Four-Wheel Drive
- Electric Power-Assist Speed-Sensing Steering
- Electronic Transfer Case
- Engine: 3.5L Ti-VCT V6 (FFV) inc: Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles w/the 3.5L Ti-VCT V6 engine shipped to Federal Emissions States or Cross Border State dealers and is only available w/a Federal emissions system, (FFV system not available w/code 422 and requires code 936 or 423 if applicable for California Emissions State dealer destinations). Cross border states include AZ, DC, ID, NH, NV, OH, VA, WV Not standard equipment in CA Emissions States.
- Front And Rear Anti-Roll Bars
- · Gas-Pressurized Shock Absorbers
- GVWR: 6,160 lbs
- Multi-Link Rear Suspension w/Coil Springs
- Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher
- Strut Front Suspension w/Coil Springs
- Towing w/Trailer Sway Control
- Transmission: 6-Speed SelectShift Automatic

## **SAFETY**

- Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
- Airbag Occupancy Sensor
- Dual Stage Driver And Passenger Front Airbags
- Dual Stage Driver And Passenger Seat-Mounted Side Airbags
- Low Tire Pressure Warning
- Mykey System inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
- Outboard Front Lap And Shoulder Safety Belts inc: Rear Center 3 Point, Height Adjusters and Pretensioners
- Passenger Knee Airbag
- Rear Child Safety Locks
- Rear Parking Sensors
- Safety Canopy System Curtain 1st, 2nd And 3rd Row Airbags
- Side Impact Beams
- Terrain Management System ABS And Driveline Traction Control

# **Vehicle Information**

## **CRASH TEST RATING**

US NHTSA CRASH TEST RESULTS:



Overa	II	Rating:	*	*	*	*	

Overall Frontal Barrier Crash Rating: \* \* \* \* \*

Overall Side Crash Rating: \* \* \* \* \*

Side Barrier Rating: \* \* \* \* \*

Combined Side Barrier and Pole Ratings: Front Seat Rating: \*\*\*\*\* Rear Seat Rating: \*\*\*\*\*

Overall Rollover Rating: \* \* \* \* Dynamic Test Result: No Tip Risk of Rollover: 16.9%

**Note Regarding Driver Rating:** 

Male: Average sized adult male dummy in 35-MPH crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs. Female: Small-sized adult female dummy in 35-mph crash into fixed barrier. Rating is evaluation of injury to head, neck, chest, legs.

Rollover Note: Dynamic (moving) test results (Tip or No Tip) and measured rollover-related properties determine vehicle's risk of rollover in single vehicle crash and its rollover rating. The Rollover Resistance Rating utilizes a "fishhook" maneuver which is a series of abrupt turns at varying speeds to see how "top-heavy" a vehicle is.

## RECALL

**US NHTSA CAMPAIGN ID:** 15V464000

Mfg's Report Date: JUL 23, 2015

Component:

PARKING BRAKE

Potential Number Of Units Affected:

7165

## Summary:

Ford Motor Company (Ford) is recalling certain model year 2015 Ford Taurus, Ford Flex, and Lincoln MKS vehicles manufactured May 4, 2015, to May 23, 2015, Lincoln MKT vehicles manufactured May 4, 2015, to May 21, 2015, and 2015-2016 Ford Explorer vehicles manufactured May 4, 2015, to May 23, 2015. The affected vehicles have a parking brake that may not fully engage when applied. As such, these vehicles fail to comply with the requirements of Federal Motor Vehicle Safety Standard (FMVSS) number 135, "Light Vehicle Brake Systems."

If the parking brake does not fully engage and the transmission is left in a gear other than 'Park' while on a slope, the vehicle may roll away, increasing the risk of a crash.

Ford will notify owners, and dealers will test the operation of the parking brake system, and if necessary, replace the parking brake control assembly, free of charge. The recall began on September 4, 2015. Owners may contact Ford customer service at 1-866-436-7332. Ford's number for this recall is 15C07.

Dates of Manufacture: MAY 03, 2015 to MAY 22, 2015

Manufacturer Recall Number: 15C07 **US NHTSA CAMPAIGN ID:** 16V245000

Mfg's Report Date: APR 25, 2016

Component: SUSPENSION:REAR

Potential Number Of Units Affected:

75364

Ford Motor Company (Ford) is recalling certain model year 2014-2015 Ford Explorer vehicles manufactured January 17, 2014 to May 31, 2014. The affected vehicles may have improperly welded rear suspension toe links that may fracture.

A fracture of the rear suspension toe link may result in a loss of steering control, increasing the risk of a crash.

Ford will notify owners, and dealers will replace the rear suspension toe links, free of charge. The recall began on November 18, 2016. Owners may contact Ford customer service at 1-866436-7332. Ford's number for this recall is 16S18.

## Dates of Manufacture:



JAN 16, 2014 to MAY 30, 2014

Manufacturer Recall Number: 16S18 US NHTSA CAMPAIGN ID: 17E048000

Mfg's Report Date: AUG 27, 2017

Component: SUSPENSION:REAR

Potential Number Of Units Affected: 630

### Summary:

Ford Motor Company (Ford) is recalling certain Wheel Hub Bearing assemblies, part number HB5Z-1104-C, incorrectly listed as being for installation on the rear axles of 2011-2017 Ford Explorer 4X2 vehicles. These bearings assemblies were manufactured without a self retention feature, possibly resulting in the separation of the wheel end.

### Consequence:

A loss of the wheel or wheel end can increase the risk of a crash.

### Remedy

Ford will notify the distributors of the hubs specifying that they are to only be used on drive axles. It is believed that none of the hubs were purchased from Ford dealers for the incorrect application. Owners may contact Ford customer service at 1-866-436-7332.

## WARRANTY

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance: 5 Years/60,000 Miles

# **Technical Specifications**

## **Brakes**

- Brake ABS System (Second Line) N/A
- Brake ABS System 4-Wheel
- Brake Type N/A
- Disc Front (Yes or ) Yes
- Disc Rear (Yes or ) Yes
- Drum Rear (Yes or )
- Front Brake Rotor Diam x Thickness 12.8in
- Rear Brake Rotor Diam x Thickness 12.8in
- Rear Drum Diam x Width in

## Cargo Area Dimensions

- Cargo Area Length @ Floor to Seat 1 N/Ain
- Cargo Area Length @ Floor to Seat 2 N/Ain
- Cargo Area Length @ Floor to Seat 3 N/Ain
- Cargo Area Width @ Beltline N/Ain
- Cargo Box (Area) Height N/Ain
- Cargo Box Width @ Wheelhousings N/Ain
- Cargo Volume to Seat 1 80.7ftÂ<sup>3</sup>
- Cargo Volume to Seat 2 43.8ftÂ<sup>3</sup>
- Cargo Volume to Seat 3 21ftÂ<sup>3</sup>

## **Cooling System**

• Total Cooling System Capacity N/Aqts

## **Electrical**

Cold Cranking Amps @ O° F (Primary) 650



• Maximum Alternator Capacity (amps) 200

## **Emissions**

- EPA Greenhouse Gas Score N/A
- Tons/yr of CO2 Emissions @ 15K mi/year 9.3

## **Engine**

- Displacement 3.5 L/213
- Engine Order Code 998-1
- Engine Type Regular Unleaded V-6
- Fuel System Sequential MPI
- SAE Net Horsepower @ RPM 290 @ 6500
- SAE Net Torque @ RPM 255 @ 4000

## **Exterior Dimensions**

- Height, Overall 71in
- Length, Overall 197.1in
- Liftover Height N/Ain
- Min Ground Clearance 8.3in
- Rear Door Opening Height N/Ain
- Rear Door Opening Width N/Ain
- Track Width, Front 67in
- Track Width, Rear 67in
- Wheelbase 112.6in
- Width, Max w/o mirrors 78.9in

## **Fuel Tank**

- Aux Fuel Tank Capacity, Approx N/Agal
- Fuel Tank Capacity, Approx 18.6gal

## **Interior Dimensions**

- Front Head Room 41.4in
- Front Hip Room 57.3in
- Front Leg Room 40.6in
- Front Shoulder Room 61.3in
- Passenger Capacity 7
- Passenger Volume 151.7ftÅ<sup>3</sup>
- Second Head Room 40.5in
- Second Hip Room 56.7in
- Second Leg Room 39.8in
- Second Shoulder Room 61in
   Third Head Room 37.8in
- Third Hip Room 40.7in
- Third Leg Room 33.2in
- Third Shoulder Room 50.8in

## Mileage

- Cruising Range City 316.20mi
- Cruising Range Hwy 427.80mi
- EPA Fuel Economy Est City 17MPG
- EPA Fuel Economy Est Hwy 23MPG
- EPA MPG Equivalent City N/A
   EPA MPG Equivalent Combined N/A
- EPA MPG Equivalent Hwy N/A
- Fuel Economy Est-Combined 19MPG

## **Steering**

- Lock to Lock Turns (Steering) N/A
- Steering Ratio (:1), Overall N/A
- Steering Type Rack-Pinion
- Turning Diameter Curb to Curb 38.9ft
- Turning Diameter Wall to Wall N/Aft

## Suspension

- Shock Absorber Diameter Front N/Amm
- Shock Absorber Diameter Rear N/Amm



- Stabilizer Bar Diameter Front N/Ain
- Stabilizer Bar Diameter Rear N/Ain
- Suspension Type Front (Cont.) Strut
- Suspension Type Front Strut
- Suspension Type Rear (Cont.) Multi-Link Suspension Type Rear Multi-Link

## **Tires**

- Front Tire Order Code
- Front Tire Size P255/50R20
- Rear Tire Order Code
- Rear Tire Size P255/50R20
- Spare Tire Order Code
- Spare Tire Size Compact

## **Trailering**

- Dead Weight Hitch Max Tongue Wt. 200lbs
- Dead Weight Hitch Max Trailer Wt. 2000lbs
- Maximum Trailering Capacity 2000lbs
- Wt Distributing Hitch Max Tongue Wt. 200lbs
- Wt Distributing Hitch Max Trailer Wt. 2000lbs

## **Transmission**

- Clutch Size N/Ain
- **Drivetrain Four Wheel Drive**
- Fifth Gear Ratio (:1) 1.00
- Final Drive Axle Ratio (:1) 3.65
- First Gear Ratio (:1) 4.48
- Fourth Gear Ratio (:1) 1.41
- Reverse Ratio (:1) 2.88
- Second Gear Ratio (:1) 2.87
- Sixth Gear Ratio (:1) 0.74
- Third Gear Ratio (:1) 1.84 Trans Description Cont. Again
- Trans Description Cont. Automatic w/OD
- Trans Order Code 44J
- Trans Type 6
- Transfer Case Gear Ratio (:1), High N/A
- Transfer Case Gear Ratio (:1), Low N/A

## Vehicle

• EPA Classification Standard Sport Utility Vehicles 4WD

## **Weight Information**

- Base Curb Weight 4610lbs
- Curb Weight Front N/Albs Curb Weight - Rear N/Albs
- Curb Weight N/Albs
- Maximum Payload Capacity N/Albs
- Total Option Weight 0.00lbs

## Wheels

- Front Wheel Material Aluminum
- Front Wheel Size 20 X 8.5in
- **Rear Wheel Material Aluminum** Rear Wheel Size 20 X 8.5in
- Spare Wheel Material Steel
- Spare Wheel Size Compactin